

The Plant Photobiology Notes 0

Plant Sensory Photobiology: Suggested Reading and Bibliography

Pedro J. Aphalo

Draft of April 25, 2000

Faculty of Forestry
University of Joensuu, Joensuu, Finland

Copyright © 1999-2000 by Pedro J. Aphalo
First printing: October 1999
Second printing: April 2000

Typeset with L^AT_EX.
Edited with WinEdt.

Contents

Introduction	4
1 Suggested reading	5
1.1 Accessible to general public	5
1.2 Basic Reading	5
1.3 Intermediate reading	5
1.4 Advanced reading	5
1.4.1 General	5
1.4.2 The light environment	5
1.4.3 Photochemistry	5
1.4.4 Stomata	5
1.4.5 Germination	6
1.4.6 Plant-plant interactions	6
1.4.7 Growth and allocation	6
1.4.8 Photoperiodism	6
1.4.9 Phototropism and heliotropism	6
1.4.10 Effects of UV-B	6
1.4.11 Phytochrome	6
1.4.12 UV-A/Blue photoreceptor	6
1.4.13 UV-B photoreceptor	6
1.5 The classics and historical accounts	7
1.6 Methods	7
2 Bibliography	8
2.1 Introduction	8

Introduction

This note is a bibliography on Plant Sensory Photobiology. I have included books, reviews and research papers. Those which I think are of special interest, or a good starting point I have listed by subject in the chapter ‘Suggested reading’. The chapter ‘Bibliography’ lists these and many more references in alphabetical order of first author’s surname.

The selection is biased: it includes many more titles for the subjects related to my own research interests than for other areas. Anyway at the moment there are about 1000 references, mostly published after 1980. For earlier references on phytochrome the thorough bibliography of ? is highly recommended.

The selection of suggested readings is in many ways also arbitrary, and gives more importance to clear explanations and nice examples than to publication priority. It is also arbitrary in the sense that it is biased towards whole plants, and plant-plant interactions, and partly ignores work at the molecular level. This is just a reflection of my own ignorance, and I hope will be remedied with the help of your suggestions.

The categories basic, intermediate and advanced reading are based on the expectations for university students. If you are a high school student then what is called here ‘basic reading’ will feel to you like advanced material.

Full references are listed at the end. Citations are (hyper)linked to the list of references. The back reference(s) at the end of each entry in the list of references, indicate the sections in which a given publication is cited and are (hyper)linked to the corresponding page.

This is still a draft, and needs quite a lot of improvement. However, it may anyway be of use, but do not assume that all key papers are included (some of them are certainly missing!). In the list of references the typographical conventions for genes and apoproteins (or even latin names) are not always correct as the data has been formatted automatically with only a few manual edits¹

¹As time allows this will be fixed.

1 Suggested reading

1.1 Accessible to general public

King (1997) gives an accurate but very accessible account of the physiology of plants, including the historical background of how and when different phenomena were described and explained.

1.2 Basic Reading

Dusenbery (1992); Heldt (1997); Mohr and Schopfer (1995); Taiz and Zeiger (1991, 1998)

1.3 Intermediate reading

Attridge (1990); Ballaré (1999); Ballaré, Scopel and Sánchez (1995); Smith (1995)

1.4 Advanced reading

1.4.1 General

Casal, Sánchez and Botto (1998); Kendrick and Kronenberg (1986, 1994); Smith (1981, 1997); Wareing and Smith (1983)

1.4.2 The light environment

Campbell and Norman (1989, 1998); Monteith and Unsworth (1990); Montenbruck and Pfleger (1991); Russell, Jarvis and Monteith (1989)

1.4.3 Photochemistry

Wayne and Wayne (1996)

1.4.4 Stomata

Jarvis and Mansfield (1981); Mansfield and Meidner (1966); Meidner and Mansfield (1968); Srivastava and Zeiger (1995a,b); Zeiger and Zhu (1998); Zeiger, Farquhar and Cowan (1987)

1.4.5 Germination

Casal and Sánchez (1998); Mandoli et al. (1990); Scopel, Ballaré and Sánchez (1991); Shimomura et al. (1996)

1.4.6 Plant-plant interactions

Aphalo and Ballaré (1995); Aphalo, Ballaré and Scopel (1999); Ballaré (1999); Ballaré, Scopel and Sánchez (1990); Ballaré et al. (1994); Schmitt and Wulff (1993)

1.4.7 Growth and allocation

Casal and Kendrick (1993); Keiller and Smith (1989); Morgan (1981); Morgan and Smith (1976, 1979)

1.4.8 Photoperiodism

Lumsden and Thomas (1998); Millar et al. (1995); Thomas and Vince-Prue (1997)

1.4.9 Phototropism and heliotropism

Ballaré (1999); Ballaré et al. (1995b); Ritter and Koller (1994)

1.4.10 Effects of UV-B

Barnes et al. (1988); Caldwell and Flint (1994); Caldwell et al. (1986); Caldwell, Teramura and Tevini (1989); Caldwell et al. (1995b); Fiscus and Booker (1995); Foyer, Lelandais and Kunert (1994); Lumsden (1997a); Madronich et al. (1995); Rozema et al. (1997b); Tevini (1993a); Wilson and Greenberg (1993b)

1.4.11 Phytochrome

Batschauer (1998a); Casal, Sánchez and Botto (1998); Chamovitz and Deng (1996); Furuya and Schafer (1996); Millar, McGrath and Chua (1994); Quail et al. (1995); Smith (1997); Whitelam and Harberd (1994)

1.4.12 UV-A/Blue photoreceptor

Ahmad and Cashmore (1996); Batschauer (1998a); Jenkins et al. (1995); Quinones and Zeiger (1994); Whitelam (1995); Young, Liscum and Hangarter (1992)

1.4.13 UV-B photoreceptor

Ballaré (1999); Ballaré, Barnes and Flint (1995); Ballaré et al. (1995a)

1.5 The classics and historical accounts

Borthwick (1957); Caldwell (1971); Kasperbauer (1992); Sage (1992)

1.6 Methods

Mancinelli (1988a); Smith and Holmes (1984)

2 Bibliography

2.1 Introduction

This is an **incomplete** and rather arbitrary list of references on plant photobiology. It is a **draft** and I will update it as frequently as possible. In spite of its limitations I hope you will find it of some use.

Bibliography

- Adam E., Kozmabognar L., Kolar C., Schafer E. & Nagy F. 1996. The tissue-specific expression of a tobacco phytochrome B gene. – Plant Physiology 110: 1081–1088.
- Adam E., Kozmabognar L., Schafer E. & Nagy F. 1997. Tobacco phytochromes – genes, structure and expression. – Plant, Cell and Environment 20: 678–684.
- Adamse P. & Britz S. J. 1992a. Amelioration of UV-B damage under high irradiance. I: Role of photosynthesis. – Photochemistry and Photobiology 56: 645–650.
- Adamse P. & Britz S. J. 1992b. Spectral quality of two fluorescent UV sources during long-term use. – Photochemistry and Photobiology 56: 641–644.
- Adamse P. & Britz S. J. 1996. Rapid fluence-dependent responses to ultraviolet-B radiation in cucumber leaves - the role of UV-absorbing pigments in damage protection. – Journal of Plant Physiology 148: 57–62.
- Ahmad M. & Cashmore A. R. 1993. *HY4* gene of *A. thaliana* encodes a protein with characteristics of a blue-light photoreceptor. – Nature (London) 366: 162–166.
- Ahmad M. & Cashmore A. R. 1996. Seeing blue: the discovery of cryptochrome. – Plant Molecular Biology 30: 851–861. 1.4.12
- Ahmad M. & Cashmore A. R. 1997. The blue-light receptor cryptochrome 1 shows functional dependence on phytochrome A or phytochrome B in *Arabidopsis thaliana*. – The Plant Journal 11: 421–427.
- Ahmad M., Jarillo J. A. & Cashmore A. R. 1998. Chimeric proteins between CRY1 and CRY2 *Arabidopsis* blue light photoreceptors indicate overlapping functions and varying protein stability. – Plant Cell 10: 197–207.
- Ahmad M., Jarillo J. A., Smirnova O. & Cashmore A. R. 1998. Cryptochrome blue-light photoreceptors of *Arabidopsis* implicated in phototropism. – Nature 392: 720–723.
- Alba R., Cordonnier-Pratt M. M., Pratt L. H., Valenzano C. J., Kays S. J. & Bieche B. J. 1999. Genetic manipulation of phytochromes in tomato (*Lycopersicon esculentum* Mill.): a novel approach to crop improvement. – Acta Horticulturae 487: 93–98. Proceedings of the Sixth International ISHS Symposium on the Processing Tomato and the Workshop on Irrigation and Fertigation of Processing Tomato, Pamplona, Spain, 25-29 May 1998.

Bibliography

- Alenius C. M., Vogelmann T. C. & Bornman J. F. 1995. A three-dimensional representation of the relationship between penetration of UV-B radiation and UV-screening pigments in leaves of *Brassica napus*. – New Phytologist 131: 297–302.
- Allen D. J., McKee I. F., Farage P. K. & Baker N. R. 1997. Analysis of limitations to CO₂ assimilation on exposure of leaves of two *Brassica napus* cultivars to UV-B. – Plant, Cell and Environment 20: 633–640.
- Aloudat M., Baydoun S. A. & Mohammad A. 1998. Effects of enhanced UV-B on growth and yield of two syrian crops wheat (*Triticum durum* var. horani) and broad beans (*Vicia faba*) under field conditions. – Environmental and Experimental Botany 40: 11–16.
- Ambasht N. K. & Agrawal M. 1997. Influence of supplemental UV-B radiation on photosynthetic characteristics of rice plants. – Photosynthetica 34: 401–408.
- Anderson M. B., Folta K., Warpeha K. M., Gibbons J., Gao-Jie, Kaufman L. S. & Gao J. 1999. Blue light-directed destabilization of the pea Lhcb1*4 transcript depends on sequences within the 5' untranslated region. – Plant Cell 11(8): 1579–1589.
- Anderson S. L., Somers D. E., Millar A. J., Hanson K., Chory J. & Kay S. A. 1997. Attenuation of phytochrome A and B signaling pathways by the arabidopsis circadian clock. – Plant Cell 9(10): 1727–1743.
- Antonelli F., Bussotti F., Grifoni D., Grossoni P., Mori B., Tani C. & Zipoli G. 1998. Oak (*Quercus robur* L.) seedlings responses to a realistic increase in UV-B radiation under open space conditions. – Chemosphere 36: 841–845.
- Antonelli F., Grifoni D., Sabatini F. & Zipoli G. 1997. Morphological and physiological responses of bean plants to supplemental UV radiation in a mediterranean climate. – Plant Ecology 128: 127–136.
- Aphalo P. J. & Ballaré C. L. 1995. On the importance of information-acquiring systems in plant-plant interactions. – Functional Ecology 9: 5–14. 1.4.6
- Aphalo P. J. & Jarvis P. G. 1993. Separation of direct and indirect responses of stomata to light: Results from a leaf inversion experiment at constant intercellular CO₂ molar fraction. – Journal of Experimental Botany 44(261): 791–800.
- Aphalo P. J. & Lehto T. 1997. Effects of light quality on growth and N accumulation in birch seedlings. – Tree Physiology 17: 125–132.
- Aphalo P. J. & Sánchez R. A. 1986. Stomatal responses to light and drought stress in variegated leaves of *hedera helix*. – Plant Physiology 81: 768–773.
- Aphalo P. J., Ballaré C. L. & Scopel A. L. 1999. Plant-plant signalling, the shade avoidance response and competition. – Journal of Experimental Botany 50: 1629–1634. 1.4.6

Bibliography

- Aphalo P. J., Gibson D. & Benedetto A. H. D. 1991. Responses of growth, photosynthesis, and leaf conductance to white light irradiance and end-of-day red and far-red pulses in *Fuchsia magellanica* Lam. – New Phytologist 117: 461–471.
- Arnold R. L. B., Ghersa C. M., Sánchez R. A. & Fernández A. E. G. 1988. The role of fluctuating temperatures in the germination and establishment of *Sorghum halepense* (L.) Pers. Regulation of germination under leaf canopies. – Functional Ecology 2: 311–318.
- Asthana A., McCloud E. S., Berenbaum M. R. & Tuveson R. W. 1993. Phototoxicity of *Citrus jambhiri* to fungi under enhanced UV-B radiation: Role of furanocoumarins. – Journal of Chemical Ecology 19: 2813–2830.
- Attridge T. H. 1990. Light and Plant Responses. – Edward Arnold, London. 1.3
- Bachereau F. & Asta J. 1997. Effects of solar ultraviolet radiation at high altitude on the physiology and the biochemistry of a terricolous lichen (*Cetraria islandica* (L.) Ach.). – Symbiosis 23: 197–217.
- Bagnall D. J., King R. W. & Hangarter R. P. 1996. Blue-light promotion of flowering is absent in *hy4* mutants of *Arabidopsis*. – Planta 200: 278–280.
- Bain A. B. & Attridge T. H. 1988. Shade-light mediated responses in field and hedgerow populations of *Galium aparine* L. – Journal of Experimental Botany 39: 1759–1764.
- Baker J. T. & Allen, L. H. J. 1994. Assessment of the impact of rising carbon dioxide and other potential climate changes on vegetation. – Environmental Pollution 83: 223–235.
- Baker N. R. 1997. Photosynthesis and the Environment, Advances in Photosynthesis. – Kluwer Academic Publishers, . ISBN 0-7923-4316-6.
- Baker N. R., Nogues S. & Allen D. J. 1997. Photosynthesis and photoinhibition. In Plants and UV-B: responses to environmental change (P. Lumsden, ed), pp. 95–111. – Cambridge University Press, Cambridge.
- Balatti P. A. & Montaldi E. R. 1986. Effects of red and far red lights on nodulation and nitrogen fixation in soybean (*glycine max* L. merr.). – Plant and Soil 92(3): 427–430.
- Ballaré C. L. 1994. Light gaps: Sensing the light opportunities in highly dynamic canopy environments. In Exploitation of Environmental Heterogeneity by Plants. Ecophysiological Processes Above and Below Ground (M. M. Caldwell and R. W. Pearcy, eds), Physiological Ecology, pp. 73–110. – Academic Press, San Diego.
- Ballaré C. L. 1999. Keeping up with the neighbours: phytochrome sensing and other signalling mechanisms. – Trends in Plant Science 4: 97–102. 1.3, 1.4.6, 1.4.9, 1.4.13
- Ballaré C. L. & Scopel A. L. 1997. Phytochrome signalling in plant canopies - testing its population-level implications with photoreceptor mutants of *Arabidopsis*. – Functional Ecology 11: 441–450.

Bibliography

- Ballaré C. L., Barnes P. W. & Flint S. D. 1995. Inhibition of hypocotyl elongation by ultraviolet-B radiation in de-etiolating tomato seedlings. 1. The photoreceptor. – *Physiologia Plantarum* 93: 584–592. 1.4.13
- Ballaré C. L., Barnes P. W., Flint S. D. & Price S. 1995a. Inhibition of hypocotyl elongation by ultraviolet-B radiation in de-etiolating tomato seedlings. 2. Time-course, comparison with flavonoid responses and adaptive significance. – *Physiologia Plantarum* 93: 593–601. 1.4.13
- Ballaré C. L., Casal J. J. & Kendrick R. E. 1991a. Responses of light-grown wild-type and long hypocotyl mutant cucumber seedlings to natural and simulated shade light. – *Photochemistry and Photobiology* 53: 87–94.
- Ballaré C. L., Casal J. J. & Kendrick R. E. 1991b. Responses of wild-type and *lh*-mutant seedlings of cucumber to natural and simulated shadelight. – *Photochemistry and Photobiology* 54: 819–826.
- Ballaré C. L., Scopel A. L. & Sánchez R. A. 1989. Photomodulation of axis extension in sparse canopies. the role of the stem in the perception of light-quality signals of stand density. – *Plant Physiology* 89: 1324–1330.
- Ballaré C. L., Scopel A. L. & Sánchez R. A. 1990. Far-red radiation reflected from adjacent leaves: an early signal of competition in plant canopies. – *Science* 247: 329–332. 1.4.6
- Ballaré C. L., Scopel A. L. & Sánchez R. A. 1991a. On the opportunity cost of the photosynthate invested in stem elongation reactions mediated by phytochrome. – *Oecologia* 86: 561–567.
- Ballaré C. L., Scopel A. L. & Sánchez R. A. 1991b. Photocontrol of stem elongation in plant neighbourhoods: effects of photon fluence rate under natural conditions of radiation. – *Plant, Cell and Environment* 14: 57–65.
- Ballaré C. L., Scopel A. L. & Sánchez R. A. 1995. Plant photomorphogenesis in canopies, crop growth, and yield. – *HortScience* 30: 1172–1181. 1.3
- Ballaré C. L., Scopel A. L. & Sánchez R. A. 1997. Foraging for light – photosensory ecology and agricultural implications. – *Plant, Cell and Environment* 20: 820–825.
- Ballaré C. L., Scopel A. L., Jordan E. T. & Vierstra R. D. 1994. Signalling among neighboring plants and the development of size inequalities in plant populations. – *Proceedings of the National Academy of Science of the United States of America* 91: 10094–10098. 1.4.6
- Ballaré C. L., Scopel A. L., Roush M. L. & Radosevich S. R. 1995b. How plants find light in patchy canopies: A comparison between wild-type and phytochrome-B-deficient mutant plants of cucumber. – *Functional Ecology* 9: 859–868. 1.4.9
- Ballaré C. L., Scopel A. L., Sánchez R. A. & Radosevich S. R. 1992a. Photomorphogenic processes in the agricultural environment. – *Photochemistry and Photobiology* 56: 777–788.

Bibliography

- Ballaré C. L., Sánchez R. A., Scopel A. L. & Ghersa C. M. 1988. Morphological responses of *Datura ferox* L. seedlings to the presence of neighbours. Their relationships with canopy microclimate. – *Oecologia* 76: 288–293.
- Ballaré C. L., Sánchez R. A., Scopel A. L., Casal J. J. & Ghersa C. M. 1987. Early detection of neighbour plants by phytochrome perception of spectral changes in reflected sunlight. – *Plant, Cell and Environment* 10: 551–557.
- Ballaré C., Scopel A. L., Radosevich S. R. & Kendrick R. E. 1992b. Phytochrome-mediated phototropism in de-etiolated seedlings. – *Plant Physiology* 100: 170–177.
- Ballaré C. L., Barnes P. W. & Flint S. D. 1995. Inhibition of hypocotyl elongation by ultraviolet-B radiation in de- etiolating tomato seedlings .1. The photoreceptor. – *Physiologia Plantarum* 93: 584–592.
- Ballaré C. L., Barnes P. W. & Kendrick R. E. 1991. Photomorphogenic effects of UV-B radiation on hypocotyl elongation in wild type and stable-phytochrome-deficient mutant seedlings of cucumber. – *Physiologia Plantarum* 83: 652–658.
- Ballaré C. L., Barnes P. W., Flint S. D. & Price S. 1995. Inhibition of hypocotyl elongation by ultraviolet-b radiation in de- etiolating tomato seedlings .2. Time-course, comparison with flavonoid responses and adaptive significance. – *Physiologia Plantarum* 93: 593–601.
- Ballaré C. L., Scopel A. L., Stapleton A. E. & Yanovsky M. J. 1996. Solar ultraviolet-B radiation affects seedling emergence, DNA integrity, plant morphology, growth rate, and attractiveness to herbivore insects in *Datura ferox*. – *Plant Physiology* 112: 161–170.
- Barbato R., Frizzo A., Friso G., Rigoni F. & Giacometti C. M. 1995. Degradation of the D1 protein of photosystem-II reaction centre by ultraviolet-B radiation requires the presence of functional manganese on the donor side. – *European Journal of Biochemistry* 227: 723–729.
- Barnes J. D., Percy K. E., Paul N. D., Jones P., McLaughlin C. K., Mullineaux P. M., Creissen G. & Wellburn A. R. 1996. The influence of UV-B radiation on the physicochemical nature of tobacco (*Nicotiana tabacum* L) leaf surfaces. – *Journal of Experimental Botany* 47: 99–109.
- Barnes P. W., Ballaré C. L. & Caldwell M. M. 1996. Photomorphogenic effects of UV-B radiation on plants - consequences for light competition. – *Journal of Plant Physiology* 148: 15–20.
- Barnes P. W., Flint S. D. & Caldwell M. M. 1990. Morphological responses of crop and weed species of different growth forms to ultraviolet-B radiation. – *American Journal of Botany* 77: 1354–1360.
- Barnes P. W., Flint S. D. & Caldwell M. M. 1995. Early-season effects of supplemented solar UV-B radiation on seedling emergence, canopy structure, simulated stand photosynthesis and competition for light. – *Global Change Biology* 1: 43–53.

Bibliography

- Barnes P. W., Jordan P. W., Gold W. G., Flint S. D. & Caldwell M. M. 1988. Competition, morphology and canopy structure in wheat (*Triticum aestivum* L.) and wild oat (*Avena fatua* L.) exposed to enhanced ultraviolet-B radiation. – *Functional Ecology* 2: 319–339. 1.4.10
- Barnes P. W., Maggard S., Holman S. R. & Vergara B. S. 1993. Intraspecific variation in sensitivity to UV-B radiation in rice. – *Crop Science* 33: 1041–1046.
- Barnes S. A., Quaggio R. B. & Chua N. H. 1995. Phytochrome signal-transduction - characterization of pathways and isolation of mutants. – *Philosophical Transactions of the Royal Society of London - Series B: Biological Sciences* 350: 67–74.
- Batschauer A. 1998a. Photoreceptors of higher plants. – *Planta* 206: 479–492. 1.4.11, 1.4.12
- Batschauer A. 1998b. Photoreceptors of higher plants. – *Planta* 206(4): 479–492.
- Batschauer A., Rocholl M., Kaiser T., Nagatani A., Furuya M. & Schafer E. 1996. Blue and UV-A light-regulated CHS expression in *Arabidopsis* independent of phytochrome A and phytochrome B. – *The Plant Journal* 9: 63–69.
- Bavcon J. & Gogala N. 1996. The influence of UV-B irradiation on the mitotic activity in *Picea abies* (L) Karst. – *Phyton-Annales Rei Botanicae Austria* 36: 47–50.
- Bavcon J., Gaberscik A. & Batic F. 1996. Influence of UV-B radiation on photosynthetic activity and chlorophyll fluorescence kinetics in norway spruce [*Picea abies* (L) Karst] seedlings. – *Trees-Structure & Function* 10: 172–176.
- Beggs C. J. & Wellmann E. 1994. Photocontrol of flavonoid biosynthesis. In *Photomorphogenesis in Plants* (R. E. Kendrick and G. H. M. Kronenberg, eds), 2nd Ed., pp. 733–751. – Kluwer Academic, Dordrecht.
- Beggs C. J., Schneider-Ziebert U. & Wellmann E. 1986. UV-B radiation and adaptive mechanisms in plants. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 235–250. – Springer-Verlag, Berlin.
- Benvenuti S. & Macchia M. 1998. Phytochrome-mediated germination control of *Datura stramonium* L. seeds after seed burial. – *Weed Research* 38: 199–205.
- Berglund T., Kalbin G., Strid A., Rydstrom J. & Ohlsson A. B. 1996. UV-B- and oxidative stress-induced increase in nicotinamide and trigonelline and inhibition of defensive metabolism induction by poly(ADP- ribose)polymerase inhibitor in plant tissue. – *FEBS Letters* 380: 188–193.
- Berkelaar E. J., Ormrod D. P. & Hale B. A. 1996a. The influence of photosynthetically active radiation on the effects of ultraviolet-B radiation on *Arabidopsis thaliana*. – *Photochemistry and Photobiology* 64: 110–116.

- Berkelaar E. J., Ormrod D. P. & Hale B. A. 1996b. The influence of photosynthetically active radiation on the effects of ultraviolet-B radiation on *Arabidopsis thaliana*. – Photochemistry and Photobiology 64: 110–116.
- Bertram L. & Lercari B. 1996. The use of UV radiation to control the architecture of salvia splendens plants. II. Relationships between PAR levels and UV radiation in the photoregulation of stem elongation. – Photochemistry and Photobiology 63: 131–.
- Bi X. Z., Ren N., Liu L. H., Cheng K. C. & Song Y. C. 1998. Physical localization of phyA and rbcS genes in rice. – International Rice Research Notes 23(1): 8.
- Bi X. Z., Song Y. C., Ren N., Liu L. H. & Yan H. M. 1999. Physical localization of phyA and rbcS genes in rice (*Oryza sativa* L.). – Acta Phytophysiologica Sinica 25(1): 73–79.
- Biggs R. H. & Webb P. G. 1986. Effects of enhanced ultraviolet-B radiation on yield, and disease incidence and severity for wheat under field conditions. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and Plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 303–311. – Springer-Verlag, Berlin.
- Bilger W., Veit M., Schreiber L. & Schreiber U. 1997. Measurement of leaf epidermal transmittance of UV radiation by chlorophyll fluorescence. – Physiologia Plantarum 101: 754–763.
- Bisba A., Petropoulou Y. & Manetas Y. 1997. The transiently pubescent young leaves of plane (*Platanus orientalis*) are deficient in photodissipative capacity. – Physiologia Plantarum 101: 373–378.
- Biswal B., Joshi P. N. & Kulandaivelu G. 1997. Changes in leaf protein and pigment contents and photosynthetic activities during senescence of detached maize leaves - influence of different ultraviolet radiations. – Photosynthetica 34: 37–44.
- Björn L. O. 1976. Why are plants green? relationships between pigment absorption and photosynthetic efficiency. – Photosynthetica 10(2): 121–129.
- Björn L. O. 1980. Blue light effects on plastid development in higher plants. In *The Blue Light Syndrome* (H. Senger, ed), pp. 455–464. – Springer-Verlag, Berlin.
- Björn L. O. 1986. Reply to comment on ‘measurement of light gradients and spectral regime in plant tissue with a fiber optic probe’. – Physiologia Plantarum 67: 494–497.
- Björn L.-O. 1989. Computer programs for estimating ultraviolet radiation in daylight. In *Radiation Measurement in Photobiology* (B. L. Diffey, ed), pp. 161–189. – Academic Press, London.
- Björn L. O. & Teramura A. H. 1993. Simulation of daylight ultraviolet radiation and effects of ozone depletion. In *Environmental UV Photobiology* (A. R. Young, L. O. Björn, J. Moan and W. Nultsch, eds), pp. 41–71. – Plenum Press, New York.

Bibliography

- Björn L. O., Bornman J. F. & Olsson E. 1986. Effects of ultraviolet radiation on fluorescence induction kinetics in isolated thylakoids and intact leaves. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and Plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 185–198. – Springer-Verlag, Berlin.
- Björn L. O., Callaghan T. V., Gehrke C., Johanson U., Sonesson M. & Gwynn-Jones D. 1998. The problem of ozone depletion in northern europe. – *Ambio* 27(4): 275–279.
- Björn L. O., Callaghan T. V., Johnsen I., Lee J. A., Manetas Y., Paul N. D., Sonesson M., Wellburn A. R., Coop D., Heide-Jørgensen H. S., Gehrke C., Gwynn-Jones D., Johanson U., Kyparissis A., Levizou E., Nikolopoulos D., Petropoulou Y. & Stephanou M. 1997a. The effects of UV-B radiation on european heathland species. – *Plant Ecology* 128(1-2): 253–264. UV-B and Biosphere. An international workshop, December 15-18, 1995, Wageningen, Netherlands.
- Björn L. O., Callaghan T. V., Johnsen I., Lee J. A., Manetas Y., Paul N. D., Sonesson M., Wellburn A. R., Coops D., Heidejorgensen H. S., Gehrke C., Gwynnjones D., Johanson U., Kyparissis A., Levizou E., Nikolopoulos D., Petropoulou Y. & Stephanou M. 1997b. The effects of UV-B radiation on european heathland species. – *Plant Ecology* 128: 252–264.
- Björn L. O., Cunningham A., Dubinsky Z., Estrada M., Figueroa F. L., Garciapichel F., Hader D. P., Hanelt D., Levavasseur G. & Luning K. 1996. Technical discussion I - underwater light measurement and light absorption by algae. – *Scientia Marina* 60: 293–297.
- Björn L. O., Callaghan T., Gehrke C., Gunnarsson T., Holmgren B., Johanson U., Snogerup S., Sonesson M., Sterner O. & Yu S.-G. 1997. Effects on subarctic vegetation of enhanced UV-B radiation. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 233–246. – Cambridge University Press, Cambridge.
- Blackman G. E. & Wilson G. L. 1954. Physiological and ecological studies in the analysis of plant environment. VII. An analysis of the differential effects of light intensity on the net assimilation rate, leaf-area ratio, and relative growth rate of different species. – *Annals of Botany* 15: 374–408.
- Bliss D. & Smith H. 1985. Penetration of light into soil and its role in the control of seed germination. – *Plant, Cell and Environment* 8: 475–483.
- Blumthaler M. 1993. Solar UV measurements. In *UV-B Radiation and Ozone Depletion: Effects on Humans, Animals, Plants; Microorganisms, and Materials* (M. Tevini, ed), pp. 71–94. – Lewis Publishers, Boca Raton.
- Blumthaler M., Salzgeber M. & Ambach W. 1995. Ozone and ultraviolet-B irradiances - experimental determination of the radiation amplification factor. – *Photochemistry and Photobiology* 61: 159–162.

Bibliography

- Boase M. R., Bradley J. M. & Borst N. K. 1998. An improved method for transformation of regal pelargonium (*Pelargonium × domesticum* Dubonnet) by *Agrobacterium tumefaciens*. – Plant Science 139(1): 59–69.
- Booker F. L., Fiscus E. L., Philbeck R. B., Heagle A. S., Miller J. E. & Heck W. W. 1992. A supplemental ultraviolet-B radiation system for open-top chambers. – Journal of Environmental Quality 21: 56–61.
- Bornman J. F. 1986. Inhibition of photosystem II by blue light and ultraviolet radiation: a comparison. – Photobiochemistry and Photobiophysics 11: 9–17.
- Bornman J. F. 1989. Target sites of UV-B radiation in photosynthesis of higher plants. – Journal of Photochemistry and Photobiology 4: 145–158.
- Bornman J. F. & Sundby-Emanuelsson C. 1995. Response of plants to UV-B radiation: Some biochemical and physiological effects. In Environment and Plant Metabolism: Flexibility and acclimation. Environmental Plant Biology Series (N. Smirnoff, ed), pp. 245–262. – BIOS Sci Publ., Oxford, UK.
- Bornman J. F. & Teramura A. H. 1993. Effects of ultraviolet-B radiation on terrestrial plants. In Environmental UV Photobiology (A. R. Young, L. O. Björn, J. Moan and W. Nultsch, eds), pp. 427–. – Plenum Press, New York.
- Bornman J. F. & Vogelmann T. C. 1988. Penetration by blue and UV radiation measured by fiber optics in spruce and fir needles. – Physiologia Plantarum 72: 699–705.
- Bornman J. F. & Vogelmann T. C. 1991. The effect of UV-B radiation on leaf optical properties measured with fibre optics. – Journal of Experimental Botany 42: 547–554.
- Bornman J. F., Björn L. O. & Akerlund H.-E. 1984. Action spectrum for inhibition by ultraviolet radiation of photosystem II activity in spinach thylakoids. – Photobiochemistry and Photobiophysics 8: 305–313.
- Bornman J. F., Evert R. F., Mierzwa R. J. & Bornman C. H. 1986. Fine structural effects of UV radiation on leaf tissue of *Beta vulgaris*. In Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and Plant Life (R. C. Worrest and M. M. Caldwell, eds), pp. 199–209. – Springer-Verlag, Berlin.
- Bornman J. F., Reuber S., Cen Y.-P. & Weissenbock G. 1997. Ultraviolet radiation as a stress factor and the role of protective pigments. In Plants and UV-B: responses to environmental change (P. Lumsden, ed), pp. 157–168. – Cambridge University Press, Cambridge.
- Bornman J. F., Sundby-Emanuelsson C., Cen Y.-P. & Alenius C. 1994. UV-B radiation and the photosynthetic process. In Stratospheric Ozone Depletion/UV-B Radiation in the Biosphere (R. H. Biggs and M. E. B. Joyner, eds), Vol 18, pp. 345–348. – NATO ASI Series, Springer-Verlag, Berlin.

Bibliography

- Borthwick H. A. 1957. Light effects on tree growth and seed germination. – The Ohio Journal of Science 57: 357–364. 1.5
- Botto J. F., Sánchez R. A. & Casal J. J. 1998. Burial conditions affect light responses of *datura ferox* seeds. – Seed Science Research 8(4): 423–429.
- Botto J. F., Scopel A. L., Ballaré C. L. & Sánchez R. A. 1998. The effect of light during and after soil cultivation with different tillage implements on weed seedling emergence. – Weed Science 46: 351–357.
- Botto J. F., Sánchez R. A. & Casal J. J. 1995. Role of phytochrome B in the induction of seed germination by light in *Arabidopsis thaliana*. – Journal of Plant Physiology 146: 307–312.
- Botto J. F., Sánchez R. A., Whitelam G. C. & Casal J. J. 1996. Phytochrome A mediates the promotion of seed germination by very low fluences of light and canopy shade light in *Arabidopsis*. – Plant Physiology 110: 439–444.
- Bowler C. & Aducci P. 1997. Transduction of light signals by phytochrome.
- Bowler C., Frohnmyer H., Schafer E., Neuhaus G. & Chua N. H. 1997a. Phytochrome and UV signal transduction pathways. – Acta Physiologiae Plantarum 19: 475–483.
- Bowler C., Frohnmyer H., Schafer E., Neuhaus G. & Chua N. H. 1997b. Phytochrome and UV signal transduction pathways. – Acta Physiologiae Plantarum 19(4): 475–483. Molecular biology of plants under environmental stress. Proceedings of an international conference, Poznan, Poland, 17-19 September 1997.
- Bowler C., Neuhaus G., Chua-NamHai, Chua N. H., Grillo S. e. & Leone A. 1996. Transduction of light signals in plants. In Physical stresses in plants: genes and their products for tolerance, pp. 201–209. – Springer-Verlag, Berlin. ISBN 3-540-61347-1. Proceedings of a workshop held at Maratea, Italy, 24-27 September 1995.
- Brandle J. R., Campbell W. F., Sisson W. B. & Caldwell M. M. 1977. Net photosynthesis, electron transport capacity, and ultrastructure of *Pisum sativum* L. exposed to ultraviolet-B radiation. – Plant Physiology 60: 165–169.
- Brandt K., Giannini A. & Lercari B. 1995. Photomorphogenic responses to UV radiation .3. A comparative study of UVB effects on anthocyanin and flavonoid accumulation in wild-type and aurea mutant of tomato (*Lycopersicon esculentum* Mill). – Photochemistry and Photobiology 62: 1081–1087.
- Braslavsky S. E., Gartner W. & Schaffner K. 1997. Phytochrome photoconversion. – Plant, Cell and Environment 20: 700–706.
- Braun J. & Tevini M. 1993. Regulation of UV-protective pigment synthesis in the epidermal layer of rye seedlings (*Secale cereale* L. cv. Kustro). – Phytochemistry and Photobiology 57: 318–323.

- Britt A. B. 1995. Repair of DNA damage induced by ultraviolet radiation. – *Plant Physiology* 108: 891–896.
- Britt A. B. 1997. Genetic analysis of DNA repair in plants. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 77–93. – Cambridge University Press, Cambridge.
- Britt A. B., Chen J. J., Wykoff D. & Mitchell D. 1993. A UV-sensitive mutant of *Arabidopsis* defective in the repair of pyrimidine-pyrimidinone(6-4) dimers. – *Science* 261: 1571–1574.
- Brown M. J., Parker G. G. & Posner N. E. 1994. A survey of ultraviolet-B radiation in forests. – *Journal of Ecology* 82: 843–854.
- Buchholz G., Ehmann B. & Wellmann E. 1995. Ultraviolet light inhibition of phytochrome-induced flavonoid biosynthesis and DNA photolyase formation in mustard cotyledons (*Sinapis alba* L.). – *Plant Physiology* 108: 227–234.
- Burger J. & Edwards G. E. 1996. Photosynthetic efficiency, and photodamage by UV and visible radiation, in red versus green leaf coleus varieties. – *Plant and Cell Physiology* 37: 395–399.
- Byung-ChulKim, Tennessen D. J. & Last R. L. 1998. UV-B-induced photomorphogenesis in *arabidopsis thaliana*. – *Plant Journal* 15(5): 667–674.
- Caasi-Lit M., Whitecross M. I., Nayudu M. & Tanner G. J. 1997. UV-B irradiation induces differential leaf damage, ultrastructural changes and accumulation of specific phenolic compounds in rice cultivars. – *Australian Journal of Plant Physiology* 24: 261–274.
- Caldwell C. R. 1994. Modification of the cellular heat sensitivity of cucumber by growth under supplemental ultraviolet-B radiation. – *Plant Physiology* (Rockville) 104: 395–399.
- Caldwell C. R. 1998. Effect of elevated manganese on the ultraviolet- and blue light-absorbing compounds of cucumber cotyledon and leaf tissues. – *Journal of Plant Nutrition* 21: 435–445.
- Caldwell M. M. 1971. Solar UV irradiation and the growth and development of higher plants. In *Photophysiology* (A. C. Giese, ed), Vol 6, pp. 131–177. – Academic Press, New York. 1.5
- Caldwell M. M. 1981. Plant response to solar ultraviolet radiation. In *Physiological Plant Ecology* (O. L. Lange, P. S. Nobel, C. B. Osmond and H. Ziegler, eds), Vol 1 of *Encyclopedia of Plant Physiology*, pp. 169–197. – Springer-Verlag, Berlin.
- Caldwell M. M. 1997. Alterations in competitive balance. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 305–315. – Cambridge University Press, Cambridge.
- Caldwell M. M. & Flint S. D. 1993. Implications of increased solar UV-B for terrestrial vegetation. In *The role of the Stratosphere in Global Change* (M.-L. Chanin, ed), pp. 495–516. – Springer-Verlag, Berlin.

Bibliography

- Caldwell M. M. & Flint S. D. 1994. Stratospheric ozone reduction, solar UV-B radiation and terrestrial ecosystems. – *Climatic Change* 28: 375–394. 1.4.10
- Caldwell M. M. & Flint S. D. 1997. Uses of biological spectral weighting functions and the need of scaling for the ozone reduction problem. – *Plant Ecology* 128: 66–76.
- Caldwell M. M. & Robberecht R. 1980. A steep latitudinal gradient of solar ultraviolet-B radiation in the Arctic-Alpine life zone. – *Ecology* 61: 600–611.
- Caldwell M. M., Camp L. B., Warner C. W. & Flint S. D. 1986. Action spectra and their key role in assessing biological consequences of solar UV-B radiation change. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 87–111. – Springer-Verlag, Berlin. 1.4.10
- Caldwell M. M., Flint S. D. & Searles P. S. 1994. Spectral balance and UV-B sensitivity of soybean: A field experiment. – *Plant, Cell and Environment* 17: 267–276.
- Caldwell M. M., Gold W. G., Harris G. & Ashurst C. W. 1983. A modulated lamp system for solar UV-B (280–320 nm) supplementation studies in the field. – *Photochemistry and Photobiology* 37: 479–485.
- Caldwell M. M., Robberecht R. & Flint S. D. 1983. Internal filters: Prospects for UV-acclimation in higher plants. – *Physiologia Plantarum* 58: 445–450.
- Caldwell M. M., Teramura A. H. & Tevini M. 1989. The changing solar ultraviolet climate and the ecological consequences for higher plants. – *Trends in Ecology & Evolution* 4: 363–367. 1.4.10
- Caldwell M. M., Teramura A. H., Tevini M., Bornman J. F., Björn L. O. & Kulandaivelu G. 1995a. Effects of increased solar ultraviolet radiation on terrestrial plants. – *Ambio* 24(3): 166–173.
- Caldwell M., Teramura A. H., Tevini M., Bornman J. F., Bjorn L. O. & Kulandaivelu G. 1995b. Effects of increased solar ultraviolet radiation on terrestrial plants. – *Ambio* 24: 166–173. 1.4.10
- Campbell G. S. & Norman J. M. 1989. The description and measurement of plant canopy structure. In *Plant canopies: Their Growth, Form and Function* (G. Russell, B. Marshall and P. G. Jarvis, eds), Vol 31 of Society for Experimental Biology Seminar Series, chapter 1, pp. 1–19. – Cambridge University Press, Cambridge. 1.4.2
- Campbell G. S. & Norman J. M. 1998. An Introduction to Environmental Biophysics, 2nd Ed. – Springer, New York. ISBN 0-387-94937-2. 1.4.2
- Carabelli M., Morelli G., Whitelam G. & Ruberti I. 1996. Twilight-zone and canopy shade induction of the *athb-2* homeobox gene in green plants. – *Proceedings of the National Academy of Sciences of the United States of America* 93: 3530–3535.

Bibliography

- Casal J. J. 1988. Light quality effects on the appearance of tillers of different order in wheat (*Triticum aestivum*). – Annals of Applied Biology 112: 167–173.
- Casal J. J. 1993. Novel effects of phytochrome status on reproductive shoot growth in *Triticum aestivum* L. – New Phytologist 123: 45–51.
- Casal J. J. 1995. Coupling of phytochrome B to the control of hypocotyl growth in *Arabidopsis*. – Planta 196: 23–29.
- Casal J. J. 1996. Phytochrome A enhances the promotion of hypocotyl growth caused by reductions in levels of phytochrome B in its far-red-light-absorbing form in light-grown *Arabidopsis thaliana*. – Plant Physiology 112: 965–973.
- Casal J. J. & Alvarez M. A. 1988. Blue light effects on the growth of *Lolium multiflorum* Lam. leaves under natural radiation. – New Phytologist 109: 41–45.
- Casal J. J. & Aphalo P. J. 1989. Phytochrome control of chlorophyll content in mature attached leaves of *Petunia axillaris*. – Annals of Botany 63: 595–598.
- Casal J. J. & Boccalandro H. 1995. Co-action between phytochrome B and *hy4* in *Arabidopsis thaliana*. – Planta 197: 213–218.
- Casal J. J. & Kendrick R. E. 1993. Impaired phytochrome-mediated shade-avoidance responses in the aurea mutant of tomato. – Plant, Cell and Environment 16: 703–710. 1.4.7
- Casal J. J. & Mazzella M. A. 1998. Conditional synergism between cryptochrome 1 and phytochrome B is shown by the analysis of *phyA*, *phyB*, and *hy4* simple, double, and triple mutants in arabidopsis. – Plant Physiology 118(1): 19–25.
- Casal J. J. & Sadras V. O. 1987. Effects of end-of-day red/far-red ratio on growth and orientation of sunflower leaves. – Botanical Gazette 148: 463–467.
- Casal J. J. & Sánchez R. A. 1998. Phytochromes and seed germination. – Seed Science Research 8(3): 317–329.
- Casal J. J. & Smith H. 1988a. The loci of perception for phytochrome control of internode growth in light-grown mustard: promotion by low phytochrome photoequilibria in the internode is enhanced by blue light perceived by the leaves. – Planta 176: 277–282.
- Casal J. J. & Smith H. 1988b. Persistent effects of changes in phytochrome status on internode growth in light-grown mustard: occurrence, kinetics and locus of perception. – Planta 175: 214–220.
- Casal J. J. & Smith H. 1989a. Effects of blue light pretreatments on internode extension growth in mustard seedlings after the transition to darkness: analysis of the interaction with phytochrome. – Journal of Experimental Botany 40: 893–899.

Bibliography

- Casal J. J. & Smith H. 1989b. The 'end-of-day' phytochrome control of internode elongation in mustard: kinetics, interaction with the previous fluence rate, and ecological implications. – *Plant, Cell and Environment* 12: 511–520.
- Casal J. J. & Smith H. 1989c. The function, action, and adaptive significance of phytochrome in light-grown plants. – *Plant, Cell and Environment* 12: 855–862.
- Casal J. J. & Sánchez R. A. 1992. Physiological relationships between phytochrome effects on internode extension growth and dry matter accumulation in light-grown mustard. – *Photochemistry and Photobiology* 56: 571–577.
- Casal J. J. & Sánchez R. A. 1994. Overexpression of oat phytochrome A gene differentially affects stem growth responses to red/far-red ratio signals characteristic of sparse or dense canopies. – *Plant, Cell and Environment* 17: 409–417.
- Casal J. J. & Sánchez R. A. 1998. Phytochromes and seed germination. – *Seed Science Research* 8: 317–329. 1.4.5
- Casal J. J., Aphalo P. J. & Sánchez R. A. 1987. Phytochrome effects on leaf growth and chlorophyll content in *Petunia axillaris*. – *Plant, Cell and Environment* 10: 509–514.
- Casal J. J., Ballaré C. L., Torun M. & Sánchez R. A. 1994a. Anatomy, growth and survival of a long-hypocotyl mutant of *Cucumis sativus* deficient in phytochrome-B. – *Annals of Botany* . In press.
- Casal J. J., Cerdan P. D., Staneloni R. J. & Cattaneo L. 1998. Different phototransduction kinetics of phytochrome A and phytochrome B in *Arabidopsis thaliana*. – *Plant Physiology* 116: 1533–1538.
- Casal J. J., Clough R. C. & Vierstra R. D. 1996. High-irradiance responses induced by far-red light in grass seedlings of the wild type or overexpressing phytochrome A. – *Planta* 200: 132–137.
- Casal J. J., Dereibus V. A. & Sánchez R. A. 1982. Influencia de la calidad de luz sobre el macollaje de gramíneas forrajeras. (light quality effect on grass tillering). – *Revista Argentina de Producción Animal* 3: 279–288.
- Casal J. J., Dereibus V. A. & Sánchez R. A. 1985. Variations in tiller dynamics and morphology in *Lolium multiflorum* Lam. vegetative and reproductive plants as affected by differences in red/far-red irradiation. – *Annals of Botany* 56: 553–559.
- Casal J. J., Mella R. A., Ballaré C. L. & Maldonado S. 1994b. Phytochrome-mediated effects on extracellular peroxidase activity, lignin content and bending resistance in etiolated *Vicia faba* epicotyls. – *Physiologia Plantarum* 92: 555–562.
- Casal J. J., Sánchez R. A. & Botto J. F. 1998. Modes of action of phytochromes. – *Journal of Experimental Botany* 49: 127–138. 1.4.1, 1.4.11

- Casal J. J., Sánchez R. A. & Deregbus V. A. 1987a. The effect of light quality on shoot extension growth in three species of grasses. – *Annals of Botany* 59: 1–7.
- Casal J. J., Sánchez R. A. & Deregbus V. A. 1987b. Tillering responses of *Lolium multiflorum* plants to changes of red/far-red ratio typical of sparse canopies. – *Journal of Experimental Botany* 38: 1432–1439.
- Casal J. J., Sánchez R. A. & Gibson D. 1990. The significance of changes in the red/far-red ratio, associated with either neighbour plants or twilight, for tillering in *Lolium multiflorum* Lam. – *New Phytologist* 116: 565–572.
- Casal J. J., Sánchez R. A. & Vierstra R. D. 1994. *Avena* phytochrome A overexpressed in transgenic tobacco seedlings differentially affects red/far-red reversible and very-low-fluence responses (cotyledon unfolding) during de-etiolation. – *Planta* 192: 306–309.
- Casal J. J., Sánchez R. A. & Yanovsky M. J. 1997. The function of phytochrome A. – *Plant, Cell and Environment* 20: 813–819.
- Casal J. J., Sánchez R. A., Benedetto A. H. & de Miguel L. C. 1991. Light promotion of seed germination in *Datura ferox* is mediated by a highly stable pool of phytochrome. – *Phytochemistry and Photobiology* 53: 249–254.
- Casal J. J., Sánchez R. A., Blau A. R. P. & Izaguirre M. 1995a. Phytochrome effects on stem carbon gain in light-grown mustard seedlings are not simply the result of stem extension-growth responses. – *Physiologia Plantarum* 94: 187–196.
- Casal J. J., Sánchez R. A., Boylan M., Vierstra R. D. & Quail P. H. 1995b. Is the far-red-absorbing form of avena phytochrome A that is present at the end of the day able to sustain stem-growth inhibition during the night in transgenic tobacco and tomato seedlings. – *Planta* 197: 225–232.
- Casal J. J., Whitelam G. C. & Smith H. 1990. Phytochrome effects on the relationship between chlorophyll and steady-state levels of thylakoid polypeptides in light-grown tobacco. – *Plant Physiology* 94: 370–374.
- Cashmore A. R. 1998. The cryptochrome family of blue/UV-A photoreceptors. – *Journal of Plant Research* 111: 267–270.
- Cashmore A. R., Jarillo J. A., Wu-YingJie, Liu-DongMei, Wu Y. J. & Liu D. M. 1999. Cryptochromes: blue light receptors for plants and animals. – *Science Washington* 284(5415): 760–765.
- Cen Y. P. & Bornman J. F. 1990. The response of bean plants to UV-B radiation under different irradiances of background visible light. – *Journal of Experimental Botany* 41: 1489–1495.
- Cen Y. P. & Bornman J. F. 1993. The effect of exposure to enhanced UV-B radiation on the penetration of monochromatic and polychromatic UV-B radiation in leaves of *Brassica napus*. – *Physiologia Plantarum* 87: 249–255.

Bibliography

- Cerdan P. D., Staneloni R. J., Casal J. J. & Sánchez R. A. 1997. A 146 bp fragment of the tobacco *lhcbl-**-2 promoter confers very-low-fluence, low-fluence and high-irradiance responses of phytochrome to a minimal camv 35s promoter. – Plant Molecular Biology 33: 245–255.
- Cerdan P. D., Yanovsky M. J., Reymundo F. C., Nagatani A., Staneloni R. J., Whitelam G. C. & Casal J. J. 1999. Regulation of phytochrome B signaling by phytochrome A and FHY1 in *Arabidopsis thaliana*. – Plant Journal 18(5): 499–507.
- Chakraborty S., Murray G. M., Magarey P. A., Yonow T., Obrien R. G., Croft B. J., Barbetti M. J., Sivasithamparam K., Old K. M., Dudzinski M. J., Sutherst R. W., Penrose L. J., Archer C. & Emmett R. W. 1998. Potential impact of climate change on plant diseases of economic significance to Australia [review]. – Australasian Plant Pathology 27: 15–35.
- Chamovitz D. A. & Deng X. W. 1996. Light signaling in plants. – Critical Reviews in Plant Sciences 15: 455–478. 1.4.11
- Chattopadhyay S., Ang L. H., Puente P., Deng X. W. & Wei N. 1998. *Arabidopsis bzip* protein hy5 directly interacts with light-responsive promoters in mediating light control of gene expression. – Plant Cell 10: 673–683.
- Chauhan S. & Singhal G. S. 1996. Detection of an *in vivo* 8 kd C-terminal breakdown product of D1-protein under visible and UV-B light. – Journal of Plant Biochemistry & Biotechnology 5: 43–46.
- Chaves N., Escudero J. C. & Gutierrezmerino C. 1997. Role of ecological variables in the seasonal variation of flavonoid content of *Cistus ladanifer* exudate. – Journal of Chemical Ecology 23: 579–603.
- Child R. & Smith H. 1987. Phytochrome action in light-grown mustard: kinetics, fluence-rate compensation and ecological significance. – Planta 172: 219–229.
- Chory J. & Li J. 1997. Gibberellins, brassinosteroids and light-regulated development. – Plant, Cell and Environment 20: 801–806.
- Chory J., Catterjee M., Cook R. K., Elich T., Fankhauser C., Li J., Nagpal P., Neff M., Pepper A., Poole D., Reed J. & Vitart V. 1996a. From seed germination to flowering, light controls plant development via the pigment phytochrome. – Proceedings of the National Academy of Sciences of the United States of America 93: 12066–12071.
- Chory J., Chatterjee M., Cook R. K., Elich T., Fankhauser C., Li J., Nagpal P., Neff M., Pepper A., Poole D., Reed J. & Vitart V. 1996b. From seed germination to flowering, light controls plant development via the pigment phytochrome. – Proceedings of the National Academy of Sciences of the United States of America 93(22): 12066–12071.
- Christie J. M. & Jenkins G. I. 1996a. Distinct UV-B and UV-A blue light signal transduction pathways induce chalcone synthase gene expression in *Arabidopsis* cells. – Plant Cell 8: 1555–1567.

Bibliography

- Christie J. M. & Jenkins G. I. 1996b. Distinct UV-B and UV-A/blue light signal transduction pathways induce chalcone synthase gene expression in *arabidopsis* cells. – *Plant Cell* 8(9): 1555–1567.
- Christie J. M., Reymond P., Powell G. K., Bernasconi P., Raibekas A. A., Liscum E. & Briggs W. R. 1998a. *Arabidopsis NPH1*: a flavoprotein with the properties of a photoreceptor for phototropism. – *Science* 282(5394): 1698–1701.
- Christie J., Reymond P., Powell G., Bernasconi P., Raibekas A., Liscum E. & Briggs W. 1998b. *Arabidopsis NPH1*: a flavoprotein with the properties of a photoreceptor for phototropism. – *Science Washington* 282(5394): 1698–1701.
- Chwirot S. & Slevin J. 1986. Comment on ‘measurement of light gradients and spectral regime in plant tissue with a fibre optic probe’. – *Physiologia Plantarum* 67: 493–494.
- Clapham D. H., Dormling I., Ekberg I., Eriksson G., Qamaruddin M. & Vince-Prue D. 1998. Latitudinal cline of requirement for far-red light for the photoperiodic control of budset and extension growth in *Picea abies* (norway spruce). – *Physiologia Plantarum* 102: 71–78.
- Clapham D. H., Kolukisaoglu H. U., Larsson C. T., Qamaruddin M., Ekberg I., Wiegmann-Eirund C., Schneider-Poetsch H. A. W., von Arnold S. & von Arnold S. 1999. Phytochrome types in *Picea* and *Pinus*. Expression patterns of PHYA-related types. – *Plant Molecular Biology* 40(4): 669–678.
- Clough R. C. & Vierstra R. D. 1997. Phytochrome degradation. – *Plant, Cell and Environment* 20: 713–721.
- Clough R. C., Casal J. J., Jordan E. T., Christou P. & Vierstra R. D. 1995. Expression of functional oat phytochrome A in transgenic rice. – *Plant Physiology* 109: 1039–1045.
- Clough R. C., Jordan-Beebe E. T., Lohman K. N., Marita J. M., Walker J. M., Gatz C. & Vierstra R. D. 1999. Sequences within both the N- and C-terminal domains of phytochrome A are required for PFR ubiquitination and degradation. – *Plant Journal* 17(2): 155–167.
- Cogliatti D. H. & Sánchez R. A. 1982. Influencia del fitocromo sobre el crecimiento foliar en *Taraxacum officinale*. – *Phyton* 42: 191–199.
- Conklin P. L., Williams E. H. & Last R. L. 1996. Environmental stress sensitivity of an ascorbic acid-deficient *Arabidopsis* mutant. – *Proceedings of the National Academy of Sciences of the United States of America* 93: 9970–9974.
- Conner J. K. & Zangori L. A. 1997. A garden study of the effects of ultraviolet-B radiation on pollination success and lifetime female fitness in *Brassica*. – *Oecologia* 111: 388–395.
- Conner J. K. & Zangori L. A. 1998. Combined effects of water, nutrient, and UV-B stress on female fitness in *Brassica* (*Brassicaceae*). – *American Journal of Botany* 85: 925–931.

Bibliography

- Corlett J. E., Stephen J., Jones H. G., Woodfin R., Mepsted R. & Paul N. D. 1997. Assessing the impact of UV-B radiation on the growth and yield of field crops. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 195–211. – Cambridge University Press, Cambridge.
- Cuadra P. & Harborne J. B. 1996. Changes in epicuticular flavonoids and photosynthetic pigments as a plant response to UV-B radiation. – *Zeitschrift fur Naturforschung C-A Journal of Biosciences* 51: 671–680.
- Cuadra P., Harborne J. B. & Waterman P. G. 1997. Increases in surface flavonols and photosynthetic pigments in *Gnaphalium luteo-album* in response to UV-B radiation. – *Phytochemistry* 45: 1377–1383.
- Dai Q. J., Peng S. B., Chavez A. Q. & Vergara B. S. 1994. Intraspecific responses of 188 rice cultivars to enhanced UV-B radiation. – *Environmental and Experimental Botany* 34: 433–442.
- Dai Q. J., Peng S. B., Chavez A. Q. & Vergara B. S. 1995. Effects of UV-B radiation on stomatal density and opening in rice (*Oryza sativa* L.). – *Annals of Botany* 76: 65–70.
- Dai Q. J., Peng S. B., Chavez A. Q., Miranda M. L. L., Vergara B. S. & Olszyk D. M. 1997a. Supplemental ultraviolet-B radiation does not reduce growth or grain yield in rice. – *Agronomy Journal* 89: 793–799.
- Dai Q. J., Yan B., Huang S. B., Liu X. Z., Peng S. B., Miranda M. L. L., Chavez A. Q., Vergara B. S. & Olszyk D. M. 1997b. Response of oxidative stress defense systems in rice (*Oryza sativa*) leaves with supplemental UV-B radiation. – *Physiologia Plantarum* 101: 301–308.
- Davies J. A. 1996. Correcting for stray light in brewer spectroradiometers. – *Environmental Technology* 17: 421–426.
- Dawar S., Vani T. & Singhal G. S. 1998. Stimulation of antioxidant enzymes and lipid peroxidation by UV-B irradiation in thylakoid membranes of wheat. – *Biologia Plantarum* 41: 65–73.
- Day T. A. 1993. Relating UV-B radiation screening effectiveness of foliage to absorbing-compound concentration and anatomical characteristics in a diverse group of plants. – *Oecologia (Heidelberg)* 95: 542–550.
- Day T. A. & Demchik S. M. 1996a. Influence of enhanced UV-B radiation on biomass allocation and pigment concentrations in leaves and reproductive structures of greenhouse-grown *Brassica rapa*. – *Vegetatio* 127: 109–116.
- Day T. A. & Demchik S. M. 1996b. Ultraviolet-B radiation screening effectiveness of reproductive organs in *Hesperis matronalis*. – *Environmental and Experimental Botany* 36: 447–454.
- Day T. A. & Vogelmann T. C. 1995. Alterations in photosynthesis and pigment distributions in pea leaves following UV-B exposure. – *Physiologia Plantarum* 94: 433–440.

Bibliography

- Day T. A., Howells B. W. & Rice W. J. 1994. Ultraviolet absorption and epidermal-transmittance spectra in foliage. – *Physiologia Plantarum* 92: 207–218.
- Day T. A., Howells B. W. & Ruhland C. T. 1996. Changes in growth and pigment concentrations with leaf age in pea under modulated UV-B radiation field treatments. – *Plant, Cell and Environment* 19: 101–108.
- Day T. A., Martin G. & Vogelmann T. C. 1993. Penetration of UV-B radiation in foliage: Evidence that the epidermis behaves as a non-uniform filter. – *Plant, Cell and Environment* 16: 735–741.
- Day T. A., Vogelmann T. C. & Delucia E. H. 1992. Are some plant life forms more effective than others in screening out ultraviolet-B radiation. – *Oecologia* 92: 513–519.
- de la Rosa T. M., Aphalo P. J. & Lehto T. 1998. Effects of far-red light on the growth, mycorrhizas and mineral nutrition of Scots pine seedlings. – *Plant and Soil* 201: 17–25.
- de la Rosa T. M., Lehto T. & Aphalo P. J. 1999. Does far-red light affect growth and mycorrhizas of Scots pine seedlings grown in forest soil? – *Plant and Soil*. In press.
- de Miguel L. & Sánchez R. A. 1992. Phytochrome-induced germination, endosperm softening and embryo growth potential in *Datura ferox* seeds: sensitivity to low water potential and time to escape to FR reversal. – *Journal of Experimental Botany* 43: 969–974.
- de Staaij J. W. M. V., Ernst W. H. O., Hakvoort H. W. J. & Rozema J. 1995a. Ultraviolet-B (280–320 nm) absorbing pigments in the leaves of *Silene vulgaris* - their role in UV-B tolerance. – *Journal of Plant Physiology* 147: 75–80.
- de Staaij J. W. M. V., Huijsmans R., Ernst W. H. O. & Rozema J. 1995b. The effect of elevated UV-B (280–320 nm) radiation levels on *Silene vulgaris* - a comparison between a highland and a lowland population. – *Environmental Pollution* 90: 357–362.
- Deckmyn G. & Impens I. 1995. UV-B increases the harvest index of bean (*Phaseolus vulgaris* L.). – *Plant, Cell and Environment* 18: 1426–1433.
- Deckmyn G. & Impens I. 1997a. Combined effects of enhanced UV-B radiation and nitrogen deficiency on the growth, composition and photosynthesis of rye (*Secale cereale*). – *Plant Ecology* 128: 235–240.
- Deckmyn G. & Impens I. 1997b. The ratio UV-B photosynthetically active radiation (PAR) determines the sensitivity of rye to increased UV-B radiation. – *Environmental and Experimental Botany* 37: 3–12.
- Deckmyn G., Martens C. & Impens I. 1994. The importance of the ratio UV-B/photosynthetic active radiation (PAR) during leaf development as determining factor of plant sensitivity to increased UV-B irradiance: Effects on growth, gas exchange and pigmentation of bean plants (*Phaseolus vulgaris* cv. Label). – *Plant, Cell and Environment* 17: 295–301.

Bibliography

- Degreef J. A. 1996. Phytochrome research in whole plant physiology - wild-type seedlings versus mutants and transgenic plants. – *Physiologia Plantarum* 98: 377–380.
- Delong J. M. & Steffen K. L. 1997. Photosynthetic function, lipid peroxidation, and alpha-tocopherol content in spinach leaves during exposure to UV-B radiation. – *Canadian Journal of Plant Science* 77: 453–459.
- Delong J. M. & Steffen K. L. 1998. Lipid peroxidation and alpha-tocopherol content in alpha-tocopherol-supplemented thylakoid membranes during UV-B exposure. – *Environmental and Experimental Botany* 39: 177–185.
- DeLucia E. H., Day T. A. & Vogelman T. C. 1992. Ultraviolet-B and visible light penetration into needles of two species of subalpine conifers during foliar development. – *Plant, Cell and Environment* 15: 921–929.
- Dembinski E., Wisniewska I., Zebrowski J. & Raczynska-Bojanowska K. 1996. Negative regulation of asparagine synthetase in the leaves of maize seedlings by light, benzyladenine and glucose. – *Physiologia Plantarum* 96(1): 66–70.
- Demchik S. M. & Day T. A. 1996. Effect of enhanced UV-B radiation on pollen quantity, quality, and seed yield in *Brassica rapa* (*Brassicaceae*). – *American Journal of Botany* 83: 573–579.
- Deregibus V. A., Sánchez R. A., Casal J. J. & Trlica M. J. 1985. Tillering responses to enrichment of red light beneath the canopy in a humid natural grassland. – *Journal of Applied Ecology* 22: 199–206.
- Devlin P. F., Patel S. R. & Whitelam G. C. 1998. Phytochrome E influences internode elongation and flowering time in *Arabidopsis*. – *Plant Cell* 10(9): 1479–1487.
- Devlin P. F., Robson P. R. H., Patel S. R., Goosey L., Sharrock R. A. & Whitelam G. C. 1999a. Phytochrome D acts in the shade-avoidance syndrome in *Arabidopsis* by controlling elongation growth and flowering time. – *Plant Physiology* 119: 909–915.
- Devlin P. F., Robson P. R. H., Patel S. R., Goosey L., Sharrock R. A. & Whitelam G. C. 1999b. Phytochrome D acts in the shade-avoidance syndrome in *Arabidopsis* by controlling elongation growth and flowering time. – *Plant Physiology* 119(3): 909–915.
- Dijkwel P. P., Huijser C., Weisbeek P. J., Chua N. H. & Smeekens S. C. M. 1997. Sucrose control of phytochrome A signaling in *Arabidopsis*. – *Plant Cell* 9: 583–595.
- Dillenburg L. R., Sullivan J. H. & Teramura A. H. 1995. Leaf expansion and development of photosynthetic capacity and pigments in *Liquidambar styraciflua* (*Hamamelidaceae*) - effects of UV-B radiation. – *American Journal of Botany* 82: 878–885.
- Dohring T., Kofferlein M., Thiel S. & Seidlitz H. K. 1996. Spectral shaping of artificial UV-B irradiation for vegetation stress research. – *Journal of Plant Physiology* 148: 115–119.

Bibliography

- Downs R. J., Hendricks S. B. & Borthwick H. A. 1957. Photoreversible control of elongation in Pinto beans and other plants under normal conditions of growth. – *Botanical Gazette* 118: 199–208.
- Drilias P., Karabourniotis G., Levizou E., Nikolopoulos D., Petropoulou Y. & Manetas Y. 1997. The effects of enhanced UV-B radiation on the mediterranean evergreen sclerophyll *Nerium oleander* depend on the extent of summer precipitation. – *Australian Journal of Plant Physiology* 24: 301–306.
- Drincovich M. F., Casati P., Andreo C. S., Donahue R. & Edwards G. E. 1998. UV-B induction of NADP malic enzyme in etiolated and green maize seedlings. – *Plant, Cell and Environment* 21: 63–70.
- Dube S. L. & Bornman J. F. 1992. Response of spruce seedlings to simultaneous exposure to ultraviolet-B radiation and cadmium. – *Plant Physiology and Biochemistry (Paris)* 30: 761–767.
- Duell-Pfaff N. & Wellmann E. 1982. Involvement of phytochrome and a blue light photoreceptor in UV-B induced flavonoid synthesis in parsley (*Petroselinum hortense* Hoffn.) cell suspension cultures. – *Planta* 156: 213–217.
- Dunning C. A., Chalkerscott L. & Scott J. D. 1994. Exposure to ultraviolet-B radiation increases cold hardiness in rhododendron. – *Physiologia Plantarum* 92: 516–520.
- Dusenbery D. B. 1992. *Sensory Ecology — How Organisms Acquire and respond to Information.* – W. H. Freeman and Co. Ltd., New York. 1.2
- Elmlinger M. W. & Mohr H. 1992a. Glutamine synthetase in scots pine seedlings and its control by blue light and light absorbed by phytochrome. – *Planta* 188: 396–402.
- Elmlinger M. W. & Mohr H. 1992b. Glutamine synthetase in scots pine seedlings and its control by blue light and light absorbed by phytochrome. – *Planta* 188(3): 396–402.
- Elmlinger M. W. & Mohr H. 1994. Regulation of glutamine synthetase gene expression in scots pine (*Pinus sylvestris* L.) seedlings. – *Nova Acta Leopoldina* 70: 113–125.
- Elmlinger M. W., Bolle C., Batschauer A., Oelmüller R. & Mohr H. 1994. Coaction of blue light and light absorbed by phytochrome in control of glutamine synthetase gene expression in scots pine (*Pinus sylvestris* L.) seedlings. – *Planta (Heidelberg)* 192: 189–194.
- Ensminger P. A. 1993. Control of development in plants and fungi by far-UV radiation. – *Physiologia Plantarum* 88: 501–508.
- Ensminger P. A. & Schäfer E. 1992. Blue and ultraviolet-B light photoreceptors in parsley cells. – *Photochemistry and Photobiology* 55: 437–447.
- Ernst W. H. O., Vandestaaij J. W. M. & Nelissen H. J. M. 1997. Reaction of savanna plants from Botswana on UV-B radiation. – *Plant Ecology* 128: 162–170.

Bibliography

- Evans G. C. & Hughes A. P. 1961. Plant growth and the aerial environment. I. Effect of artificial shading on *Impatiens parviflora*. – New Phytologist 60: 150–180.
- Fagerberg W. R. & Bornman J. F. 1995. Short term exposure of brassica napus to 13 kJ m⁻² day⁻¹ weighted UV-B irradiance and different PAR induces a shade type response in palisade cells. In Photosynthesis: from Light to Biosphere (P. Mathis, ed), Vol IV, pp. 175–178. – Kluwer Academic Publ., Dordrecht, The Netherlands.
- Fagerberg W. R. & Bornman J. F. 1997. Ultraviolet-B radiation causes shade-type ultrastructural changes in *Brassica napus*. – Physiologia Plantarum 101: 833–844.
- Fairchild C. D. & Quail P. H. 1998. The phytochromes: photosensory perception and signal transduction. In Control of plant development: genes and signals (A. J. Greenland, E. M. Meyerowitz and M. Steer, eds), number 51 in Symposia of the Society for Experimental Biology, pp. 85–92. –, . ISBN 0-948601-53-1.
- Fankhauser C. & Chory J. 1999. Photomorphogenesis: light receptor kinases in plants! – Current Biology 9(4): R123–126.
- Feister U. 1994. Measurements of chemically and biologically effective radiation reaching the ground. – Journal of Atmospheric Chemistry 19: 289–315.
- Feldheim K. & Conner J. K. 1996. The effects of increased UV-B radiation on growth, pollination success, and lifetime female fitness in two *Brassica* species. – Oecologia 106: 284–297.
- Fernbach E. & Mohr H. 1990. Coaction of blue/ultraviolet-A light and light absorbed by phytochrome in controlling growth of pine (*Pinus sylvestris* L.) seedlings. – Planta 180: 212–216.
- Fernbach E. & Mohr H. 1992. Photoreactivation of the UV light effects on growth of scots pine (*Pinus sylvestris* L) seedlings. – Trees - Structure and Function 6: 232–235.
- Ferreira R. M. B., Franco E. & Teixeira A. R. N. 1996. Covalent dimerization of ribulose bisphosphate carboxylase subunits by UV radiation. – Biochemical Journal 318: 227–234.
- Feucht W., Schmid P. P. S. & Christ E. 1986. Distribution of flavanols in meristematic and mature tissues of *Prunus avium* shoots. – Journal of Plant Physiology 125: 1–8.
- Findlay S., Carreiro M., Krischik V. & Jones C. G. 1996. Effects of damage to living plants on leaf litter quality. – Ecological Applications 6: 269–275.
- Fiscus E. L. & Booker F. L. 1995. Is increased UV-B a threat to crop photosynthesis and productivity. – Photosynthesis Research 43: 81–92. 1.4.10
- Fiscus E. L., Booker F. L. & Miller J. E. 1996. Response of soybean bulk leaf water relations to ultraviolet-B irradiation. – Journal of Plant Physiology 148: 63–68.
- Flaig H. & Mohr H. 1992. Assimilation of nitrate and ammonium by the scots pine (*Pinus sylvestris*) seedling under conditions of high nitrogen supply. – Physiologia Plantarum 84: 568–576.

Bibliography

- Flint S. D. & Caldwell M. M. 1996. Scaling plant ultraviolet spectral responses from laboratory action spectra to field spectral weighting factors. – *Journal of Plant Physiology* 148: 107–114.
- Foyer C. H., Lelandais M. & Kunert K. J. 1994. Photooxidative stress in plants. – *Physiologia Plantarum* 92: 696–717. 1.4.10
- Frederick J. E., Soulen P. F., Díaz S. B., Smolskaia I., Booth C. R., Lucas T. & Neuschuler D. 1993. Solar ultraviolet irradiance observed from southern Argentina. – *Journal of Geophysical Research* 98: 8891–8897.
- Friso G., Barbato R., Giacometti G. M. & Barber J. 1994. Degradation of D2 protein due to UV-B irradiation of the reaction centre of photosystem II. – *FEBS Letters* 339: 217–221.
- Friso G., Vass I., Spetea C., Barber J. & Barbato R. 1995. UV-B-induced degradation of the D1 protein in isolated reaction centres of photosystem II. – *Biochimica et Biophysica Acta* 1231: 41–46.
- Frohnmyer H., Bowler C. & Schafer E. 1997a. Evidence for some signal transduction elements involved in UV-light- dependent responses in parsley protoplasts. – *Journal of Experimental Botany* 48: 739–750.
- Frohnmyer H., Bowler C. & Schafer E. 1997b. Evidence for some signal transduction elements involved in UV-light-dependent responses in parsley protoplasts. – *Journal of Experimental Botany* 48(308): 739–750.
- Frohnmyer H., Bowler C., Zhu J. K., Yamagata H., Schafer E. & Chua N. H. 1998. Different roles for calcium and calmodulin in phytochrome- and UV-regulated expression of chalcone synthase. – *The Plant Journal* 13: 763–772.
- Fuglevand G., Jackson J. A. & Jenkins G. I. 1996. UV-B, UV-A, and blue light signal transduction pathways interact synergistically to regulate chalcone synthase gene expression in *Arabidopsis*. – *Plant Cell* 8: 2347–2357.
- Furuya M. & Schafer E. 1996. Photoperception and signalling of induction reactions by different phytochromes. – *Trends in Plant Science* 1: 301–307. 1.4.11
- Gautier H., Varletgrancher C. & Baudry N. 1998. Comparison of horizontal spread of white clover (*Trifolium repens* L.) grown under two artificial light sources differing in their content of blue light. – *Annals of Botany* 82: 41–48.
- Gehrke C. 1998. Effects of enhanced ultraviolet-B radiation on subarctic ecosystems. Ph.d. dissertation. Lund University.
- Gehrke C., Johanson U., Callaghan T. V., Chadwick D. & Robinson C. H. 1995. The impact of enhanced ultraviolet-B radiation on litter quality and decomposition processes in *Vaccinium leaves* from the subarctic. – *Oikos* 72: 213–222.

Bibliography

- Genoud T., Millar A. J., Nishizawa N., Kay S. A., Schafer E., Nagatani A. & Chua N. H. 1998a. An *Arabidopsis* mutant hypersensitive to red and far-red light signals. – *Plant Cell* 10: 889–904.
- Genoud T., Millar A. J., Nishizawa N., Kay S. A., Schafer E., Nagatani A., Chua-NamHai & Chua N. H. 1998b. An *arabidopsis* mutant hypersensitive to red and far-red light signals. – *Plant Cell* 10(6): 889–904.
- Gensemer R. W., Dixon D. G. & Greenberg B. M. 1998. Amelioration of the photo-induced toxicity of polycyclic aromatic hydrocarbons by a commercial humic acid. – *Ecotoxicology & Environmental Safety* 39: 57–64.
- Gerstl S. A. W., Zardecki A. & Wiser H. L. 1986. A new UV-B handbook, vol. 1. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 63–74. – Springer-Verlag, Berlin.
- Giannini A., Pardossi A. & Lercari B. 1996a. The use of UV radiation to control the architecture of *Salvia splendens* plants. I. Effects on plant growth, water relations and gas exchange. – *Photochemistry and Photobiology* 63: 123–.
- Giannini A., Pardossi A. & Lercari B. 1996b. The use of UV radiation to control the architecture of *Salvia splendens* plants .1. Effects on plant growth, water relations and gas exchanged. – *Photochemistry and Photobiology* 64: 123–130.
- Gibson D., Casal J. J. & Deregbus V. A. 1992. The effects of plant density on shoot and leaf lamina angles in *Lolium multiflorum* and *Paspalum dilatatum*. – *Annals of Botany* 70: 69–73.
- Gilbert I. R., Seavers G. P., Jarvis P. G. & Smith H. 1995. Photomorphogenesis and canopy dynamics – phytochrome-mediated proximity perception accounts for the growth dynamics of canopies of *Populus trichocarpa × deltoides* Beaupre. – *Plant, Cell and Environment* 18: 475–497.
- Gold W. G. & Caldwell M. M. 1983. The effects of ultraviolet-B radiation on plant competition in terrestrial ecosystems. – *Physiologia Plantarum* 58: 435–444.
- Goldberg D. & Novoplansky A. 1997. On the relative importance of competition in unproductive environments. – *Journal of Ecology* Oxford 85(4): 409–418.
- Gonzalez R., Mepsted R., Wellburn A. R. & Paul N. D. 1998. Non-photosynthetic mechanisms of growth reduction in pea (*Pisum sativum* L.) exposed to UV-B radiation. – *Plant, Cell and Environment* 21: 23–32.
- Gonzalez R., Paul N. D., Percy K., Ambrose M., McLaughlin C. K., Barnes J. D., Arese M. & Wellburn A. R. 1996. Responses to ultraviolet-B radiation (280–315 nm) of pea (*Pisum sativum*) lines differing in leaf surface wax. – *Physiologia Plantarum* 98: 852–860.

Bibliography

- Gordon D. C., Percy K. E. & Riding R. T. 1998a. Effect of enhanced UV-B radiation on adaxial leaf surface micromorphology and epicuticular wax biosynthesis of sugar maple. – Chemosphere 36: 853–858.
- Gordon D. C., Percy K. E. & Riding R. T. 1998b. Effects of UV-B radiation on epicuticular wax production and chemical composition of four *Picea* species. – New Phytologist 138: 441–449.
- Gorton H. L. & Vogelmann T. C. 1996. Effects of epidermal cell shape and pigmentation on optical properties of antirrhinum petals at visible and ultraviolet wavelengths. – Plant Physiology 112: 879–888.
- Graham H. A. H. & Decoteau D. R. 1997. Young watermelon plant growth responses to end-of-day red and far-red light are affected by direction of exposure and plant part exposed. – Scientia Horticulturae 69: 41–49.
- Graham T. L. 1998. Flavonoid and flavonol glycoside metabolism in *Arabidopsis*. – Plant Physiology and Biochemistry 36: 135–144.
- Grammatikopoulos G., Karousou R., Kokkini S. & Manetas Y. 1998. Differential effects of enhanced UV-B radiation on reproductive effort in two chemotypes of *Mentha spicata* under field conditions. – Australian Journal of Plant Physiology 25: 345–351.
- Grant-Pettersson J. & Renwick J. A. A. 1996. Effects of ultraviolet-B exposure of *Arabidopsis thaliana* on herbivory by two crucifer-feeding insects (lepidoptera). – Environmental Entomology 25: 135–142.
- Grant R. H. 1997. Partitioning of biologically active radiation in plant canopies [review]. – International Journal of Biometeorology 40: 26–40.
- Grant R. H. 1998. Ultraviolet irradiance of inclined planes at the top of plant canopies. – Agricultural and Forest Meteorology 89: 281–293.
- Grant R. H., Jenks M. A., Rich P. J., Peters P. J. & Ashworth E. N. 1995. Scattering of ultraviolet and photosynthetically active radiation by *Sorghum bicolor* - influence of epicuticular wax. – Agricultural and Forest Meteorology 75: 263–281.
- Green R. & Fluhr R. 1995. UV-B-induced PR-1 accumulation is mediated by active oxygen species. – Plant Cell 7: 203–212.
- Greenberg B. M., Wilson M. I., Gerhardt K. E. & Wilson K. E. 1996. Morphological and physiological responses of *Brassica napus* to ultraviolet-B radiation - photomodification of ribulose-1,5-bisphosphate carboxylase/oxygenase and potential acclimation processes. – Journal of Plant Physiology 148: 78–85.
- Grime J. P. 1994. The role of plasticity in exploiting environmental heterogeneity. In Exploitation of Environmental Heterogeneity by Plants: Ecophysiological Processes Above- and Belowground (M. M. Caldwell and R. W. Pearcy, eds), pp. 1–19. – Academic Press, San Diego.

Bibliography

- Gruzdev A. N. 1995. Possible changes in the dose of biologically active ultraviolet radiation received by the biosphere in the summertime arctic due to total ozone interannual variability. – *Science of the Total Environment* 161: 669–675.
- Gunasekera T. S., Paul N. D. & Ayres P. G. 1997. Responses of phylloplane yeasts to UV-B (290–320 nm) radiation - interspecific differences in sensitivity. – *Mycological Research* 101: 779–785.
- Guo H. W., Yang W. Y., Mockler T. C. & Lin C. T. 1998. Regulations of flowering time by *Arabidopsis* photoreceptors. – *Science* 279: 1360–1363.
- Gwynn-Jones D. & Johanson U. 1996. Growth and pigment production in two subarctic grass species under four different UV-B irradiation levels. – *Physiologia Plantarum* 97: 701–707.
- Gwynn-Jones D., Lee J. A. & Callaghan T. V. 1997. Effects of enhanced UV-B radiation and elevated carbon dioxide concentrations on a sub-arctic forest heath ecosystem. – *Plant Ecology* 128: 242–249.
- Hada M., Tsurumi S., Suzuki M., Wellmann E. & Hashimoto T. 1996a. Involvement and non-involvement of pyrimidine dimer formation in UV-B effects on *Sorghum bicolor* Moench seedlings. – *Journal of Plant Physiology* 148: 92–99.
- Hada M., Tsurumi S., Suzuki M., Wellmann E. & Hashimoto T. 1996b. Involvement and non-involvement of pyrimidine dimer formation in UV-B effects on *Sorghum bicolor* Moench seedlings. – *Journal of Plant Physiology* 148: 92–99.
- Hader D. P. 1996. Effects of enhanced solar UV-B radiation on phytoplankton. – *Scientia Marina* 60: 59–63.
- Hader D. P., Worrest R. C., Kumar H. D. & Smith R. C. 1995. Effects of increased solar ultraviolet radiation on aquatic ecosystems. – *Ambio* 24: 174–180.
- Hailu-Sharew, Grace J., Legg C. J. & Sharew H. 1996. Response of two afromontane coniferous tree species to light and nutrient supply. – *Tree Physiology* 16(7): 617–626.
- Halliday K. J., Thomas B. & Whitelam G. C. 1997. Expression of heterologous phytochromes A, B or C in transgenic tobacco plants alters vegetative development and flowering time. – *Plant Journal* 12(5): 1079–1090.
- Hangarter R. P. 1997. Gravity, light and plant form. – *Plant, Cell and Environment* 20: 796–800.
- Hao X. M., Hale B. A. & Ormrod D. P. 1997. The effects of ultraviolet-B radiation and carbon dioxide on growth and photosynthesis of tomato. – *Canadian Journal of Botany-Revue Canadienne de Botanique* 75: 213–219.
- Harley P., Deem G., Flint S. & Caldwell M. 1996. Effects of growth under elevated UV-B on photosynthesis and isoprene emission in *Quercus gambelii* and *Mucuna pruriens*. – *Global Change Biology* 2: 149–154.

Bibliography

- Harlow G. R., Jenkins M. E., Pittalwala T. S. & Mount D. W. 1994. Isolation of uvh1, an *Arabidopsis* mutant hypersensitive to ultraviolet light and ionizing radiation. – *Plant Cell* 6: 227–235.
- Hartmann U., Valentine W. J., Christie J. M., Hays J., Jenkins G. I. & Weisshaar B. 1998. Identification of UV/blue light-response elements in the *Arabidopsis thaliana* chalcone synthase promoter using a homologous protoplast transient expression system. – *Plant Molecular Biology* 36: 741–754.
- Hauser B. A., Cordonnier-Pratt M. M. & Pratt L. H. 1998. Temporal and photo-regulated expression of five tomato phytochrome genes. – *Plant Journal* 14(4): 431–439.
- Hauser B. A., Cordonnierpratt M. M. & Pratt L. H. 1998. Temporal and photoregulated expression of five tomato phytochrome genes. – *The Plant Journal* 14: 431–439.
- Hauser B. A., Cordonnierpratt M. M., Danielvedele F. & Pratt L. H. 1995. The phytochrome gene family in tomato includes a novel subfamily. – *Plant Molecular Biology* 29: 1143–1155.
- Hauser B. A., Pratt L. H. & Cordonnierpratt M. M. 1997. Absolute quantification of five phytochrome transcripts in seedlings and mature plants of tomato (*Solanum lycopersicum* L.). – *Planta* 201: 379–387.
- Häder D.-P. 1997. Effects of solar UV-B radiation on aquatic ecosystems. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 171–193. – Cambridge University Press, Cambridge.
- He J., Huang L. K., Chow W. S., Whitecross M. I. & Anderson J. M. 1993. Effects of supplementary ultraviolet-B radiation on rice and pea plants. – *Australian Journal of Plant Physiology* 20: 129–142.
- Hecht U., Oelmüller R., Schmidt S. & Mohr H. 1988. Action of light, nitrate and ammonium on the levels of NADH- and ferredoxin-dependent glutamate synthases in the cotyledons of mustard seedlings. – *Planta* 175(1): 130–138.
- Heldt H.-W. 1997. *Plant Biochemistry and Molecular Biology*. – Oxford University Press, Oxford. ISBN 0-19-850180-3 (hbk) 0-19-850179-X (pbk). 1.2
- Hendricks S. B. & Borthwick H. A. 1963. Control of plant growth by light. In *Environmental Control of Plant Growth* (L. T. Evans, ed), chapter 14, pp. 233–263. – Academic Press, New York.
- Hendry G. A. & Grime J. P. 1993. *Methods in Comparative Plant Ecology. A Laboratory Manual*. – Chapman and Hall, London.
- Hennig L., Buche C., Eichenberg K. & Schafer E. 1999a. Dynamic properties of endogenous phytochrome A in *Arabidopsis* seedlings. – *Plant Physiology* 121(2): 571–577.

Bibliography

- Hennig L., Poppe C., Unger S. & Schafer E. 1999b. Control of hypocotyl elongation in *Arabidopsis thaliana* by photoreceptor interaction. – *Planta* 208(2): 257–263.
- Herrmann H., Hader D. P. & Ghetti F. 1997. Inhibition of photosynthesis by solar radiation in *Dunaliella salina* - relative efficiencies of UV-B, UV-A and PAR. – *Plant, Cell and Environment* 20: 359–365.
- Hideg E. & Björn L. O. 1996. Ultraweak light emission, free radicals, chilling and light sensitivity. – *Physiologia Plantarum* 98(2): 223–228.
- Hideg E. & Vass I. 1996. UV-B induced free radical production in plant leaves and isolated thylakoid membranes. – *Plant Science* 115: 251–260.
- Hideg E., Sass L., Barbato R. & Vass I. 1993. Inactivation of photosynthetic oxygen evolution by UV-B irradiation: A thermoluminescence study. – *Photosynthesis Research* 38: 455–462.
- Hidema J., Kang H. S. & Kumagai T. 1996. Differences in the sensitivity to UVB radiation of two cultivars of rice (*Oryza sativa* L.). – *Plant and Cell Physiology* 37: 742–747.
- Hidema J., Kumagai T., Sutherland J. C. & Sutherland B. M. 1997. Ultraviolet B-sensitive rice cultivar deficient in cyclobutyl pyrimidine dimer repair. – *Plant Physiology* 113: 39–44.
- Hirschfeld M., Tepperman J. M., Clack T., Quail P. H. & Sharrock R. A. 1998a. Coordination of phytochrome levels in *phyB* mutants of *Arabidopsis* as revealed by apoprotein-specific monoclonal antibodies. – *Genetics* 149: 523–535.
- Hirschfeld M., Tepperman J. M., Clack T., Quail P. H. & Sharrock R. A. 1998b. Coordination of phytochrome levels in *phyB* mutants of *Arabidopsis* as revealed by apoprotein-specific monoclonal antibodies. – *Genetics* 149(2): 523–535.
- Hoecker U., Tepperman J. M. & Quail P. H. 1999. SPA1, a WD-repeat protein specific to phytochrome A signal transduction. – *Science* 284(5413): 496–499.
- Hoecker U., Xu-Yong, Quail P. H. & Xu Y. 1998. SPA1: a new genetic locus involved in phytochrome A-specific signal transduction. – *Plant Cell* 10(1): 19–33.
- Holefors A. 1999. Genetic transformation of the apple rootstock M26 with genes influencing growth properties. – *Acta Universitatis Agriculturae Sueciae, Agraria* (158): 1–53.
- Holm-Hansen O., Helbling E. W. & Lubin D. 1993. Ultraviolet radiation in Antarctica: Inhibition of primary production. – *Photochemistry and Photobiology* 58: 567–570.
- Holmes M. G. 1981. Spectral distribution of radiation within plant canopies. In *Plants and the Daylight Spectrum* (H. Smith, ed), pp. 147–158. – Academic Press, London.
- Holmes M. G. 1984a. Light sources. In *Techniques in Photomorphogenesis* (H. Smith and M. G. Holmes, eds), pp. 43–79. – Academic press, London.

Bibliography

- Holmes M. G. 1984b. Radiation measurement. In *Techniques in Photomorphogenesis* (H. Smith and M. G. Holmes, eds), pp. 81–107. – Academic Press, London.
- Holmes M. G. 1989. Action spectroscopy. In *Radiation Measurement in Photobiology* (B. L. Diffey, ed), pp. 85–101. – Academic Press, London.
- Holmes M. G. 1997. Action spectra for UV-B effects on plants: monochromatic and polychromatic approaches for analysing plant responses. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 31–50. – Cambridge University Press, Cambridge.
- Holmes M. G. & Fukshank L. 1979. Phytochrome photoequilibria in green leaves under polychromatic radiation: a theoretical approach. – *Plant, Cell and Environment* 2: 59–65.
- Holmes M. G. & Klein W. H. 1985. Evidence for phytochrome involvement in light-mediated stomatal movement in *Phaseolus vulgaris* L. – *Planta* 166: 348–353.
- Holmes M. G. & Klein W. H. 1986. Photocontrol of dark circadian rhythms in stomata of *Phaseolus vulgaris* L. – *Plant Physiology* 82: 28–33.
- Holmes M. G. & Smith H. 1977a. The function of phytochrome in the natural environment. I. Characterisation of daylight for studies in photomorphogenesis and photoperiodism. – *Photochemistry and Photobiology* 25: 539–545.
- Holmes M. G. & Smith H. 1977b. The function of phytochrome in the natural environment. II. The influence of vegetation canopies on the spectral energy distribution of natural daylight. – *Photochemistry and Photobiology* 25: 539–545.
- Holmes M. G. & Smith H. 1977c. The function of phytochrome in the natural environment. IV. Light quality and plant development. – *Photochemistry and Photobiology* 25: 551–557.
- Holmes M. G., Sager J. C. & Klein W. H. 1986. Sensitivity to far-red radiation in stomata of *Phaseolus vulgaris* L.: Rhythmic effects on conductance and photosynthesis. – *Planta* 168: 516–522.
- Horneck G., Rettberg P., Rabbow E., Strauch W., Seckmeyer G., Facius R., Reitz G., Strauch K. & Schott J.-U. 1996. Biological dosimetry of solar radiation for different simulated ozone column thicknesses. – *Journal of Photochemistry and Photobiology B*:32: 189–196.
- Horwitz B. A. & Berrocal, T G. M. 1997. A spectroscopic view of some recent advances in the study of blue light photoreception. – *Botanica Acta* 110(5): 360–368.
- Howe G. T., Buccaglia P. A., Hackett W. P., Furnier G. R., Cordonnier-Pratt M. M. & Gardner G. 1998a. Evidence that the phytochrome gene family in black cottonwood has one PHYA locus and two PHYB loci but lacks members of the PHYC/F and PHYE subfamilies. – *Molecular Biology and Evolution* 15(2): 160–175.

Bibliography

- Howe G. T., Buccaglia P. A., Hackett W. P., Furnier G. R., Cordonnierpratt M. M. & Gardner G. 1998b. Evidence that the phytochrome gene family in black cottonwood has one *PHYA* locus and two *PHYB* loci but lacks members of the *PHYC/F* and *PHYE* subfamilies. – *Molecular Biology & Evolution* 15: 160–175.
- Howe G. T., Gardner G., Hackett W. P. & Furnier G. R. 1996. Phytochrome control of short-day-induced bud set in black cottonwood. – *Physiologia Plantarum* 97: 95–103.
- Hsiao A. I. & Quick W. A. 1996. The roles of inorganic nitrogen salts in maintaining phytochrome- and gibberellin A3-mediated germination control in skotodormant lettuce seeds. – *Journal of Plant Growth Regulation* 15(4): 159–165.
- Huala E., Oeller P. W., Liscum E., Han I. S., Larsen E. & Briggs W. R. 1997. *Arabidopsis NPH1*: a protein kinase with a putative redox-sensing domain. – *Science* 278(5346): 2120–2123.
- Huang S. B., Dai Q. J., Peng S. B., Chavez A. Q., Miranda L. L., Visperas R. M. & Vergara B. S. 1997. Influence of supplemental ultraviolet-B on indoleacetic acid and calmodulin in the leaves of rice (*Oryza sativa* L.). – *Plant Growth Regulation* 21: 59–64.
- Huber H., Fijan A. & During H. J. 1998. A comparative study of spacer plasticity in erect and stoloniferous herbs. – *Oikos* 81: 576–586.
- Hubner C. & Ziegler H. 1998. UV-B effects on physiological parameters of three species of *Rumex* with natural distribution at different altitudes. – *Journal of Plant Physiology* 152: 336–344.
- Hughes J. E., Morgan D. C., Lambton P. A., Black C. R. & Smith H. 1984. Photoperiodic time signals during twilight. – *Plant, Cell and Environment* 7: 269–277.
- Hughes J., Lamparter T., Mittmann F., Hartmann E., Gartner W., Wilde A. & Borner T. 1997. A prokaryotic phytochrome. – *Nature* 386: 663.
- Hunt J. E. 1997. Ultraviolet-B radiation and its effects on New Zealand trees. Ph.d. dissertation. Lincoln University, Canterbury.
- Hunt J. E. & McNeil D. L. 1998. Nitrogen status affects UV-B sensitivity of cucumber. – *Australian Journal of Plant Physiology* 25: 79–86.
- Hunt J. E., Kelliher F. M. & McNeil D. L. 1996. Response in chlorophyll a fluorescence of six New Zealand tree species to a step-wise increase in ultraviolet-B irradiance. – *New Zealand Journal of Botany* 34: 401–410.
- Hunt P. G., Kasperbauer M. J. & Matheny T. A. 1987. Nodule development in a split-root system in response to red and far-red light treatment of soyabean shoots. – *Crop Science* 27(5): 973–976.
- Huttunen S., Kinnunen H. & Laakso K. 1998. Impact of increased UV-B on plant ecosystems. – *Chemosphere* 36: 829–833.

Bibliography

- Hutzler P., Fischbach R., Heller W., Jungblut T. P., Reuber S., Schmitz R., Veit M., Weissenbock G. & Schnitzler J. P. 1998. Tissue localization of phenolic compounds in plants by confocal laser scanning microscopy. – *Journal of Experimental Botany* 49: 953–965.
- Ihle C. 1997. Degradation and release from the thylakoid membrane of photosystem II sub-units after UV-B irradiation of the liverwort *Conocephalum conicum*. – *Photosynthesis Research* 54: 73–78.
- Ihle C. & Laasch H. 1996. Inhibition of photosystem II by UV-B radiation and the conditions for recovery in the liverwort *Conocephalum conicum* Dum. – *Botanica Acta* 109: 199–205.
- Iino M. 1990. Phototropism: mechanisms and ecological implications. – *Plant, Cell and Environment* 13: 633–650.
- Ireland W. & Sacher R. 1996. The angular distribution of solar ultraviolet, visible and near-infrared radiation from cloudless skies. – *Photochemistry and Photobiology* 63: 483–486.
- Iwanzik W. 1986. Interaction of UV-A, UV-B and visible radiation on growth, composition, and photosynthetic activity in radish seedlings. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and plant Life* (R. C. Worrest and M. M. Caldwell, eds), p. 287. – Springer-Verlag, Berlin.
- Jabben M., Beggs C. J. & Schafer E. 1982. Dependence of Pfr/Ptot-ratios on light quality and light quantity. – *Photochemistry and Photobiology* 35: 709–712.
- Jackson M. B. & Black C. R. 1993. Interacting Stresses on Plants in a Changing Climate, NATO ASI Series I: Global Environmental Change. – Springer-Verlag, ?? ISBN 3-540-57263-5.
- Jackson S. & Thomas B. 1997. Photoreceptors and signals in the photoperiodic control of development. – *Plant, Cell and Environment* 20: 790–795.
- Jackson S. D., Heyer A., Dietze J. & Prat S. 1996. Phytochrome B mediates the photoperiodic control of tuber formation in potato. – *The Plant Journal* 9: 159–166.
- Jackson S. D., James P., Prat S. & Thomas B. 1998. Phytochrome B affects the levels of a graft-transmissible signal involved in tuberization. – *Plant Physiology* 117: 29–32.
- Jansen M. A. K., Babu T. S., Heller D., Gaba V., Mattoo A. K. & Edelman M. 1996a. Ultraviolet-B effects on *Spirodela oligorrhiza* - induction of different protection mechanisms. – *Plant Science* 115: 217–223.
- Jansen M. A. K., Gaba V. & Greenberg B. M. 1998a. Higher plants and UV-B radiation - balancing damage, repair and acclimation (vol 3, pg 131, 1998). – *Trends in Plant Science* 3: 243.
- Jansen M. A. K., Gaba V. & Greenberg B. M. 1998b. Higher plants and UV-B radiation - balancing damage, repair and acclimation [review]. – *Trends in Plant Science* 3: 131–135.

Bibliography

- Jansen M. A. K., Gaba V., Greenberg B. M., Mattoo A. K. & Edelman M. 1996b. Low threshold levels of ultraviolet-B in a background of photosynthetically active radiation trigger rapid degradation of the D2 protein of photosystem-II. – *The Plant Journal* 9: 693–699.
- Jansen M. A. K., Gaba V., Greenberg B., Mattoo A. K. & Edelman M. 1993. UV-B driven degradation of the D1 reaction-center protein of photosystem II proceeds via plastosemiquinone. In *Photosynthetic Responses to the Environment* (H. Y. Yamamoto and C. M. Smith, eds), pp. 142–149. – American Society of Plant Physiologists, Rockville.
- Jarillo J. A. & Cashmore A. R. 1998. Enlightenment of the COP1-HY5 complex in photomorphogenesis. – *Trends in Plant Science* 3(5): 161–163.
- Jarvis P. G. & Mansfield T. A. 1981. *Stomatal Physiology*. – Cambridge University Press, Cambridge. 1.4.4
- Jenkins G. I. 1997. UV and blue light signal transduction in *Arabidopsis*. – *Plant, Cell and Environment* 20: 773–778.
- Jenkins G. I., Christie J. M., Fuglevand G., Long J. C. & Jackson J. A. 1995. Plant responses to UV and blue light — biochemical and genetic approaches. – *Plant Science* 112: 117–138. 1.4.12
- Jenkins G. I., Fuglevand G. & Christie J. M. 1997. UV-B perception and signal transduction. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), Vol 64 of Society for Experimental Biology, Seminar Series, pp. 135–156. – Cambridge University Press, Cambridge.
- Jenkins M. E., Suzuki T. C. & Mount D. W. 1997. Evidence that heat and ultraviolet radiation activate a common stress-response program in plants that is altered in the *uvh6* mutant of *Arabidopsis thaliana*. – *Plant Physiology* 115: 1351–1358.
- Johannes E., Ermolayeva E. & Sanders D. 1997. Red light-induced membrane potential transients in the moss *Physcomitrella patens* - ion channel interaction in phytochrome signalling. – *Journal of Experimental Botany* 48: 599–608.
- Johanson U., Gehrke C., Björn L. O. & Callaghan T. V. 1995a. The effects of enhanced UV-B radiation on the growth of dwarf shrubs in a subarctic heathland. – *Functional Ecology* 9(5): 713–719.
- Johanson U., Gehrke C., Björn L. O. & Callaghan T. V. 1995b. The effects of enhanced UV-B radiation on the growth of dwarf shrubs in a subarctic heathland. – *Functional Ecology* 9: 713–719.
- Johanson U., Gehrke C., Björn L. O., Callaghan T. V. & Sonesson M. 1995c. The effects of enhanced UV-B radiation on a subarctic heath ecosystem. – *Ambio* 24: 106–112.

Bibliography

- Jokela K., Leszczynski K. & Visuri R. 1994. Precision measurements and theoretical calculations for solar ultraviolet radiation. In *The Finnish Research Programme on Climate Change: Second Progress Report* (M. Kanninen and P. Heikinheimo, eds), pp. 79–84. – Academy of Finland, Helsinki.
- Jones A. E. & Shanklin J. D. 1995. Continued decline of total ozone over Halley, Antarctica, since 1985. – *Nature* 376: 409–411.
- Jordan B. 1996. The effects of ultraviolet-B radiation on plants: a molecular perspective. – *Advances in Botanical Research* 22: 97–162.
- Jordan B. R. 1993. The molecular biology of plants exposed to ultraviolet-B radiation and the interaction with other stresses. In *Interacting Stresses on Plants in a Changing Climate* (M. B. Jackson and C. R. Black, eds), Vol 116 of *NATO ASI Series. Series I, Global environmental change*, pp. 153–170. – Springer-Verlag, Berlin.
- Jordan B. R., Chow W. S., Strid A. & Anderson J. M. 1991. Reduction in cab and psb A RNA transcripts in response to supplementary ultraviolet-B radiation. – *FEBS Letters* 284: 1015–1023.
- Jordan B. R., He J., Chow W. S. & Anderson J. M. 1992. Changes in mRNA levels and polypeptide subunits of ribulose 1,5-bisphosphate carboxylase in response to supplementary ultraviolet-B radiation. – *Plant, Cell and Environment* 15: 91–98.
- Jordan B. R., James P. E. & Mackerness S. A. H. 1998. Factors affecting UV-B-induced changes in *Arabidopsis thaliana* L. Gene expression - the role of development, protective pigments and the chloroplast signal. – *Plant and Cell Physiology* 39: 769–778.
- Jordan B. R., James P. E., Strid A. & Anthony R. G. 1994. The effect of ultraviolet-B radiation on gene expression and pigment composition in etiolated and green pea leaf tissue: UV-B-induced changes are gene-specific and dependent upon the developmental stage. – *Plant, Cell and Environment* 17: 45–54.
- Jorgensen H. S. H. & Johnsen I. 1995. Analysis of surface structures of *Cladonia mitis podetia* in historic and recent collections from greenland. – *Canadian Journal of Botany* 73: 457–464.
- Jungblut T. P., Schnitzler J. P., Heller W., Hertkorn N., Metzger J. W., Szymczak W. & Sandermann H. 1995. Structures of UV-B induced sunscreen pigments of the scots pine (*Pinus sylvestris* L.). – *Angewandte Chemie. International Ed. in English* 34: 312–314.
- Junntila O. & Kaurin A. 1985. Climatic control of apical growth cessation in latitudinal ecotypes of *Salix pentandra* L. In *Plant production in the north. Proceedings from 'Plant adaptation workshop'*, Tromso, Norway, 4-9 Sept. 1983 (A. Kaurin, O. Junntila and J. Nilsen, eds), pp. 83–91. – Norwegian University Press, Tromso, Norway.
- Kadman-Zahavi A. & Ephrat E. 1976. Development of plants in filtered sunlight. 2. effects of spectral composition, light intensity, daylength and red and far-red irradiations on long- and short-day grasses. – *Israel Journal of Botany* 25(1-2): 11–23.

Bibliography

- Kalbin G., Ohlsson A. B., Berglund T., Rydstrom J. & Strid A. 1997. UV-B radiation causes changes in intracellular levels of nicotinamide, trigonelline and glutathione in *Pisum sativum* leaves. – Phyton : Annales Rei Botanicae 37: 115–123.
- Kang H. S., Hidema J. & Kumagai T. 1998. Effects of light environment during culture on UV-induced cyclobutyl pyrimidine dimers and their photorepair in rice (*Oryza sativa* L.). – Photochemistry and Photobiology 68: 71–77.
- Karabourniotis G. & Fasseas C. 1996. The dense indumentum with its polyphenol content may replace the protective role of the epidermis in some young xeromorphic leaves. – Canadian Journal of Botany-Revue Canadienne de Botanique 74: 347–351.
- Karabourniotis G., Kofidis G., Fasseas C., Liakoura V. & Drossopoulos I. 1998. Polyphenol deposition in leaf hairs of *Olea europaea* (Oleaceae) and *Quercus ilex* (Fagaceae). – American Journal of Botany 85: 1007–1012.
- Karabourniotis G., Kotsabassidis D. & Manetas Y. 1995. Trichome density and its protective potential against ultraviolet-B radiation damage during leaf development. – Canadian Journal of Botany 73: 376–383.
- Karabourniotis G., Kyparissis A. & Manetas Y. 1993. Leaf hairs of *Olea europaea* protect underlying tissues against ultraviolet-B radiation damage. – Environmental and Experimental Botany 33: 341–345.
- Kasemir H. & Mohr H. 1981. The involvement of phytochrome in controlling chlorophyll and 5-aminolevulinate formation in a gymnosperm seedling (*Pinus sylvestris*). – Planta 152: 369–373.
- Kasperbauer M. J. 1992. Phytochrome regulation of morphogenesis in green plants: from the Belstville spectrograph to colored mulch in the field. – Photochemistry and Photobiology 56: 823–832. 1.5
- Kasperbauer M. J. & Hunt P. G. 1994. Shoot/root assimilate allocation and nodulation of *vigna unguiculata* seedlings as influenced by shoot light environment. – Plant and Soil 161(1): 97–101.
- Kasperbauer M. J., Hunt P. G. & Sojka R. E. 1984. Photosynthate partitioning and nodule formation in soybean plants that received red or far-red light at the end of the photosynthetic period. – Physiologia Plantarum 61: 549–554.
- Keiller D. & Smith H. 1989. Control of carbon partitioning by light quality mediated by phytochrome. – Plant Science 63: 25–29. 1.4.7
- Kendrick R. E. & Kronenberg G. H. M. 1986. Photomorphogenesis in plants, 1st Ed. – Martinus Nijhoff, Dordrecht, Netherlands. 1.4.1
- Kendrick R. E. & Kronenberg G. H. M. 1994. Photomorphogenesis in Plants, 2nd Ed. – Kluwer Academic Publishers, Dordrecht. 1.4.1

Bibliography

- Kerckhoffs L. H. J. & Kendrick R. E. 1997. Photocontrol of anthocyanin biosynthesis in tomato. – Journal of Plant Research 110: 141–149.
- Kerckhoffs L. H. J., Kelmenson P. M., Schreuder M. E. L., Kendrick C. I., Kendrick R. E., Hanhart C. J., Koornneef M., Pratt L. H. & Cordonnier-Pratt M. M. 1999. Characterization of the gene encoding the apoprotein of phytochrome B2 in tomato, and identification of molecular lesions in two mutant alleles. – Molecular and General Genetics 261(6): 901–907.
- Kerr J. B. & McElroy C. T. 1993. Evidence for large upward trends of ultraviolet-B radiation linked to ozone depletion. – Science 262: 1032–1034.
- Khare M. & Guruprasad K. N. 1993. UV-B-induced anthocyanin synthesis in maize regulated by FMN and inhibitors of FMN photoreactions. – Plant Science 91: 1–5.
- Khattak A. M., Pearson S. & Johnson C. B. 1999. The effect of spectral filters and nitrogen dose on the growth of chrysanthemum (*chrysanthemum morifolium* ramat., cv. snowdon). – Journal of Horticultural Science and Biotechnology 74(2): 206–212.
- Khurana J. P., Anju-Kochhar, Tyagi A. K. & Kochhar A. 1998. Photosensory perception and signal transduction in higher plants – molecular genetic analysis. – Critical Reviews in Plant Sciences 17(5): 465–539.
- Khurana J. P., Kochhar A. & Jain P. K. 1996. Genetic and molecular analysis of light-regulated plant development. – Genetica 97: 349–361.
- Kim B. C., Soh M. S., Hong S. H., Furuya M. & Nam H. G. 1998. Photomorphogenic development of the *Arabidopsis* shy2-1D mutation and its interaction with phytochromes in darkness. – Plant Journal 15(1): 61–68.
- Kim B. C., Soh M. S., Kang B. J., Furuya M. & Nam H. G. 1996a. Two dominant photomorphogenic mutations of *Arabidopsis thaliana* identified as suppressor mutations of hy2. – The Plant Journal 9: 441–456.
- Kim H. Y., Kobayashi K., Nouchi I. & Yoneyama T. 1996b. Enhanced UV-B radiation has little effect on growth, $\delta^{13}\text{C}$ values and pigments of pot-grown rice (*Oryza sativa*) in the field. – Physiologia Plantarum 96: 1–5.
- King J. 1997. Reaching for the Sun: How Plants Work. – Cambridge University Press, Cambridge. ISBN 0-521-58738-7. 1.1
- King R. & Bagnall D. 1996. Photoreceptors and the photoperiodic response controlling flowering of *Arabidopsis* (review). – Seminars in Cell & Developmental Biology 7: 449–454.
- Kinnunen H., Manninen S., Peura R., Laakso K. & Huttunen S. 1998. Effects of UV-B treatment on the distribution of wax tubes on scots pine needles. – Chemosphere 36: 847–852.

Bibliography

- Kircher S., Kozma-Bognar L., Kim L., Adam E., Harter K., Schafer E. & Nagy F. 1999. Light quality-dependent nuclear import of the plant photoreceptors phytochrome A and B. – Plant Cell 11(8): 1445–1456.
- Klironomos J. N. & Allen M. F. 1995. UV-B-mediated changes on below-ground communities associated with the roots of *Acer saccharum*. – Functional Ecology 9: 923–930.
- Kokubo R., Sakai K. & Imamura H. 1990. Secondary metabolites in cell cultures of woody plants II. Formation of pinosylvin and its monomethyl ether in *Pinus thunbergii* callus and the effect of UV irradiation on their contents. – Mokuzai Gakkaishi = Journal of the Japan Wood Research Society 36: 1084–1088.
- Kolar C., Adam E., Schafer E. & Nagy F. 1995. Expression of tobacco genes for light-harvesting chlorophyll *a/b* binding proteins of photosystem II is controlled by two circadian oscillators in a developmentally regulated fashion. – Proceedings of the National Academy of Sciences of the United States of America 92: 2174–2178.
- Kolar C., Fejes E., Adam E., Schafer E., Kay S. & Nagy F. 1998. Transcription of Arabidopsis and wheat cab genes in single tobacco transgenic seedlings exhibits independent rhythms in a developmentally regulated fashion. – The Plant Journal 13: 563–569.
- Koller D. 1990. Light-driven leaf movements. – Plant, Cell and Environment 13: 615–632.
- Koller D., Ritter S. & Fork D. C. 1996. Light-driven movements of the trifoliate leaves of bean (*Phaseolus vulgaris* L) - spectral and functional analysis. – Journal of Plant Physiology 149: 384–392.
- Koller D., Ritter S., Briggs W. R. & Schäfer E. 1990. Action dichroism in perception of vectorial photo-excitation in the solar-tracking leaf of *Lavatera cretica* L. – Planta 181: 184–190.
- Konishi T., Kamoi T., Matsuno R. & Sasaki Y. 1996. Induction of cytosolic acetyl-coenzyme a carboxylase in pea leaves by ultraviolet-B irradiation. – Plant and Cell Physiology 37: 1197–1200.
- Koornneef M., Alonsoblanco C., Peeters A. J. M. & Soppe W. 1998. Genetic control of flowering time in Arabidopsis. – Annual Review of Plant Physiology and Plant Molecular Biology 49: 345–370.
- Kootstra A. 1994. Protection from UV-B-induced DNA damage by flavonoids. – Plant Molecular Biology 26: 771–774.
- Koskela T. 1994. The Nordic intercomparison of ultraviolet and total ozone instruments at Izana from 24 October to 5 November 1993. Final report, Meteorological Publications. – Finnish Meteorological Institute, Helsinki. ISBN 0782-6109 / 951-697-412-0.
- Kossuth S. V. & Biggs R. H. 1981. Ultraviolet-B radiation effects on early seedling growth of *Pinaceae* species. – Canadian Journal of Forest Research 11: 243–248.

- Küppers M. 1994. Canopy gaps: Competitive light interception and economic space filling — A matter of whole-plant allocation. In *Exploitation of Environmental Heterogeneity by Plants: Ecophysiological Processes Above- and Belowground* (M. M. Caldwell and R. W. Pearcy, eds), pp. 111–144. – Academic Press, San Diego.
- Kraepiel Y. & Miginiac E. 1997. Photomorphogenesis and phytohormones. – *Plant, Cell and Environment* 20(6): 807–812.
- Kramer G. F., Krizek D. T. & Mirecki R. M. 1992. Influence of photosynthetically active radiation and spectral quality on UV-B-induced polyamine accumulation in soybean. – *Phytochemistry* 31: 1119–1125.
- Kramer G. F., Norman H. A., Krizek D. T. & Mirecki R. M. 1991. Influence of UV-B radiation on polyamines, lipid peroxidation and membrane lipids in cucumber. – *Phytochemistry* 30: 2101–2108.
- Kraus T. E., Evans R. C., Fletcher R. A. & Pauls K. P. 1995. Paclobutrazol enhances tolerance to increased levels of UV-B radiation in soybean (*Glycine max*) seedlings. – *Canadian Journal of Botany* 73: 797–806.
- Krauss P., Markstadter C. & Riederer M. 1997. Attenuation of UV radiation by plant cuticles from woody species. – *Plant, Cell and Environment* 20: 1079–1085.
- Krizek D. T. & Berry W. L. 1981. Variation in elemental content of 'grand rapids' lettuce grown under four levels of far-red and infrared radiation in controlled environments. – *Journal of Plant Nutrition* 3(5): 827–841.
- Krizek D. T., Britz S. J. & Mirecki R. M. 1998. Inhibitory effects of ambient levels of solar UV-A and UV-B radiation on growth of cv. new red fire lettuce. – *Physiologia Plantarum* 103: 1–7.
- Krizek D. T., Kramer G. F. & Mirecki R. M. 1997. Influence of UV-B radiation and putrescine on shoot and root growth of cucumber seedlings grown in nutrient solution. – *Journal of Plant Nutrition* 20: 613–623.
- Krizek D. T., Kramer G. F., Upadhyaya A. & Mirecki R. M. 1993. UV-B response of cucumber seedlings grown under metal halide and high pressure sodium deluxe lamps. – *Physiologia Plantarum* 88: 350–358.
- Krizek D. T., Mirecki R. M. & Britz S. J. 1997. Inhibitory effects of ambient levels of solar UV-A and UV-B radiation on growth of cucumber. – *Physiologia Plantarum* 100: 886–893.
- Krizek D. T., Mirecki R. M. & Kramer G. F. 1994. Growth analysis of UV-B-irradiated cucumber seedlings as influenced by photosynthetic photon flux source and cultivar. – *Physiologia Plantarum* 90: 593–599.
- Körner C. H. 1991. Some often overlooked plant characteristics as determinants of plant growth: a reconsideration. – *Functional Ecology* 5: 162–173.

Bibliography

- Krupa S. V., Kickert R. N. & Jäger H.-J. 1998. Elevated Ultraviolet (UV)-B Radiation and Agriculture. – Springer, . ISBN 3-540-63892-X.
- Kulandaivelu G. & Nedunchezhian N. 1993. Synergistic effects of ultraviolet-B enhanced radiation and growth temperature on ribulose 1,5-bisphosphate carboxylase and $^{14}\text{CO}_2$ fixation in *Vigna sinensis* L. – *Photosynthetica* (Prague) 29: 377–383.
- Kumar A., Sinha R. P. & Hader D. P. 1996. Effect of UV-B on enzymes of nitrogen metabolism in the cyanobacterium *Nostoc calcicola*. – *Journal of Plant Physiology* 148: 86–91.
- Kunzelmann P., Iino M. & Schafer E. 1988. Phototropism of maize coleoptiles. influences of light gradients. – *Planta* 176: 212–220.
- Kurata T. & Yamamoto K. T. 1997. Light-stimulated root elongation in *Arabidopsis thaliana*. – *Journal of Plant Physiology* 151: 346–351.
- Laakso K. & Huttunen S. 1998. Effects of the ultraviolet-B radiation (UV-B) on conifers - a review. – *Environmental Pollution* 99: 319–328.
- Lam H. M., Peng S. S. Y. & Coruzzi G. M. 1994. Metabolic regulation of the gene encoding glutamine-dependent asparagine synthetase in *arabidopsis thaliana*. – *Plant Physiology* 106(4): 1347–1357.
- Landry L. G., Chapple C. C. S. & Last R. L. 1995. *Arabidopsis* mutants lacking phenolic sunscreens exhibit enhanced ultraviolet-B injury and oxidative damage. – *Plant Physiology* 109: 1159–1166.
- Lao K. Q. & Glazer A. N. 1996. Ultraviolet-B photodestruction of a light-harvesting complex. – *Proceedings of the National Academy of Sciences of the United States of America* 93: 5258–5263.
- Larson R. A., Garrison W. J. & Carlson R. W. 1990. Differential responses of alpine and non-alpine *Aquilegia* species to increased ultraviolet-B radiation. – *Plant, Cell and Environment* 13: 983–987.
- Larsson E. H., Bornman J. F. & Asp H. 1998. Influence of UV-B radiation and Cd^{2+} on chlorophyll fluorescence, growth and nutrient content in *Brassica napus*. – *Journal of Experimental Botany* 49: 1031–1039.
- Lascèvre G., Leymaire J., Olney M. A., Liscum E., Christie J. M., Vavasseur A. & Briggs W. R. 1999. *Arabidopsis* contains at least four independent blue-light-activated signal transduction pathways. – *Plant Physiology* 120: 605–614.
- Lavola A. 1998. Accumulation of flavonoids and related compounds in birch induced by UV-B irradiance. – *Tree Physiology* 18: 53–58.

Bibliography

- Lavola A., Julkunen-Tiitto R., Aphalo P., de la Rosa T. & Lehto T. 1997. The effect of u.v.-B radiation on u.v.-absorbing secondary metabolites in birch seedlings grown under simulated forest soil conditions. – *New Phytologist* 137: 617–621.
- Lavola A., Julkunentitto R., Roininen H. & Aphalo P. 1998. Host-plant preference of an insect herbivore mediated by UV-B and CO₂ in relation to plant secondary metabolites. – *Biochemical Systematics & Ecology* 26: 1–12.
- Lazarova G. I., Kerckhoffs L. H. J., Brandstadter J., Matsui M., Kendrick R. E., Cordonnier-Pratt M. M. & Pratt L. H. 1998a. Molecular analysis of PHYA in wild-type and phytochrome A-deficient mutants of tomato. – *Plant Journal* 14(6): 653–662.
- Lazarova G. I., Kerckhoffs L. H. J., Brandstadter J., Matsui M., Kendrick R. E., Cordonnierpratt M. M. & Pratt L. H. 1998b. Molecular analysis of phyA in wild-type and phytochrome A-deficient mutants of tomato. – *The Plant Journal* 14: 653–662.
- Lazarova G. I., Kubota T., Frances S., Peters J. L., Hughes M. J. G., Brandstadter J., Szell M., Matsui M., Kendrick R. E., Cordonnier-Pratt M. M. & Pratt L. H. 1998c. Characterization of tomato PHYB1 and identification of molecular defects in four mutant alleles. – *Plant Molecular Biology* 38(6): 1137–1146.
- Lercari B. & Sodi F. 1992. Photomorphogenic responses to UV radiation. II: A comparative study of UV effects on hypocotyl elongation in a wild type and an aurea mutant of tomato (*Lycopersicon esculentum* mill.). – *Photochemistry and Photobiology* 56: 651–654.
- Li J. L., Ou-Lee T.-M., Raba R., Amundson R. G. & Last R. L. 1993. Arabidopsis flavonoid mutants are hypersensitive to UV-B radiation. – *Plant Cell* 5: 171–179.
- Li Y. A., Yue M. & Wang X. L. 1998. Effects of enhanced ultraviolet-B radiation on crop structure, growth and yield components of spring wheat under field conditions. – *Field Crops Research* 57: 253–263.
- Liakoura V., Stefanou M., Manetas Y., Cholevas C. & Karabourniotis G. 1997. Trichome density and its UV-B protective potential are affected by shading and leaf position on the canopy. – *Environmental and Experimental Botany* 38: 223–229.
- Lichtenthaler H. K. 1985. Differences in morphology and chemical composition of leaves grown at different light intensities and qualities. In *Control of Leaf Growth* (N. R. Baker, W. J. Davies and C. K. Ong, eds), pp. 201–221. – Cambridge University Press, Cambridge.
- Lichtscheidl-Schultz I. 1985. Effects of UV-C and UV-B on cytomorphology and water permeability of inner epidermal cells of *Allium cepa*. – *Physiologia Plantarum* 63: 269–273.
- Lingakumar K. & Kulandaivelu G. 1993a. Changes induced by ultraviolet-B radiation in vegetative growth, foliar characteristics and photosynthetic activities in *Vigna unguiculata*. – *Australian Journal of Plant Physiology* 20: 299–308.

Bibliography

- Lingakumar K. & Kulandaivelu G. 1993b. Regulatory role of phytochrome on ultraviolet-B (280–315 nm) induced changes in growth and photosynthetic activities of *Vigna sinensis* L. – *Photosynthetica* (Prague) 29: 341–351.
- Lingakumar K. & Kulandaivelu G. 1996. Reversal of ultraviolet-B (280–320 nm) radiation induced changes in *Vigna unguiculata* L chloroplasts by supplemental white light. – *Photosynthetica* 32: 463–469.
- Lingakumar K. & Kulandaivelu G. 1998. Differential responses of growth and photosynthesis in *Cyamopsis tetragonoloba* L. Grown under ultraviolet-B and supplemental long-wavelength radiations. – *Photosynthetica* 35: 335–343.
- Liu L. & McClure J. W. 1995. Effects of UV-B on activities of enzymes of secondary phenolic metabolism in barley primary leaves. – *Physiologia Plantarum* 93: 734–739.
- Liu L., Gitz D. C. & McClure J. W. 1995. Effects of UV-B on flavonoids, ferulic acid, growth and photosynthesis in barley primary leaves. – *Physiologia Plantarum* 93: 725–733.
- Liu L. S. & White M. J. 1998. Ultraviolet-B responses of nuclear genes encoding light-harvesting complex II proteins in pea (*Pisum sativum*) are altered by norflurazon- and photobleaching-induced chloroplast changes. – *Physiologia Plantarum* 102: 128–138.
- Lovelock C. E., Clough B. F. & Woodrow I. E. 1992. Distribution and accumulation of ultraviolet-radiation-absorbing compounds in leaves of tropical mangroves. – *Planta* 188: 143–154.
- Lubin D. & Jensen E. H. 1995. Effects of clouds and stratospheric ozone depletion on ultraviolet radiation trends. – *Nature* 377: 710–713.
- Lukaszek M. & Poskuta J. W. 1996. Chlorophyll a fluorescence kinetics and CO₂ exchange rates in light and in darkness in leaves of tall fescue as affected by UV radiation. – *Acta Physiologae Plantarum* 18: 345–350.
- Lumsden P. 1997a. Plants and UV-B: responses to environmental change, Society for Experimental Biology, Seminar Series. – Cambridge University Press, Cambridge. 1.4.10
- Lumsden P. & Thomas B. 1998. Biological Rhythms and Photoperiodism in Plants. – Bios Scientific Publishers, Oxford. 1.4.8
- Lumsden P., ed 1997b. Plants and UV-B: responses to environmental change, Vol 64 of Society for Experimental Biology, Seminar Series. – Cambridge University Press, Cambridge.
- Ma J. Z. & Guicherit R. 1997. Effects of stratospheric ozone depletion and tropospheric pollution on UVB radiation in the troposphere. – *Photochemistry and Photobiology* 66: 346–355.
- Mackerness S. A. H., Butt P. J., Jordan B. R. & Thomas B. 1996. Amelioration of ultraviolet-B-induced down-regulation of mRNA levels for chloroplast proteins, by high irradiance, is mediated by photosynthesis. – *Journal of Plant Physiology* 148: 100–106.

- Mackerness S. A.-H., Jordan B. R. & Thomas B. 1997. UV-B effects on the expression of genes encoding proteins involved in photosynthesis. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 113–134. – Cambridge University Press, Cambridge.
- Mackerness S. A. H., Surplus S. L., Jordan B. R. & Thomas B. 1997. Ultraviolet-B effects on transcript levels for photosynthetic genes are not mediated through carbohydrate metabolism. – *Plant, Cell and Environment* 20: 1431–1437.
- Mackerness S. A. H., Surplus S. L., Jordan B. R. & Thomas B. 1998. Effects of supplementary ultraviolet-B radiation on photosynthetic transcripts at different stages of leaf development and light levels in pea (*Pisum sativum* L.) - role of active oxygen species and antioxidant enzymes. – *Photochemistry and Photobiology* 68: 88–96.
- Mackerness S. A. H., Thomas B. & Jordan B. R. 1997. The effect of supplementary ultraviolet-B radiation on mRNA transcripts, translation and stability of chloroplast proteins and pigment formation in *Pisum sativum* L. – *Journal of Experimental Botany* 48: 729–738.
- Madronich S. 1993a. The atmosphere and UV-B radiation at ground level. In *Environmental UV Photobiology* (A. R. Young, L. O. Björn, J. Moan and W. Nultsch, eds), pp. 1–39. – Plenum Press, New York.
- Madronich S. 1993b. UV radiation in the natural and perturbed atmosphere. In *UV-B Radiation and Ozone Depletion: Effects on Humans, Animals, Plants, Microorganisms, and Materials* (M. Tevini, ed), pp. 17–69. – Lewis Publishers, Boca Raton.
- Madronich S. 1995. Ozone depletion - the radiation equation. – *Nature* 377: 682–683.
- Madronich S., McKenzie R. L., Caldwell M. & Björn L. O. 1995. Changes in ultraviolet radiation reaching the earth's surface. – *Ambio* 24: 143–152. 1.4.10
- Magliano T. M. A. & Casal J. J. 1998. In vitro cross-linking of extensin precursors by mustard extracellular isoforms of peroxidase that respond either to phytochrome or to wounding. – *Journal of Experimental Botany* 49(326): 1491–1499.
- Malanga G. & Puntarulo S. 1995. Oxidative stress and antioxidant content in *Chlorella vulgaris* after exposure to ultraviolet-B radiation. – *Physiologia Plantarum* 94: 672–679.
- Mancinelli A. L. 1985. Light-dependent anthocyanin synthesis: a model system for the study of plant photomorphogenesis. – *The Botanical Review* 51: 107–157.
- Mancinelli A. L. 1988a. Phytochrome photoconversion in vivo. – *Plant Physiology* 86: 749–753. 1.6
- Mancinelli A. L. 1988b. Some thoughts about the use of predicted values of the state of phytochrome in plant photomorphogenesis research. – *Plant, Cell and Environment* 11: 429–439.
- Mancinelli A. L. 1989. Interaction between cryptochrome and phytochrome in higher plant photomorphogenesis. – *American Journal of Botany* 76: 143–154.

Bibliography

- Mancinelli A. L. 1990. Interaction between light quality and light quantity in the photoregulation of anthocyanin production. – *Plant Physiology* 92: 1191–1195.
- Mancinelli A. L. 1991. Phytochrome-mediated detection of changes in reflected light. – *Plant Physiology* 95: 144–151.
- Mancinelli A. L., Hobert O. & Nikas G. 1992. In vivo phytochrome-mediated perception of reflected light signals. – *Photochemistry and Photobiology* 56: 585–591.
- Mancinelli A. L., Rossi F. & Moroni A. 1991. Cryptochrome, phytochrome, and anthocyanin production. – *Plant Physiology* 96: 1079–1085.
- Mandoli D. F., Ford G. A., Waldron L. J., Nemson J. A. & Briggs W. R. 1990. Some spectral properties of several soil types: implications for photomorphogenesis. – *Plant, Cell & Environment* 13: 287–294. 1.4.5
- Manetas Y., Petropoulou Y., Stamatakis K., Nikolopoulos D., Levizou E., Psaras G. & Karabourniotis G. 1997. Beneficial effects of enhanced UV-B radiation under field conditions - improvement of needle water relations and survival capacity of *Pinus pinea* L seedlings during the dry mediterranean summer. – *Plant Ecology* 128: 100–108.
- Manning W. J. & von Tiedemann A. 1995. Climate change - potential effects of increased atmospheric carbon dioxide (CO_2), ozone (O_3), and ultraviolet-B (UV-B) radiation on plant diseases [review]. – *Environmental Pollution* 88: 219–245.
- Mansfield T. A. & Meidner H. 1966. Stomatal opening in light of different wavelengths: Effects of blue light independent of carbon dioxide concentration. – *Journal of Experimental Botany* 17: 510–521. 1.4.4
- Mantai K., Wong J. & Bishop N. I. 1970. Comparison studies of the effect of ultraviolet irradiation on photosynthesis. – *Biochimica Biophysical Acta* 197: 257–263.
- Mark U. & Tevini M. 1996. Combination effects of uv-b radiation and temperature on sunflower (*Helianthus annuus* L, cv Polstar) and maize (*Zea mays* L, cv Zenit 2000) seedlings. – *Journal of Plant Physiology* 148: 49–56.
- Mark U. & Tevini M. 1997. Effects of solar ultraviolet-B radiation, temperature and CO_2 on growth and physiology of sunflower and maize seedlings. – *Plant Ecology* 128: 224–234.
- Markham K. R., Ryan K. G., Bloor S. J. & Mitchell K. A. 1998. An increase in the luteolin/apigenin ratio in *Marchantia polymorpha* on UV-B enhancement. – *Phytochemistry* 48: 791–794.
- Martinez-Garcia J. F. & Quail P. H. 1999. The HMG-I/Y protein PF1 stimulates binding of the transcriptional activator GT-2 to the PHYA gene promoter. – *Plant Journal* 18(2): 173–183.

- Marwood C. A. & Greenberg B. M. 1996. Effect of supplementary UVB radiation on chlorophyll synthesis and accumulation of photosystems during chloroplast development in *Spirodela oligorrhiza*. – Photochemistry and Photobiology 64: 664–670.
- Mathews S. & Sharrock R. A. 1996. The phytochrome gene family in grasses (*Poaceae*) - A phylogeny and evidence that grasses have a subset of the loci found in dicot angiosperms. – Molecular Biology & Evolution 13: 1141–1150.
- Mathews S. & Sharrock R. A. 1997. Phytochrome gene diversity. – Plant, Cell and Environment 20: 666–671.
- Matsunaga S., Hori T., Takahashi T., Kubota M., Watanabe M., Okamoto K., Masuda K. & Sugai M. 1998. Discovery of signaling effect of UV-B/C light in the extended UV-A/ blue-type action spectra for step-down and step-up photophobic responses in the unicellular flagellate alga *Euglena gracilis*. – Protoplasma 201: 45–52.
- Mazzella M. A., Magliano T. M. A. & Casal J. J. 1997. Dual effect of phytochrome A on hypocotyl growth under continuous red light. – Plant, Cell and Environment 20: 261–267.
- McCloud E. S. & Berenbaum M. R. 1994. Stratospheric ozone depletion and plant-insect interactions: Effects of UVB radiation on foliage quality of *Citrus jambhiri* for *Trichoplusia ni*. – Journal of Chemical Ecology 20: 525–539.
- McCormac A. C., Smith H. & Whitelam G. C. 1993. Photoregulation of germination in seed of transgenic lines of tobacco and *Arabidopsis* which express an introduced cDNA encoding phytochrome-A or phytochrome-B. – Planta 191: 386–393.
- McCormac A. C., Wagner D., Boylan M. T., Quail P. H., Smith H. & Whitelam G. C. 1993. Photoresponses of transgenic *Arabidopsis* seedlings expressing introduced phytochrome B-encoding cDNAs: evidence that phytochrome A and phytochrome B have distinct photoregulatory functions. – The Plant Journal 4: 19–27.
- McCormac A. C., Whitelam G. C., Boylan M. T., Quail P. H. & Smith H. 1992. Contrasting responses of etiolated and light-adapted seedlings to red: Far-red ratio: a comparison of wild-type, mutant and transgenic plants has revealed differential functions of members of the phytochrome family. – Journal of Plant Physiology 140: 707–714.
- McCormick M. P., Thomason L. W. & Trepte C. R. 1995. Atmospheric effects of the Mt Pinatubo eruption. – Nature 373: 399–404.
- McLaren J. S. & Smith H. 1978. Phytochrome control of the growth and development of *Rumex obtusifolius* under simulated canopy light environments. – Plant, Cell and Environment 1: 61–67.
- McLeod A. R. 1997. Outdoor supplementation systems for studies of the effects of increased UV-B radiation. – Plant Ecology 128: 78–92.

Bibliography

- McLeod A. R. & Newsham K. K. 1997. Impacts of elevated UV-B on forest ecosystems. In Plants and UV-B: responses to environmental change (P. Lumsden, ed), pp. 247–281. – Cambridge University Press, Cambridge.
- McMillen G. G. & McClendon J. H. 1979. Leaf angle: an adaptive feature of sun and shade leaves. – Botanical Gazette 140: 437–442.
- Meidner H. & Mansfield T. A. 1968. Physiology of Stomata. – McGraw-Hill, London. 1.4.4
- Mella R. A., Maldonado S. & Sánchez R. A. 1995. Phytochrome induced structural changes and protein degradation prior to radicle protrusion in *Datura ferox* seeds. – Canadian Journal of Botany 73: 1371–1378.
- Mepsted R., Paul N. D., Stephen J., Corlett J. E., Nogues S., Baker N. R., Jones H. G. & Ayres P. G. 1996. Effects of enhanced UV-B radiation on pea (*Pisum sativum* L) grown under field conditions in the UK. – Global Change Biology 2: 325–334.
- Merkle T., Frohnmeier H., Schulze-Lefert P., Dangl J. L., Hahlbrock K. & Schaefer E. 1994. Analysis of the parsley chalcone-synthase promoter in response to different light qualities. – Planta (Heidelberg) 193: 275–282.
- Messner B., Boll M. & Berndt J. 1991. L-phenylalanine ammonia-lyase in suspension culture cells of spruce (*Picea abies*). induction by UV-light and fungal elicitor. – Plant Cell Tissue and Organ Culture 27: 267–274.
- Metzger J. D. & Zheng Z. L. 1998. The role of phytochrome in photoperiodic timing mechanisms. – Journal of the Japanese Society for Horticultural Science 67(6): 1128–1133. Symposium for further development of horticulture in East Asia in commemoration of the 75th anniversary of the Japanese Society for Horticultural Science, Shinjuku and Fuchu, Japan, 2-4 April 1998.
- Middleton E. M. & Teramura A. H. 1993a. Potential errors in the use of cellulose diacetate and mylar filters in UV-B radiation studies. – Photochemistry and Photobiology 57: 744–751.
- Middleton E. M. & Teramura A. H. 1993b. The role of flavonol glycosides and carotenoids in protecting soybean from ultraviolet-B damage. – Plant Physiology 103: 741–752.
- Middleton E. M. & Teramura A. H. 1994. Understanding photosynthesis, pigment and growth responses induced by UV-B and UV-A irradiances. – Photochemistry and Photobiology 60: 38–45.
- Middleton E. M., Chappelle E. W., Cannon T. A., Adamse P. & Britz S. J. 1996. Initial assessment of physiological response to UV-B irradiation using fluorescence measurements. – Journal of Plant Physiology 148: 69–77.
- Midgley G. F., Wand S. J. E. & Musil C. F. 1998. Repeated exposure to enhanced UV-B radiation in successive generations increases developmental instability (leaf fluctuating asymmetry) in a desert annual. – Plant, Cell and Environment 21: 437–442.

- Migge A., Carayol E., Hirel B., Lohmann M., Meya G. & Becker T. W. 1998. Regulation of the subunit composition of plastidic glutamine synthetase of the wild-type and of the phytochrome-deficient aurea mutant of tomato by blue/UV-A- or by UV-B-light. – Plant Molecular Biology 37: 689–700.
- Migge A., Meya G., Carryol E., Hirel B. & Becker T. W. 1997. Coaction of light and the nitrogen substrate in controlling the expression of the tomato genes encoding nitrite reductase and nitrate reductase. – Journal of Plant Physiology 151(2): 151–158.
- Miles D. 1993. Ultraviolet-B radiation effects on leaf fluorescence characteristics in cultivars of soybean. In *Photosynthetic Responses to the Environment* (H. Y. Yamamoto and C. M. Smith, eds), pp. 136–141. – American Society of Plant Physiologists, Rockville.
- Millar A. J. 1998. Molecular intrigue between phototransduction and the circadian clock. – Annals of Botany 81: 581–587.
- Millar A. J., McGrath R. B. & Chua N. H. 1994. Phytochrome phototransduction pathways. – Annual Review of Genetics 28: 325–349. 1.4.11
- Millar A. J., Straume M., Chory J., Chua N. H. & Kay S. A. 1995. The regulation of circadian period by phototransduction pathways in *Arabidopsis*. – Science 267: 1163–1166. 1.4.8
- Miller J. E., Booker F. L., Fiscus E. L., Heagle A. S., Pursley W. A., Vozzo S. F. & Heck W. W. 1994. Ultraviolet-B radiation and ozone effects on growth, yield, and photosynthesis of soybean. – Journal of Environmental Quality 23: 83–91.
- Mitrakos K. & Shropshire W. 1972. Phytochrome. – Academic Press, London.
- Mohr H. 1984. Criteria for photoreceptor involvement. In *Techniques in Photomorphogenesis* (H. Smith and M. G. Holmes, eds), pp. 13–42. – Academic Press, London.
- Mohr H. 1986. Coaction between pigment systems. In *Photomorphogenesis in plants* (R. E. Kendrick and G. H. M. Kronenberg, eds), pp. 547–564. – Martinus Nijhoff, Dordrecht, Netherlands.
- Mohr H. 1987. Mode of coaction between blue/UV light and light absorbed by phytochrome in higher plants. In *Bluelight responses: phenomena and occurrence in plants and microorganisms. Vol. I* (H. Senger, ed), pp. 133–144. – CRC Press Inc, Boca Raton, USA.
- Mohr H. 1994. Coaction between pigment systems. In *Photomorphogenesis in plants* (R. E. Kendrick and G. H. M. Kronenberg, eds), 2nd Ed., pp. 353–373. – Kluwer Academic, Dordrecht.
- Mohr H. & Schopfer P. 1995. Plant Physiology. – Springer, Berlin. 1.2
- Mohr H., Neininger A. & Seith B. 1992. Control of nitrate reductase and nitrite reductase gene expression by light, nitrate and a plastidic factor. – Botanica Acta 105: 81–89.

Bibliography

- Monteith J. L. & Unsworth M. H. 1990. Principles of Environmental Physics, 2nd Ed. – Edward Arnold, London. 1.4.2
- Montenbruck O. & Pfleger T. 1991. Astronomy on the Personal Computer. – Springer-Verlag, Berlin. ISBN 3-540-52754-0. 1.4.2
- Moody S. A., Coop D. J. S. & Paul N. D. 1997. Effects of elevated UV-B radiation and elevated CO₂ on heathland communities. In Plants and UV-B: responses to environmental change (P. Lumsden, ed), pp. 283–304. – Cambridge University Press, Cambridge.
- Moorhead D. L. & Callaghan T. 1994. Effects of increasing ultraviolet B radiation on decomposition and soil organic matter dynamics: a synthesis and modelling study. – Biology and Fertility of Soils 18: 19–26.
- Moorthy P. & Kathiresan K. 1997a. Influence of ultraviolet-B radiation on photosynthetic and biochemical characteristics of a mangrove *Rhizophora apiculata*. – Photosynthetica 34: 465–471.
- Moorthy P. & Kathiresan K. 1997b. Photosynthetic pigments in tropical mangroves - impacts of seasonal flux of UV-B radiation and other environmental attributes. – Botanica Marina 40: 341–349.
- Moorthy P. & Kathiresan K. 1998a. Effects of UV-B irradiance on biomass and uptake of nutrients in mangrove seedlings of *Rhizophora apiculata* (*Rhizophorales, Rhizophoraceae*). – Indian Journal of Marine Sciences 27: 239–242.
- Moorthy P. & Kathiresan K. 1998b. UV-B induced alterations in composition of thylakoid membrane and amino acids in leaves of *Rhizophora apiculata* Blume. – Photosynthetica 35: 321–328.
- Morgan D. C. 1981. Shadelight quality effects on plant growth. In Plants and the Daylight Spectrum (H. Smith, ed), pp. 205–221. – Academic Press, London. 1.4.7
- Morgan D. C. & Smith H. 1976. Linear relationship between phytochrome photoequilibrium and growth in plants under natural radiation. – Nature 262: 210–212. 1.4.7
- Morgan D. C. & Smith H. 1978. The relationship between phytochrome photoequilibrium and development in light grown *Chenopodium album* L. – Planta 142: 187–193.
- Morgan D. C. & Smith H. 1979. A systematic relationship between phytochrome-controlled development and species habitat, for plants grown in simulated natural radiation. – Planta 145: 253–258. 1.4.7
- Morris D. M. & Farmer, R. E. J. 1985. Species interactions in seedling populations of *Populus tremuloides* and *Populus balsamifera*: effects of density and species ratios. – Canadian Journal of Forest Research 15: 593–595.

Bibliography

- Murakami K., Sung I. K., Takemura Y. & Munoz-Carpena R. 1998. Effects of nutrient concentration under varying red/far-red lighting conditions on the chlorophyll content and growth of tomato. – *Acta Horticulturae* (458): 179–183. International symposium on water quality and quantity in greenhouse horticulture, Tenerife, Canary Islands, 5-8 November 1996.
- Murali N. S. & Teramura A. H. 1985. Effects of ultraviolet-B irradiance on soybean. VI. Influence of phosphorus nutrition on growth and flavonoid content. – *Physiologia Plantarum* 63: 413–416.
- Murali N. S., Teramura A. H. & Randall S. K. 1988. Response differences between two soybean cultivars with contrasting UV-B radiation sensitivities. – *Photochemistry and Photobiology* 44: 215–219.
- Murthy S. D. S. & Rajagopal S. 1995. UV-B radiation induced alterations in the bioenergetic processes of photosynthesis. – *Photosynthetica* 31: 481–487.
- Musil C. F. 1994. Ultraviolet-B irradiation of seeds affects photochemical and reproductive performance of the arid environment ephemeral *Dimorphotheca pluvialis*. – *Environmental and Experimental Botany* 34: 371–378.
- Musil C. F. 1995. Differential effects of elevated ultraviolet-B radiation on the photochemical and reproductive performances of dicotyledonous and monocotyledonous arid-environment ephemerals. – *Plant, Cell and Environment* 18: 844–854.
- Musil C. F. 1996. Accumulated effect of elevated ultraviolet-B radiation over multiple generations of the arid-environment annual *Dimorphotheca sinuata* DC (Asteraceae). – *Plant, Cell and Environment* 19: 1017–1027.
- Musil C. F. & Wand S. J. E. 1994. Differential stimulation of an arid-environment winter ephemeral *Dimorphotheca pluvialis* (L.) Moench by ultraviolet-B radiation under nutrient limitation. – *Plant, Cell and Environment* 17: 245–255.
- Mustilli A. C. & Bowler C. 1997. Tuning in to the signals controlling photoregulated gene expression in plants. – *EMBO Journal* 16(19): 5801–5806.
- Mustilli A. C., Fenzi F., Ciliento R., Alfano F. & Bowler C. 1999. Phenotype of the tomato high pigment-2 mutant is caused by a mutation in the tomato homolog of DEETIOLATED1. – *Plant Cell* 11(2): 145–157.
- Nagatani A. 1997. Spatial distribution of phytochromes. – *Journal of Plant Research* 110: 123–130.
- Naidu S. L., Sullivan J. H., Teramura A. H. & DeLucia E. H. 1993. The effects of ultraviolet-B radiation on photosynthesis of different aged needles in field-grown loblolly pine. – *Tree Physiology* 12: 151–162.

Bibliography

- Nedunchezhian N. & Kulandaivelu G. 1993. Increased stability of thylakoid components in *Vigna sinensis* L. seedlings grown under ultraviolet-B enhanced radiation. – *Photosynthetica* (Prague) 29: 369–375.
- Nedunchezhian N. & Kulandaivelu G. 1995. Effect of cd and UV-B radiation on polypeptide composition and photosystem activities of *Vigna unguiculata* chloroplasts. – *Biologia Plantarum* 37: 437–441.
- Nedunchezhian N. & Kulandaivelu G. 1996. Effects of ultraviolet-B enhanced radiation and temperature on growth and photochemical activities in *Vigna unguiculata*. – *Biologia Plantarum* 38: 205–214.
- Nedunchezhian N. & Kulandaivelu G. 1997. Changes induced by ultraviolet-B (280-320 nm) radiation to vegetative growth and photosynthetic characteristics in field grown *Vigna unguiculata* L. – *Plant Science* 123: 85–92.
- Nedunchezhian N., Annamalainathan K. & Kulandaivelu G. 1995. Ultraviolet-B (280-320 nm) enhanced radiation induced changes in chlorophyll-protein complexes and polypeptide composition of chloroplasts in *Vigna unguiculata* seedlings grown at various temperatures. – *Photosynthetica* 31: 21–29.
- Nedunchezhian N., Ravindran K. C. & Kulandaivelu G. 1995. Changes in photosynthetic apparatus during dark incubation of detached leaves from control and ultraviolet-B treated *Vigna* seedlings. – *Biologia Plantarum* 37: 341–348.
- Nedunchezhian N., Ravindran K. C. & Kulandaivelu G. 1996. Ultraviolet-B (280-320 nm) radiation induced changes in photosynthetic electron transport during aging of isolated *Vigna* chloroplasts. – *Photosynthetica* 32: 381–391.
- Nedunchezhian N., Santhanam R., Giacometti G. M., Klimov V. V. & Kulandaivelu G. 1997. Effect of Basf 13.338 on resistance of photosynthetic apparatus of *Triticum aestivum* L. to ultraviolet-B radiation. – *Journal of Plant Physiology* 151: 660–667.
- Neeti-Sanan, Sopory S. K. & Sanan N. 1998. A role of G-proteins and calcium in light-regulated primary leaf formation in sorghum bicolor. – *Journal of Experimental Botany* 49(327): 1695–1703.
- Neff M. M. & Chory J. 1998. Genetic interactions between phytochrome A, phytochrome B, and cryptochrome 1 during arabidopsis development. – *Plant Physiology* 118(1): 27–36.
- Negash L. 1987. Wavelength-dependence of stomatal closure by ultraviolet radiation in attached leaves of *Eragrostis tef*: Action spectra under backgrounds of red and blue lights. – *Plant Physiology and Biochemistry* 25: 753–760.
- Negash L. & Björn L. O. 1986a. Stomatal closure by ultraviolet radiation. – *Physiologia Plantarum* 66(3): 360–364.

Bibliography

- Negash L. & Björn L. O. 1986b. Stomatal closure by ultraviolet radiation. – *Physiologia Plantarum* 66: 360–364.
- Neininger A., Kronenberger J. & Mohr H. 1992. Coaction of light, nitrate and a plastidic factor in controlling nitrite-reductase gene expression in tobacco. – *Planta* 187: 381–387.
- Nemeth P., Toth Z. & Nagy Z. 1996. Effect of weather conditions on UV-B radiation reaching the earth's surface. – *Journal of Photochemistry and Photobiology B*:32: 177–181.
- Newsham K. K., Lewis G. C., Greenslade P. D. & McLeod A. R. 1998. *Neotyphodium lolii*, a fungal leaf endophyte, reduces fertility of *Lolium perenne* exposed to elevated UV-B radiation. – *Annals of Botany* 81: 397–403.
- Newsham K. K., Low M. N. R., McLeod A. R., Greenslade P. D. & Emmett B. A. 1997a. Ultraviolet-B radiation influences the abundance and distribution of phylloplane fungi on pedunculate oak (*Quercus robur*). – *New Phytologist* 136: 287–297.
- Newsham K. K., McLeod A. R., Greenslade P. D. & Emmett A. A. 1996. Appropriate controls in outdoor UV-B supplementation experiments. – *Global Change Biology* 2: 319–324.
- Newsham K. K., McLeod A. R., Roberts J. D., Greenslade P. D. & Emmet B. A. 1997b. Direct effects of elevated UV-B radiation on the decomposition of *Quercus robur* leaf litter. – *Oikos* 79: 592–602.
- Ni M., Tepperman J. M. & Quail P. H. 1999. Binding of phytochrome B to its nuclear partner PIF3 is reversibly induced by light. – *Nature* 400: 781–783.
- Nikolopoulos D., Petropoulou Y., Kyparissis A. & Manetas Y. 1995. Effects of enhanced UV-B radiation on the drought semi-deciduous mediterranean shrub *Phlomis fruticosa* under field conditions are season- specific. – *Australian Journal of Plant Physiology* 22: 737–745.
- Noe N. & Eccher T. 1996. Golden delicious apple fruit shape and russetting are affected by light conditions. – *Scientia Horticulturae* 65: 209–213.
- Nogues S. & Baker N. R. 1995. Evaluation of the role of damage to photosystem II in the inhibition of CO₂ assimilation in pea leaves on exposure to UV-B radiation. – *Plant, Cell and Environment* 18: 781–787.
- Nogues S., Allen D. J., Morison J. I. L. & Baker N. R. 1998. Ultraviolet-B radiation effects on water relations, leaf development, and photosynthesis in droughted pea plants. – *Plant Physiology* 117: 173–181.
- Novoplansky A. 1991. Developmental responses of portulaca seedlings to conflicting spectral signals. – *Oecologia* 88(1): 138–140.
- Novoplansky A. 1996. Hierarchy establishment among potentially similar buds. – *Plant, Cell and Environment* 19(6): 781–786.

Bibliography

- Novoplansky A. & Vuorisalo, T-Hutchings M. J. 1996. Developmental responses of individual onobrychis plants to spatial heterogeneity. – *Vegetatio* 127(1): 31–39. Plant sectoriality: causes and consequences. Proceedings of a workshop held at Seili, West Finland, 19-21 September 1994.
- Novoplansky A., Cohen D. & Sachs T. 1990a. How portulaca seedlings avoid their neighbors. – *Oecologia* 82: 490–493.
- Novoplansky A., Cohen D. & Sachs T. 1990b. How portulaca seedlings avoid their neighbours. – *Oecologia* 82(4): 490–493.
- Novoplansky A., Shoshany H., Assenham D., Schnizer M., Eyal M., Chernyak V. & Reisfeld R. 1990. Greenhouse cover for morphogenetic signaling, pp. 119–129. In Proceedings of the international seminar and British Israel workshop on greenhouse technology, Bet Dagan, Israel, 26 March–2 April 1990. (I. Segal, ed). Agricultural Research Organization, Bet Dagan.
- Nozue K., Kanegae T., Imaizumi T., Fukuda S., Okamoto H., Yeh-KuoChen, Lagarias J. C., Wada M. & Yeh K. C. 1998a. A phytochrome from the fern adiantum with features of the putative photoreceptor NPH1. – *Proceedings of the National Academy of Sciences of the United States of America* 95(26): 15826–15830.
- Nozue K., Kanegae T., Imaizumi T., Fukuda S., Okamoto H., Yeh-KuoChen, Lagarias J., Wada M. & Yeh K. 1998b. A phytochrome from the fern adiantum with features of the putative photoreceptor NPH1. – *Proceedings of the National Academy of Sciences of the United States of America* 95(26): 15826–15830.
- Olsen J. E., Juntila O., Nilsen J., Eriksson M. E., Martinussen I., Olsson O., Sandberg G. & Moritz T. 1997. Ectopic expression of oat phytochrome A in hybrid aspen changes critical daylength for growth and prevents cold acclimatization. – *The Plant Journal* 12: 1339–1350.
- Olszyk D., Dai Q. J., Teng P., Leung H., Luo Y. & Peng S. B. 1996. UV-B effects on crops - response of the irrigated rice ecosystem. – *Journal of Plant Physiology* 148: 26–34.
- Ormrod D. P., Landry L. G. & Conklin P. L. 1995. Short-term UV-B radiation and ozone exposure effects on aromatic secondary metabolite accumulation and shoot growth of flavonoid-deficient arabidopsis mutants. – *Physiologia Plantarum* 93: 602–610.
- Ormrod D. P., Schmidt A. & Livingston N. J. 1997. Effect of UV-B radiation on the shoot dry matter production and stable carbon isotope composition of two *Arabidopsis thaliana* genotypes. – *Physiologia Plantarum* 101: 497–502.
- Osterlund M. T., Deng-XingWang & Deng X. W. 1998. Multiple photoreceptors mediate the light-induced reduction of GUS-COP1 from Arabidopsis hypocotyl nuclei. – *Plant Journal* 16(2): 201–208.
- Otter T., Penther J. M. & Mohr H. 1992. Control of the appearance of alanine aminotransferase in the scots pine (*pinus sylvestris* L.) seedling. – *Planta* 188(3): 376–383.

- Pal M., Sharma A., Abrol Y. P. & Sengupta U. K. 1997. Exclusion of UV-B radiation from normal solar spectrum on the growth of mung bean and maize. – Agriculture, Ecosystems and Environment 61: 29–34.
- Panagopoulos I., Bornman J. F. & Björn L. O. 1989a. The effect of UV-B and UV-C radiation on hibiscus leaves determined by ultraweak luminescence and fluorescence induction. – Physiologia Plantarum 76(4): 461–465.
- Panagopoulos I., Bornman J. F. & Björn L. O. 1989b. The effect of UV-B and UV-C radiation on hibiscus leaves determined by ultraweak luminescence and fluorescence induction. – Physiologia Plantarum 76: 461–465.
- Panagopoulos I., Bornman J. F. & Björn L. O. 1991. The effect of UV-B radiation on sugar beet plants infected with *Cercospora beticola*. – Physiologia Plantarum 84: 140–145.
- Panagopoulos I., Bornman J. F. & Björn L. O. 1992. Response of sugar beet plants to ultraviolet-B (280–320 nm) radiation and Cercospora leaf spot disease. – Physiologia Plantarum 84(1): 140–145.
- Paoletti E. 1998. UV-B and acid rain effects on beech (*Fagus sylvatica* L.) and holm oak (*Quercus ilex* L.) leaves. – Chemosphere 36: 835–840.
- Parisi A. V. & Wong J. C. F. 1996. Plant canopy shape and the influences on UV exposures to the canopy. – Photochemistry and Photobiology 63: 143–148.
- Paul N. D. 1997. Interactions between trophic levels. In Plants and UV-B: responses to environmental change (P. Lumsden, ed), pp. 317–339. – Cambridge University Press, Cambridge.
- Paul N. D., Rasanayagam S., Moody S. A., Hatcher P. E. & Ayres P. G. 1997. The role of interactions between trophic levels in determining the effects of UV-B on terrestrial ecosystems. – Plant Ecology 128: 296–308.
- Peters J. L., Kendrick R. E. & Mohr H. 1991. Phytochrome content and hypocotyl growth of long-hypocotyl mutant and wild-type cucumber seedlings during de-etiolation. – Journal of Plant Physiology 137: 291–296.
- Petropoulou Y., Kyparissis A., Nikolopoulos D. & Manetas Y. 1995a. Enhanced UV-B radiation alleviates the adverse effects of summer drought in two mediterranean pines under field conditions. – Physiologia Plantarum 94: 37–44.
- Petropoulou Y., Kyparissis A., Nikolopoulos D. & Manetas Y. 1995b. Perturbations of the normal UV-B radiation environment alter leaf growth rates in *Phlomis fruticosa* L seedlings. – Environmental and Experimental Botany 35: 371–377.
- Pfundel E. E., Pan R. S. & Dilley R. A. 1992. Inhibition of violaxanthin de-epoxidation by ultraviolet-B radiation in isolated chloroplasts and intact leaves. – Plant Physiology 98: 1372–1380.

Bibliography

- Pierce M. & Raschke K. 1980. Correlation between loss of turgor and accumulation of abscisic acid in detached leaves. – *Planta* 148: 174–182.
- Pontailleur J. Y. & Genty B. 1996. A simple red:far-red sensor using gallium arsenide phosphide detectors. – *Functional Ecology* 10: 535–540.
- Poppe C. & Schafer E. 1997. Seed germination of *Arabidopsis thaliana* *phyA/phyB* double mutants is under phytochrome control. – *Plant Physiology* 114: 1487–1492.
- Poppe C., Sweere U., Drumm-Herrel H. & Schafer E. 1998. The blue light receptor cryptochrome 1 can act independently of phytochrome A and B in *Arabidopsis thaliana*. – *Plant Journal* 16(4): 465–471.
- Pratt L. H., Cordonnierpratt M. M., Kelmenson P. M., Lazarova G. I., Kubota T. & Alba R. M. 1997. The phytochrome gene family in tomato (*Solanum lycopersicum* L.). – *Plant, Cell and Environment* 20: 672–677.
- Predieri S., Norman H. A., Krizek D. T., Pillai P., Mirecki R. M. & Zimmerman R. H. 1995. Influence of uv-b radiation on membrane lipid composition and ethylene evolution in Doyenne-d'hiver pear shoots grown *in vitro* under different photosynthetic photon fluxes. – *Environmental and Experimental Botany* 35: 151–160.
- Premkumar A. & Kulandaivelu G. 1996. Influence of ultraviolet-B enhanced solar radiation on growth and photosynthesis of potassium deficient cowpea seedlings. – *Photosynthetica* 32: 521–528.
- Proceedings of the international workshop on the effects of ultraviolet radiation on plants 1983. – *Physiologia Plantarum* 58(3): 349–450.
- Pyle J. A. 1997. Global ozone depletion: observations and theory. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 3–11. – Cambridge University Press, Cambridge.
- Qin M. M., Kuhn R., Moran S. & Quail P. H. 1997. Overexpressed phytochrome C has similar photosensory specificity to phytochrome B but a distinctive capacity to enhance primary leaf expansion. – *The Plant Journal* 12: 1163–1172.
- Qin-MinMin, Kuhn R., Moran S., Quail P. H. & Qin M. M. 1997. Overexpressed phytochrome C has similar photosensory specificity to phytochrome B but a distinctive capacity to enhance primary leaf expansion. – *Plant Journal* 12(5): 1163–1172.
- Quail P. H. 1998. The phytochrome family: dissection of functional roles and signalling pathways among family members. – *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 353(1374): 1399–1403. Molecular basis of signal transduction in plants. Proceedings of a discussion meeting held 18–19 February 1998, London, UK.
- Quail P. H., Boylan M. T., Parks B. M., Short T. W., Xu Y. & Wagner D. 1995. Phytochromes: photosensory perception and signal transduction. – *Science* 268: 675–680. 1.4.11

- Quail P. H., Briggs W. R., Chory J., Hangarter R. P., Harberd N. P., Kendrick R. E., Koornneef M., Parks B., Sharrock R. A. & et al. 1994. Spotlight on phytochrome nomenclature. – Plant Cell 6: 468–471.
- Quinones M. A. & Zeiger E. 1994. A putative role of the xanthophyll, zeaxanthin, in blue light photoreception of corn coleoptiles. – Science 264: 558–561. 1.4.12
- Quinones M. A., Lu Z. M. & Zeiger E. 1996. Close correspondence between the action spectra for the blue light responses of the guard cell and coleoptile chloroplasts, and the spectra for blue light-dependent stomatal opening and coleoptile phototropism. – Proceedings of the National Academy of Sciences of the United States of America 93: 2224–2228.
- Rai L. C., Tyagi B., Rai P. K. & Mallick N. 1998. Interactive effects of UV-B and heavy metals (Cu and Pb) on nitrogen and phosphorus metabolism of a N_2 -fixing cyanobacterium *Anabaena doliolum*. – Environmental and Experimental Botany 39: 221–231.
- Rao M. V. & Ormrod D. P. 1995. Impact of UV-B and O₃ on the oxygen free radical scavenging system in *Arabidopsis thaliana* genotypes differing in flavonoid biosynthesis. – Photochemistry and Photobiology 62: 719–726.
- Rao M. V., Paliyath C. & Ormrod D. P. 1996. Ultraviolet-B- and ozone-induced biochemical changes in antioxidant enzymes of *Arabidopsis thaliana*. – Plant Physiology 110: 125–136.
- Rao M. V., Paliyath G. & Ormrod D. P. 1995. Differential response of photosynthetic pigments, rubisco activity and rubisco protein of *Arabidopsis thaliana* exposed to UVB and ozone. – Photochemistry and Photobiology 62: 727–735.
- Rasanayagam M. S., Paul N. D., Royle D. J. & Ayres P. G. 1995. Variation in responses of spores of *Septoria tritici* and *S. nodorum* to UV-B irradiation in vitro. – Mycological Research 99: 1371–1377.
- Rau W. & Hofmann H. 1996. Sensitivity to UV-B of plants growing in different altitudes in the Alps. – Journal of Plant Physiology 148: 21–25.
- Reddy R. K., Rameshwar-Sharma & Sharma R. 1998. Spatial distribution and temporal regulation of phytochromes A and B levels in maize seedlings. – Plant Physiology and Biochemistry Paris 36(10): 737–745.
- Reed J. W. 1998. Phytochrome autophosphorylation - no longer a red/far-red herring. – Trends in Plant Science 3: 43–44.
- Reed J. W., Nagpal P., Poole D. S., Furuya M. & Chory J. 1993. Mutations in the gene for the red far-red light receptor phytochrome-B alter cell elongation and physiological responses throughout *Arabidopsis* development. – Plant Cell 5: 147–157.
- Reinold S. & Hahlbrock K. 1997. In situ localization of phenylpropanoid biosynthetic mRNAs and proteins in parsley (*Petroselinum crispum*). – Botanica Acta 110: 431–443.

Bibliography

- Renger G., Voss M., Gräber P. & Schulze A. 1986. Effect of UV irradiation on different partial reactions of the primary processes of photosynthesis. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and Plant Life* (R. O. Worrest and M. M. Caldwell, eds), pp. 171–184. – Springer-Verlag, Berlin.
- Reuber S., Bornman J. F. & Weisseböck G. 1996. A flavonoid mutant of barley (*Hordeum vulgare* L.) exhibits increased sensitivity to UV-B radiation in the primary leaf. – *Plant, Cell and Environment* 19: 593–601.
- Reuber S., Bornman J. F. & Weissenbock G. 1996. Phenylpropanoid compounds in primary leaf tissues of rye (*Secale cereale*) - Light response of their metabolism and the possible role in UV-B protection. – *Physiologia Plantarum* 97: 160–168.
- Reuber S., Jendestrid B., Wray V. & Weissenbock G. 1997. Accumulation of the chalcone isosalipurposide in primary leaves of barley flavonoid mutants indicates a defective chalcone isomerase. – *Physiologia Plantarum* 101: 827–832.
- Reuber S., Leitsch J., Krause G. H. & Weissenboeck G. 1993. Metabolic reduction of phenylpropanoid compounds in primary leaves of rye (*Secale cereale* L.) leads to increased UV-B sensitivity of photosynthesis. – *Zeitschrift fuer Naturforschung Section C Biosciences* 48: 749–756.
- Reuveni R. & Raviv M. 1997. Control of downy mildew in greenhouse-grown cucumbers using blue photoselective polyethylene sheets. – *Plant Disease* 81: 999–1004.
- Ritter S. & Koller D. 1994. Light-driven movements of the trifoliate leaves of bean (*Phaseolus vulgaris* L.) activity of blue light and red light. – *Journal of Experimental Botany* 45: 335–341. 1.4.9
- Robberecht R. & Caldwell M. M. 1983. Protective mechanisms and acclimation to solar ultraviolet-B in *Oenothera stricta*. – *Plant, Cell and Environment* 6: 477–485.
- Robberecht R. & Caldwell M. M. 1986. Leaf UV optical properties of *Rumex patientia* L. and *Rumex obtusifolius* L. in regard to protective mechanism against solar UV-B radiation injury. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 251–259. – Springer-Verlag, Berlin.
- Robberecht R., Caldwell M. M. & Billings W. D. 1980. Leaf ultraviolet optical properties along a latitudinal gradient in the arctic-alpine life zone. – *Ecology* 61: 612–619.
- Robson P. R. H. & Smith H. 1996. Genetic and transgenic evidence that phytochromes A and B act to modulate the gravitropic orientation of *Arabidopsis thaliana* hypocotyls. – *Plant Physiology* 110: 211–216.
- Robson P. R. H., Whitelam G. C. & Smith H. 1993. Selected components of the shade-avoidance syndrome are displayed in a normal manner in mutants of *Arabidopsis thaliana* and *Brassica rapa* deficient in phytochrome-B. – *Plant Physiology* 102: 1179–1184.

Bibliography

- Robson T. M. 1997. The effects of ultraviolet-B (UV-B) radiation on birch seedlings. Msc thesis. University of Edinburgh, Edinburgh.
- Ros J. & Tevini M. 1995. Interaction of UV-radiation and IAA during growth of seedlings and hypocotyl segments of sunflower. – *Journal of Plant Physiology* 146: 295–302.
- Rosa L. M. & Forseth I. N. 1996. Diurnal patterns of soybean leaf inclination angles and azimuthal orientation under different levels of ultraviolet-B radiation. – *Agricultural and Forest Meteorology* 78: 107–119.
- Rousseaux M. C., Ballaré C. L., Jordan E. T. & Vierstra R. D. 1997. Directed overexpression of *PHYA* locally suppresses stem elongation and leaf senescence responses to far-red radiation. – *Plant, Cell and Environment* 20: 1551–1558.
- Rousseaux M. C., Hall A. J. & Sánchez R. A. 1996. Far-red enrichment and photosynthetically active radiation level influence leaf senescence in field-grown sunflower. – *Physiologia Plantarum* 96: 217–224.
- Rozema J., Chardonnens A., Tosserams M., Hafkenscheid R. & Bruijnzeel S. 1997a. Leaf thickness and UV-B absorbing pigments of plants in relation to an elevational gradient along the blue mountains, Jamaica. – *Plant Ecology* 128: 150–159.
- Rozema J., Lenssen G. M., Vandestaaïj J. W. M., Tosserams M., Visser A. J. & Broekman R. A. 1997b. Effects of UV-B radiation on terrestrial plants and ecosystems - interaction with CO₂ enrichment. – *Plant Ecology* 128: 182–191. 1.4.10
- Rozema J., van-de Staaij J., Björn L. O., Caldwell M. & de Staaij J. V. 1997c. UV-B as an environmental factor in plant life: stress and regulation. – *Trends in Ecology and Evolution* 12(1): 22–28.
- Rozema J., van de Staaij J., Björn L. O. & Caldwell M. 1997d. UV-B as an environmental factor in plant life: strees and regulation. – *Trends in Ecology & Evolution* 12: 22–28.
- Rozema J., van de Staaij J. W. M. & Tosserams M. 1997. Effects of UV-B radiation on plants from agro- and natural ecosystems. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 213–232. – Cambridge University Press, Cambridge.
- Ruhland C. T. & Day T. A. 1996. Changes in UV-B radiation screening effectiveness with leaf age in *Rhododendron maximum*. – *Plant, Cell and Environment* 19: 740–746.
- Rundel R. D. 1983. Action spectra and estimation of biologically effective UV radiation. – *Physiologia Plantarum* 58: 360–366.
- Runeckles V. C. & Krupa S. V. 1994. The impact of UV-B radiation and ozone on terrestrial vegetation. – *Environmental Pollution* 83: 191–213.
- Runkle E. S. & Pearson S. 1998. Phytochrome A does not mediate reduced stem extension from cool day-temperature treatments. – *Physiologia Plantarum* 104(4): 596–602.

Bibliography

- Rupert C. S. 1986. Cellular repair and assessment of UV-B radiation damage. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and Plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 127–137. – Springer-Verlag, Berlin.
- Russell G., Jarvis P. G. & Monteith J. L. 1989. Absorption of radiation by canopies and stand growth. In *Plant Canopies: Their Growth, Form and Function* (G. Russell, B. Marshall and P. G. Jarvis, eds), Vol 31 of Society for Experiment Biology Seminar Series, chapter 2, pp. 21–39. – Cambridge University Press, Cambridge. 1.4.2
- Ryan K. G. & Ireland W. 1997. A small-scale outdoor plant growth chamber with modulated enhancement of solar UV-B radiation. – *Journal of Environmental Quality* 26: 866–871.
- Ryel R. J., Barnes P. W., Beyschlag W., Caldwell M. M. & Flint S. D. 1990. Plant competition for light analyzed with a multispecies canopy model. I. model development and influence of enhanced UV-B conditions on photosynthesis in mixed wheat and wild oats canopies. – *Oecologia* 82: 304–310.
- Sachs T. & Novoplansky A. 1995. Tree form: architectural models do not suffice. – *Israel Journal of Plant Sciences* 43(3): 203–212.
- Saebo A. & Mortensen L. M. 1993. The influence of UV-B radiation on physiology, growth and development of plants. – *Norsk Landbruksforskning* 7: 235–253.
- Sage L. C. 1992. *Pigment of the Imagination*. – Academic Press, ?? 1.5
- Sailemark M. & Tevini M. 1997. Effects of solar UV-B radiation on growth, flowering and yield of central and southern european bush bean cultivars (*Phaseolus vulgaris* L). – *Plant Ecology* 128: 114–125.
- Saito K. & Utsumi Y. 1996. Enhancing effect of UV-light on the accumulation of carthamine in dyers saffron florets. – *Zeitschrift fur Naturforschung C-A Journal of Biosciences* 51: 667–670.
- Saitou T., Tokutomi S., Harada H. & Kamada H. 1999. Overexpression of phytochrome A enhances the light-induced formation of adventitious shoots on horseradish hairy roots. – *Plant Cell Reports* 18(9): 754–758.
- Sakamoto K. & Nagatani A. 1996. Nuclear localization activity of phytochrome B. – *Plant Journal* 10(5): 859–868.
- Sallaud C., Elturk J., Breda C., Buffard D., Dekozak I., Esnault R. & Kondorosi A. 1995. Differential expression of cDNA coding for chalcone reductase, a key enzyme of the 5-deoxyflavonoid pathway, under various stress conditions in *Medicago sativa*. – *Plant Science* 109: 179–190.
- Salt D. T., Moody S. A., Whittaker J. B. & Paul N. D. 1998. Effects of enhanced UV-B on populations of the phloem feeding insect *Strophingia ericae* (*Homoptera, Psylloidea*) on heather (*Calluna vulgaris*). – *Global Change Biology* 4: 91–96.

- Salter A. H., Koivuniemi A. & Strid A. 1997. UV-B and UV-C irradiation of spinach PSII preparations in vitro - identification of different fragments of the D1 protein depending upon irradiation wavelength. – *Plant Physiology and Biochemistry* 35: 809–817.
- Sandmann G., Kuhn S. & Boger P. 1998. Evaluation of structurally different carotenoids in *Escherichia coli* transformants as protectants against UV-B radiation. – *Applied & Environmental Microbiology* 64: 1972–1974.
- Santas R., Koussoulaki A. & Hadler D. P. 1997. In assessing biological UV-B effects, natural fluctuations of solar radiation should be taken into account. – *Plant Ecology* 128: 93–97.
- Santee M. L., Read W. G., Waters J. W., Froidevaux L., Manney G. L., Flower D. A., Jarnot R. F., Harwood R. S. & Peckham G. E. 1995. Interhemispheric differences in polar stratospheric HNO_3 , H_2O , ClO , and O_3 . – *Science* 267: 849–852.
- Sasakawa H. & Yamamoto Y. 1979. Effects of red, far red, and blue light on enhancement of nitrate reductase activity and on nitrate uptake in etiolated rice seedlings. – *Plant Physiology* 63(6): 1098–1101.
- Sass L., Spetea C., Mate Z., Nagy F. & Vass I. 1997. Repair of UV-B induced damage of photosystem II via de novo synthesis of the D1 and D2 reaction centre subunits in *Synechocystis sp.* pcc 6803. – *Photosynthesis Research* 54: 55–62.
- Sato T. & Kumagai T. 1997. Role of UV-absorbing compounds in genetic differences in the resistance to UV-B radiation in rice plants. – *Breeding Science* 47: 21–26.
- Satter R. L. & Wetherell D. F. 1968. Photomorphogenesis in *Sinninga speciosa*, cv. Queen Victoria. II. Stem elongation: interaction of a phytochrome controlled process and a red-requiring, energy dependent reaction. – *Plant Physiology* 43: 961–967.
- Schafer E., Kunkel T. & Frohnmyer H. 1997. Signal transduction in the photocontrol of chalcone synthase gene expression. – *Plant, Cell and Environment* 20: 722–727.
- Schäfer E., Fukshansky L. & Shropshire W. 1983. Action spectroscopy of photoreversible pigment systems. *Encyclopedia of Plant Physiology*, chapter 4. – Springer Verlag, Berlin.
- Schindler D. W. 1998. A dim future for boreal waters and landscapes. – *BioScience* 48: 157–164.
- Schmitt J. 1997. Is photomorphogenic shade avoidance adaptive – perspectives from population biology. – *Plant, Cell and Environment* 20: 826–830.
- Schmitt J. & Wulff R. D. 1993. Light spectral quality, phytochrome and plant competition. – *Trends in Ecology & Evolution* 8: 46–51. 1.4.6
- Schmitt J., McCormac A. C. & Smith H. 1995. A test of the adaptive plasticity hypothesis using transgenic and mutant plants disabled in phytochrome-mediated elongation responses to neighbors. – *The American Naturalist* 146: 937–953.

Bibliography

- Schnitzler J. P., Jungblut T. P., Feicht C., Kofferlein M., Langebartels C., Heller W. & Sandermann H. 1997. UV-B induction of flavonoid biosynthesis in scots pine (*Pinus sylvestris* L) seedlings. – Trees-Structure & Function 11: 162–168.
- Schnitzler J. P., Jungblut T. P., Heller W., Kofferlein M., Hutzler P., Heinzmann U., Schmelzer E., Ernst D., Langebartels C. & Sandermann H. 1996. Tissue localization of UV-B-screening pigments and of chalcone synthase mRNA in needles of Scots pine seedlings. – New Phytologist 132: 247–258.
- Schumaker M. A., Bassman J. H., Robberecht R. & Radamaker G. K. 1997. Growth, leaf anatomy, and physiology of *Populus* clones in response to solar ultraviolet-B radiation. – Tree Physiology 17: 617–626.
- Schuster C. & Mohr H. 1990. Appearance of nitrite-reductase mRNA in mustard seedling cotyledons is regulated by phytochrome. – Planta 181(3): 327–334.
- Schweiger J., Lang M. & Lichtenthaler H. K. 1996. Differences in fluorescence excitation spectra of leaves between stressed and non-stressed plants. – Journal of Plant Physiology 148: 536–547.
- SCOPE 1992. Effects of Increased Ultraviolet Radiation on Biological Systems. – SCOPE Secretariat, Paris.
- SCOPE 1993. Effects of Increased Ultraviolet Radiation on Global Ecosystems. – SCOPE Secretariat, Paris.
- Scopel A. L., Ballaré C. L. & Sánchez R. A. 1991. Induction of extreme light sensitivity in buried weed seeds and its role in the perception of soil cultivations. – Plant, Cell and Environment 14: 501–508. 1.4.5
- Searles P. S., Caldwell M. M. & Winter K. 1995. The response of five tropical dicotyledon species to solar ultraviolet-B radiation. – American Journal of Botany 82: 445–453.
- Seavers G. P. & Smith H. 1997. The reflectance properties of plant internodes modify elongation responses to lateral far-red radiation. – Plant, Cell and Environment 20: 1372–1380.
- Seith B., Schuster C. & Mohr H. 1991. Coaction of light, nitrate and a plastidic factor in controlling nitrite-reductase gene expression in spinach. – Planta 184: 74–80.
- Seith B., Sherman A., Wray J. L. & Mohr H. 1993. Photocontrol of nitrite reductase gene expression in the barley seedling (*Hordeum vulgare* L.). – Planta (Heidelberg) 192: 110–117.
- Sharma P. K., Anand P., Sankhalkar S. & Shetye R. 1998. Photochemical and biochemical changes in wheat seedlings exposed to supplementary ultraviolet-B radiation. – Plant Science 132: 21–30.
- Sharma P. K., Shetye R. & Bhonsle S. 1997. Effect of supplementary ultraviolet-B radiation on young wheat seedlings. – Current Science 72: 400–405.

Bibliography

- Sheahan J. J. 1996. Sinapate esters provide greater UV-B attenuation than flavonoids in *Arabidopsis thaliana* (Brassicaceae). – American Journal of Botany 83: 679–686.
- Shichijo C., Hamada T., Hiraoka M., Johnson C. B. & Hashimoto T. 1993. Enhancement of red-light-induced anthocyanin synthesis in sorghum 1st internodes by moderate low temperature given in the pre-irradiation culture period. – Planta 191: 238–245.
- Shichijo C., Hamada T., Johnson C. B. & Hashimoto T. 1996. Effects of moderately low temperature (20°C) on phytochrome responses during preirradiation - anthocyanin synthesis in *Sorghum bicolor* at high- and low-Pfr/Ptot ratios. – Photochemistry and Photobiology 63: 328–335.
- Shimada T., Miyao-Tokutomi M. & Tokutomi S. 1999. Binding proteins to phytochrome A in etiolated pea seedlings. – Plant and Cell Physiology 40(3): 281–288.
- Shinomura T. 1997. Phytochrome regulation of seed germination. – Journal of Plant Research 110: 151–161.
- Shinomura T., Hanzawa H., Schafer E. & Furuya M. 1998a. Mode of phytochrome B action in the photoregulation of seed germination in *Arabidopsis thaliana*. – The Plant Journal 13: 583–590.
- Shinomura T., Hanzawa H., Schafer E. & Furuya M. 1998b. Mode of phytochrome B action in the photoregulation of seed germination in *Arabidopsis thaliana*. – The Plant Journal 13: 583–590.
- Shinomura T., Hanzawa H., Schafer E. & Furuya M. 1998c. Mode of phytochrome B action in the photoregulation of seed germination in *Arabidopsis thaliana*. – Plant Journal 13(5): 583–590.
- Shinomura T., Nagatani A., Hanzawa H., Kubota M., Watanabe M. & Furuya M. 1996. Action spectra for phytochrome A- and B-specific photoinduction of seed germination in *Arabidopsis thaliana*. – Proceedings of the National Academy of Sciences of the United States of America 93: 8129–8133. 1.4.5
- Shishkin V. A. & Ivanishchev V. V. 1997. Influence of genotype and irradiance on the viability of *Arabidopsis* plants exposed to medium-wavelength ultraviolet radiation. – Russian Journal of Plant Physiology 44: 645–650.
- Short T. W. 1999. Overexpression of arabidopsis phytochrome B inhibits phytochrome A function in the presence of sucrose. – Plant Physiology 119(4): 1497–1505.
- Shropshire W. 1972. Action spectroscopy. In *Phytochrome* (K. Mittrakos and W. Shropshire, eds), pp. 161–181. – Academic Press, London.
- Shropshire W. 1973. Photoinduced parental control of seed germination and the spectral quality of solar radiation. – Solar Energy 15: 99–105.

Bibliography

- Shropshire, W. J. 1979. Stimulus perception. In *Physiology of Movements*. (Encyclopedia of Plant Physiology. New Series, vol. 7) (W. Haupt and M. E. Feinleib, eds), pp. 10–41. – Springer-Verlag, Berlin, Heidelberg.
- Singh A. 1996. Growth, physiological, and biochemical responses of three tropical legumes to enhanced UV-B radiation. – *Canadian Journal of Botany-Revue Canadienne de Botanique* 74: 135–139.
- Singh A. 1997. Increased UV-B radiation reduces N₂-fixation in tropical leguminous crops. – *Environmental Pollution* 95: 289–291.
- Sisson W. B. 1986. Effects of UV-B radiation on photosynthesis. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and Plant Life* (R. C. Worrest and M. M. Caldwell, eds), Vol G8 of NATO ASI Series, pp. 161–169. – Springer-Verlag, Berlin.
- Skaltsa H., Verykokidou E., Harvala C., Karabourniotis G. & Manetas Y. 1994. UV-B protective potential and flavonoid content of leaf hairs of *Quercus ilex*. – *Phytochemistry* 37: 987–990.
- Skinner R. H. & Simmons S. R. 1993. Modulation of leaf elongation, tiller appearance and tiller senescence in spring barley by far-red light. – *Plant, Cell and Environment* 16: 555–562.
- Smith H. 1981. Plants and the Daylight Spectrum. – Academic Press, London. 1.4.1
- Smith H. 1983. Is Pfr the active form of phytochrome? In *Photoperception in plants* (P. H. Wareing and H. Smith, eds), pp. 97–106. – Royal Society, London, UK.
- Smith H. 1992. Tropism forum – introduction. – *Plant, Cell and Environment* 15: 757.
- Smith H. 1994. Sensing the light environment: the functions of the phytochrome family. In *Photomorphogenesis in Plants* (R. E. Kendrick and G. H. M. Kronenberg, eds), 2nd Ed., pp. 377–416. – Kluwer Academic, Dordrecht.
- Smith H. 1995. Physiological and ecological function within the phytochrome family. – *Annual Review of Plant Physiology and Plant Molecular Biology* 46: 289–315. 1.3
- Smith H. 1997. Special issue on photomorphogenesis. – *Plant, Cell and Environment* 20. 1.4.1, 1.4.11
- Smith H. 1998. Engineering phytochrome genes to improve crop performance. In *Genetic and environmental manipulation of horticultural crops* (K. E. Cockshull, D. Gray, G. B. Seymour and B. Thomas, eds), pp. 175–190. – CAB International, Wallingford. ISBN 0-85199-281-1.
- Smith H. & Fork D. C. 1992. Direct measurement of phytochrome photoconversion intermediates at high photon fluence rates. – *Photochemistry and Photobiology* 56: 599–606.
- Smith H. & Holmes M. 1977. The function of phytochrome in the natural environment III. Measurement and calculation of phytochrome photoequilibrium. – *Photochemistry and Photobiology* 25: 547–550.

- Smith H. & Holmes M. G. 1984. Techniques in Photomorphogenesis. – Academic Press, London. 1.6
- Smith H. & Jackson G. M. 1987. Rapid phytochrome regulation of wheat seedling extension. – Plant Physiology 84: 1059–1062.
- Smith H. & Morgan D. C. 1983. The function of phytochrome in nature. In Encyclopedia of plant physiology. New Series. Volume 16B. Photomorphogenesis (J. Shropshire, W. and H. Mohr, eds), pp. 491–517. – Springer-Verlag, Berlin.
- Smith H. & Whitelam G. C. 1997. The shade avoidance syndrome – multiple responses mediated by multiple phytochromes. – Plant, Cell and Environment 20: 840–844.
- Smith H., Casal J. J. & Jackson G. M. 1990. Reflection signals and the perception by phytochrome of the proximity of neighbouring vegetation. – Plant, Cell and Environment 13: 73–78.
- Smith H., Samson G. & Fork D. C. 1993. Photosynthetic acclimation to shade: Probing the role of phytochromes using photomorphogenic mutants of tomato. – Plant, Cell and Environment 16: 929–937.
- Smith H., Xu Y. & Quail P. H. 1997. Antagonistic but complementary actions of phytochromes A and B allow optimum seedling de-etiolation. – Plant Physiology 114: 637–641.
- Sánchez R. A. 1967. Some observations about the effect of light on the leaf shape in *Taraxacum officinale* L. – Mededelingen Landbouwhogeschool, Wageningen 67: 1–11.
- Sánchez R. A. 1971. Phytochrome involvement in the control of leaf shape of *Taraxacum officinale* L. – Experientia 27: 1234–1237.
- Sánchez R. A. & Cigliatti D. 1975. The interaction between phytochrome and white light irradiance in the control of leaf shape in *Taraxacum officinale*. – Botanical Gazette 136: 281–285.
- Sánchez R. A. & de Miguel L. C. 1985. The effect of red light, ABA, and K⁺ on the growth of *Datura ferox* embryos and their relations with photocontrol of germination. – Botanical Gazette 146: 472–476.
- Sánchez R. A. & Miguel L. D. 1997. Phytochrome promotion of mannan-degrading enzyme activities in the micropylar endosperm of *Datura ferox* seeds requires the presence of the embryo and gibberellin synthesis. – Seed Science Research 7: 27–33.
- Sánchez R. A., Casal J. J., Ballaré C. L. & Scopel A. L. 1993. Plant responses to canopy density mediated by photomorphogenic processes. In International Crop Science I (D. R. Buxton, ed), pp. 779–786. – Crop Science Society of America, Madison.
- Sánchez R. A., de Miguel L. & Mercuri O. 1986. Phytochrome control of cellulase activity in *Datura ferox* L. seeds and its relationship with germination. – Journal of Experimental Botany 37: 1574–1580.

Bibliography

- Sánchez R. A., Eyherabide G. & de Miguel L. 1981. The influence of irradiance and water deficit during fruit development on seed dormancy in *Datura ferox* L. – Weed Research 21: 127–132.
- Soh M. S., Hong S. H., Hanzawa H., Furuya M. & Nam H. G. 1998. Genetic identification of FIN2, a far red light-specific signaling component of *Arabidopsis thaliana*. – Plant Journal 16(4): 411–419.
- Sonesson M., Callaghan T. V. & Björn L. O. 1995. Short-term effects of enhanced UV-B and CO₂ on lichens at different latitudes. – Lichenologist 27: 547–557.
- Sonesson M., Callaghan T. V. & Carlsson B. A. 1996. Effects of enhanced ultraviolet radiation and carbon dioxide concentration on the moss *Hylocomium splendens*. – Global Change Biology 2: 67–73.
- Spetea C., Hideg E. & Vass I. 1996. The quinone electron acceptors are not the main sensitizers of UV-B induced protein damage in isolated photosystem II reaction centre and core complexes. – Plant Science 115: 207–215.
- Sponga F., Deitzer G. F. & Mancinelli A. L. 1986. Cryptochrome, phytochrome, and the photoregulation of anthocyanin production under blue light. – Plant Physiology 82: 952–955.
- Srivastava A. & Zeiger E. 1993. A role of zeaxanthin in blue light photoreception of guard cells. – Plant Physiology 102: 14.
- Srivastava A. & Zeiger E. 1995a. Guard cell zeaxanthin tracks photosynthetically active radiation and stomatal apertures in *Vicia faba* leaves. – Plant, Cell and Environment 18: 813–817. 1.4.4
- Srivastava A. & Zeiger E. 1995b. The inhibitor of zeaxanthin formation, dithiothreitol, inhibits blue-light-stimulated stomatal opening in *Vicia faba*. – Planta 196: 445–449. 1.4.4
- Stapleton A. E. 1992. Ultraviolet radiation and plants: Burning questions. – Plant Cell 4: 1353–1358.
- Stapleton A. E. & Walbot V. 1994. Flavonoids can protect maize DNA from the induction of ultraviolet radiation damage. – Plant Physiology 105: 881–889.
- Stapleton A. E., Thornber C. S. & Walbot V. 1997. UV-B component of sunlight causes measurable damage in field-grown maize (*Zea mays* L) - developmental and cellular heterogeneity of damage and repair. – Plant, Cell and Environment 20: 279–290.
- Stax N. I. & Bornman J. F. 1994. A morphological and cytological study of *Petunia hybrida* exposed to UV-B radiation. – Physiologia Plantarum 91: 735–740.
- Steinmüller D. & Tevini M. 1986. UV-B-induced effects upon cuticular waxes of cucumber, bean and barley leaves. In Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and plant Life (R. C. Worrest and M. M. Caldwell, eds), pp. 261–269. – Springer-Verlag, Berlin.

Bibliography

- Stephanou M. & Manetas Y. 1995. Allelopathic and water conserving functions of leaf epicuticular exudates in the mediterranean shrub *Dittrichia viscosa*. – Australian Journal of Plant Physiology 22: 755–759.
- Stephanou M. & Manetas Y. 1997a. The effects of seasons, exposure, enhanced UV-B radiation, and water stress on leaf epicuticular and internal UV-B absorbing capacity of *Cistus creticus* - A mediterranean field study. – Journal of Experimental Botany 48: 1977–1985.
- Stephanou M. & Manetas Y. 1997b. Ultraviolet-B radiation effects on the mediterranean ruderal *Dittrichia viscosa*. – Plant Ecology 128: 109–112.
- Stephanou M. & Manetas Y. 1998. Enhanced UV-B radiation increases the reproductive effort in the mediterranean shrub *Cistus creticus* under field conditions. – Plant Ecology 134: 91–96.
- Stewart J. D. & Hoddinott J. 1993. Photosynthetic acclimation to elevated atmospheric carbon dioxide and UV irradiation in *Pinus banksiana*. – Physiologia Plantarum 88: 493–500.
- Strid A. 1993. Alteration in expression of defence genes in *Pisum sativum* after exposure to supplementary ultraviolet-B radiation. – Plant and Cell Physiology 34: 949–953.
- Strid A. & Porra R. J. 1992. Alterations in pigment content in leaves of *Pisum sativum* after exposure to supplemental UV-B. – Plant and Cell Physiology 33: 1015–1023.
- Strid A., Chow W. S. & Anderson J. M. 1990. Effects of supplementary ultraviolet-B radiation on photosynthesis in *Pisum sativum*. – Biochimica et Biophysica Acta 1020: 260–268.
- Strid A., Chow W. S. & Anderson J. M. 1994. UV-B damage and protection at the molecular level in plants. – Photosynthesis Research 39: 475–489.
- Strid A., Chow W. S. & Anderson J. M. 1996a. Changes in the relaxation of electrochromic shifts of photosynthetic pigments and in the levels of mRNA transcripts in leaves of *Pisum sativum* as a result of exposure to supplementary UV-B radiation - The dependency on the intensity of the photosynthetically active radiation. – Plant and Cell Physiology 37: 61–67.
- Strid A., Chow W. S. & Anderson J. M. 1996b. Temperature-dependency of changes in the relaxation of electrochromic shifts, of chlorophyll fluorescence, and in the levels of mRNA transcripts in detached leaves from *Pisum sativum* exposed to supplementary UV-B radiation. – Plant Science 115: 199–206.
- Sullivan J. H. 1997. Effects of increasing uv-b radiation and atmospheric CO₂ on photosynthesis and growth - implications for terrestrial ecosystems. – Plant Ecology 128: 194–206.
- Sullivan J. H. & Teramura A. H. 1988. Effects of ultraviolet-B irradiation on seedling growth in the *Pinaceae*. – American Journal of Botany 75: 225–230.
- Sullivan J. H. & Teramura A. H. 1989. The effects of ultraviolet-B radiation on loblolly pine. I. Growth, photosynthesis and pigment production in greenhouse-grown seedlings. – Physiologia Plantarum 77: 202–207.

Bibliography

- Sullivan J. H. & Teramura A. H. 1992. The effects of ultraviolet-B radiation on loblolly pine .2. Growth of field-grown seedlings. – *Trees - Structure and Function* 6: 115–120.
- Sullivan J. H. & Teramura A. H. 1994. The effects of UV-B radiation on loblolly pine: 3. Interaction with CO₂ enhancement. – *Plant, Cell and Environment* 17: 311–317.
- Sullivan J. H., Howells B. W., Ruhland C. T. & Day T. A. 1996. Changes in leaf expansion and epidermal screening effectiveness in *Liquidambar styraciflua* and *Pinus taeda* in responses to UV-B radiation. – *Physiologia Plantarum* 98: 349–357.
- Sullivan J. H., Teramura A. H. & Dillenburg L. R. 1994. Growth and photosynthetic responses of field-grown sweetgum (*Liquidambar styraciflua*; *Hamamelidaceae*) seedlings to UV-B radiation. – *American Journal of Botany* 81: 826–832.
- Sullivan J. H., Teramura A. H. & Ziska L. H. 1992. Variation in UV-B sensitivity in plants from a 3000 m elevational gradient in Hawaii. – *American Journal of Botany* 79: 737–743.
- Swanson A., Fahselt D. & Smith D. 1996. Phenolic levels in *Umbilicaria americana* in relation to enzyme polymorphism, altitude and sampling date. – *Lichenologist* 28: 331–339.
- Taalas P., Damski J., Korpela A., Koskela T., Kyrö E. & Braathen G. 1995. Connections between atmospheric ozone, the climate system and UV-B radiation over the Arctic. In *Ozone as a climate gas* (W. C. Wang and I. S. A. Isaksen, eds), Vol 32 of NATO ASI Series, pp. 411–426. – Springer, Heidelberg.
- Taalas P., Koskela T., Kyrö E., Damski J. & Supperi A. 1994. Ultraviolet radiation in Finland. In *Silmu, Second Progress Report* (M. Kanninen and P. Heikinheimo, eds), p. additional paper. – Academy of Finland, Helsinki.
- Taalas P., Koskela T., Kyro E., Damski J. & Supperi A. 1996a. Ultraviolet radiation in Finland. In *The Finnish Research Programme on Climate Change: Final Report* (J. Roos, ed), pp. 83–91. – Academy of Finland / Edita, Helsinki.
- Taalas P., Kyrö E., Jokela T., Koskela T., Leszczynski K., Rummukainen M., Damski J. & Supperi A. 1996b. Stratospheric ozone depletion and solar UV radiation in the Arctic and its potential impact on human health in Finland. – *Geophysica* 32: 127–165.
- Taiz L. & Zeiger E. 1991. *Plant Physiology*. – Benjamin/Cummings, Redwood City. 1.2
- Taiz L. & Zeiger E. 1998. *Plant physiology*, 2 Ed. – Sinauer Associates Incorporated, Sunderland. ISBN 0-87893-831-1. 1.2
- Takeuchi Y., Fukumoto R., Kasahara H., Sakaki T. & Kitao M. 1995. Peroxidation of lipids and growth inhibition induced by UV-B irradiation. – *Plant Cell Reports* 14: 566–570.
- Takeuchi Y., Ikeda S. & Kasahara H. 1993. Dependence on wavelength and temperature of growth inhibition induced by UV-B irradiation. – *Plant and Cell Physiology* 34: 913–917.

Bibliography

- Takeuchi Y., Kubo H., Kasahara H. & Sakaki T. 1996a. Adaptive alterations in the activities of scavengers of active oxygen in cucumber cotyledons irradiated with UV-B. – *Journal of Plant Physiology* 147: 589–592.
- Takeuchi Y., Murakami M., Nakajima N., Kondo N. & Nikaido O. 1996b. Induction and repair of damage to DNA in cucumber cotyledons irradiated with UV-B. – *Plant and Cell Physiology* 37: 181–187.
- Takeuchi Y., Murakami M., Nakajima N., Kondo N. & Nikaido O. 1998. The photorepair and photoisomerization of DNA lesions in etiolated cucumber cotyledons after irradiation by UV-B depends on wavelength. – *Plant and Cell Physiology* 39: 745–750.
- Tallman G., Zhu J. X., Mawson B. T., Amodeo G., Nouhi Z., Levy K. & Zeiger E. 1997. Induction of CAM in *Mesembryanthemum crystallinum* abolishes the stomatal response to blue light and light-dependent zeaxanthin formation in guard cell chloroplasts. – *Plant and Cell Physiology* 38: 236–242.
- Tanada T. 1997. The photoreceptors in the high irradiance response of plants. – *Physiologia Plantarum* 101: 451–454.
- Tang X. Y. & Madronich S. 1995. Effects of increased solar ultraviolet radiation on tropospheric composition and air quality. – *Ambio* 24: 188–190.
- Tasker R. & Smith H. 1977. The function of phytochrome in the natural environment. V. Seasonal changes in radiant energy quality in woodlands. – *Photochemistry and Photobiology* 26: 487–491.
- Taulavuori E., Backman M., Taulavuori K., Gwynn-Jones D., Johanson U., Laine K., Callaghan T., Sonesson M. & Björn L. O. 1998. Long-term exposure to enhanced ultraviolet-B radiation in the sub-arctic does not cause oxidative stress in *vaccinium myrtillus*. – *New Phytologist* 140(4): 691–697.
- Taylor G. E., Johnson D. W. & Andersen C. P. 1994. Air pollution and forest ecosystems: A regional to global perspective. – *Ecological Applications* 4: 662–689.
- Taylor R. M., Nikaido O., Jordan B. R., Rosamond J., Bray C. M. & Tobin A. K. 1996. Ultraviolet-B-induced DNA lesions and their removal in wheat (*Triticum aestivum* L) leaves. – *Plant, Cell and Environment* 19: 171–181.
- Taylor R. M., Tobin A. K. & Bray C. M. 1997. DNA damage and repair in plants. In *Plants and UV-B: responses to environmental change* (P. Lumsden, ed), pp. 53–76. – Cambridge University Press, Cambridge.
- Teller S. & Appenroth K. J. 1994. The appearance of glutamine synthetase in turions of *spirodela polyrhiza* (L.) schleiden as regulated by blue and red light, nitrate and ammonium. – *Journal of Experimental Botany* 45(278): 1219–1226.

Bibliography

- Teramura A. H. 1983. Effects of ultraviolet-B radiation on the growth and yield of crop plants. – *Physiologia Plantarum* 58: 415–427.
- Teramura A. H. 1986. Interaction between UV-B radiation and other stresses in plants. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and Plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 327–343. – Springer-Verlag, Berlin.
- Teramura A. H. & Sullivan J. H. 1993. Effects of UV-B radiation on plant productivity. In *Photosynthetic Responses to the Environment* (H. Y. Yamamoto and C. M. Smith, eds), pp. 37–44. – American Society of Plant Physiologists, Rockville.
- Teramura A. H. & Ziska L. H. 1996. Ultraviolet-B radiation and photosynthesis. In *Photosynthesis and the Environment* (N. R. Baker, ed), pp. 435–450. – Kluwer Academic Publishers, .
- Teramura A. H., Perry M. C., Lydon J., McIntosh M. S. & Summers E. G. 1984. Effects of ultraviolet-B radiation on plants during mild water stress. III. effects on photosynthetic recovery and growth in soybean. – *Physiologia Plantarum* 60: 484–492.
- Teramura A. H., Sullivan J. H. & Ziska L. H. 1983. Interaction of elevated ultraviolet-B radiation and CO₂ on productivity and photosynthetic characteristics in wheat, rice and soybean. – *Plant Physiology* 94: 470–475.
- Teramura A. H., Tevini M. & Iwanzik W. 1983. Effects of ultraviolet-B irradiation on plants during mild water stress. I. effects on diurnal stomatal resistance. – *Physiologia Plantarum* 57: 175–180.
- Terry M. J. & Kendrick R. E. 1996a. The aurea and yellow-green-2 mutants of tomato are deficient in phytochrome chromophore synthesis. – *Journal of Biological Chemistry* 271: 21681–21686.
- Terry M. J. & Kendrick R. E. 1996b. The aurea and yellow-green-2 mutants of tomato are deficient in phytochrome chromophore synthesis. – *Journal of Biological Chemistry* 271(35): 21681–21686.
- Tevini M. 1993a. Effects of enhanced UV-B radiation on terrestrial plants. In *UV-B Radiation and Ozone Depletion: Effects on Humans, Animals, Plants, Microorganisms, and Materials* (M. Tevini, ed), pp. 125–153. – Lewis Publishers, Boca Raton. 1.4.10
- Tevini M. 1993b. Molecular biological effects of ultraviolet radiation. In *UV-B Radiation and Ozone Depletion: Effects on Humans, Animals, Plants; Microorganisms, and Materials* (M. Tevini, ed), pp. 1–15. – Lewis Publishers, Boca Raton.
- Tevini M. 1993c. *UV-B Radiation and Ozone Depletion: Effects on Humans, Animals, Plants, Microorganisms, and Materials*. – Lewis Publishers, Boca Raton.

Bibliography

- Tevini M. & Iwanzik W. 1986. Effects of UV-B radiation on growth and development of cucumber seedlings. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 271–285. – Springer-Verlag, Berlin.
- Tevini M., Braun J. & Fieser G. 1991. The protective function of the epidermal layer of rye seedlings against UV-B radiation. – *Photochemistry and Photobiology* 53: 324–329.
- Tevini M., Iwanzik W. & Thoma U. 1981. Some effects of enhanced UV-B irradiation on the growth and composition of plants. – *Planta* 153: 388–394.
- Thalmair M., Bauw G., Thiel S., Dohring T., Langebartels C. & Sandermann H. 1996. Ozone and ultraviolet B effects on the defense-related proteins beta-1, 3-glucanase and chitinase in tobacco. – *Journal of Plant Physiology* 148: 222–228.
- Thomas B. & Dickinson H. G. 1979. Evidence for two photoreceptors controlling growth in de-etiolated seedlings. – *Planta* 146: 545–550.
- Thomas B. & Vince-Prue D. 1997. *Photoperiodism in Plants*, 2nd Ed. – Academic Press, San Diego. ISBN 0-12-688490-0. 1.4.8
- Thomas T. H., Hare P. D., van Staden J. & Van-Staden J. 1997. Phytochrome and cytokinin responses. – *Plant Growth Regulation* 23(1-2): 105–122.
- Thompson K., Grime J. P. & Mason G. 1977. Seed germination in response to diurnal fluctuations of temperature. – *Nature* 267: 147–149.
- Torabinejad J., Caldwell M. M., Flint S. D. & Durham S. 1998. Susceptibility of pollen to UV-B radiation - an assay of 34 taxa. – *American Journal of Botany* 85: 360–369.
- Tosserams M. & Rozema J. 1995. Effects of ultraviolet-B radiation (UV-B) on growth and physiology of the dune grassland species *Calamagrostis epigeios*. – *Environmental Pollution* 89: 209–214.
- Tosserams M., Bolink E. & Rozema J. 1997. The effect of enhanced ultraviolet-B radiation on germination and seedling development of plant species occurring in a dune grassland ecosystem. – *Plant Ecology* 128: 138–147.
- Tosserams M., de Sa A. P. & Rozema J. 1996. The effect of solar UV radiation on four plant species occurring in a coastal grassland vegetation in The Netherlands. – *Physiologia Plantarum* 97: 731–739.
- Tosserams M., Magendans E. & Rozema J. 1997. Differential effects of elevated ultraviolet-B radiation on plant species of a dune grassland ecosystem. – *Plant Ecology* 128: 266–281.
- Tyrrell R. M. 1986. Repair of genetic damage induced by UV-B (290-320 nm) radiation. In *Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and Plant Life* (R. C. Worrest and M. M. Caldwell, eds), pp. 139–149. – Springer-Verlag, Berlin.

Bibliography

- van de Staaij J., Lenssen G., Stroetenga M. & Rozema J. 1993. The combined effects of elevated CO₂ levels and UV-B radiation on growth characteristics of *Elymus athericus*. – Vegetatio 104/105: 433–439.
- van de Staaij J. W. M., Bolink E., Rozema J. & Ernst W. H. O. 1997. The impact of elevated UV-B (280–320 nm) radiation levels on the reproduction biology of a highland and a lowland population of *Silene vulgaris*. – Plant Ecology 128: 172–179.
- van de Staaij J. W. M., Tonneijck A. E. G. & Rozema J. 1997. The effect of reciprocal treatments with ozone and ultraviolet-B radiation on photosynthesis and growth of perennial grass *Elymus athericus*. – Environmental Pollution 97: 281–286.
- Vanderleun J. C., Tang X. Y. & Tevini M. 1995. Environmental effects of ozone depletion - 1994 assessment. – Ambio 24: 138.
- Vanhaeringen C. J., West J. S., Davis F. J., Gilbert A., Hadley P., Pearson S., Wheldon A. E. & Henbest R. G. C. 1998. The development of solid spectral filters for the regulation of plant growth. – Photochemistry and Photobiology 67: 407–413.
- Vass I., Sass L., Spetea C., Bakou A., Ghanotakis D. F. & Petrouleas V. 1996. UV-B-induced inhibition of photosystem II electron transport studied by EPR and chlorophyll fluorescence - impairment of donor and acceptor side components. – Biochemistry 35: 8964–8973.
- Vass I., Spetea C., Hideg E., Barbato R. & Petrouleas V. 1995. Ultraviolet-B radiation induced damage to the function and structure of photosystem II. – Acta Phytopathologica et Entomologica Hungarica 30: 47–49.
- Vazquez-Yanes C. & Smith H. 1982. Phytochrome control of seed germination in the tropical rain forest pioneer trees *Cecropia Obtusifolia* and *Piper auritum* and its ecological significance. – New Phytologist 92: 477–485.
- Veit M., Bilger T., Muhlbauer T., Brummet W. & Winter K. 1996. Diurnal changes in flavonoids. – Journal of Plant Physiology 148: 478–482.
- Viggiano A. A., Morris R. A., Gollinger K. & Arnold F. 1995. Ozone destruction by chlorine - the impracticality of mitigation through ion chemistry. – Science 267: 82–84.
- Vince-Prue D. 1977. Photocontrol of stem elongation in light-grown plants of *Fuchsia hybrida*. – Planta 133: 149–156.
- Visser A. J., Tosserams M., Groen M. W., Kalis G., Kwant R., Magendans G. W. H. & Rozema J. 1997a. The combined effects of CO₂ concentration and enhanced UV-B radiation on faba bean .3. Leaf optical properties, pigments, stomatal index and epidermal cell density. – Plant Ecology 128: 208–222.
- Visser A. J., Tosserams M., Groen M. W., Magendans G. W. H. & Rozema J. 1997b. The combined effects of CO₂ concentration and solar UV-B radiation on faba bean grown in open-top chambers. – Plant, Cell and Environment 20: 189–199.

Bibliography

- Vleeshouwers L. M., Bouwmeester H. J. & Karssen C. M. 1995. Redefining seed dormancy - an attempt to integrate physiology and ecology (review). – *Journal of Ecology* 83: 1031–1037.
- Vogelmann T. C. & Björn L. O. 1984a. Measurement of light gradients and spectral regime in plant tissue with a fiber optic probe. – *Physiologia Plantarum* 60(3): 361–368.
- Vogelmann T. C. & Björn L. O. 1984b. Measurement of light gradients and spectral regime in plant tissue with a fiber optic probe. – *Physiologia Plantarum* 60: 361–368.
- Vogt T. & Gulz P. G. 1994. Accumulation of flavonoids during leaf development in *Cistus laurifolius*. – *Phytochemistry* 36: 591–597.
- von der Gathen P., Rex M., Harris N. R. P., Lucic D., Knudsen B. M., Braathen G. O., Debacker H., Fabian R., Fast H., Gil M., Kyro E., Mikkelsen I. S., Rummukainen M., Stahelin J. & Varotsos C. 1995. Observational evidence for chemical ozone depletion over the Arctic in winter 1991-92. – *Nature* 375: 131–134.
- Vu C. V., Allen L. H. & Garrard L. A. 1984. Effects of UV-B radiation (280-320 nm) on ribulose-1,5-bisphosphate carboxylase in pea and soybean. – *Environmental and Experimental Botany* 24: 131–143.
- Wagner D., Hoecker U. & Quail P. H. 1997. RED1 is necessary for phytochrome B-mediated red light-specific signal transduction in arabidopsis. – *Plant Cell* 9(5): 731–743.
- Walters R. G. & Horton P. 1995. Acclimation of *Arabidopsis thaliana* to the light environment - regulation of chloroplast composition. – *Planta* 197: 475–481.
- Wand S. J. E. 1995. Concentration of ultraviolet-B radiation absorbing compounds in leaves of a range of fynbos species. – *Vegetatio* 116: 51–61.
- Wand S. J. E., Midgley G. F. & Musil C. F. 1996a. Growth, phenology and reproduction of an arid-environment winter ephemeral *Dimorphotheca pluvialis* in response to combined increases in CO₂ and uv-b radiation. – *Environmental Pollution* 94: 247–254.
- Wand S. J. E., Midgley G. F. & Musil C. F. 1996b. Physiological and growth responses of two African species, *Acacia karroo* and *Themeda triandra*, to combined increases in CO₂ and UV-B radiation. – *Physiologia Plantarum* 98: 882–890.
- Wang X. J. & Iino M. 1998. Interaction of cryptochrome 1, phytochrome, and ion fluxes in blue-light-induced shrinking of *Arabidopsis* hypocotyl protoplasts. – *Plant Physiology* 117(4): 1265–1279.
- Wareing P. F. & Smith H. 1983. Photoperception by plants. – Royal Society, London, UK. 1.4.1
- Warrington I. J., Rook D. A., Morgan D. C. & Turnbull H. L. 1988. The influence of simulated shadelight and daylight on growth, development and photosynthesis of *Pinus radiata*, *Agathis australis* and *Dacrydium cupressinum*. – *Plant, Cell and Environment* 12: 343–356.

Bibliography

- Wayne C. E. & Wayne R. P. 1996. Photochemistry, Oxford Chemistry Primers. – Oxford University Press, Oxford. ISBN 0-19-855886-4. 1.4.3
- Weatherwax S. C., Williams S. A., Tingay S. & Tobin E. M. 1998. The phytochrome response of the *Lemna gibba* *NPR1* gene is mediated primarily through changes in abscisic acid levels. – Plant Physiology 116: 1299–1305.
- Webb A. R. 1997. Monitoring changes in UV-B radiation. In Plants and UV-B: responses to environmental change (P. Lumsden, ed), pp. 13–30. – Cambridge University Press, Cambridge.
- Webb A. R. 1998. UVB Instrumentation and Applications. – Gordon and Breach Publishers, . ISBN 90-5699-121-3.
- Weih M., Johanson U. & Gwynn Jones D. 1998a. Growth and nitrogen utilization in seedlings of mountain birch (*Betula pubescens* ssp. *Tortuosa*) as affected by ultraviolet radiation (UV-A and UV-B) under laboratory and outdoor conditions (vol 12, pg 201, 1998). – Trees-Structure & Function 12: 452.
- Weih M., Johanson U. & Gwynn Jones D. 1998b. Growth and nitrogen utilization in seedlings of mountain birch (*Betula pubescens* ssp. *Tortuosa*) as affected by ultraviolet radiation (UV-A and UV-B) under laboratory and outdoor conditions. – Trees-Structure & Function 12: 201–207.
- Wellman E. 1975. ? – FEBS Letters 51: 105–107.
- Whitelam G. 1995. Plant photomorphogenesis - a green light for cryptochrome research. – Current Biology 5: 1351–1353. 1.4.12
- Whitelam G. & Smith H. 1988. Phytochrome. In Plant pigments (T. W. Goodwin, ed), pp. 257–298. – Academic Press, London, UK.
- Whitelam G. C. 1980. Light quality and nitrogen assimilation in plants. Ph.d. Reading University.
- Whitelam G. C. & Devlin P. F. 1997. Roles of different phytochromes in *Arabidopsis* photomorphogenesis. – Plant, Cell and Environment 20: 752–758.
- Whitelam G. C. & Devlin P. F. 1998. Light signalling in *Arabidopsis*. – Plant Physiology and Biochemistry 36: 125–133.
- Whitelam G. C. & Halliday K. J. 1999. Photomorphogenesis: phytochrome takes a partner! – Current Biology 9(6): R225–R227.
- Whitelam G. C. & Harberd N. P. 1994. Action and function of phytochrome family members revealed through the study of mutant and transgenic plants. – Plant, Cell & Environment 17: 615–625. 1.4.11

Bibliography

- Whitelam G. C. & Smith H. 1991. Retention of phytochrome-mediated shade avoidance responses in phytochrome-deficient mutants of *Arabidopsis*, cucumber and tomato. – *Journal of Plant Physiology* 139: 119–125.
- Whitelam G. C., Johnson C. B. & Smith H. 1979. – *Photochemistry and Photobiology* 30: 589–594.
- Whitelam G. C., Samita-Patel, Devlin P. F. & Patel S. 1998. Phytochromes and photomorphogenesis in *arabidopsis*. – *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 353(1374): 1445–1453. Molecular basis of signal transduction in plants. Proceedings of a discussion meeting held 18–19 February 1998, London, UK.
- Widell S. & Björn L. O. 1976. Light-induced absorption changes in etiolated coleoptiles. – *Physiologia Plantarum* 36(4): 306–309.
- Willekens H., Vancamp W., Vanmontagu M., Inze D., Langebartels C. & Sandermann H. 1994. Ozone, sulfur dioxide, and ultraviolet B have similar effects on mRNA accumulation of antioxidant genes in *Nicotiana plumbaginifolia* L. – *Plant Physiology* 106: 1007–1014.
- Willocquet L., Colombet D., Rougier M., Fargues J. & Clerjeau M. 1996. Effects of radiation, especially ultraviolet B, on conidial germination and mycelial growth of grape powdery mildew. – *European Journal of Plant Pathology* 102: 441–449.
- Wilson K. E., Wilson M. I. & Greenberg B. M. 1998. Identification of the flavonoid glycosides that accumulate in *Brassica napus* L. cv. Topas specifically in response to ultraviolet B radiation. – *Photochemistry and Photobiology* 67: 547–553.
- Wilson M. I. & Greenberg B. M. 1993a. Protection of the D1 photosystem II reaction center protein from degradation in ultraviolet radiation following adaptation of *Brassica napus* L. to growth in ultraviolet-B. – *Photochemistry and Photobiology* 57: 556–563.
- Wilson M. I. & Greenberg B. M. 1993b. Specificity and photomorphogenic nature of ultraviolet-B-induced cotyledon curling in *Brassica napus* L. – *Plant Physiology* 102: 671–677. 1.4.10
- Wilson M. I., Ghosh S., Gerhardt K. E., Holland N., Babu T. S., Edelman M., Dumbroff E. B. & Greenberg B. M. 1995. In vivo photomodification of ribulose-1,5-bisphosphate carboxylase oxygenase holoenzyme by ultraviolet-B radiation - formation of a 66-kilodalton variant of the large subunit. – *Plant Physiology* 109: 221–229.
- Woitzik F. & Mohr H. 1988a. Control of hypocotyl gravitropism by phytochrome in a dicotyledonous seedling (*Sesamum indicum* L.). – *Plant, Cell and Environment* 11: 663–668.
- Woitzik F. & Mohr H. 1988b. Control of hypocotyl phototropism by phytochrome in a dicotyledonous seedling (*Sesamum indicum* L.). – *Plant, Cell and Environment* 11: 653–661.
- Worrest R. C. & Caldwell M. M. 1986. Stratospheric Ozone Reduction, Solar Ultraviolet Radiation and Plant Life, NATO ASI series G: Ecological Sciences. – Springer, .

Bibliography

- Wulff R. D., Caceres A. & Schmitt J. 1994. Seed and seedling responses to maternal and offspring environments in *plantago lanceolata*. – Functional Ecology 8(6): 763–769.
- Yakimchuk R. & Hoddinott J. 1994. The influence of ultraviolet-B light and carbon dioxide enrichment on the growth and physiology of seedlings of three conifer species. – Canadian Journal of Forest Research 24: 1–8.
- Yamamoto K. T. 1997. Molecular mechanism of phytochrome action. – Journal of Plant Research 110: 107.
- Yang X. S., Heisler G. M., Montgomery M. E., Sullivan J. H., Whereat E. B. & Miller D. R. 1995. Radiative properties of hardwood leaves to ultraviolet irradiation. – International Journal of Biometeorology 38: 60–66.
- Yang X. S., Miller D. R. & Montgomery M. E. 1993. Vertical distributions of canopy foliage and biologically active radiation in a defoliated/refoliated hardwood forest. – Agricultural and Forest Meteorology 67: 129–146.
- Yanovsky M. J., Alconada-Magliano T. M., Mazzella M. A., Gatz C., Thomas B. & Casal J. J. 1998a. Phytochrome A affects stem growth, anthocyanin synthesis, sucrose-phosphate-synthase activity and neighbour detection in sunlight-grown potato. – Planta 205(2): 235–241.
- Yanovsky M. J., Alconadamaglano T. M., Mazzella M. A., Gatz C., Thomas B. & Casal J. J. 1998b. Phytochrome A affects stem growth, anthocyanin synthesis, sucrose- phosphate-synthase activity and neighbour detection in sunlight-grown potato. – Planta 205: 235–241.
- Yanovsky M. J., Casal J. J. & Luppi J. P. 1997a. The *vlf* loci, polymorphic between ecotypes Landsberg erecta and Columbia, dissect two branches of phytochrome A signal transduction that correspond to very-low-fluence and high-irradiance responses. – The Plant Journal 12: 659–667.
- Yanovsky M. J., Casal J. J. & Luppi J. P. 1997b. The VLF loci, polymorphic between ecotypes landsberg erecta and columbia, dissect two branches of phytochrome A signal transduction that correspond to very-low-fluence and high-irradiance responses. – Plant Journal 12(3): 659–667.
- Yanovsky M. J., Casal J. J. & Whitelam G. C. 1995. Phytochrome A, phytochrome B and *hy4* are involved in hypocotyl growth responses to natural radiation in *Arabidopsis* – weak de-etiolation of the *phyA* mutant under dense canopies. – Plant, Cell and Environment 18: 788–794.
- Yanovsky M. J., Casal J. J., Salerno G. L. & Sánchez R. A. 1995. Are phytochrome-mediated effects on leaf growth, carbon partitioning and extractable sucrose-phosphate synthase activity the mere consequence of stem-growth responses in light-grown mustard. – Journal of Experimental Botany 46: 753–757.

Bibliography

- Yanovsky M. J., Magliano T. M. A., Mazzella M. A., Gatz C., Thomas B. & Casal J. J. 1998c. Phytochrome a affects stem growth, anthocyanin synthesis, sucrose- phosphate-synthase activity and neighbour detection in sunlight-grown potato. – *Planta* 205: 235–241.
- Yatsuhashi H. 1996. Photoregulation systems for light-oriented chloroplast movement. – *Journal of Plant Research* 109: 139–146.
- Young A. R., Björn L. O., Moan J. & Nultsch W. 1993. Environmental UV Photobiology. – Plenum Press, New York. ISBN 0-306-44443-7.
- Young J. C., Liscum E. & Hangarter R. P. 1992. Spectral-dependence of light-inhibited hypocotyl elongation in photomorphogenic mutants of *Arabidopsis* — Evidence for a UV-A photosensor. – *Planta* 188: 106–114. 1.4.12
- Yu S. G. & Björn L. O. 1996. Differences in UV-B sensitivity between PSII from grana lamellae and stroma lamellae. – *Journal of Photochemistry & Photobiology. B - Biology* 34: 35–38.
- Zeiger E. 1994. The photobiology of stomatal movements. In *Photomorphogenesis in plants* (R. E. Kendrick and G. H. M. Kronenberg, eds), 2nd Ed., pp. 683–706. – Kluwer Academic Publishers, Dordrecht.
- Zeiger E. & Zhu J. X. 1998. Role of zeaxanthin in blue light photoreception and the modulation of light-CO₂ interactions in guard cells. – *Journal of Experimental Botany* 49: 433–442. 1.4.4
- Zeiger E., Farquhar G. D. & Cowan I. R. 1987. Stomatal Function. – Stanford University Press, Stanford. 1.4.4
- Zepp R. G., Callaghan T. & Erickson D. 1995. Effects of increased solar ultraviolet radiation on biogeochemical cycles. – *Ambio* 24: 181–187.
- Zeuthen J., Mikkelsen T. N., Paludanmuller G. & Ropoulsen H. 1997. Effects of increased UV-B radiation and elevated levels of tropospheric ozone on physiological processes in european beech (*Fagus sylvatica*). – *Physiologia Plantarum* 100: 281–290.
- Zhong H. H., Resnick A. S., Straume M. & McClung C. R. 1997. Effects of synergistic signaling by phytochrome A and cryptochrome1 on circadian clock-regulated catalase expression. – *Plant Cell* 9: 947–955.
- Zinser C., Ernst D. & Sandermann H. 1998. Induction of stilbene synthase and cinnamyl alcohol dehydrogenase mRNAs in Scots pine (*Pinus sylvestris* L.) seedlings. – *Planta* 204: 169–176.
- Ziska L. H. 1996. The potential sensitivity of tropical plants to increased ultraviolet-B radiation. – *Journal of Plant Physiology* 148: 35–41.
- Ziska L. H. & Teramura A. H. 1992. CO₂ enhancement of growth and photosynthesis in rice (*Oryza sativa*). modification by increased ultraviolet-B radiation. – *Plant Physiology* 99: 473–481.

Bibliography

Ziska L. H., Teramura A. H., Sullivan J. H. & McCoy A. 1993. Influence of ultraviolet-B (UV-B) radiation on photosynthetic and growth characteristics in field-grown cassava (*Manihot esculentum* Crantz). – Plant, Cell and Environment 16: 73–79.