Hyytiälä Forest Remote Sensing Experiment - Documentation

Ilkka Korpela, Aarne Hovi
September 20, 2016 (last update Dec 31, 2024)



Hyytiälä, August 2006

Contents

1 Background 8

1.1 Purpose 8
1.2 Structure 8
1.3 About the data not stored here 8
1.4 Some history and purpose for the experiment 8
1.5 Acknowledgements 8
1.6 List of publications 10
1.7 Featured 13
1.8 Map of Hyytiälä 14

2 Aerial photography (Photogrammetry) 15

2.1 Concepts and terminology (text-book style) 15
2.1.1 Frame sensor geometry 15
2.1.2 Kuvamitt 15
2.1.3 Object coordinate system 15
2.1.4 Camera coordinate system – camera calibration and lens errors 15
2.1.5 Raster image coordinate system 16
2.1.6 Exterior orientation - Frame sensors 16
2.1.7 Pushbroom sensors 17
2.1.8 Raw and projected images 18
2.1.9 Campaign and frame/image ids 19
2.1.10 Solving the exterior orientation (EO) for frame images 19
2.1.11 KUVAMITT HDR files 19
2.1.12 UTM – KKJ conversion, Geoid corrections 20
2.2 Analogue film images 1946-2004 20
2.3 Digital frame-camera images 2006– 21
2.3.1 UltraCAM-series 21
2.3.2 DMC 21
2.3.3 Hasselblad 21
2.3.4 Titan RGB camera 22
2.3.5 Riegl 1550 RGB camera (2018) 22
2.3.6 RieGL 1550 RGB camera (2020) ..... Error! Bookmark not defined.
2.4 Additional data during campaigns 22
2.5 The aerial image campaigns 23
2.5.1 1946 Black & White (BW) - old land use in Hyytiälä 25
2.5.2 1962 BW - SMEAR stand clear-cut and burned 26
2.5.3 1963 BW - Overview of the surrounding area to Hyytiälä 26
2.5.4 1966 BW - first forestry images 27
2.5.5 1969 BW - photography for construction of road 66 27
2.5.6 1973 Color and CIR - Topographic mapping 27
2.5.7 1977 BW - Orienteering; ’77 buildings 28
2.5.8 1983 BW – Väärinmaja-road construction 29
2.5.9 1984 BW – Topographic mapping 29
2.5.10 1985 CIR and BW-infrared for forestry/research 30
2.5.11 1986 CIR 1:30000 for forestry 32
2.5.12 1988 CIR 1:30000 for forestry 33
2.5.13 1989 CIR 1:30000 forestry; 1:5000 for research 33
2.5.14 1991 CIR 1:30000 for forestry 34
2.5.15 1992 CIR 1:30000 forestry, 1:5000 for research 34
2.5.16 1995 CIR 1:50000,30000, 20000, 5000 for research 35
2.5.17 1997 CIR 1:16000, 5000, BW 1:10000, 5000 research 36
2.5.18 1998 BW 1:16000 topographic mapping 37
2.5.19 1999 BW 1:16000 topography; CIR 1:30000 forestry 38
2.5.20 2000 BW 1:16000 topographic mapping 38
2.5.21 2002 CIR/COL 1:5000, 10000, 16000, 30000 research 39
2.5.22 2004 CIR 1:8000, 1:14000 normal-angle; research 40

2.5.23 2006 UltraCam-D 1:55000 & 1:10000 ... 41
2.5.24 2007 UltraCam-D 1:22000 research, 19/62 cm ... 42
2.5.25 2008 ADS40-SH52 multispectral line-sensor, 1-4 km ... 43
2.5.26 2009 DMC morning/noon flights, May 31, 2009 ... 48
2.5.27 2010 UltraCam-XP; Winter '09-'10 snow-damage ... 50
2.5.28 2011 Leaf-off Hasselblad RGB images Nov 15 ... 51
2.5.30 2012 UltraCamD; 90-minute repeated acquisition with fixed exposure settings ... 54
2.5.31 2013 Hasselblad RGB images, Hyytiälä & Siikaneva, May 28 ... 55
2.5.32 2015 Hasselblad RGB images, Aug 18 ... 57
2.5.33 2015 NLS 6 km imagery ... 58
2.5.34 2016 Optech Titan camera images ... 59
2.5.35 2018 Riegl 1560 RGB imagery ... 60
2.5.36 2018 SMK 8 km imagery ... 61
2.5.37 2020 Riegl RGB imagery ... 62
2.5.38 2020 UltraCam 3 km RGBN imagery ... 64
2.5.39 2022 UltraCam Eagle 7-km RGBN imagery ... 66
2.5.40 2023 June 15 3 km Ultracam Eagle RGBN-PAN imagery ... 68
2.5.41 2023, Aug 18 1 km RGB imagery during LiDAR ... 68

3 Airborne LiDAR data ... 70

3.1 General remarks ... 70
3.1.1 Number of acquisitions ... 70
3.1.2 Systems used ... 72
3.1.3 In situ measurements ... 72
3.1.4 Campaign settings ... 72
3.2 Data formats ... 72
3.3 Digital elevation models (DEMs) estimated ... 72
3.4 Positional accuracy in 3D ... 74
3.5 AGC correction in the Leica sensors ... 75
3.6 Additional remarks on sensors and data ... 75
3.6.1 Riegl LMS-Q680i: Output power, receiver linearity, and ringing ... 75
3.6.2 Leica ALS60: Waveform samples in the prefix preceeding first DR echo ... 75
3.7 Acquisitions ... 76
3.7.1 Structure of the Binary observation files ... 76
3.7.2 2004 DR, low-density, 1km, Optech, Hyytiälä ... 76
3.7.3 2006 DR, high-density, 1km, Optech, Hyytiälä ... 76
3.7.4 2006 DR, dense 500m, sparse 1200m; Lakkasuo-Vatiharju-Hanhisuo ... 77
3.7.5 2007 DR, high-density, 1km, Leica ALS50, Hyytiälä ... 78
3.7.6 2008 Discrete-return low-pulse-density, 1, 2, 3, 4 km, Leica, Hyytiälä ... 78
3.7.7 2010 Waveform/DR, varying-density, 1, 2, 3 km, Leica, Hyytiälä ... 79
3.7.8 2011a Waveform/DR, varying-pulse-density, 1, 2 km, Leica, Hyytiälä-Lakkasuo-Susimäki ... 79
3.7.9 2011b Waveform, leaf-off, high-density, 1 km, Riegl LMS-Q680i, Hyytiälä ... 81
3.7.10 2012 Waveform/DR, varying-pulse-density, 0.5, 1, 2, 3 km, Leica ALS60, Hyytiälä ... 83
3.7.11 2013a Waveform, high-density, 0.8, 0.3 km, Riegl LMS-Q680i, Hyytiälä-Siikaneva ... 85
3.7.12 2013b Waveform/DR, varying density, 0.7, 2, 0.7, 0.8, 0.9 km, Leica ALS60, Hyytiälä ... 86
3.7.13 2013c DR (terrain modeling) data by NLS ... 87
3.7.14 2015 Waveform, high density, 0.8 km, Riegl LMS-Q680i, Hyytiälä ... 87
3.7.15 2016 Discrete-return, 3-band, 1km, Optech Titan, Hyytiälä, Syväniemi, Lakkasuo ... 89
3.7.16 2018 Discrete-return Riegl 1560, 1.15 km ... 90
3.7.17 2020 Discrete-return Riegl Q1560, 1.15 km ... 93
3.7.18 2023 Discrete-return Riegl Q1560, 1.2 km ... 99

4 Terrestrial images ... 100

4.1 Lapinkangas forest floor 2007 ... 100
4.2 Lapinkangas forest floor 2012 ... 108
4.3 Canopy imaging at Lapinkangas 3 (LK3) plot June 2011 ... 115
4.4 Hyytiälä buildings and urban trees May 2012 ... 116
4.4.1 Sites of photography ... 116

4.4.2 Description of activities – sites 1-4 with trees ... 116
4.4.3 Description of activities – sites 5-6 with buildings ... 117
4.4.4 Calibrations, Canon ... 117
4.4.5 Calibration, Nikon ... 117
4.4.6 Data ... 117
4.5 Systematic canopy imaging at SMEAR 60-yr-old pine plot June 2012 ... 118
4.5.1 Description of activities ... 118
4.5.2 Data ... 118
4.6 Systematic canopy imaging at Silmäpäänlammi 60-yr-old spruce plot - July 2012 ... 119
4.6.1 Data ... 119
4.7 2010 TEKES images ... 120
4.8 Canopy imaging at Lapinkangas Lichen plot, July 2012 ... 120
4.9 Sahatie 20-yr-old mixed stand imaging 2007 ... 120
4.10 Leaf angle distributions, July 2013 ... 120
4.11 Riegl 2015 campaign, August 2015 ... 120
4.12 Other than photogrammetric images ... 120
5 UAV images ... 121
5.1 2010 TEKES ... 121
5.2 2014 Norut ... 121
5.3 2018 Henri Riihimäki (Vuorijärvensuo) ... 121
6 Field reference data ... 122
6.1 Permanent forest "plots" with mapped trees (over 20-year-old forests) ... 122
6.2 Geometric ground control ... 127
6.2.1 2000 GCPs, signaled ... 127
6.2.2 2002 Levelling (vaaitus) ... 127
6.2.3 2005 Levelling (vaaitus) ... 127
6.2.4 2005 GCPs, natural and man-made ... 127
6.2.5 2006 Z profiles ... 127
6.2.6 2006 GCPs, natural and man-made ... 127
6.2.7 2006 Levelling (vaaitus) ... 127
6.2.8 2007 Z profiles ... 127
6.2.9 2008 GCPs, signaled ... 128
6.2.10 2010 GCPs, signaled ... 128
6.2.11 2010 Z profiles ... 128
6.2.12 2012 Z profiles ... 128
6.2.13 2013 Z profiles ... 128
6.2.14 2015 GCPs, signaled ... 128
6.3 Other ground reference ... 128
6.3.1 2003 Clear-felled stands #15 and #88 ... 128
6.3.2 2006 Seedling/sapling stand vegetation ... 128
6.3.3 2006 Mire surface vegetation ... 128
6.3.4 2007 Exotic tree species nearby Hyytiälä ... 128
6.3.5 2007 Seedling/sapling stand vegetation ... 128
6.3.6 2010 TEKES mobile phone plots ... 128
6.3.7 2010 Seedling/sapling stand vegetation ... 128
6.3.8 2012 Systematic search of one-species stands ... 128
6.3.9 2012 Seedling/sapling stand vegetation ... 129
6.3.10 2012 Shoot and leaf geometry, fireweed and raspberry ... 129
6.3.11 2012 Search of radiometrically interesting targets under forest ... 129
6.3.12 2013 LAI of raspberry canopies ... 129
6.3.13 2013 Optical properties of fireweed and raspberry leaves ... 129
6.3.14 2013 Seedling/sapling stand vegetation ... 129
6.3.15 2013 Photogrammetric-geodetic mapping of trees around SMEAR station ... 129
6.3.16 2014 Mire surface vegetation ... 129
7 Notes on DPW software KUVAMITT ... 131

7.1 Technical implementation and central limitations ... 131
7.2 Some main principles ... 131
8 Missing optical data ... 132
Appendix 1a – HDR-files, frame sensor ... 133
Appendix 1b – HDR-files, line-sensor ... 134
Appendix 2a – ADS40 specific information - *.ADS files ... 135
Appendix 2b – ADS40 specific information - *.CAM files ... 136
Appendix 2c – ADS40 specific information - *.ODF files ... 137
Appendix 2d – ADS40 specific information - *.SUP files (support) ... 139
Appendix 3 – Formats of LiDAR pulse records 2004-2013 ... 141
Optech modified ALTM1033, 2004 ... 141
Optech ALTM3100, 2006 ... 141
Leica ALS50-ii, 2007 and 2008 ... 142
Leica ALS60 2010, 2011a, 2012, and 2013b ... 142
Riegl 2011b, 2013a, 2015 ... 143
Optech Titan, 2016 ... 145
Riegl 1560 processing, May 2018 ... 150
Appendix 4. LABS in photogrammetry and LiDAR-based STRS with KUVAMITT ... 155
1 Purpose of the exercises ... 155
2 Description of the demo data in C:\DATA\ ... 155
21 About the data and examples ... 155
22 Frame images 1946–2009 ... 155
23 ADS40-pushbroom images from 2008 ... 155
24 LiDAR data 2004, 2006-2008 ... 156
25 DEMs (DTMs) and CHMs ... 156
26 KUVAMITT- digital photogrammetric software ... 156
3 LAB-1 Geometric properties of LiDAR and images ... 156
Demo – 1 Learning about KUVAMITT and our data ... 156
Demo – 2 Getting XYZ-coordinates manually ... 157
Demo – 3 Getting XYZ-coordinates semi-automatically ... 157
Demo – 4 Getting XYZ-coordinates almost automatically ... 158
Demo – 5 LiDAR data ... 159
Demo – 6 Tree measurements ... 159
4 Lab 2 – RADIOMETRIC ISSUES ... 160
Demo 1 – the image data for XYZ point ... 160
Demo 2 – the 16-bit R, G, B, NIR -values ... 161
Demo 3 – PAN-sharpened vs. original ... 161
Demo 4 – Collecting LiDAR intensities ... 161
5 Some KUVAMITT commands: ... 162
Appendix 5. EO of the frame images ... 163
Appendix 6. IO of the frame images (2015 are missing) ... 180
Appendix 7. Programs and used by Aarne Hovi 2009–2015 ... 197
About Java programs ... 198
General ... 198
Running NetBeans projects ... 198
Configuring NetBeans projects ... 200
Program 1 - Processing raw LiDAR data into binary hectare files ... 202
Program 2 - LiDAR simulator ... 203
Program 3 - Waveform processing for noise-exceeding amplitude sequences and their attributes ... 204
Program 4 - Random forest classification ... 207

1 Background

1.1 Purpose

This document lists different data and metadata, observations and activities that were considered worth storing for possible future use, given the noteworthy acquisition and processing costs. The documented data are collected in projects by Ilkka Korpela. They include

- Sample plot data, from seedling stands to old growth forests, 1995-
- Geometric reference data (GNSS, levelling), 2000-
- Aerial images, 1946-
- Airborne LiDAR, 2004-
- Terrestrial photogrammetry, 2007-
- Documentary photography, 2000-

1.2 Structure

The data are stored on a '\\Device\'.

1. \\DEVICE\HYDE_REF\ refers to hypertext-based (www) documentation with sub-directories.

2. Data that consumes lots of storage is not archived here but in other subdirectories of \\ DEVICE\.

The directory structure is referred to throughout this document.

1.3 About the data not stored here

What are not included here are activities by other research groups, e.g. by LAI detectives' group, and TLS activities by FGI etc. There possible exists spaceborne optical imagery (VTT research) and SAR (FMI), as well as airborne (even UAV) hyperspectral data (UH/Geography, Aalto University). Small samples of weather data are included here, to go with the remote sensing data acquisitions. Otherwise, SMEAR databases and those by the FMI can be used. Hyytiälä forest station probably has records of other activities in Hyytiälä. And, of course, if an article mentions "Hyytiälä".

1.4 Some history and purpose for the experiment

The field activities began in 1995 with the establishment of permanent forest plots and acquisition of aerial images. Plots are characterized by accurate local and global positioning of trees that are measured 1–6 times by Dec 2024. Activities have been targeted at establishing reference data for optical remote sensing. The remote sensing data are either airborne or close-range. There are many studies done based on the data.

Because most trees and other objects are positioned and identified accurately, the plots are 'permanent' at the tree-level. Most of the plots are 'selected', i.e. they have been subjectively delineated in the field for a particular reason (experiment). For example, some plots were selected because they represent a certain species mixture, or the presence of an understory, or a specific canopy structure.

The experiment focuses on a small area of about 700 ha, managed by Metsähallitus, enclosing the SMEAR II station. Some of the remote sensing data has coverage of Susimäki old growth and Lakkasuo mire complex. There is reasonable variability in the forests, however, and by no means, are the field plots highly representative of Finnish forests.

1.5 Acknowledgements

The investments are mostly by personal grants, but also by different consortia and by Hyytiälä research station. Field measurements have involved some 50 (total of 900!) students each summer (2007-2024), as well many research assistants 1995-. Particular help and/or financial support by the listed people is acknowledged

Pentti Räsänen, Jouko Laasasenaho, @ UH; field work 95-97
Timo Kuuluvainen; Simo Poso; @ UH; aerial imaging 97
Silja Pirttijärvi @ Hyytiälä; support 95-
Antti Uotila, Juho Aalto @ Hyytiälä; resources for field work 1995-
Jaakko Uusitalo; RTK/GPS 2000
Timo Tokola @ UH/UEF; ADS40-campaign 2008; LiDAR campaigns 2004-2007; Field campaigns 2003-04; 2009; Arranging different types funding & consortia 2002-2007
Markus Holopainen, Pauline Stenberg @UH; Field campaigns as a part of field courses 2007-2016
Arthur Rohrbach & Ron Roth @Leica geosystems; Aerial imaging using ADS40 2008; LiDAR 2010.
Ulrich Beisl @ Leica; Aerial imaging 2008, Spectroscopy
Eija Honkavaara et al. @ FGI; Aerial imaging 2009, Radiometric campaigns 2008, 2009, 2010
Juha Hyyppä @ FGI; LiDAR 2007, 2010, VRS-GNSS 2014
Pekka Savolainen @ Blom/Terractec;
LiDAR 2006, 2016. Aerial images 2006, 2007, GNSS data 2008
Jonne Davidsson et al. @ Finnmap; LiDAR 2007, 2010, 2011a, 2011b, 2012, 2013, 2015; Aerial images 2010, 2012, 2013, 2015;
Maanmittauslaitos/ilmakuvatoimisto;
Aerial imaging 2004 and 2009; Old film scans, 2018, 2022 images.
Topografikunta, Scans of old aerial films
Geotrim; Network GPS/GNSS equipment 2005-2019
SMEAR II Community; Weather & atmospheric data 1997-, LiDAR 2013 (Siikaneva & Hyytiälä combined), LiDAR of 2018 and 2020
Metsähallitus; LiDAR 2004, 06, 07, 10. Field work 1996-97
Stora Enso; LiDAR 2006, Field work 2010.
UPM; LiDAR 2006, 2007
UH/MMEKO/MMVAR; LiDAR 2006 (Lakkasuo), LiDAR and images of 2023.
Metla (Prof. Tomppo); LiDAR 2007
University of Joensuu/UEF (Prof. Maltamo, Jari Vauhkonen, Lauri Korhonen); LiDAR 2007; Field work 2008, 2009, 2011.
Arbonaut; Academy of Finland co-operation 2006-2008
Metsäteho; LiDAR 2006
Metsämannut; LiDAR 2007
Metsämiesten säätiö; aerial imaging 1997, 2002; field work 1996-97; 2002; aerial image scans 1946-2000; *Time-travelling in Hyytiälä 1946-2004* in 2006. Field campaign of 2013.
TEKES; Field activities 2006, 2010;
MATINE; Activities 2005-2006.
Academy of Finland; activities 2006-2008; 2011-2016; LiDAR 2012, LiDAR 2013, LiDAR 2015, LiDAR 2016
Suomen Luonnonvarain Tutkimussäätiö; activities 2008-2010, Field work 2010
Helsingin yliopiston rahastot 2009–2011; LiDAR 2010, 2011a, 2011b, Field work 2009-2011
MMM yhteistutkimusvarat 2002-2003; Development of KUVAMITT



Fig. 1. Summer of 2000. Jarno Kallonen and Jaakko Uusitalo carrying out RTK GPS measurements on recently established ground control points. These were marked with metal bolts.



Fig. 2. Nina Rautjärvi and Sini Kokkonen; field workers in 2002. Some of the plots were already measured once and tree labels with a local map of stems and values of the previous measurements are being prepared.



Fig. 3. At the SAHATIE plot, August 2006. The VRS GPS antenna with a 4-m pole is seen on the front. The VRS/Network GNSS has been used since 2005 to position points in low vegetation at cm-accuracy.



Fig. 4. Forestry student taking an azimuth observation to position a tree using spatial resection. 2008, MARV1 course.



Fig. 5. Dr. Ulrich Beisl from Leica Geosystems in August 2008. The weather was not favorable for the ADS40 campaign. The sensor was in Tallinn, and finally on August 23 it was flown to Hyytiälä by Estonian land board.



Fig. 6. Mapping understory trees at cm-level accuracy in Lapinkangas, July 2009. Pauliina Kulha and Aarne Hovi

1.6 List of publications

Peer reviewed (to be completed)

1. Fish, S., Haakana, M., Korpela, I. and Melkas, T. 1998. Spatial relationships in a forest stand. In: Spatial Statistics in GIS Applications. (Eds. Artimo, K. and Haggrén, H.) Cartography and Geoinformatics Publications 4. Helsinki University of Technology. pp. 7-39.

2. Heikkinen, V., Korpela, I., Tokola, T., Honkavaara, E., Parkkinen, J., 2011. An SVM classification of tree species radiometric signatures based on the Leica ADS40 sensor. IEEE Transactions on Geoscience and Remote Sensing, 49(11), 4539 – 4551.

3. Heikkinen, V., Korpela I., Honkavaara E., Parkkinen, J. & Tokola, T. 2011. Classification of tree species using support vector machines and radiometrically corrected multiangular airborne image data. IEEE Transactions on Geoscience and Remote Sensing 48(3), 1355-1364. http://dx.doi.org/10.1109/TGRS.2009.2032239

4. Honkavaara, E., Markelin, L., Rosnell, T., Nurminen, K, 2012. Influence of solar elevation in radiometric and geometric performance of multispectral photogrammetry. ISPRS Journal of Photogrammetry and Remote Sensing, 67, 13-26.

5. Honkavaara, E., Arbiol, R., Markelin, L., Martinez, L., Bovet, S., Bredif, M., Chandelier, L., Heikkinen, V., Korpela, I., Lelegard, L., Pérez, F., Schläpfer, D., Tokola, T., 2011. The EuroSDR project "Radiometric aspects of digital photogrammetric images" – Results of the empirical phase. In Proceedings of the ISPRS Hannover Workshop 2011, June 14-17, 2011, Hannover, 8 pages.

6. Korhonen, L. 2011. Estimation of boreal forest canopy cover with ground measurements, statistical models and remote sensing. Dissertationes Forestales 115.

7. Korhonen L., Korpela, I., Heiskanen, J., Maltamo, M. 2010. Airborne discrete-return LiDAR data in the estimation of vertical canopy cover, angular canopy closure and leaf area index. Remote Sensing of Environment.

8. Korpela, I., Hovi, A., Morsdorf, F. 2012. Understory trees in airborne LiDAR data - Selective mapping due to transmission losses and echo-triggering mechanisms. Remote Sensing of Environment.

9. Korpela, I., Heikkinen, V., Honkavaara, E., Rohrbach, F., Tokola, T., 2011. Variation and directional anisotropy of reflectance at the crown scale - Implications for tree species classification in digital aerial images. Remote Sensing of Environment 115 (8), 2062-2074.

10. Korpela Ilkka, Ørka Hans-Ole, Heikkinen Ville, Tokola Timo, Hyyppä Juha. 2010. Range- and AGC normalization of LIDAR intensity data for vegetation classification. ISPRS Journal of Photogrammetry and Remote Sensing.

11. Korpela, I., Ørka, H. O., Maltamo, M., Tokola, T. & Hyyppä, J. 2010. Tree species classification using airborne LiDAR – effects of stand and tree parameters, downsizing of training set, intensity normalization and sensor type. Silva Fennica 44(2).

12. Korpela, I., Koskinen, M., Vasander, H., Holopainen, M., Minkkinen, K., 2009. Airborne small-footprint discrete-return LiDAR data in the assessment of boreal mire surface patterns, vegetation and habitats. Forest Ecology and Management 258:1549-1566.

13. Korpela I., Tuomola T., Tokola T., Dahlin, B. 2008. Appraisal of seedling stand vegetation with airborne imagery and discrete-return LiDAR – an exploratory analysis. Silva Fennica 42(5): 753-772.

14. Korpela, I. 2008. Mapping of understory lichens with airborne discrete-return LiDAR data. Remote Sensing of Environment. 112(10): 3891-3897

15. Korpela I., Tuomola, T., Välimäki, E. 2007. Mapping forest plots: An efficient method combining photogrammetry and field triangulation. Silva Fennica 41(3): 457-469

16. Korpela, I. and Välimäki, E. 2007. Talousmetsän maanpintamallinnus arkistoilmakuvilta ja laserkeilauksella. [Elevation modeling in forests using archived aerial images and modern LiDAR]. Maanmittaus 2/2007.

17. Korpela I. 2007. 3D treetop positioning by multiple image matching of aerial images in a 3D search volume bounded by lidar surface models. Photogrammetrie, Ferkundung, Geoinformation (PFG) 1/2007: 35-44.

18. Korpela,, B. Dahlin, H. Schäfer, E. Bruun, F. Haapaniemi, J. Honkasalo, S. Ilvesniemi, V. Kuutti, M. Linkosalmi, J. Mustonen, M. Salo, O. Suomi, and H. Virtanen. 2007. Single-tree forest inventory using LiDAR and aerial images for 3D treetop positioning, species recognition, height and crown width estimation. IAPRS Volume XXXVI, Part 3 / W52, 2007. pp. 227-233

19. Korpela I. 2006. Geometrically accurate time series of archived aerial images and airborne lidar data in a forest environment. Silva Fennica 40(1): 109-126.

20. Korpela I. 2006. 3D treetop positioning by multiple image matching of aerial images in a 3D search volume bounded by lidar surface models. In: International archives of the photogrammetry, remote sensing and spatial information sciences. Volume XXXVI, Part 3. Symposium of ISPRS Commission III. Photogrammetric Computer Vision, PCV '06. Bonn, 20-22 September 2006. Editors: Wolfgang Förstner, Richard Steffen. pp. 191-196. ISSN 1682-1750.

21. Korpela I., Anttila, P. and Pitkänen J. 2006. A local maxima method in detecting individual trees in color-infrared aerial photographs. International Journal of Remote Sensing. 27/6: 1159-1175

22. Korpela, I. and Tokola T. 2006. Potential of aerial image-based monoscopic and multiview single-tree forest inventory - a simulation approach. Forest Science 52(2):136-147

23. Korpela, I. , Rasinmäki, J. & Tokola, T. 2005. Estimation chains for single tree based forest inventory using GIS and digitised aerial photography. In: Remote sensing and geographical information systems for environmental studies: applications in forestery. Kleinn, C., Nieschulze, J. & Sloboda, B. (eds.). Frankfurt am Main: J. D. Sauerländer's Verlag, p. 63-73. 11 p. (Schriften aus der Forstlichen Fakultät der Universität Göttingen und der Niedersächsischen Forstlichen Versuchsanstalt; 138).

24. Korpela, I. and Anttila, P. 2004. Appraisal of the mean height of trees by means of image matching of digitised aerial photographs. The photogrammetric Journal of Finland 19/1: 23-36.

25. Korpela I. 2004. Individual tree measurements by means of digital aerial photogrammetry. Silva Fennica monographs 3. 93 p.

26. Korpela I. 2000. 3-D Matching of treetops using digitized panchromatic aerial photographs. Licentiate thesis. University of Helsinki. Department of Forest Resource Management. 109 p. http://www.honeybee.helsinki.fi/users/korpela/l_thesis/

27. Markelin, L., Honkavaara, E., Beisl, U. and Korpela, I., 2010. Validation of the radiometric processing chain of the Leica ADS40 airborne photogrammetric sensor. International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 38(7A): 145-150.

28. Markelin, L., Honkavaara, E., Schläpfer, D., Bovet, S., Korpela, I., 2012. Assessment of radiometric correction methods for ADS40 imagery. Photogrammetrie, Fernerkundung, Geoinformation (PFG), 4/2012.

29. Mäkinen Antti, Korpela Ilkka, Tokola Timo and Annika Kangas. 2006 Effects of imaging conditions on crown diameter measurements from high resolution aerial images. Canadian Journal of Forest Research 36: 1206-1217

30. Rasinmäki, J. & Melkas, T. 2005. A method for estimating tree composition and volume using harvester data. Scandinavian Journal of Forest Research. 20, 1, p. 85-95. 11 p.

31. Vain, A., Yu, X., Kaasalainen, S., Hyyppä, J. 2010. Correcting Airborne Laser Scanning Intensity Data for Automatic Gain Control Effect. IEEE GEOSCIENCE AND REMOTE SENSING LETTERS, 7(3).

32. Vastaranta, M., Korpela, I., Hovi, A., Uotila, A., Holopainen, M. 2011. Mapping of snow-damaged trees based on bitemporal airborne LiDAR data. European Journal of Forest Reserach.

33. Vastaranta, M., Korpela, I., Uotila, M., Hovi, A. and Holopainen, M. 2011. Area-based snow damage classification of forest canopies using bi-temporal lidar data. In Lichti, D. & Habib, A.. ISPRS LaserScanning 2011 proceedings.

34. Vauhkonen J., Korpela, I., Maltamo, M., Tokola, T. 2010 Imputation of single-tree attributes using airborne laser scanning-based height, intensity, and alpha shape. Remote Sensing of Environment.

35. Hovi, A., Korhonen, L., Vauhkonen, J., Korpela, I. 2015. LiDAR waveform features for tree species classification and their sensitivity to tree- and acquisition related parameters. Remote Sensing of Environment.

36. Korpela, I., Mehtätalo, L., Markelin, L., Seppänen, A. & Kangas, A. 2014. Tree species identification in aerial image data using directional reflectance signatures. Silva Fennica 48(3) ID 1087. http://dx.doi.org/10.14214/sf.1087.

37. Pant, P., Heikkinen, V., Korpela, I. , Hauta-Kasari, M. & Tokola, T. 2014. Logistic Regression Based Spectral Band Selection for Tree Species Classification – Effects of Spatial Scale and Balance in Training Samples. IEEE Geoscience and Remote Sensing Letters 11(9). http://dx.doi.org/10.1109/LGRS.2014.2301864.

38. Hovi A.& Korpela I. 2013. Real and simulated waveform-recording LiDAR data in juvenile boreal forest vegetation. Remote Sensing of Environment 140, 665-678. http://dx.doi.org/10.1016/j.rse.2013.10.003,

39. Pant, P., Heikkinen, V., Hovi, A., Korpela, I., Hauta-Kasari, M. & Tokola, T. 2013. Evaluation of simulated bands in airborne optical sensors for tree species identification. Remote Sensing of Environment 138, p. 27-37. http://dx.doi.org/10.1016/j.rse.2013.07.016.

40. Korhonen, L., Heiskanen, J. & Korpela, I. 2013. Modelling lidar-derived boreal forest canopy cover with SPOT 4 HRVIR data. International Journal of Remote Sensing. 34, 22, p. 8172-8181. http://dx.doi.org/10.1080/01431161.2013.833361

41. Korpela, I., Hovi,. A. & Korhonen, L. 2013. Backscattering of individual LiDAR pulses from forest canopies explained by photogrammetrically derived vegetation structure. ISPRS Journal of Photogrammetry and Remote Sensing 83, p. 81-93. http://dx.doi.org/10.1016/j.isprsjprs.2013.06.002

42. Korhonen, L., Vauhkonen, J., Virolainen, A., Hovi, A. & Korpela, I. 2013. Estimation of tree crown volume from airborne lidar data using computational geometry. International Journal Remote Sensing 34(20), 7236-7248. http://dx.doi.org/10.1080/01431161.2013.817715

43. Markelin, L., Honkavaara, E., Schläpfer, D., Bovet, S. & Korpela, I. 2012. Assessment of radiometric correction methods for ADS40 imagery. Photogrammetrie, Ferkundung, Geoinformation (PFG) 2012/3, 251-266. http://dx.doi.org/10.1127/1432-8364/2012/0115

44. Käremnlampi, P. 2024. Mortality of Boreal Trees. https://doi.org/10.3390/su16156370

45. Antti Polvivaara, Ilkka Korpela, Mikko Vastaranta, Samuli Junttila 2024. Detecting tree mortality using waveform features of airborne LiDAR. Remote Sensing of Environment. https://doi.org/10.1016/j.rse.2024.114019

46. Shaohui Zhang, Lauri Korhonen, Mait Lang, Jan Pisek, Gastón M. Díaz, Ilkka Korpela 2024 Comparison of Semi-physical and Empirical Models in the Estimation of Boreal Forest Leaf Area Index and Clumping with Airborne Laser Scanning Data. IEEE Transactions on Geoscience and Remote Sensing. https://ieeexplore.ieee.org/document/10398252

47. Korpela I, Polvivaara A, Hovi A, Junttila S, Holopainen M 2023. Influence of phenology on waveform features in deciduous and coniferous trees in airborne LiDAR. Remote Sensing of Environment. https://www.sciencedirect.com/science/article/pii/S0034425723001694

48. Korpela I, Polvivaara A, Papunen S, Jaakkola L, Tienaho N, Uotila J, Puputti T, Flyktman A 2023. Airborne dual-wavelength waveform LiDAR improves species classification accuracy of boreal broadleaved and coniferous trees. Silva Fennica 56(4). https://doi.org/10.14214/sf.22007

49. Eelis Halme, Olli Ihalainen, Ilkka Korpela, Matti Mottus 2022. Assessing spatial variability and estimating mean crown diameter in boreal forests using variograms and amplitude spectra of very-high-resolution remote sensing data. International Journal of Remote Sensing. https://doi.org/10.1080/01431161.2021.2018148

50. Korpela, I., Haapanen, R., Korrensalo, A., Tuittila, E.-S., Vesala, T. 2020. Fine-resolution mapping of microforms on a boreal bog using aerial images and waveform-recording LiDAR. Mires and Peat. http://mires-and-peat.net/media/map26/map_26_03.pdf

51. Blomley, R., Hovi, A., Weinmann, M., Hinz, S., Korpela, I., Jutzi, B. 2017. Tree species classification using within crown localization of waveform LiDAR attributes. ISPRS

JPRS. https://doi.org/10.1016/j.isprsjprs.2017.08.013

52. Majasalmi, T., Korhonen, L., Korpela, I., Vauhkonen, J. 2017. Application of 3D triangulations of airborne laser scanning data to estimate boreal forest leaf area index. International Journal of Applied Earth Observation and Geoinformation. https://doi.org/10.1016/j.jag.2017.02.022

53. Korpela, I. 2017. Acquisition and evaluation of radiometrically comparable multi-footprint airborne LiDAR data for forest remote sensing. Remote Sensing of Environment. https://doi.org/10.1016/j.rse.2016.10.052

54. Matthieu Molinier *, Carlos A. López-Sánchez, Timo Toivanen, Ilkka Korpela, José J. Corral-Rivas, Renne Tergujeff, Tuomas Häme. 2016. Mobile and Participative In-Situ Forest Biomass Measurements Supporting Satellite Image Mapping. Remote Sensing. https://doi.org/10.3390/rs8100869

55. Hovi, A., Korhonen, L., Vauhkonen, J., Korpela, I. 2015.LiDAR waveform features for tree species classification and their sensitivity to tree- and acquisition related parameters. Remote Sensing of Environment. https://doi.org/10.1016/j.rse.2015.08.019

56. Korpela, I., Mehtätalo, L., Markelin, L., Seppänen, A. &Kangas, A. 2014.Tree species identification in aerial image data using directional reflectance signatures. Silva Fennica 48(3). ID 1087. http://dx.doi.org/10.14214/sf.1087.

57. EuroSDR-Project Commission 1 “Radiometric aspects of digital photo-grammetric images” Final Report Report by Eija Honkavaara and Lauri Markelin Remote Sensing and Photogrammetry – Finnish Geodetic Institute, Masala…

Theses done utilizing the experiment

1. Antti Mäkinen, MSc, UH
2. Sini Kokkonen, MSc, UH
3. Aarne Hovi, MSc, UH
4. Liisi Koivisto, MSc, UH
5. Tuukka Tuomola, MSc, UH
6. Felix Rohrbach, MSc, ETH
7. Lauri Korhonen, PhD, UEF
8. Jari Vauhkonen, PhD, UEF
9. Ville Heikkinen, PhD, UEF
10. Perttu Anttila, PhD, UEF
11. Mikko Vastaranta, PhD, UH
12. Ants Vain, PhD, Estonia
13. Lauri Markelin, PhD, HUT
14. Aarne Hovi, PhD, UH
15. Markus Karppinen, MSc, UH
16. Antti Polvivaara, MSc, UH
17. Antti Polvivaara, PhD, UH (under preparation)

Data used in teaching
(to be completed)
UH courses in Forest Sciences – GIS/RS
ME-011B, ME-013C, ME-233, ME-234, FOR-254,
ME-232, FOR-25?
UEF Course in Remote sensing

1.7 Featured

Talks

1. *Fast and slow shutters, wide and narrow band-pass filters - Investigating the species issue for over a decade, the optical airborne way.* HyperBio seminar, Oslo November 30, 2015.

2. *Airborne optical remote sensing of the forests and mires of Hyytiälä 1997 - 2011*. Finnish Geodetic Institute's Research seminar, March 2011.

3. *Laserkokeiluja Hyytiälän metsissä ja soilla 2004-2010*. Maanmittauslaitoksen laserkeilaus- ja korkeusmalliseminaari 2010. Oct 8, 2010.

4. *Metsäalueen historian rekonstruointi ilmakuva-aikasarjoista*. *Reconstructing silvicultural history using a time-series of archived aerial photographs*. Surveying expo "Paikkatietomarkkinat". Helsinki, Sept 27, 2005.

Teaching activities


1. MMVAR37 / ME-234 (2011, 2012-2020) Basic course in programming
2. GIS201 GIS analysis and modeling, 2012
3. MARV104 forest inventory project 2012
4. MARV1 (FOR110b) Basic course in forest mensuration 1997-1999; 2007-2015, ME-013C 2016-2024
5. MARV4/FOR-254 Forest inventory project 2007, 2009, 2016, 2018, 2020, 2022, 2024
6. MINV12 PhD course in 3D remote sensing of forests, 2006
7. NOVA PhD-course in 3D remote sensing, Mekrijärvi 2009
8. LiDAR technology course for forest experts, Evo 2010
9. ME-233 Forest Inventory 2017, 19, 21, 23, 25

Supporting other activities

1. Surface type classification of Siikaneva Eddy-Covariance site, 2014-2015 (Prof. Timo Vesala, UH)
2. LAI estimation for surroundings of lake Kuivajärvi (Dr. J. Pumpanen UH)
3. Participating in the global LiDAR data activities at FLUXNET sites. D. Baldocchi, M. Beland. Berkely. 2012.
4. SMEAR 2010 campaign; C. Nichol, U of Edinborough
5. Wood-procurement in peatland forests, Prof. Uusitalo METLA; 2011.
6. Hyytiälä 100-yr anniversary. WWW-site “Time-traveling in Hyytiälä 1946-2006”; 2010.
7. SMEAR II intermediate fellings 2020, mapping of 40000 trees in the surroundings

Exposure in media

1. PERS 3/2011 front cover and three-page article by Dr. Ron Roth @ Leica Geosystems.
2. UH Web site, Science News, April 2012



Airborne lidar data collected over Hyytiälä, Finland for a consortium of forestry, natural resources and land survey researchers. Participants included the National Land Survey of Finland, Universities of Joensuu and Helsinki, The Finnish Geodetic Institute, Norwegian University of Life Sciences, and Metsähallitus – the Finnish State Forest Enterprise. The image covers a control forest. The data were acquired over a 16 km² area, with 130 existing forest plots and 20,000 reference trees, and included an array of reflectivity calibration targets. Data will be used to study single-tree and area-based forest inventory, radiometric aspects, vegetation of seedling stands, enhanced classification with waveforms, and improved forest DEM acquisition in leaf-on conditions. The lidar data complete a time-series of acquisitions ('04, '06, '07, '08), which enables R&D in change detection methods as well as sensor comparisons.

Data were acquired in July 2010 from 1000-3000 m AGL using a Leica ALS60, with simultaneous collection of discrete return, intensity and waveform data at up to 5.5 points/m². Image shows discrete-return data in bare earth and tall vegetation classes, with close-up views of the vegetation point cloud and bare-earth model (upper right) and automatically extracted tree crown location and sizing (lower left). For further information contact ron.roth@leicaus.com.

PE&RS

March 2011 Volume 77, Number 3

PHOTOGRAMMETRIC ENGINEERING & REMOTE SENSING

The official journal for imaging and geospatial information science and technology

JOURNAL STAFF

Publisher
James R. Plasker
jplasker@asprs.org

Editor
Russell G. Congalton
russ.congalton@unh.edu

Executive Editor
Kimberly A. Tilley
kimt@asprs.org

1.8 Map of Hyytiälä




Fig. 7. Map showing the main area of interest with field activity near Hyytiälä, as well as the Lakkasuo and Susimäki areas

.

2 Aerial photography (Photogrammetry)

Essentially, there are aerial (and terrestrial) images since 1946, which are mostly oriented in a coordinate system that is "time-invariant". They are not re-sampled into orthoimages, but retained 'in the original form, at the time of exposure, on the focal plane'.ADS40 line-sensor data from 2008 exist in both raw and stereo-orientation.

2.1 Concepts and terminology

2.1.1 Frame sensor geometry




Fig. 8. Image capture with a film-based frame sensor. The image ray extends from the object to a point in the focal plane. Camera moves during exposure (shutter is released) but is motion compensated. Filters attenuate UV-light. Cartesian coordinate systems: one for the camera (xyz) and one for the object space (XYZ). All rays pass through a projection center and the camera is rotated about it. In Hyytiälä, the solar elevation is 30-50º, and typical field-of-view of the cameras is from ±25 to ±45 º. Film cameras produced square-shaped images, while those of digital cameras are rectangular.

2.1.2 Kuvamitt

The image and LiDAR data documented here are as such 'compatible' with an in-house digital photogrammetric workstation called KUVAMITT. It is written in Visual Basic 6 and C/C++, in the win32-environment. \\Device \Kuvamitt\ directory has different versions of KUVAMITT and related supporting software. A DEMO with training data is given in (Appendix 4. LABS in photogrammetry and LiDAR-based STRS with KUVAMITT).

2.1.3 Object coordinate system

A Cartesian XYZ system, meters, is required in photogrammetry (Fig. 8). This is the coordinate system for everything in the scene that is viewed by the images. In Hyytiälä this is approximated by the KKJ-2/N60 map projection. It is considered a right-handed system; KKJ-East = X, KKJ-North = Y, N60 = Z (exceptions exist). N60 values (Z) are ortometric heights, values above the mean sea level, in the 1960 epoch. The global GPS coordinate system is based on an ellipsoid (WGS84/ETRS89), and a geoid model tells the height difference between the orthometric elevations and those from the ellipsoid. This difference is ~18.67 m with respect to the N60 system in Hyytiälä. The "new" N2005 heights are 0.32 m above N60.

LiDAR data were originally delivered in the UTM35 projection with ellipsoidal heights but were always converted to KKJ-2/N60 that forms a common basis for the remote sensing and reference data.

2.1.4 Camera coordinate system – camera calibration and lens errors

This is a Cartesian xyz system, metric, inside the camera according to the perspective camera model. The origin is at projection center 'inside the lens' – an ideal point through which all image rays pass. The planar focal plane (where the image forms) is at some distance $z = \pm c$ (positive or negative image), from this point, and the plane normal intersects the projection center and forms the optical axis. c is called the camera constant. The intersection of the optical axis on the focal plane is called the principal point.

Image rays entering the aperture are mapped by optics to a point in the focal plane. This mapping is a straight line from the object, via the projection center, to a point in the focal plane. All points in the focal place have camera coordinates (x, y, c), where c is constant, and can be omitted leaving (x, y), in meters, in the focal plane. Camera coordinates (0, 0) are (in an ideal camera, pin-hole camera) for a point at the origin, which is in the middle of the focal plane, at the principal point. All points in the object space that are aligned with the optical axis map there. In real cameras, this point (x_0, y_0), defines the best symmetry for the perspective mapping, is physically at some location. This is defined in camera calibration along with the camera constant c, [m]. These three parameters are the minimal set of parameters that define the interior camera orientation.

Aerial (film) cameras are expensive instruments, and the lenses and focal plane are built such that the collinearity of image rays and the perspective mapping are reproduced in the images, down to an accuracy of a few micrometers. Such cameras are called metric. All aerial images in Hyytiälä were collected using metric sensors.

If the lens or the focal plane is not perfect, the deviations from the pinhole camera can be corrected for using equations that tell how wrongly the pixels in an image are with respect to a perfect camera. The deviations can be large in consumer-grade cameras, especially if the FOV is large (Fig. 9), up to tens of pixels. Terrestrial photo-grammetry images were collected using consumer-grade cameras.



Fig. 9. This image shows two superimposed images, the original one with lens distortions and an image that was re-sampled to represent an image in which the lens errors were removed, and the image follows the perspective mapping as closely as possible.

The correction equations are also called camera calibration models, and they model radial and tangential distortions, skewness of the focal plane etc. These parameters can be solved by using special arrangements (Fig. 10).



Fig. 10. Camera calibration targets. These are viewed from many directions with the camera that is calibrated, and a large bundle block is formed (of image rays that meet at the color-coded points), up to 15-20 rays per point from different directions, and the correction equations are solved with non-linear regression. The equations can be used to re-sample the image into a pinhole (undistorted) camera image, in which the deviations are minimized.

Kuvamitt uses only lens-corrected images. The calibration equations cannot be entered. Only focal length and position of the principal point are allowed.

2.1.5 Raster image coordinate system

Aerial images and raster elevation models have a width (W) and height (H), in pixels. Indexing starts from 0 and reaches to (W-1) or (H-1). The pixel in the up-left corner is the origin if the coordinate system is defined as left-handed, and the y-axis grows downwards. In a right-handed definition, the origin is in the low-left corner pixel, and the y-axis grows upwards. The coordinates system is continuous, and the mid-point of a pixel has the coordinates #.5 and #.5. Thus, the center of the pixel defining the origin has the column, row coordinates (0.5, 0.5). So, if a DEM has the origin at X = 6860000.00 and Y = 350000.00, and a grid size of 3 m, then the center of the pixel at the origin corresponds to (6860001.50, 350001.50).

KUVAMITT uses a right-handed system internally, and changes made in direction of the y-axis are seen throughout the code (y' =((height-1) - y). The same definition applies to other raster data, i.e. elevation models.

When an aerial image is scanned, each pixel in the digital image represents a point (area) in the focal plane that 'captured the image' (Fig. 8). The principal point, the origin of the camera coordinate system is at some (column, row) coordinate in the raster image. For photogrammetry a conversion to the camera coordinates (x,y) is needed. In Kuvamitt, and affine transformation is used for this task.

x' = ax + by + c
y' = dx + ey + f

If (x,y) are raster images coordinates, in meters, then c and f define the offset to the principal point, in column and row -values. If the raster image is perfectrly aligned with the camera coordinates system, and pixels are of equal size in both directions, 1/a == 1/e == size of the pixel in meters; and b == d == 0.

2.1.6 Exterior orientation - Frame sensors

Most aerial images are taken with a camera that follows the perspective camera model and are defined a point called the projection center. It is located at some (X0, Y0, Z0) world position, in the Cartesian object coordinate system (Fig. 8). The camera rotates about this point in 3D. This rotation defines 9 directional cosines between the axes of the two systems: camera and the object coordinate system (xX, xY, xZ, yX, yY, yZ, zX, zY, zZ). These cosines form an orthogonal 3x3 rotation matrix. The matrix is a function of three rotations: omega, phi, and kappa. There are many ways of arriving to the rotation matrix using different definitions for the rotations. Only the matrix is unambiguous. Because it is orthogonal, its inverse is simply the transposed matrix, and the direction of the mapping (scene – camera, camera – scene) is changed that way.

The set of six parameters {X0, Y0, Z0, omega, phi, and kappa} defines the exterior orientation – where the projection center (camera) was and how it was rotated about the projection center during exposure.

In Kuvamitt, the definition of the three rotations is such that the orthogonal R-matrix is given by the following nine equations.

R(1, 1) = Cos(phi)*Cos(kappa)
R(1, 2) = -Cos(phi)*Sin(kappa)
R(1, 3) = Sin(phi)
R(2, 1) = Cos(omega)*Sin(kappa)+Sin(omega)*Sin(phi)*Cos(kappa)
R(2, 2) = Cos(omega)*Cos(kappa)-Sin(omega)*Sin(phi)*Sin(kappa)
R(2, 3) = -Sin(omega)*Cos(phi)
R(3, 1) = Sin(omega)*Sin(kappa)-Cos(omega)*Sin(phi)*Cos(kappa)
R(3, 2) = Sin(omega)*Cos(kappa)+Cos(omega)*Sin(phi)*Sin(kappa)
R(3, 3) = Cos(omega)*Cos(phi)

If (X,Y,Z) is the point in the scene that is mapped to an image point in the focal plane (p_x, p_y), and the projection center is in point (X0, Y0, Z0), and c is the camera constant, the following subroutine yields the image points coordinates in the camera coordinate system:

```
Public Sub r_transform_3D(X, Y, Z, p_x, p_y, c, X0, Y0, Z0)
Dim k As Double
If (c <> 0#) Then
   k = (R(1,3)*(X-Xo) + R(2,3)*(Y-Yo) + R(3,3)*(z-Zo))
  Else
 k = 0#
End If
If (k <> 0) Then
  p_x = -c*(R(1,1) *(X-Xo)+R(2,1)*(Y-Yo)+R(3,1)*(z-Zo)) / k
  p_y = -c*(R(1,2) *(X-Xo)+R(2,2)*(Y-Yo)+R(3,2)*(z-Zo)) / k
Else
  p_x = p_y = 0#
End If
End Sub
```

Then, if this point is denoted (X, Y), its camera coordinates in meters are converted to an image position (column, row) using affine transformation. Parameters of it are a_, b_, c_, d_, e_, and f_:

```
Select Case direction
  Case 0 ' From camera coordinates to image coordinates (pixels)
   px = a_ * X + b_ * Y + c_
   py = d_ * X + e_ * Y + f_
  Case 1 'From image coordinates (pixels) to camera (m)
   px = (-e_*c_ + e_*X + f_*b_ - Y*b_) / (a_*e_ - b_*d_)
   py = -(a_*f_ - a_*Y - c_*d_ + X*d_) / (a_*e_ - b_*d_)
 End Select
End Sub
```

The code above can be used to check if an XYZ point maps to a particular image. The HDR-file of an image has the IO and EO orientation parameters. See (Appendix 1a – HDR-files, frame sensor).

2.1.7 Pushbroom sensors

A line-sensor has a focal plane as in any camera, but the photon detector is not a rectangular CCD array or a film frame. The image capture is done using a single or several line-shaped image detectors, such as 1xN pixel CCD row-detectors. Preferably, the lines are aligned in the direction of the x-axis in the camera, if the y-axis points to the direction of the flying. A sensor line in the middle of the focal plane views the scene right below the vertically mounted camera, to the left and right. A line at the back of the camera views the scene in front of the plane (Fig. 11).




Fig. 11. A line sensor with 11 linear light sensing photodetectors on the focal plane, viewing the forward, nadir and backward directions.

A pushbroom sensor has similar optics to a frame camera, but there is no shutter, i.e. light is received on the focal plane through an aperture continuously. Typically, a beam splitter is used to deflect the different parts of the spectrum to the wanted detector lines (in multi- or hyperspectral sensors).

The photodetecting elements are allowed to integrate the signal for some milliseconds, and during this time the camera moves forward. Thus, the squared-shaped pixels capture a square-shaped area only if the ground speed and the integration time match.

The scene is flown over and as integration happens several hundred times per second, the consecutive lines form an 'image-mat' consisting of thousands of lines. The camera is mounted on a stabilizing platform, such that the movements of the aircraft do not show in the image (Fig. 12).

The perspective mapping, or the pinhole-camera principle, holds in push-broom (line) sensors as well. However, whereas in a frame sensor, where 'millions of image rays' map to the focal plane during the shutter release, when the camera is in a certain location and rotation, it is not possible to map an XYZ point to the push-broom image-mat in the simple way as depicted in Section (Exterior orientation - Frame sensors). A line sensors 'takes exposures' every few milliseconds and if the aircraft's nose turns quickly, the same point on the scene can map to several image lines, and some pixels may integrate light from an extended pixel as the camera rotates with the plane (the motion compensation is never perfect, Fig. 12).




Fig. 12. Epipolar line segments in two ADS40 line-sensor Level-0 images (raw) and in one Level-1 (stereo-oriiented) image. The roof corners and chimneys were pointed in some fourth image, resulting in image rays (epipolar line segments) down towards to the scene. Segments of these lines over a Z-range of ± 5 m were drawn on the images. L0 images show the camera movement and epipolar lines become curved, while L1 image is projected to a plane and the epipolar line is nearly horizontal, enabling quick search along image rows and stereo viewing.

Because of the continuous collection of an image-mat, finding the right pixel for an XYZ point in the scene calls for iteration, and is computationally more expensive than the use of collinear equations for frame images that consist of some tens of operations. The iteration narrows down to the expected line and then finds the pixel in that line or interpolates between neighboring pixels on consecutive image lines.

The other direction is simpler. A pixel has certain camera coordinates (x,y) and was integrated during some time point t. The orientation information, set {X0, Y0, Z0, omega, phi, and kappa} is known for each time point, and the R-matrix is easily computed. The ray can be cast from the pixel via the projection center at position (X0, Y0, Z0) to the direction defined by the three angles towards the scene.

The experiment includes push-broom image data by ADS40 sensor.




Fig. 13. The perspective distortion of trees is always the same in an image mat captured by a line. A linear sample in the polar coordinates of the BRDF (depends on the flying direction and solar azimuth.) is obtained.

2.1.8 Raw and projected images

An image was captured by the digital sensor array or film, which was scanned into a raw digital image. In multi-head cameras (pan-sharpening principle), the final image can consist of many sub-images, that exist as such, or that have been 'stitched together'. This fusion may involve correction for lens errors.

In film images, lens (and digitizer) errors are remnant in the raw images. In images taken with multi-head photogrammetric sensors, the errors are removed in post-processing. In terrestrial images, the lens errors remain but the correction functions are given to enable the re-projection into distortion-free 'metric' images.

Projected images can be images normalized to form stereo pairs (for stereo viewing), or orthoimages, or ADS40 line sensor images in which the camera movement is removed, and image is re-projected to some plane. Kuvamittt does not support extended camera models. The projected versions can be produced from the raw images using the lens error information, exterior and interior orientation information and appropriate software.



Fig. 14. A raw image scanned from the 18x18 cm aerial film (1946); north is 'to the left'. An orthoimage patch of the Kallenautio kestikievari. North is up, and each pixel corresponds to an XY location in a map projection.




Fig. 15. Stereo normalized pair from 1946. The corresponding targets are on the same image lines (rows).




Fig. 16. Anaglyph stereo view. The left image and right image are superimposed with some offset in the column direction, and different colors are used for the left and right images (use red-blue glasses).

2.1.9 Campaign and frame/image ids

An image belongs to a campaign. For example, code FM97251 refers to the FM-Kartta company, year 1997 and their internal campaign number 251 comprising one strip of nine overlapping photographs on B&W film (Fig. 17). The exposures all have a unique code, numeric. It is essential to know the sensor and date of photography to have access to the right camera calibration certificate for information about focal length, position of the principal point, lens errors, lens MTF, radiometric features in digital sensors etc.




Fig. 17. The nine frame images of FM97251 (1:10000, B&W film) extend from Lapinkangas to Valkeajärvi

2.1.10 Solving the exterior orientation (EO) for frame images

The exterior orientation (EO), i.e. parameter set {X0, Y0, Z0, omega, phi, kappa} for each FRAME image has been established using bundle block adjustment, or aerial triangulation (AT).

AT uses redundancy, which is provided by image overlaps. Same scene points are seen in more than one image (Fig. 18). These are 'tie points'. Their XYZ coordinates are typically unknown.

Just by using tie points, it is possible to establish a bundle block that has the right relative geometry, but an arbitrary position (XYZ), scale and attitude (3 rotations).

Most tie points that 'tie together' 2–M images. In addition, there can be scene points for which X, Y and Z are observed (full control points), X and Y (planimetric), or just Z (height) is known. Using these observations, the bundle block is brought to the right position, attitude and scale. Alternatively, or as a complement, the unknown EO parameters per image {X0, Y0, Z0, omega, phi, kappa}, can be observed at some accuracy during the flight, by means of satellite positioning and inertial navigation systems. When such observations are available, AT is called GPS/IMU-assisted. Such systems have been on board since the early 2000s. The GNSS/IMU observations are available for many campaigns since 2002.

Weighted non-linear regression is used to solve the large system of linearized equations of AT. In it, weights are used to balance between different a priori error estimates. For example, the measurement accuracy of the control points may vary. It is possible to impose further 'observations' to the regression. For example, if three tie points (a, b, c) are known to be on a 3D line, or have the same Z (lake shoreline), such simple observation equations can be added to the system (Za – Zb = 0; Zb-Zc=0; Zc-Za=0).




Fig. 18. Principle of multi-temporal aerial triangulation (AT) that combines ground control points (GCP), direct sensor observations and immobile points seen in multi-temporal images. The EO parameters are solved using AT.

AT of vertical aerial images is highly automated, and manual AT should be avoided, because it is a laborious task, but has been done in many cases in Hyytiälä as commercial software was lacking.

2.1.11 KUVAMITT HDR files

Each aerial image comes with a header file, *. HDR (Appendix 1a – HDR-files, frame sensor, Appendix 1b – HDR-files, line-sensor).

An HDR-file is ANSI-coded text, and shows the exterior and interior orientation parameters, image size, color model, mm.

Potential future improvements to the HDR-files (additional attributes, now lacking) include:

- Date and time of photography
- Camera model (string)
- Free notes (string)
- Coordinate system (string)
- Camera calibration (lens errors) parameters and/or distortion values, LUT-style

2.1.12 UTM – KKJ conversion, Geoid corrections

When activities in Hyytiälä began, KKJ-2/N60 system was well alive, and is therefore used still (2024).

Since about 2010, ETRS-TM35FIN coordinate system has been in use in Finland. A cm-accurate local conversion between KKJ-2/N60 and the UTM35 (x,y) / WGS84 ellipsoid heights (z) exists:

```
YKJ_Y = 1.000402868 * UTM_Y +
        -0.000006294037 * UTM_X + 116.5155

YKJ_X = 0.000007547778794 * UTM_Y +
        1.000404696 * UTM_X + 2999916.234

KKJ_x = -0.04613085453 * YKJ_Y +
        0.998685712 * YKJ_X - 521029.6315

KKJ_y = 0.04614063371 * YKJ_X +
        0.9986922807 * YKJ_Y - 148875.5398

N60 = WGS84_H - 18.67 // (Geoid FIN2000)
```

Here YKJ refers to the Gauss-Kruger projection along longitude 27 i.e. the KKJ-3 zone, while KKJ is KK2-2 zone (longitude 24).

18.67 m is the Geoid correction for N60 in Hyytiälä. It is the difference between WGS84 ellipsoidal heights and N60 orthometric heights. N2000 orthometric heights - add 0.32 m to N60 elevations in Hyytiälä.

Note, a new height system is introduced in Finland. The geoid models are kept-up-to date, and for example the model N2010 shows a different geoid correction to (mean sea level) because of 'land upthrust', some 4 mm/a.

See also EurefMuunnos.exe, and the FGI's website site for coordinate transformations.

N.B. It is not possible to redefine the exterior orientation of the images without careful consideration of the different coordinate systems. To convert the image EO to another system, it is advisable to first find conjugate points (X,Y,Z) and their image positions (x,y) on the images, then convert the XYZ to the new system XYZ_{new}, and carry out bundle block adjustment in the new XYZ system. This has been done in e.g. the 2020 RGB-imaging campaign.

There may be (advanced) ways of finding the 3D rotation + offset (for the six EO parameters) for each image that considers the exact rotations and offsets between the two XYZ systems in that very point. E.g. the direction Z-axis of KKJ/N60 changes continuously in space (the rotation between KKJ xyz and any other system). Such conversions might be found in some sophisticated photogrammetric systems.

2.2 Analogue film images 1946-2004

All large-scale images covering Hyytiälä have been looked for from the archives of the National Land Survey, Topografikunta and, Finn-map/Blom Finland, and the photographs were digitized using high-grade photogrammetric scanners at pixel sizes of 14, 15 and 21 micrometers, 8 bits per color per pixel. This work was mostly done in 2005–2006. The formats were variants of TIFF, but the stored raw images are in row order, [RGB] or grey-level, one byte per pixel (unsigned 8-bit char), band-interleaved-by-pixel –type (BIP). The HDR-files are needed to determine the W and H of the raw-images.

The camera calibration certificates were collected, and these include information on the calibrated camera constant, location of the fiducial marks in the camera coordinate system, position of the principal point with respect to the fiducial marks, information on the radial and tangential lens distortions etc., i.e. parameters for the interior orientation.

Older film frames were 18 x 18 cm in size (1940s), later a 23x23-cm size was used.

A fiducial mark transformation (affine) has been estimated for each frame. It can be used to convert the column-row image observations the metric x,y camera coordinates. See the HDR-files.

$$\begin{bmatrix} x_{new} \\ y_{new} \end{bmatrix} = \begin{bmatrix} a & b & c \\ d & e & f \end{bmatrix} \begin{bmatrix} x_{old} \\ y_{old} \\ 1 \end{bmatrix} \qquad \begin{aligned} x_{new} &= ax_{old} + by_{old} + c \\ y_{new} &= dx_{old} + ey_{old} + f \end{aligned}$$

The old images were oriented using tie points (Fig. 18) and control points (Fig. 19). See (Korpela, 2006) in Silva Fennica.




Fig. 19. Control points (XYZ, Z) used in the triangulation of 1946–2004 film images. Reliable EO information is available only for the area and images enclosed by the CPs. CPs were stones and man-made structures.




Fig. 20. USGS principle image of fiducials.

2.3 Digital frame-camera images 2006–

Since 2006 most (frame-type) aerial imaging has been done with multi-head digital sensors following the PAN-sharpening principle.

The term multi-head means that the device consists of multiple cameras each of which has its own lens, shutter and focal plane (Fig. 21). The shutter releases may be timed to compensate for camera forward movement during the few milliseconds of exposure.

PAN stands for panchromatic, i.e. wide spectral response in the visible-near-infrared spectrum, ~ B&W film. A high-resolution PAN image is a mosaic of several sub-images that are captured by several lenses. The mosaic is a perspective image, and in the mosaicking (stitching) process, interpolation is done, thus the very original image structure of the sub-images may not be entirely preserved.

Multispectral (MS) imaging is done with separate cameras for each band. They typically have a different focal length, thus larger pixels on the ground, but the field-of-view matches that of the mosaicked PAN image. Filters are used to get a narrower spectral response at blue, green, red, and near-infrared bands. These MS images have a different resolution, lower compared to PAN. The ratio of the pixel sizes is called the PAN-sharpening ratio.

The post processing software of the camera manufacturer is needed to output the different image products, and they differ between sensors.

- The very raw PAN sub-images are typically not available
- The stitched PAN image with high resolution is available (PAN level2 or PAN- Level3, and the IO and EO can be defined for this image. These images have PRNU-calibration.
- The raw MS images are available, but it may not be possible to define the IO and EO for these, to map XYZ scene points to a R/G/B/N band pixel. Level2 RGBN images have EO and PRNU calibration.
- PAN-sharpened image (color or color-infrared) is available. The method of PAN-sharpening s.b. known. In that process the MS information is used to 'color' the high-resolution PAN image and this process affects the radiometry of the final product.

2.3.1 UltraCAM-series

UltraCAM series (D and Xp) of cameras were used in 2006, 2007 2010, and 2012. Later UltraCam models in 2015, 2018, 2020, 2022 and 2023. The camera captures images with 4 PAN + 4 multispectral CCDs. These images have lens errors, and the PAN images have overlap. The four PAN images are called L1 images and processed into a single perspective PAN image with lens errors removed (the PAN images are stitched). There are five L2 images: PAN, BLU, GRN, RED, and NIR. PAN-sharpening is used to combine the grey-levels and details of the high-resolution PAN-image with the multispectral channels to produce Level-3 images that have as many pixels as the PAN image has. The radiometry of these is highly changed and these should be used for visualization only.





Fig. 21. Top: UltraCamX with four multispectral lenses and four PAN lenses. Bottom: Z/I imaging DMC II (Hyytiälä 2009).

2.3.2 DMC

In 2009, a z/I imaging DMC camera was used, which is also a multi-head device (Fig. 21). See Section (2009 DMC morning/noon flights). Like the UltraCam sensors, the user has access to post processed 'virtual' images. National land survey has since captured topographic images with the same sensor. The DMC at NLS was abandoned in 2016?

2.3.3 Hasselblad

In 2011, 2013 and 2015 a Haselblad camera was operated in the LiteMapper Waveform LiDAR sensor system that combines imaging

and laser scanning. The RGB sensor is metric as the lens errors are in the sub-pixel range (< 6 um).

2.3.4 Titan RGB camera

During the LiDAR of 2016 (Titan 3-band LiDAR), there was an RGB sensor capturing images. The lens errors were not entirely removed by the calibration.

2.3.5 Riegl 1550 RGB camera (2018, 2020,2023)

These LiDAR campaigns were done during the daytime and an RGB sensor captured images during the acquisition. The resolution of the sensor was the highest in the 2023 sensor system.

2.4 Additional data during campaigns

This section is incomplete (diary type). Since 2010 the vegetation is mostly documented by field photography when a LiDAR or imaging campaign took place.

* Sudenkytö road, i.e. 'Sudenkydön lenkki' got a layer of crushed stones in spring 2006 (LiDAR of 2006). This enabled its use for radiometric calibration of LiDAR in 2006/07.

* Fields of Ala-Hyytiälä had turnip mustard in 2007, oat in 2006 (LiDAR intensity calibration of 2007)

* Shape files of Lauri Korhonen (Canopy Cover, 2009)
hyde_ccplots_shp.zip

* Removal of gravel from roofs of buildings A/B/C – autumn 2007.

* Weather data, in-situ reflectance measurements, reflectance tarps BRDFs, camera calibration certificates etc. (to be completed)

* High-voltage power lines were dismantled in 2023

* Hyytiälä buildings (dormitories) from 1977 were dismantled in 2024 and their bitumen roofs or linear structures no longer serve as calibration taskets.

2.5 The aerial image campaigns

Table 1. Characteristics of imaging campaigns.

Campaign	Scale	Color model	Pixel, cm	Sensor	SMEAR	Susi-mäki	Lakka-suo	Siika-neva	Speciality
1946-S533	1:20000	BW	30	f=20 cm	1	0	1	0.5	
1946-S537	1:20000	BW	30	f=20 cm	0	1	0	0.5	
1946-S544	1:20000	BW	30	f=20 cm	1	0	1	0	includes series S550
1962-62121C	1:16000	BW	24	f=15 cm	1	1	0	0	Clouds
1963-6306	1:60000	BW	90	f=15 cm	1	1	1	1	Overview of the whole Hyytiälä area
1966-66163	1:20000	BW	30	f=15 cm	1	1	1	0.2	
1969-69113	1:13000	BW	19	f=15 cm	0	1	0	0	Along road 66, for road construction
1973-73166	1:21600	RGB	32	f=15 cm	1	1	1	0.2	
1973-73204	1:21600	CIR	32	f=15 cm	1	1	1	0.2	
1977-KT7736	1:17500	BW	25	f=15 cm	1	1	1	0	
1983-89193	1:12400	BW	19	f=15 cm	0	0	0	0	Along Väärinmaja-road, for road construction
1984-84128	1:16000	BW	24	f=21 cm	1	0	1	0	
1985-85151	1:15000	CIR	21	f=15 cm	0	1	0	0	Research (Poso et al.)
1985-85230	1:10000	CIR	14	f=15 cm	1	0	0.5	0	"
1985-85231	1:10000	BW-IR	14	f=15 cm	1	0	0.6	0	"
1985-85232	1:20000	CIR	28	f=15 cm	1	0	1	0	"
1985-85233	1:30000	CIR	42	f=15 cm	1	1	1	1	Orientation in Siikaneva is uncertain, lack of GCPs
1986-86100	1:30000	CIR	42	f=15 cm	1	0	0	0	SMEAR obstructed by a cloud
1986-86286	1:30000	CIR	42	f=15 cm	0	1	0	0	
1988-88086	1:30000	CIR	42	f=15 cm	1	1	1	0.5	
1989-89204	1:30000	CIR	42	f=15 cm	1	1	1	0.1	
1989-89254	1:5000	CIR	8	f=15 cm	1	0	0	0	SMEAR not in stereo
1991-91142	1:30000	CIR	42	f=15 cm	1	0	1	0	
1992-92064	1:30000	CIR	42	f=15 cm	1	1	0	1	
1992-92199	1:5000	CIR	8	f=15 cm	0	0	0	0	
1995-95267	1:5000	CIR	8	f=15 cm	0	0	0	0	Joensuu-Helsinki commaloration, ministry of agr.for.
1995-95268	1:20000	CIR	28	f=15 cm	1	0	0	0	"
1995-95269	1:30000	CIR	42	f=15 cm	1	1	1	1	"
1995-95270	1:50000	CIR	70	f=15 cm	1	1	1	1	"
1997-97248	1:5000	CIR	8	f=15 cm	1	1	0	0	ilkka korpela's licentiate thesis photography
1997-97249	1:16000	CIR	22	f=15 cm	1	0	0	0	"
1997-97250	1:5000	BW	8/10	f=15 cm	0	0	0	0	"
1997-97251	1:10000	BW	21	f=15 cm	1	0	0	0	"
1998-98110	1:16000	BW	24	f=21 cm	1	0	1	0	NLS-topographic
1999-99108	1:16000	BW	24	f=21 cm	1	0	1	0	
1999-99264	1:30000	CIR	42	f=15 cm	1	1	0	0.2	
2000-00106	1:16000	BW	24	f=15 cm	1	0	0	0	
2002-02204A	1:6000	RGB	9	f=15 cm	1	0	0	0	
2002-02204B	1:6000	CIR	9	f=15 cm	1	0	0	0	

Table 2. Continues

Campaign	Scale	Color model	Pixel, cm	Sensor	SMEAR	Susi-mäki	Lakka-suo	Siika-neva	Speciality
2002-02205	1:12000	CIR	18	f=15 cm	1	0	0	0	
2002-02206	1:16000	CIR	22	f=15 cm	1	0	0	0	
2002-02207	1:30000	CIR	42	f=15 cm	1	0	1	0	
2004-04402	1:14000	CIR	21	f=21 cm	1	0	0.5	0	
2004-04403	1:8000	CIR	12	f=21 cm	1	0	0.3	0	
DIGITAL IMAGING starts from 2006 - no more film photography									
2006-06205	5800 m	PAN-CIR	51	Ultracam-D	1	1	1	0.8	Only PAN-sharpened CIR (24 bit) images stored
2006-06214	1000 m	PAN, RGBN	8.5/27	Ultracam-D	1	0	0	0	L3 (PAN-CIR, 24 bit), L2 PAN (16 bit), L2 RGBN (64 bit)
2007-07015	2350 m	PAN, RGBN	20/64	Ultracam-D	1	0	1	0	L3 (PAN-CIR, 24 bit), L2 PAN (16 bit), L2 RGBN (64 bit)
2008-ADS40_1	1000 m	PAN, RGBN	10	ADS40-SH52	1	0	0.5	0	L0 raw, L1 ASR, ATM,
2008-ADS40_2	2000 m	PAN, RGBN	20	ADS40-SH52	1	0	1	0	L0 raw, L1 ASR, ATM, BRDF, FULL (corrections)
2008-ADS40_3	3000 m	PAN, RGBN x 2	30	ADS40-SH52	1	1	1	0	L0 raw, L1 ASR, ATM, BRDF, FULL (corrections)
2008-ADS40_4	4000 m	PAN, RGBN x 2	40	ADS40-SH52	1	1	1	0	L0 raw, L1 ASR, ATM, BRDF, FULL (corrections)
2009-DMC-1101	2000 m	PAN, RGBN	20/80	Z/I imaging DMC I	1	0	1	0	sun at 25 degrees; L3 32 bit RGBN-PAN, L2 16-bit PAN, L2 48 bit RGBN
2009-DMC-1102	3000 m	PAN, RGBN	30/120	Z/I imaging DMC I	1	0	1	0	sun at 25 degrees; L3 32 bit RGBN-PAN, L2 16-bit PAN, L2 48 bit RGBN
2009-DMC-1103	4000 m	PAN, RGBN	40/160	Z/I imaging DMC I	1	0	1	0	sun at 25 degrees; L3 32 bit RGBN-PAN, L2 16-bit PAN, L2 48 bit RGBN
2009-DMC-1104	2000 m	PAN, RGBN	20/80	Z/I imaging DMC I	1	0	1	0	sun at 45 degrees; L3 32 bit RGBN-PAN, L2 16-bit PAN, L2 48 bit RGBN
2009-DMC-1105	3000 m	PAN, RGBN	30/120	Z/I imaging DMC I	1	0	1	0	sun at 45 degrees; L3 32 bit RGBN-PAN, L2 16-bit PAN, L2 48 bit RGBN
2009-DMC-1106	4000 m	PAN, RGBN	40/160	Z/I imaging DMC I	1	0	1	0	sun at 45 degrees; L3 32 bit RGBN-PAN, L2 16-bit PAN, L2 48 bit RGBN
2010-UCXp	2500 m	PAN, RGBN	15/45	Ultracam-Xp	1	0	0	0	L3 (PAN-CIR, 24 bit), L2 PAN (16 bit), L2 RGBN (64 bit)
2011-Hasselblad	750 m	RGB	12	Hasselblad H4D-50	1	0	0	0	24-bit RGB; leaf-off November
2012-UCD	1500 m	PAN, RGBN	13/42	Ultracam-D	1	0	0	0	L3 (PAN-CIR, 24 bit), L2 PAN (16 bit), L2 RGBN (64 bit)
2013-Hasselblad	750 m	RGB	12	Hasselblad H4D-50	1	0	0	1	24-bit RGB; Early summer, separate blocks in Siikaneva
2015-UCXp	5000 m	RGBN 8bit	10	UltraCam SXp	1	1	1	0	By NLS, only 12 images were acquired in 2018 for FOR254
2015-Hasselblad	750 m	RGB	12	Hasselblad H4D-50	1	0	0	0	24-bit RGB; Late summer, overexposure.
2016-Titanf	1000 m	RGB	10	CS10000 integrated	1	0	1	0	24-bit RGB; June 14, manual relative orientation with iWitnessPro
2018-Riegl	1200 m	RGB	10	IXU-RS2001	1	0	0	0	24-bit RGB, automatic aerial triangulatoin.
2020-Riegl	1200 m	RGB	10	IXU	1	0	0	0	24-bit RGB, repeats 2018-Riegl imaging, June 3
2020-UCam	3300 m	PAN, RGBN	13/42	Ultracam	1	0	1	0	Vexcel ultracam, June 10, low solar elevation, LvL2 and Lvl3
2022-NLS	7000 m	RGBN 8bit	40	UltraCAM Eagle	1	1	1	?	May 25, not yet full leaf condx, low solar elevation, only LvL3 RGBN
2023-Riegl	1200 m	RGB	10		1	0	0	0	
2023-UCam	3300 m	PAN, RGBN	13/42	UltraCam	1	0	1	0	

2.5.1 1946 Black & White (BW) - old land use in Hyytiälä

In 1946 the first cartographic images were acquired in the Hyytiälä area by Maanmittaushallitus. A horizontal camera was used (developed by Nenonen), and the camera was mounted to a Blenheim WWII bomber. The film is nitrate based in safety stock at Topografikunta. The two horizon images are not always (see S537) included in the scans. Images were oriented as a part of the 1946–2004 block, see (Korpela, 2006).




Fig. 22. S537 photo 24 was taken at 11:55, July 13, 1946.The horizon photos are shown.

S4728 is from Lyly and images were not oriented. The scans were acquired by a mistake done at Topografikunta who did the scanning in 2005.

S533

Due to wind, the coverage had suffered. Reaches from Korkeakoski in the East, to Lakkasuo in South, Siikakanges in West and N end of Kuivajärvi in the north.




Fig. 23. Campaign 533. N=21 images, 06.06.1946, 10:27-12:00, BW, 1:20000, f=20cm/18x18 cm film, 15 microns.

Files stored (126 Files, 5 Folders, 6 349 916 028 actual bytes)

- Aerial_Images\533\Histogram
  Number of pixels by grey level
- Aerial_Images\533\Info
  Scanner parameters
- Aerial_Images\533\QuickView
  Decimated JPGs
- Aerial_Images\533\HDR
  Kuvamitt HDR files
- Aerial_Images\533\Images
  Image files in TIFF and RAW format

S537

Photography for the Map sheet north of Hyytiälä: Siikakangas – Talo-Mäkelä (6860000 North). Horizon camera parts of film scanned.




Fig. 24. Campaign S537. N=14 images, 13.07.1946, 12:45-15:30, BW, 1:20000, f = 20 cm/18x18 cm film, 15 microns

Files stored (84 Files, 5 Folders, 4 341 415 980 actual bytes)

- Aerial_Images\537\Histogram
  Number of pixels by grey level
- Aerial_Images\537\Info
  Scanner parameters
- Aerial_Images\537\QuickView
  Decimated JPGs
- Aerial_Images\533\HDR
  Kuvamitt HDR files
  - Aerial_Images\533\Images
    Image files in TIFF and RAW format

S544 & S550

Patch up campaigns. There were no GPS instruments those days to control the imaging locations. S544 is south of Hyytiälä: Lakkasuo-Huikonkangas. S550 has Hyytiälä in the middle.




Fig. 25. Campaign S544, N=6 images, 17.07.1946 08:?? BW, 1:20000, f= 20 cm / 18 x 18 cm film, 15 um, Camera # 63462; A patch up?




Fig. 26. Campaign S550. N=11 images, 20.08.1946 08:05-08:40, BW, 1:20000, 20/18, 15 um, Camera Mh N3; f=20.5 cm; Super XX film, A patch up.

Files stored (144 Files, 5 Folders, 3 383 043 366 actual bytes)

- Aerial_Images\544_550\Histogram
  Number of pixels by grey level
- Aerial_Images\544_550\Info
  Scanner parameters
- Aerial_Images\544_550\QuickView
  Decimated JPGs
- Aerial_Images\544_550\HDR
  Kuvamitt HDR files
- Aerial_Images\544_550\Images
  Image files and tiles in RAW format (see also the els file)

2.5.2 1962 BW - SMEAR stand clear-cut and burned

A small set of four scanned images that suffer from shadows cast by clouds. From Siikakangas to Mäkelänjärvi. Shows SMEAR stand right after prescribed burning in 1961!.




Fig. 27. campaign 62121C, N=4 images, 24.06.1962 09:23-09:26, BW, 1:16000, f=15/23x23 cm film, 15 um.

Files stored (8 Files, 2 Folders, (975 439 565 actual bytes)

- Aerial_Images\62121\HDR
  Kuvamitt HDR files
- Aerial_Images\62121\Images
  Image files in RAW format

2.5.3 1963 BW - Overview of the surrounding area to Hyytiälä

High-altitude 1:60000 photographs covering a large area around Hyytiälä. Acquisition date unknown. Orientation accuracy is lower far (> 5 km) away from Hyytiälä, from where there were few or no ground control points. 90-cm pixels (15 um).




Fig. 28. Campaign 6306, N=6 images, dd.mm. 1963, hh:mm, BW, 1:60000, 15 cm/23x23 cm, 15um.

Files stored (36 Files, 5 Folders, 2 936 259 750 actual bytes)

- Aerial_Images\6306\Histogram
  Number of pixels by grey level
- Aerial_Images\6306\Info
  Scanner parameters
- Aerial_Images\6306\QuickView
  Decimated JPGs
- Aerial_Images\6306\HDR
  Kuvamitt HDR files
- Aerial_Images\6306\Images
  Image files in RAW and TIFF format

2.5.4 1966 BW - first forestry images

The first forestry campaign for Korkeakosken hoitoalue (forest district), head of which was the university's forester, and the office in Hyytiälä, in the Tapiola building.




Fig. 29. Campaign 66163, N=15 images, 10.06.1966, 08:36-09:13, BW, 1:20000, f=15/23x23 cm film, 15 um.

Files stored (31 Files, 2 Folders, 3 611 865 449 actual bytes)

- Aerial_Images\66163\HDR
  Kuvamitt HDR files
- Aerial_Images\66163\Images
  Image files in RAW format

2.5.5 1969 BW - photography for construction of road 66

From Lapinkangas in SE to Siikakangas in NW. Ordered by Tie ja vesihallitus (TVH).




Fig. 30. Campaign 69113, N=9 images, 09.05.1969, 12:40-13:04, BW, 1:13000, f=15/23x23 cm, 15 um.

Files stored (29 Files, 2 Folders, 2 188 313 202 actual bytes)

- Aerial_Images\69113\HDR
  Kuvamitt HDR files
- Aerial_Images\69113\Images
  Image files and tiles in RAW format (see the els file)

2.5.6 1973 Color and CIR - Topographic mapping

73166

From Lauttakangas in S, Korkeakoski in W, Talo-Mäkelä in N to Siikakangas in NW.




Fig. 31. Campaign 73166. N=17 images, 20.05.1973, 11:55-13:10, COL, 1:21600, f=15/23x23 cm, 15 um.

Files stored (35 Files, 2 Folders, 11 941 082 578 actual bytes)

- Aerial_Images\73166\HDR
  Kuvamitt HDR files
- Aerial_Images\73166\Images
  Image files in RAW format

73204

As 73166, but on CIR film. A bit of overexposure.




Fig. 32. N=17, 20.05.1973 11:55-13:10 COL, 1:21600, 15/23, 15 um

Files stored (47 Files, 2 Folders, 10 936 281 636 actual bytes)

- Aerial_Images\73204\HDR
  Kuvamitt HDR files
- Aerial_Images\73204\Images
  Image files and tiles in RAW/TIFF format (see the els file)

2.5.7 1977 BW - Orienteering; '77 buildings

KT7738 by Kunnallistekniikka company. Shows the Hyytiälä with the construction of many buildings in 1977.




Fig. 33. N=11, 21.05.1977 09:30-09:40 BW, 1:17500, 15/23, 14 um.

Files stored (34 Files, 2 Folders, 3 038 395 309 actual bytes)

- Aerial_Images\7738\HDR Kuvamitt HDR files
- Aerial_Images\7738\Images RAW image files and TIFF tiles

2.5.8 1983 BW – Väärinmaja-road construction

83193

Along the Väärinmaja road from Lapinkangas to Toiviojärvi.



Fig. 34. Campaign 83193, N=11 images, 22.05.1983 10:56-11:04 BW, 1:12400, f= 15/23, 15 um.

Files stored (34 Files, 2 Folders, 2 636 982 657actual bytes)

- Aerial_Images\83193\HDR Kuvamitt HDR files
- Aerial_Images\83193\Images Image files and tiles in RAW format (see the els file)

2.5.9 1984 BW – Topographic mapping

84128

Narrow-angle camera images in leaf-off conditions. KKJ map sheet south of Hyytiälä.




Fig. 35. Campaign 84128A, N=10 images, 13.05.1984, 09:55-11:36, BW , 1:16000, f=21/23x23 cm, 15 um.

Files stored (20 Files, 2 Folders, 2 421 522 046 actual bytes)

- Aerial_Images\84128\HDR Kuvamitt HDR files
- Aerial_Images\84128\Images Image files and tiles in RAW format (see the els file)

2.5.10 1985 CIR and BW-infrared for forestry/research

Images taken by Finnmap company (A company following Kunnallistekniikka, film archives possessed by FM-kartta, Blom Geomatics in 2013)

85151

CIR image triplet with Susimäki-Karhujärvi area in stereo.



Fig. 36. 85151; N=3, 26.06.1985, 12:05, CIR, 1:15000, 15/23, 14 um

Files stored (9 Files, 2 Folders, 2 485 925 184 actual bytes)

- Aerial_Images\85151\HDR
  Kuvamitt HDR files
- Aerial_Images\85151\Images
  Image files and tiles in TIF format

85230

Single strip with 8 CIR images taken for research by Keskusmetsälautakunta Tapio, Prof. Poso /UH, Metsähallitus. Large scale, 14 cm pixels.




Fig. 37. 85230, N=8, 12.07.1985, 12:50, CIR, 1:10000, 15/23, 14 um.

Files stored (24 Files, 2 Folders, 6 629 133 791 actual bytes)

- Aerial_Images\85231\HDR
  Kuvamitt HDR files
- Aerial_Images\85231\Images
  Image files and tiles in TIF format

85231

Single strip with 11 images taken on rare BW-IR film, for research purposes by Keskusmetsälautakunta Tapio, Prof. Poso /UH, Metsähallitus. Large scale, 14 cm pixels. Shows Lakkasuo almost entirely.



Fig. 1. 85231. N=11, 12.07.1985, 13:00, BW-IR, 1:10000, 15/23, 14um

Files stored (32 Files, 2 Folders, 3 038 387 590 actual bytes)

- Aerial_Images\85231\HDR
  Kuvamitt HDR files
- Aerial_Images\85231\Images
  Image files and tiles in TIF format

85232

Single strip with 7 CIR images, for research by Keskusmetsä-lautakunta Tapio, Prof. Poso /UH, Metsähallitus. Medium scale, 28 cm pixels.




Fig. 38. 85232. N=7, 12.07.1985, 13:10, CIR, 1:20000, 15/23, 14um

Files stored (21 Files, 2 Folders, 5 774 877 925 actual bytes)

- Aerial_Images\85232\HDR
  Kuvamitt HDR files
- Aerial_Images\85232\Images
  Image files and tiles in TIF format

85233

Seven CIR images, with Siikaneva. N.B. The exterior orientation accuracy is poor further away from Hyytiälä (c.f. Fig. 19).




Fig. 39. 85233. N=14, 31.05.1986, 10:35, CIR, 1:30000, 15/23, 14 um. (Images 1-7 not triangulated, West of Siikaneva.)

Files stored (39 Files, 2 Folders, 11 400 920 792 actual bytes)

- Aerial_Images\85232\HDR Kuvamitt HDR files
- Aerial_Images\85232\Images Image files and tiles in RAW format; ESPA work-files

2.5.11 1986 CIR 1:30000 for forestry

86100

State-owned forests south of Hyytiälä in three stereo pairs.




Fig. 40. N=4, 15.06.1986, 11:30-12:00, CIR, 1:30000, 15/23, 14 um.

Files stored (23 Files, 2 Folders, 5 247 924 741 actual bytes)

- Aerial_Images\86100\HDR Kuvamitt HDR files
- Aerial_Images\86100\Images Image files and tiles in RAW format; ESPA work-files

86286




Fig. 41. N=4; Date ? Time ?, CIR, 1:30000, 15/23/14 um.

Files stored (20 Files, 2 Folders, 6 730 227 616 actual bytes)

- Aerial_Images\86286\HDR Kuvamitt HDR files
- Aerial_Images\86286\Images Image files and tiles in RAW format; ESPA work-files

2.5.12 1988 CIR 1:30000 for forestry

88086 – 1:30000

From Hirsilä in the south to Siikakangas.




Fig. 42. N=9, 12.06.1988, 15:00, CIR, 1:30000, 15/23, 14um.

Files stored (26 Files, 2 Folders, 6 730 230 220 actual bytes)

- Aerial_Images\88086\HDR Kuvamitt HDR files
- Aerial_Images\88086\Images Image files and tiles in RAW format; ESPA work-files

2.5.13 1989 CIR 1:30000 forestry; 1:5000 for research

89204 – 1:30000




Fig. 43. N=4, 17.06.1989, 11:40, CIR, 1:30000, 15/23, 14um


Files stored (16 Files, 2 Folders, 2 957 969 190 actual bytes)

- Aerial_Images\89204\HDR Kuvamitt HDR files
- Aerial_Images\89204\Images Image files and tiles in RAW format; ESPA work-files

89254 – 1:5000

Flight line from Ketunsuo to SMEAR II. 8 cm CIR pixels.

Fig. 44. N=9, 12.06.1989, 10:00, CIR, 1:5000, 15/23, 14.



Files stored (27 Files, 2 Folders, 7 384 656 831 actual bytes)

- Aerial_Images\89254\HDR Kuvamitt HDR files
- Aerial_Images\89254\Images Image files and tiles in RAW format; ESPA work-files

2.5.14 1991 CIR 1:30000 for forestry

91142




Fig. 45. N=3, 05.07.1991, 11:15, CIR, 1:30000, 15/23, 14.

Files stored (11 Files, 2 Folders, 2 391 333 394 actual bytes)

- Aerial_Images\91142\HDR Kuvamitt HDR files
- Aerial_Images\91142\Images Image files and tiles in RAW format; ESPA work-files

2.5.15 1992 CIR 1:30000 forestry, 1:5000 for research

92064, 1:30000




Fig. 46. N=8, 03.06.1992, 14:45, CIR, 1:30000, 15/23, 14.

Files stored (26 Files, 2 Folders, 6 044 192 760 actual bytes)

- Aerial_Images\92064\HDR Kuvamitt HDR files
- Aerial_Images\92964\Images Image files and tiles in RAW format; ESPA work-files

92199, 1:5000 Vuorijärvi SMI inventory area




Fig. 47. N=6, 08.07.1992, 12:30, CIR, 1:5000, 15/23, 14

Files stored (18 Files, 2 Folders, 4 966 459 270 actual bytes)

- Aerial_Images\92199\HDR Kuvamitt HDR files
- Aerial_Images\92199\Images Image files and tiles in RAW format; ESPA work-files

2.5.16 1995 CIR 1:50000,30000, 20000, 5000 for research

95267A, 1:5000, SMI inventory area




Fig. 48. N=6, 24.06.1995, 14.45, CIR, 1:5000, 15/23, 14

95267B, 1:5000




Fig. 49. N=6, 28.07.1995, 09:30, CIR, 1:5000, 15/23, 14/21

Files stored (39 Files, 2 Folders, 10 747 121 541 actual bytes)

- Aerial_Images\95267\HDR Kuvamitt HDR files
- Aerial_Images\95267\Images Image files and tiles in RAW format; three images rescanned at 14 um (TIFs)

95268, 1:20000




Fig. 50. N=3, 24.06.1995, 14:45, CIR, 1:20000, 15/23, 14

Files stored (9 Files, 2 Folders, 2 418 292 392 actual bytes)

- Aerial_Images\95268\HDR Kuvamitt HDR files
- Aerial_Images\95268\Images Image files in RAW format; TIFF tiles

95269, 1:30000




Fig. 51. N=14, 24.06.1995, 14:30, CIR, 1:30000, 15/23, 14

Files stored (46 Files, 2 Folders, 10 862 037 200 actual bytes)

- Aerial_Images\95269\HDR Kuvamitt HDR files
- Aerial_Images\95269\Images Image files in RAW format; RAW/TIFF tiles

95270, 1:50000




Fig. 52. N=7, 24.06.1995, 14:00, CIR, 1:50000, 15/23, 14

Files stored (23 Files, 2 Folders, 5 260 162 806 actual bytes)

- Aerial_Images\95270\HDR Kuvamitt HDR files
- Aerial_Images\95270\Images Image files in RAW format; RAW/TIFF tiles

2.5.17 1997 CIR 1:16000, 5000, BW 1:10000, 5000 research, Korpela

97248, 1:5000



Fig. 53. N=16, 19.06.1997, 10:15, CIR, 1:5000, 15/23, 14/21 um.






Fig. 54. 97248 image quadruplets from Lakua and Susimäki (Top).

Files stored (32 Files, 2 Folders, 9 578 254 110 actual bytes)

- Aerial_Images\97248\HDR Kuvamitt HDR files
- Aerial_Images\97248\Images Image files in RAW format; TIFF tiles

97249, 1:16000 Korpela




Fig. 55. N=4, 19.06.1997, 09:50, CIR, 1:16000, 15/23, 14 um

A few cloud shadows visible.

Files stored (12 Files, 2 Folders, 3 224 389 857actual bytes)

- Aerial_Images\97249\HDR Kuvamitt HDR files
- Aerial_Images\97249\Images Image files in RAW format; TIFF tiles

97250, 1:5000 Korpela




Fig. 56. N=6, 19.06.1997, 09:15, BW, 1:5000, 15/23, 21/14 um

Scanned both at 14 and 21 ums. HDR files are for the 21 um original scans (measurement of fiducials in 14 um images is needed)
Files stored (30 Files, 2 Folders, 2 073 488 176 actual bytes)

- Aerial_Images\97250\HDR Kuvamitt HDR files
- Aerial_Images\97250\Images Image files in RAW; TIFF tiles

97251 1:10000 Korpela




Fig. 57. N=9, 19.06.1997, 09:30, BW, 1:10000, 15/23, 21 um.

Files stored (27 Files, 2 Folders, 1,109,915,135 actual bytes)

- Aerial_Images\97251\HDR Kuvamitt HDR files
- Aerial_Images\97251\Images Image files in RAW; TIFF tiles

2.5.18 1998 BW 1:16000 topographic mapping

98110A




Fig. 58. N=12, 15.05.1998, 09:42-10:10, BW, 1:16000, 21/23, 15 um,

Files stored (35 Files, 2 Folders, 2,600,286,609 actual bytes)

- Aerial_Images\98110a\HDR Kuvamitt HDR files
- Aerial_Images\98110a\Images Image & tile files in RAW

2.5.19 1999 BW 1:16000 topography; CIR 1:30000 forestry 99108A




Fig. 59. N=8, 15.05.1999, 10:03-12:30, BW, 1:16000, 21/23, 15 um.

Files stored (26 Files, 2 Folders, 1,891,475,490 actual bytes)

- Aerial_Images\99108a\HDR Kuvamitt HDR files
- Aerial_Images\99108a\Images Images & tile files in RAW

99264




Fig. 60. N=6, 25.06.1999, 15:47, CIR, 1:30000, 21/23, 14 um

Files stored (29 Files, 2 Folders, 4,836,592,488 actual bytes)

- Aerial_Images\99264\HDR Kuvamitt HDR files
- Aerial_Images\99264\Images RAW & tiles in TIFF

2.5.20 2000 BW 1:16000 topographic mapping 00106




Fig. 61. N=7, 09.05.2000, 13:50, BW, 1:16000, 21/23, 15 um.

Files stored (22 Files, 2 Folders, 1,732,863,647 actual bytes)

- Aerial_Images\00106\HDR Kuvamitt HDR files
- Aerial_Images\00106\Images RAW & tiles in TIFF

2.5.21 2002 CIR/COL 1:5000, 10000, 16000, 30000 research

These images were acquired for the photogrammetric (3D) single-tree remote sensing studies (Korpela, 2004). Scanning of films was done at 14 ums resulting in about 16428 x 16428 pixel images. The color-images 02204A were acquired later in the summer.

02204A & B 1:5000




Fig. 62. N=22, 10.07.2002, 10:52-10:56, COL, 1:6000, 15/23, 14 um.




Fig. 63. N=22, 27.05.2002, 09:46, CIR, 1:6000, 15/23, 14 um.

Files stored (133 Files, 2 Folders, 35,676,490,631 actual bytes)

- Aerial_Images\02204\HDR Kuvamitt HDR files
- Aerial_Images\02204\Images RAW & tiles in TIFF

02205 1:12000




Fig. 64. N=18, 27.05.2002, 10:00, CIR, 1:12000, 15/23, 14 um.

Files stored (55 Files, 2 Folders, 14,565,624,679 actual bytes)

- Aerial_Images\02205\HDR Kuvamitt HDR files
- Aerial_Images\02205\Images RAW & tiles in TIFF

02206 1:16000




Fig. 65. N=10, 27.05.2002, 10:15, CIR, 1:16000, 15/23, 14 um.

Files stored (31 Files, 2 Folders, 8,179,008,365 actual bytes)

- Aerial_Images\02206\HDR Kuvamitt HDR files
- Aerial_Images\02206\Images RAW & tiles in TIFF

02207, 1:30000



Fig. 66. N=4, 27.05.2002, 10:34, CIR, 1:30000, 15/23, 14 um.

Files stored (12 Files, 2 Folders, 3,271,600,074 actual bytes)

- Aerial_Images\02207\HDR Kuvamitt HDR files
- Aerial_Images\02207\Images RAW & tiles in TIFF

2.5.22 2004 CIR 1:8000, 1:14000 normal angle; research

04402




Fig. 67. N=20, 18.07.2004, 11:23-11:33, CIR, 1:14000, 21/23, 15

Files stored (12 Files, 2 Folders, 3,271,600,074 actual bytes)

- Aerial_Images\04402\HDR Kuvamitt HDR files
- Aerial_Images\04402\Images RAW & tiles in TIFF

04403




Fig. 68. N=30, 18.07.2004, 11:42-11:55, CIR, 1:8000, 21/23, 15 um.

Files stored (12 Files, 2 Folders, 3,271,600,074 actual bytes)

Aerial_Images\04402\HDR Kuvamitt HDR files

- Aerial_Images\04402\Images RAW & tiles in TIFF

2.5.23 2006 UltraCam-D 1:55000 & 1:10000

1:55000




Fig. 69. N=24, 25.07.2006, 12:10-12:45, Vexcel UCD, 1:55000.

UltraCAM-D images from 6 km. Captured for an EU agriculture monitoring campaign. The GSD is 55 cm for the pan-sharpened images.

11500x7500 Pansharpened CIR, uint8 RGB-images.

Tiled TIF files, raw-files un-tiled.

The Direct georeferencing data were available. The AT was done manually. See the AT files for campaign **06214\AT\.**

Contents

\06025\

..\Images\

..\HDR\

06214, 1:10000




Fig. 70. N=82, 02.08.2006, 09:20-09:40, Vexcel UCD, 1:10000, 10/10, 9/28.5 cm.

This UCD campaign is from 1 km AGL, and the pixel GSDs are thus 9 cm for the PAN and 27 cm for the RGBN images.

Exposure settings were fixed at F8 & 1/175s.

The overlaps 67% / 25%.

The Lvl2 RGBN images are band-interlaced by line TIFFs with data starting after an 8-bit header section.

Contents

\06214\

..\Delivery\
The Lvl2 and Lvl3 images with Quickviews.
Results of the GPS/IMU.

..\AT\
The images were a part of a 568-image block that was manually triangulated. The block combines all 1946-2006 images from Hyytiälä. Since then, campaigns were oriented separately.

..\HDR\
Sample HDR files for the 8/16 bit versions

..\Images\
The raw image files.

2.5.24 2007 UltraCam-D 1:22000 research, 19/62 cm

07015




Fig. 71. campaign Blom 07015, N=102 images, 0.06.2007, 06:10-06:21 GMT, Vexcel UCD, 1:22000, f=10 cm, H = 2500 m

- \Aerial_Images\07015\RAW\
  RAW (BIP) versions, 510 files, 62 694 504 000 bytes.

  *_PAN_CIR_uint8.raw
  8-bit 'pan-sharpened' images (own C-code, non-optimal colors), 11500 x 7500 pixels

  *_PAN_uint16.raw
  Level 2 16-bit PAN image (stitched by the Vexcel software), 11500 x 7500 pixels

  *_PAN_uint8.raw
  Level 2 forced to 8-bit versions (own C-code, non-optimal conversion), 11500 x 7500 pixels

  *_RGBIR_uint16.raw
  Level 2 four-band images (3680 x 2400)

- \Aerial_Images\07015\qvCIR\
  CIR JPEGs of quick-view images N = 102 (By BlomKartta)

- \Aerial_Images\07015\HDR\
  Header files for KUVAMITT

- \Aerial_Images\07015\Metadata\...

  \Aerial_Triangulation\
  Aerial triangulation with Match-AT

  Direct Sensor Orientation observations
  Transformation from MATCH-At to KUVAMITT EO/IO
  GCPs with signals

  \CameraCalibration\
  Reports, short and long version

  \XMLs\
  Information regarding Level 2 image processing

NOTE; EO for image 1267 is missing from AAT-files (in the far north).

Times in TIFF headers are wrong, use GPS-times.

Notes

What we do during Lvl00 to Lvl02 processing is a registration of the color images to the panchromatic channel. In a first step the green channel is registered to the panchromatic channel and the red, blue and infrared channel is then registered to the green channel. In case we have detected defect pixels or row those are interpolated (you can check this in the calibration report, they shall be listed there). From which camera do you have the data? And which revision?

Another thing that I just thought of which is also interesting for you is the shutter jitter. As I reread your email, I read that you have UCD-data. Within the UltraCam-D the shutter variance when the shutter is closing. In the UltraCamX we have installed a light barrier to measure the exact exposure time. I have attached you a memo which we give to our customers concerning this issue. This probably helps you to understand this issue better.

Concerning the syntopic exposure you understand this small time difference correctly.

When you get first results in your research please let us know. We are always interested about other people work in this area, especially with UltraCam. And if you need further help just let me know.

Memo_Color_Stability.pdf

Spectral sensitivity curves (pdfs)

BFI07015: all images F8, 1/175 s.

Mid_exposure correction ei liity radiometriaan, paikannukseen eli laukaisun ajoitukseen. Mekaaninen suljin näet kestää tovin aueta ammolleen ja sitten taas sulkeutua. Tuo arvo kuvaa aikaeroa laukaisupulssin ja sulkimen aukiolon keskikohdan välillä.

Valotustiedot taitavat olla piilossa tiffin privaatitageissa. Mielestäni olen niitä joskus nähnyt selväkielisinäkin jossakin. Ainakin prosessointiohjelma (OPC) näyttää ne, mutta ei erikseen eri kameroille, vaan yhden yhteisen aukkolukeman. Kalibrointitodistuksesta löytyy sitten taulukot, miten eri nimellisaukot toteutuvat milläkin kameralla.

2.5.25 2008 ADS40-SH52 multispectral line-sensor, 1-4 km

2.5.25.1 The sensor test

This campaign was a demonstration of the ADS40 sensor in Finland. The sensor was flown to Tallinn, and installed in ES-MAA, the aircraft of the Estonian Land Board. Weather was poor, and imaging was carried out in sub-optimal conditions. There were four flying altitudes, to provide GSDs of 10, 20, 30 and 40 cm. An ALS50-ii LiDAR acquired data simultaneously.

The images were acquired on August 23, 2008 with a radiometrically calibrated ADS40 line-sensor. See Section Pushbroom sensors. The sensor flew above Hyytiälä starting at 0656 GMT at 1 km AGL. Data were acquired from 15 flight lines (strips), which were named according to the start time in GMT. 2-km acquisition started at 0745, 3-km at 0818, and 4-km at 0843 GMT. More image lines were active from 3 and 4 km than from 1 and 2 km, because of the constraints on data transfer in the sensor (*Table* 4).




Fig. 72. The image lines range from Backward 16º to forward 27º geometry (ADS40-SH52).

2.5.25.2 IO and EO

The EO is defined for each scan line in an image, which was exposed for some milliseconds only. The IO is the same for each image line (focal length, xy position of each pixel on the focal plane). The sensor had eleven active lines on the focal plane (Fig. 72, Fig. 74).

Appendices 1B, 2A, 2B, 2C and 2D show the needed KUVAMITT files. A HDR-file has the tag "FRAME", "ADS L0" or "ADS L1", depending on the image type (See 2.5.24.3), and points to an ADS, CAM, ODF and SUP file. KUVAMITT has thus the ADS40 sensor model implemented to enable image-to-target and target-to-image photogrammetry.

The HDR file essentially shows the image type (L0 or L1), image size, and points to the single RAW image file. Thus, KUVAMITT does not allow the use of images blocks, i.e. several sub-images all below 2GB in size (the feature was not programmed as it was not needed for the research done with the data).

2.5.25.3 On image types

An image is in some band (PAN, BLU, GRN, RED, NIR), from a view direction (B16, B14, N00, F02A, F14). I.e. an image is always a 'grey-scale' one-band image (Fig. 73), collected by one of the 11 CCD-lines on the focal plane. The file is stored in the RAW format (BIP) using signed 16-bit integers ranging from -32,768 to 32,767. Only positive DNs exist.

The nomenclature is as follows

L0 Raw. Image DN-values are affected by the integration time. The L0 geometry shows the undulations of the sensor (Fig. 73). These images always have 12000 columns and as many rows as there were image lines exposed. Large images are split not to exceed the 2-Gbyte-limit.

L1 The undulations are removed by projecting the images in a strip to a plane at a fixed height. The image is 'turned 90-degrees counterclockwise', so that conjugate entities show on the same rows in the images of one strip.

These L1 images were converted into radiometrically calibrated versions, using the XPro software.

L2 Orthoimages. Some were calculated at Leica in Oct 2008, using the LiDAR DEM.

2.5.25.4 Radiometric corrections

The raw L0 images are comprised of uncalibrated DN-values. XPro software was used for rectifying the raw images to a reference plane, i.e. into L1 images. Simultaneously, different radiometric calibrations were applied. The corrections are explained in (Beisl et al. 2008)

- ASR, at-sensor radiance images (band-averaged)
- ATM, atmospherically corrected refl. product
- BRDF, brdf-corrected image product
- FULL, both atmospheric and brdf-corrected

The prefixes and L0/L1/L2 suffixes identify the four products. The raw L0 image does not have an L0 suffix. N.B., the conversion from raw to ASR is a simple linear operation, using laboratory calibration for offset and gain, as well as the integration time.

Table 3. The BLU-band backward-looking (B16) image versions from the strip flown at 0818 GMT, in August 23, 2008:

Image name	
08230818BLUB16A.raw	Raw, DN data
08230818BLUB16AL1.raw	At-sensor radiance
ATM_08230818BLUB16AL1.raw	Reflectance products
BRDF_08230818BLUB16AL1.raw	" "
FULL_08230818BLUB16AL1.raw	" "

The CAM file has the gain value c1. The (band-averaged at-sensor) radiance conversion is

$L = (c1 * DN) / t$

The integration times, t, are shown in Table 4. The values c1 are given in the CAM files in \Calibrations –folder (RADIOMETRIC_GAIN –variable).

In L1 reflectance images the pixel values 0…10000 correspond to reflectance values 0…1.

Table 4. Characteristics of the ADS40 data acquisition by strips.

Flying altitude [km]	Start time [GMT]	Flight path azimuth [°]	Sun azimuth [°]	Sun elevation [°]	Trees in image footprint	Trees occluded by cloud	Trees in cloud shadow	Trees lost [%]	Integration time [ms]	Active CCD lines
1	0656	349	119.3	27.1	55	0	0	0	1.94	N00
“	0703	169	121.0	27.8	6987	531	0	7.6	“	N00
“	0711	349	123.1	28.6	11955	2802	85	24.1	“	N00
“	0718	169	124.9	29.3	0	0	0	-	“	N00
“	0725	349	126.7	30.0	6997	0	0	0	“	N00
“	0733	169	128.8	30.7	7037	0	0	0	“	B16
2	0745	349	132.0	31.8	9599	308	0	3.2	2.77	N00
“	0753	169	134.2	32.5	13786	76	1019	7.9	“	N00
“	0800	349	136.1	33.1	9466	277	1306	16.7	“	B16
“	0808	169	138.3	33.7	13728	310	437	5.4	“	B16
3	0818	349	141.1	34.4	15626	146	117	1.7	4.16	N00
“	“	“	“	“	15626	0	48	0.3	“	B16
“	0825	169	143.1	35.0	15626	1683	772	15.7	“	N00
“	“	“	“	“	15626	895	366	8.1	“	B16
“	0833	260	145.4	35.5	13743	1983	1843	27.8	“	N00
“	“	“	“	“	13785	3933	912	35.1	“	B16
4	0843	169	148.3	36.1	15626	204	392	3.8	5.54	N00
“	“	“	“	“	15626	34	0	0.2	“	B16
“	0852	260	151.0	36.7	15110	283	601	5.9	“	N00
“	“	“	“	“	15110	1533	166	11.2	“	B16




Fig. 73. Epipolar geometry of two ADS40 L0 images and one L1 image. The roof corner was pointed in some fourth image, resulting in an image ray down to the scene, which was defined for a segment with a Z-range ± 5 m. L0 images show the camera movement (undulations) and the epipolar lines become curved, while an L1 image is projected to a plane and the line is nearly horizontal.

2.5.25.5 Miscellaneous

For a flight line, there can be (Table 4),

- Four nadir image lines (N00), in BLU, GRN, RED and NIR;
- Four backward viewing image lines (B16), in BLU, GRN, RED and NIR; and
- Three panchromatic lines (F02A, B14, F27) (the staggered F02B sensor line was not used).

For some strips, the GRN N00 image replaced the PAN F02A in triangulation, and F02A files may be missing. In 1 km and 2 km strips only 4 multispectral lines were collecting data, because of the data flow exceeding the transfer and storage capacity.

The original files were stored in blocks, with file sizes not exceeding the 32-bit signed integer memory address (2 GB, limit in Visual Bassic 6.0), and the raw-files were made of the first (zero) blocks only. This is an issue only in the 1 km data, in which some 10% were left out at strip ends (exceeding 2GB). The original TIF-files are stored as well, for all image blocks. They contain Leica-specific TIFF tags and compression, use ADS40decompress.

L2 images (orthoimages, TIF) were produced at Leica Geosystems, using a DEM for which LiDAR data was collected simultaneously, in the UTM35 projection.

There are four types of additional files:

- *.HDR Header, see Appendix 1b.
- *.ADS Appendix 2a
- *.CAM Appendix 2b

- *.ODF.ADJ Appendix 2c
- *.SUP Appendix 2d

The needed functionality for i/o and photogrammetry with the ADS40 data resides for the most part in Module5.bas (ADS40_Module) in KUVAMITT.

The images were oriented at Leica, and data were delivered during autumn 2008. There were GCPs available (See Table 6).







Fig. 74. ADS40-SH42 focal plane with the beamsplitters and CCD-arrays. ADS40-SH42 had less CCD-arrays than the ADS40-SH52 used in Hyytiälä 2008. ADS40 telecentric lens with a 6.3 cm focal length.






Fig. 75. Coverage of the strips, with Hyytiälä forest plots (2008).

2.5.25.6 Weather conditions and auxiliary data

During the acquisition, radiometric measurements were done on the field. These included installation of four reflectance tarps. Reflectance spectra of various targets were measured by FGI.



Fig. 76. The four tarps and the Siemens star on the football field. August 23, 2008.

- AOT was measured with the sun-photometer, horizontal visibility
- The weather data from SMEAR are available
- Ground nadir reflectance spectra were measured for tarps and other targets by FGI and U. Beisl
- The are pictures taken on the ground

2.5.25.7 Notes

Notes in Sept 2008

1. System correction

DSNU = 12000 additive constants
PRNU = 12000 multiplicative constants
- done on the sensor head
- for a uniform surface in the lab this gives you a uniform DN image

2. At-sensor radiance calibration
12 camera specific constants (one per CCD line)

3. Atmospheric correction
remove atmospheric haze, output is ground reflected radiance [W/m2/sr/um]

4. Reflectance calibration
divide by solar irradiance, output is ground reflectance (ratio of reflected to incoming light)

5. BRDF correction
One model for all pixels per flight line

The XPro workflow allows the following:

- L0 data = gray values DN, system corrected
- L1 data = epipolar rectification = remove aircraft movement, system corrected + radiance calibrated
- L2 data = Orthophoto, system corrected + radiance calibrated

L1 and L2 data have the following options:
- "simple dark pixel correction" or "modified Chavez method" robust empirical method of image enhancement (3), output is kind of ground reflected radiance
- "modified Song-Lu-Wesely method": atmospheric correction + reflectance calibration: superior for good weather conditions, one parameter per flight line: radiance of a dark pixel, output is ground reflectance
- "modified Song-Lu-Wesely method + BRDF correction": For seamless maps; output is ground reflectance

Notes Sept 19,2008

With newly supplied GPS base station data, we reprocess ALS data set.

Here is status update:

-Even new base station coordinate gave slight worse quality of GPS trajectory, but I understand this data is what we can do. ADS&ALS data processing has been proceeding with this input.
-Strip adjustment is done by manual verification, all lines match up reasonably.
-Control report against GCP shows slightly large STDEV=0.3m,usually we achieve 0.05m, Min/Max deviation was up to =/-0.7m,usually we achieve 0.1m.
-The poor result against GCP appears to come from input GPS for GrafNav a bit, and largely come from GCP location on the ground. GCPs are located side of the load, where there are bushes, grases or sloped surface that contributes to cause poor statistic.

Each flight line is relatively matches so we can proceed next step to prepare data set by following your preferred format. Another idea would be to re-measure GCP at the center of the load or flat surface area where has reasonable intensity (asphalt surface etc)to get better statistics.

Notes Nov 17, 2008

Yes, some lines have been recorded in compressed format in order to overcome data rate problems.

I would have expected that you get decompressed data, which however seem not to have happened. We'll send you a decompression utility, which converts these files. - - - We have however just detected a problem, we have to fix, so it may become tomorrow.

Opening compressed ADS40 images with LIBTIFF won't help you much. The resulting JPEG-de-compressed 8 bit images have still to be de-normalized to 16 bits. - LIBTIFF should however be able to do the decompression, but it will deliver unusable (striped) images. We are using LIBTIFF 3.8.2 inside our own code.

ADSDecompress.zip this is now the decompressor for tiff tiled jpeg images as a command line tool.

The usage is simple:

1. Unzip the archive into a directory.
2. ads40decompress <name>.ads

The uncompressed file will have the original name.
The original .ads and .tif files are moved to *_dcbak.*
Then you can do any further work with the uncompressed Pan-files.

Notes August 2008

The PAN lines were always flown uncompressed on low and high altitude lines. The low altitude lines (10cm and 20cm lines) were flown once with RGBN Nadir uncompressed and once with RGBN Backward uncompressed. This had to be done due to the limitation of the data throughput of the Control Unit CU40 and the Mass Memory MM40.

Notes June 2009

Sensor configurations used:

#1 10cm GSD: CT = IT =1.94ms
RGBNIR NADIR Raw + PANB compressed + PANF compressed
#2 10cm GSD: CT = IT =1.94ms
RGBNIR Backward Raw + PANN compressed + PANF compressed
#3 20cm GSD: CT = IT = 2.77ms
RGBNIR NADIR Raw + PANB compressed + PANF compressed
#4 20cm GSD: CT = IT = 2.77ms
RGBNIR Backward Raw + PANN compressed + PANF compressed
#5 30cm GSD: IT = 4.16ms
RGBNIR NADIR Raw + RGBNIR Backward Raw + PANB compressed + PANF compressed + PANN compressed
#6 40cm GSD: IT = 5.54ms
RGBNIR NADIR Raw + RGBNIR Backward Raw + PANB compressed + PANF compressed + PANN compressed

This means that for the 10 cm and 20 cm heights the Pan line, which included the active color CCD was switched off. Only the two other Pan lines were active. The triangulation could be made with the active green line of the color CCD. Probably the inactive Pan band was created as a dummy?

The heights 30 cm and 40 cm should have all Pan bands with images

I can confirm that all the flight lines delivered have in PANF02A, if existent, a file size that is half the size of the compressed PANF14A or PANF27A of that flight line. PANB14A_0_0, PANF02A_0_0, and PANF27A_0_0 of one flight line are all 16 bit, compress 7 type images of the same pixel size, but different file size.

The first minifications, e.g. PANF27A_2_0_0, are a 16 bit compress 1 type images of a quarter the pixel size and also a quarter of the file size of the uncompressed images, because all minification levels are uncompressed.

After decompression, files PANB14A_0_0, PANF02A_0_0, and PANF27A_0_0 of one flight line have the same file size, which equals the file size of the color bands of that flight line.

With a CU40 there is only one compression method (8 bit) but the jpg compression factor can be configured individually. So the different file size of the PANF02A is due to a different jpg compression setting during the flight. The compression was 4 times for PANF27 and PANB14 and 10 times for PANF02. If there was any necessity to do so, I couldn't find out. So the PANF02A images have slightly more jpg compression artifacts.

There are three comments for the flight lines 0703, 0718, and 0745 saying that the PAV was at limit in pitch. This may result in rectification errors. Usually the line is repeated then as with 0725. But in this case there was very few time left to complete the project.

2.5.25.8 Contents

Main folder \ADS40_2008\

..\Images\ADS_L0\

- L0 raw images

..\Images\ADS_L1\

..\10cm; ..\20cm; ..\30cm;..\40cm

- L1 raw images of type ASR, ATM, BRDF, and FULL and their HDR files, created in Dec 2009.

..\footprints

- The corner points of each image, 115 files

..Images\Blocks\

The L1 TIF images and their ads/odf/sup files from Dec 2009. These were converted into the L1-raw files in \ADS_L1\ folder.

..\Bins

The tree-level image features for the RSE study. ASR, ATM, BRF, and FULL version. One file per N00 or B16 images (combined RED,GRN,BLU,NIR)

..\Feature_extractor\

The VB-program for selecting subsets of trees/features from the BIN files.

..\Ground_measurements\

The various ground images, SMEAR measurements, AOT data, reflectance spectra etc.

..\Polygon_Check

..\Kuvamitt_Lite\

2.5.26 2009 DMC morning/noon flights, May 31, 2009




Fig. 77. The 2 km morning and noon images (1101 and 1104-SERIES) at 0515 and 0805–0830 GMT of May 31, 2009. One and three flight lines




Fig. 78. The 3 km morning and noon images (1102 and 1105-SERIES) at 0520 and 0840 GMT. One and two flight lines.




Fig. 79. The 4 km morning and noon images (1103 and 1106 SERIES) at 0530 and 0855 GMT. One flight line in both acquisitions.

Flight lines were repeated (not all, see Fig. 77) to study the effect from solar elevation (See Honkavaara et al.). The earliest time 0515 GMT corresponds to 0715 local time (0815 DST), which is when the sun elevation was 25 degrees. Morning of May 31, 2009. In total, 235 frames were captured.

Flight line, time, image codes, flying height

1 0515 GMT (1101_01_0001 – 36) 2 km
2 0520 GMT (1102_01_0001 – 26) 3 km
3 0530 GMT (1103_01_0001 – 11) 4 km
4 0805 GMT (1104_01_0001 – 38) 2 km
5 0815 GMT (1104_02_0039 – 74) 2 km
6 0825 GMT (1104_03_0075 – 101) 2 km
7 0840 GMT (1105_01_0001 – 24) 3 km
8 0850 GMT (1105_02_0025 – 50) 3 km
9 0855 GMT (1106_02_0001 – 11) 4 km

File adjext.0 has the AAT results for the camera EO parameters.




Fig. 80. The DMC I sensor with eight cameras. The images are wider in the perpendicular direction to the flight direction.

In the calibration certificate only, so-called virtual values are documented. All images are thus ‘virtual images’. The projection center in the combined image is virtual as well.

The parameters for the high-resolution images:

- f = 0.12000 m
- H/W: 13824 x 7680
- pixel size 12 um
- ppa_x = 0.0, ppa_y = 0.0
- No distortion
- Pixel size, 2 km == 20 cm, 4 km == 40 cm

The virtual color images are smaller:

- f = 0.030 m
- H/W: 3456 x 1920
- pixel size 12 um
- ppa_x = 0.0, ppa_y = 0.0
- Pixel size, 2 km == 80 cm, 4 km == 160 cm

The delivery contains

Level-3 PAN-sharpened RGBN tiffs

- 8-bit per band, 32 bits per pixel
- No LUT for the 12 → 8-bit conversion applied
- 13824 x 7680
- Brovey pansharpening applied

Level 2 PAN tiffs

- 12 bits per pixel (stored with 16 bits)
- 13824 x 7680

Level-2 RGBN tiffs

- 12 bits per pixel (stored with 16 bits)
- 3456 x 1920

The delivery does not contain

So-called intermediate images

- These we do not have (available on request)
- 8 images; MS1-MS4, PAN1-PAN4
- No orientation is available for these
- No interpolation applied as in L2/L3

Defining the IO/EO for the L2 images (HDR)

The following parameters define the IO for the L2

```
1920, 3456 // image size
"r:\images\Ir4\20091101_01_0025_16_RGBN.raw"
0.03              // f
83333.3333        // affine col/x coefficient
 0                // row / x
 959.5            // offset to ppa_x
 0                // row / x
 83333.3333       // row/y coefficient
 1727             // offset to ppa_y
omega, phi, kappa, X0, Y0, Z0 as for the PAN image
```

Defining the IO/EO for the L3 images (HDR-file) and L2 PAN

```
7680, 13824
"I:\aerial_images\dmc2009\images\20091101_01_0029rgbn_ui
nt8.raw"
0.12
83333.3333
0
3840
0
83333.3333
6911
omega, phi, kappa, X0, Y0, Z0 as for the PAN image
```

In the calibration certificate the order of MS bands is NIR, BLUE, RED, and GREEN. Is this the order of bands in the Level-2 TIFFs?

The adjusted real f's of the MS-cameras are 0.02501583, 0.02498438, 0.02497838 and 0.02485340 m. The calibration certificate shows the calibration parameters (Fraser, cf. iWitness calibration): ppa_x, ppa_y, f, k1, k2, k3, p1, p2, b1 and b2.




Fig. 81. The 8-bit LUT by NLS Finland for mapping between 4096 and 256 values that they apply normally. (Not used in the deliverables)

Contents

\DMC2009\

The exposure settings are given in file
Kameratiedot_31052009(1).xlsx

\Delivery
L2 and L3 images by sub-campaign
Results of aerial triangulation
GPS-IMU observations

\Images
xlsx and cvs Files for making the HDR-files.

L2_PAN\	235 raw images
L2_RGBN\	235 raw images
L3_RGBN\	235 raw images

\TIF_TO_RAW\
c-code (visual studio 6) for the TIF-to-raw conversions

\HDR\
HDR-files

2.5.27 2010 UltraCam-XP; Winter '09- '10 snow-damage




Fig. 82. Coverage of the 2010 photography (Haze in SE corner).

The photography was organized 'ad-hoc' to document the winter 2009-2010 snow-break phenomenon in Hyytiälä, at elevations above 160 m a.s.l. (See Vastaranta et al., 2011)

The weather requirements for photography were not strict, to reduce the weather risks and lower the price of photography. Somewhat hazy conditions prevailed during the acquisition.

- Vexcel UltraCam-X prime sensor, 2.5 km AGL
- 80/50% overlaps, two strips and 46 exposures.
- 1:3 PAN-sharpening ratio. 45 cm RGBN pixels. 15 cm PAN.
- 6 um and 18 um pixels, ppa_x and ppa_y = 0, f = 100.5 mm
- Lvl2 data:
  RGBN (####-Col.tif) TIFFs (5770 x 3770) 16 bit per band.
  PAN-TIFFs (17310 x 11310), 16-bit per pixel
- Lvl3 data:
  CIR-images, 17310 x 11310 pixels.
- XML-information files
- QuickView images in CIR, PAN and RGB.
- Match-AT statistics and AAT files (triangulation).
- HDR files

The L2 PAN-tiffs are tiled, while the L2 COL-tiffs are 'line interlaced' The pixel data starts at byte position 9, the reading is by lines of 5770 (x 2 bytes), first a row of red, then green, blue and nir. Then one reads again a row of red and so on.

The RAW versions now include the 8-bit CIR, and 16-bit PAN and RGBN images, i.e. the L3 and L2 images.

Lvl02-40802-Col.raw	RGBN uint 16
Lvl02-40802-Pan.raw	PAN uint16
40802.raw	CIR uint8

Contents

\2010\

xlsx and csv files for making the HDRs.

..\delivery\

The L2 and L3 TIF files,
results of the aerial triangulation,
Quickview-images

..\HDR\

Example HDR-files, for the 8-bit CIR, 16-bit PAN and 16-bit RGBN RAW images.

..\Images\

The RAW images, 138, 3 x 46 versions.

2.5.28 2011 Leaf-off Hasselblad RGB images Nov 15



Fig. 83. Coverage of the 8 parallel lines + 1 perpendicular line.

Images acquired with LiteMapper 6800 that combines WF-lidar and an RGB camera. The same sensor-combination was also used in 2013 and 2015. The interior orientation of the camera (lens distortions) is not perfectly known/solved as these images were only a by-product of laser scanning.

Hasselblad H4D-50 images

- 750 m AGL, 14 cm resolution
- f/6.8, 1/500 sec, (speed 40 m/s)
- ISO-800,
- 6132 x 8176-pixel images in TIFF format.
- 36.7 x 49.1 mm CCD Sensor,
- SLR digital camera, Diagonal FOV ± 41.2º.

The images (N=172) were oriented with MATCH-AT only in January 2013 by Finnmap company using GPS/IMU & GCP data. Lens distortion information is missing or needs to be solved from the data. The distortion coefficients are given for the 2015 images only. Self-calibration was tried too in 2013. Kuvamitt-images suffer from 1–2-pixel noise in epipolar geometry, which results in 10-30 cm offsets in the object space.

Calibrated f	0.0350683 m
Pixel size	0.006 mm
Principal point offset X	-15.5 pixels
Principal point offset Y	+10.5 pixels



Fig. 84. RGB image samples. Frost was present in open areas.




Fig. 85. Radial distortion (distance in mm) x (distortion in um). Coefficients or correction table missing for 2011 and 2013 Hasselblad campaigns. The distortion is less than 2 pixels but in the iamge corner.




Fig. 86. The (X0,Y0), GCPs available and estimated AOI.

Table 5. GCPs established in 2010.

2010 established	KKJ2-X	Y	N60-Z
1075	2517028.101	6857411.642	157.861
1076	2516953.152	6857386.602	164.196
1077	2516855.963	6857418.36	167.833
1078	2516918.222	6857246.394	162.415
1079	2517012.977	6857255.065	157.355
1080	2516402.764	6857701.383	141.972
1085	2516447.796	6857886.496	158.612
1086	2516482.577	6857970.175	160.187
1087	2516443.304	6858123.127	149.333
1088	2516568.307	6857889.656	154.61
1033	2516321.089	6857943.825	147.575

Table 6. GCPs were established in summer 2008.

2008 perustettuja			
1001	2515540.89	6862805.67	142.587
1002	2514701.84	6862674.71	150.895
1004	2516393.1	6862347.33	173.783
1006	2515327.82	6860930.87	183.6
1007	2516419.3	6861606.31	171.097
1008	2516868.9	6859612.14	163.421
1009	2517940.44	6858704.41	136.287
1010	2517089.97	6857621.11	158.221
1012	2518347.86	6857404.14	145.797
1014	2516994.33	6858857.86	170.884
1016	2516420.83	6858753.14	174.925
1017	2516490.08	6859704.91	174.943
1020	2517209.24	6860029.82	152.908
1021	2515853.57	6858820.63	150.289
1022	2516632.59	6858809.19	178.132
1024	2515091.649	6861035.936	185.784
1025	2516565.19	6860725.57	171.046
1026	2516486.15	6860152.39	183.204
1028	2516547.034	6857174.103	145.167
1030	2517126.678	6855881.953	143.391
1031	2516221.508	6856496.677	140.688
1032	2516192.51	6857316.976	141.559
1033	2516321.067	6857943.827	147.533
1034	2515748.441	6858173.127	142.01
1035	2515943.44	6858367.63	143.763
1036	2515523.993	6859033.339	142.826
1037	2516018.421	6859523.081	173.297
1038	2516190.228	6861768.985	180.909
1039	2515634.313	6861961.73	187.634
1040	2515217.297	6861749.275	174.964
1041	2514580.198	6861582.616	152.799
1042	2515416.691	6860870.853	183.069
1045	2515883.108	6857110.091	146.24
1046	2516531.634	6853382.703	157.693
3743	2516208.9	6852470.26	168.27
4220	2514105.09	6858955.39	188.491
5040	2517851.62	6855766.72	147.55
5042	2517707.07	6861501.99	162.4
7627	2515429.58	6861396.75	198.528
1055	2517102.91	6861408.525	169.4942
1056	2518387.765	6856074.26	153.8538
1057	2517899.03	6855014.077	142.0002
1058	2517390.075	6856963.397	149.0726
1059	2515330.545	6860522.998	190.863
1060	2514028.063	6861560.729	148.2901
1061	2515908.162	6855258.078	164.9121
1062	2515333.491	6858152.131	153.7395
1063	2516579.97	6854991.942	148.3364
1064	2513880.105	6859737.327	177.8295
1065	2515803.38	6856585.121	162.4445
1066	2514153.749	6860521.976	170.484
1067	2515808.617	6857608.129	145.5813
1068	2516362.122	6855740.719	146.9316
1069	2514654.098	6859540.583	166.3937
1070	2515496.573	6859884.482	169.8306
1071	2517940.45	6858704.407	136.3298
1072	2517090.27	6858057.822	172.4008
1073	2517457.072	6856419.98	150.7234
1074	2516844.684	6856752.99	148.7866

Contents

\2011\

..Delivery\
The 175 TIF –files

..AT\
The results of the aerial triangulation

..Images\
The RAW images RGB

..\HDR\
The HDR-files

2.5.30 2012 UltraCamD; 90-minute repeated acquisition with fixed exposure settings

This campaign (July 12, 2012) was organized to have data for radiometric image normalization tests. The sensor was flown twice above the same area and along the same flight paths, using the same fixed exposure settings. Perpendicular lines were flown twice as well.



Fig. 87. AOI of the 2012 photography. Six N-S-oriented lines and one E-W line – all repeated twice/three times.

The campaign started at 06:35, and the lines were repeated after an interval of about 45 minutes. In total the campaign lasted 1h 30 min. The solar elevation increased almost 9 degrees from 34 to 42.5 degrees, while the azimuth increased from 107° to 130°. A manuscript (influence of Solar Zenith Angle) was prepared in 2020-23 using these images and the MSc thesis by Markus Karppinen.

Flight lines repeated by

	Images	Images	Images
Line 0	10064-10079	10272-10287	10480-10496
Line 1	10080-10111	10288-10319	
Line2	10112-10143	10320-10351	
Line3	10144-10175	10352-10383	
Line4	10176-10207	10384-10415	
Line5	10208-10239	10416-10447	
Line6	10240-10271	10448-10479	

Image times, GMT		Azim.	Elev
10064	06:35:19	107.1	34.0
10080	06:40:16		
10112	06:45:22		
10144	06:51:35		
10176	06:57:10		
10208	07:03:33		
10240	07:09:45		
10272	07:14:57	117.8	38.3
10288	07:20:37		
10320	07:26:28		
10352	07:32:39		
10384	07:38:38		
10416	07:44:52		
10448	07:51:11		
10480	07:56:41	129.4	42.4

- Vexcel UltraCam-D sensor; 9 um PAN; 28.125 um RGBN
- c = 101.4004 mm
- ppa_x 0.3757 mm (41.7 pixels)
- ppa_y 0.0029 mm (0.32 pixels)
- 1500 m AGL
- 14 cm PAN-pixels; 42-cm RGBN pixels.
- 67/80% overlaps. 432 exposures.

Rotation issues:
Lvl2 data, 16 bits per band:

RGBN (CoI) TIFFs (3680 x 2400), Affine parameters
(0, 35555.55555, 1839.898, -35555.55555, 0, 1186.6432)
PAN-TIFFs (7500 x 11500), Affine parameters
(0, 111111.1111, 5749.7, -111111.1111, 0, 3708.26)

Lvl3 data: CIR-images, 7500 x 11500 pixels. Affine parameters.
(111111.1111, 0, 3791.74, 0, 111111.1111, 5750.32)

- XML-information files, QuickView JPEG images in CIR, PAN, RGB versions.
- Match-AT statistics and AAT files (triangulation).
- HDR files
- 1/250 s exposure, F8

Contents

\2012\
Files for making the HDR-files

..\Delivery\
TIFF L2 and L3 data, AT data.

..\Images\
1296 RAW images (3 x 432)

..\HDR\
The HDR-files

..\Preparations\

2.5.31 2013 Hasselblad RGB images, Hyytiälä & Siikaneva, May 28



Hyytiälä



Siikaneva

Images were acquired simultaneously with the Riegl LMS-Q680i LiDAR campaign on May 28, 2013; 09:30-12:20 GMT.

Hasselblad H4D-50, 50 Mpx camera, 6132 x 8176-pixel images in TIFF format. Focal length ###, PPA in X and Y.

Bell 206L (OH-HJL) helicopter.

Two separate image blocks: Hyytiälä and Siikaneva.

Hyytiälä

- Flying height 750 m AGL
- Flying speed 41 m/s
- F-stop f/6.8
- Exposure time 1/160 sec.

Aerial triangulation was done in April 2014 by IK. Tie points were measured with iWitness, and a rigid body transformation was done in iWitness using GCPs, followed by bundle block adjustment using IK's software. SD of residuals at 30 GCPs were 4, 7 and 9 cm for X, Y and Z, respectively. In iwitness the parameters were: f = 35.0617, xp = 0.036 mm, yp=0.006 mm. No distortions were considered in practice. The distortion parameters were not supplied, they are only available for the 2015 images with the same sensor. It might be advisable to try to estimate distortions using the Siikaneva images. The very high overlaps may give a wrong impression of low distortions. Estimation might still be weak.

Siikaneva

- Flying height 300 m AGL
- Flying speed 36 m/s
- F-stop f/6.8
- Exposure time 1/160 sec

Automatic image matching was done (with Match AT) by the contractor. Direct georeferencing data was used w/o ground control. There potentially were small systematic errors in orientation, due to inaccuracy in focal length and/or the GNSS trajectories. There was no camera motion compensation, which affected the image matching. Comparison with ground reference points, measured with GNSS in a small area, indicated systematic Z-errors but these were not investigated further. There are further GNSS field data collected in the spring of 2014.

N.B. The orientation is in the UTM35/WGS84 ellipsoidal height system!

In November 2015, 35 images viewing the EC tower were triangulated using tie points that link overlapping strips, as there were clear issues in the AT results for between-strip match. The RMS went down from 10.9 um to 4 um. The adjustment was constrained by the earlier AT results, as the EO parameters were allowed set weights of 0.1 m and 0.005 radians, zero-mean, i.e. on average the block would not shift in XYZ. After AT, the match with LiDAR data was improved, as well as for the 800+ vegetation GNSS observations made in April 2014 in the area. These were used in the 2020 paper in Mires and Peat (Korpela et al.)!

The ground reference points were located in two separate, small areas, and are documented in:

- \HYDE_REF\Plots\2013_raspberryLAI_optical_GNSS\index.html

Contents

\2013\Hyytiala\
..\Tiff\
Tiff images (N = 208)
..\HDR\
Hdr-files
..\Hyytiala_KKJ2_N60.gps
Direct georeferencing data (XYZ, omega, phi, kappa) in KKJ2/N60

..\Triangulation\Hassel2013.iwp
iWitness project
..\Triangulation\###_####.icf
iWitness image observation files
..\Triangulation\Hassel2013_EOIO.txt
EOIO solution from iWitness
..\Triangulation\Control_2013_ilmakuvat.txt
Coordinates of the GCPs used in 2014 triangulation
..\Triangulation\solution2014.txt
Solution of the triangulation in 2014
..\Triangulation\Hasselblad_adjustment.zip
New triangulation from 2015

..\Triangulation\ICF_to_ima_obs.zip
Conversion program: .icf to image observation files
..\Triangulation\MINV12_triangulation_program_gcp_weights.zip
Triangulation program

\2013\Siikaneva\

..\Tiff\
Tiff images (N = 98)
..\HDR\
Hdr-files
..\Ortho\
Orthoimages provided by the contractor
..\Siikaneva_TM35_ell.gps
Direct georeferencing data in ETRS-TM35FIN
..\Siikaneva_laserkeilaus_2013_at_raportti.txt
Match AT report


2.5.32 2015 Hasselblad RGB images, Aug 18




Images were acquired simultaneously with the Riegl LMS-Q680i LiDAR campaign on August 18, 2015; 07:43-10:19 GMT.

Slight overexposure. Delivery includes both exposure-corrected TIFFs and the original files from the camera as 7-zip compressed files.

The AT was done at Finnmap (utilizing the signals that were serviced in the spring of 2015), and, according to initial Q/C, geometry proved to be ok. The distortions (< 2 pixels) remain in the raw (pinhole) image for KUVAMITT.








Fig. 88. Lens distortion illustration for the Hasselblad sensor in 2015 (unavailable for 2011, 2013).

Contents

2.5.33 2015 NLS 6 km imagery



Fig. 89. A set of images was obtained from NLS (via Olli Sirkiä). Triangulated by NLS in ETRS-TM35 (file 20151603A orientointitekijät.txt).

The images were asked from NLS for course ME-013C in 2018. EO in KKJ2/N60 was needed and images were oriented in KKJ2/N60 using iWitness and GCPs. AT results were refined by bundle-block adjustment using IK's software. The AOI is large with few GCPs far from Hyytiälä. 6 um pixels, 100.5 mm focal length. xp = -0.000000 mm, yp = 0.120000 mm. The images include RGBN-8-bit TIFFs. Matlab was used to create 3-band RGB-versions (RAW, BIP, kuvamitt-compatible).



Fig. 90, Information about the campaign. UltraCamX Prime with 11310x17310 PAN pixels. Time of exposure needs to be solved from the images or NLS databases.

The Matlab-code for extrating specific bands from the 4-band TIFF:

```
imgdata=imread('c:\data\aerial_NLS\20151603A_04_0096.tif');
A = imgdata(:,:,1:4);
B = rot90(A);
fileID = fopen('c:\temp\20151603A_04_0096_rgb.raw','w');
fwrite(fileID,flip(B(:,:,1:3)));
fclose(fileID);
close();
fileID = fopen('c:\temp\20151603A_04_0096_cir.raw','w');
fwrite(fileID,flip(B(:,:,[4,1,2])));
fclose(fileID);
close();
```

Contents

2.5.34 2016 Optech Titan camera images

RGB-images with the Optech CS10000 (Phase one, IQ180) camera in the Titan multispectral laser scanner. Exposure 1/125 secs (may vary between images?). ISO-50. 10328 x 7760 pixels, 5.2 um, 51.45 mm focal length. According to calibration from May 2015, the lens distortions are very large: up to 600 um (120 pixels).




Fig. 91. AOI. Alltogether 226 images.




Fig. 92. AOI covers Lakkasuo in the south and the Syväniemi farm in the east - south-east. Alltogether 226 images.

AT was finally done manually using iWitness (by IK) followed by WLS-bundle block adjustment. iWitness was used to re-estimate the calibration parameters. The AT procedure uses the .icf -files from iWitness that contain the image coordinates (right-handed, centered at width/2, height/2) of all tie points (all points have 2 or more observations). Look at ..2016\AT\

At solution the RMS was 7.7 um, which suggests image observation errors and/or remnant distortions. Area-based image matching will therefore likely not be very accurate using these images and they are "documentary" in nature.

The RAW images are resampled to pinhole geometry using the VB-program in ..2016\AT\Rectify . These were initially tested with KUVAMITT, and while the epipolar geometry works, the few pairs (models) seem to be tilted some meters.

Contents

2.5.35 2018 Riegl 1560 RGB imagery

Phase one iXU-RS1000 camera. 100 MP with 11608 x 8708 RGB images. Acquired during LiDAR campaign May 24, 2018, at 06.33 GMT…06.55 GMT. Pixel size 4.6 um. Flying height 1330 m in N2000, i.e. about 1150 m AGL. The scale with 5-cm focal length was thus 1:22000 and one pixel corresponds to about 10 cm.



Fig. 93. Index of the Riegl 1560 images.

iXU-RS Technical Specifications

	iXU-RS 1000	iXU-RS 180	iXU-RS 160	iXU-RS 160 Achromatic
Resolution	**100 MP** 11608 x 8708	**80 MP** 10328 x 7760	**60.5 MP** 8984 x 6732	**60 MP** 8964 x 6716
Dynamic range	>84 db	>72 db		
Aspect ratio	4:3			
Pixel size	4.6 micron	5.2 micron	6.0 micron	
Sensor size effective	53.4 x 40.0 mm	53.7 x 40.4 mm	53.9 x 40.4 mm	53.8 x 40.3 mm
Lens factor	1.0			
Light sensitivity (ISO)	50-6400	35-800	50-800	200-3200
Camera type	Medium format camera for aerial photography			
Lens mount	Phase One RS dedicated mount			
Shutter speed	Leaf shutter: up to 1/2500 second			
Shutter control	1/3 f-stop increments			
Interfaces	USB 3.0; Secured power input (LEMO); Camera trigger; Mid-exposure pulse; Camera status; iX Link			
Live View/HDMI	• 1920 x 1080 25p/30p • 1280 x 720 50p/60p			
GPS/IMU support	Applanix, NovAtel, IGI, GGS, NMEA Devices			
Forward Motion Compensation	N/A	TDI controlled		
Data storage	• 1 TB SSD storage (optional iX Controller) • CompactFlash card Type I/II including UDMA 6 and 7			
Syncronization speed in multiple camera configuration	100 microseconds			
Capture rate — full resolution frame	0.6 s	1.25 sec	1.1 sec	1.1 sec
RAW File compression	IIQ large: 100 MB IIQ small: 65 MB	IIQ large: 80 MB IIQ small: 54 MB		IIQ large: 60 MB IIQ small: 40 MB
Lens + technology optimizes	Color cast; Light falloff; Chromatic aberration; Fringing; Sharpness falloff; Lens distortion			
Output formats	Phase One RAW, TIF, JPG, CIR and NDVI			
Post processing	• iX Capture • Capture One Pro • Capture One Processing Engine			
IR cut-off filter	Available either with or without IR filter			
Connection to pod	Four M4 bolts			
Power input	12 - 30 V DC			
Maximum power consumption	10 W	12 W		
Weight iXU-RS (excluding lens)	.930 kg/2.05 lb			
Weight iXU-RS 50 mm	1.700 kg/3.7 lb			
Approvals	FCC (Class A), CE, RoHS			
Operating Conditions				
Temperature	-10° to 40°C (14° to 104°F)			
Humidity	15 to 80% (non-condensing)			

First 19 images have f/4, ISO 160 & 1/1250 sec exposure. Remaining images have f/4, ISO 125, 1/1250 sec exposure.

Calibrated values (10-parameter model) for the lens correction model were:

c	51.681 mm
xp	-0.073 mm
yp	-0.040 mm
Radial distortion	
K1	1.52902e-05
K2	-5.34204e-09
K3	8.63902e-13
Decentering distortion	
P1	-3.11216e-06
P2	3.22987e-06
Linear distortion	
B1	0.0
B2	0.0

The images were triangulated using MATCH-AT at Terratec. A set of signaled GCPs were delivered to the company to assist in Q/C, but the solution of AT was based only on direct georeferencing. This AT was done in UTM35 (ETRS-TM35FIN) with N2000 elevations USING gpsimu alone.

The match-at image observations and tie point XYZ-data were used to compute the orientation also in KKJ2/N60 system i.e. all values on the ground were transformed to KKJ-2 and N60 values and the orientation parameters (camera position and attitude, 6 per image) were re-estimated using bundle block adjustment. The residuals in signaled GCPs (N=14) were ca. 5 cm for X, Y and Z. The RMS of image errors was 1 um.

Table 7. The distorted images were rectified (re-sampled) to pinhole images using XY-rectify by Photometrix company by accounting for the lens distorted depicted by the parameters listed above. The EO parameters in KKJ-2/N60 are listed below in radians and meters.

Omega	Phi	Kappa	X0	Y0	Z0	Image #
-0.002310	0.000900	0.352667	2516883.511	6855394.285	1337.597	_1
-0.002380	0.002338	0.350512	2516753.118	6855752.828	1336.265	_2
-0.002091	0.002067	0.349562	2516622.829	6856113.574	1335.291	_3
-0.002585	0.000460	0.354048	2516491.189	6856474.547	1335.656	_4
-0.002057	0.000286	0.359686	2516358.194	6856834.697	1335.925	_5
-0.002055	0.001271	0.360792	2516222.538	6857194.591	1336.285	_6
-0.001967	0.001015	0.360691	2516087.939	6857552.894	1334.493	_7
-0.002751	0.002154	0.351571	2515954.558	6857914.622	1334.142	_8
-0.001933	0.001111	0.348138	2515824.663	6858275.408	1335.715	_9
-0.002180	0.001500	0.348123	2515695.999	6858637.703	1335.908	_10
-0.002023	0.000645	0.348735	2515566.204	6858998.683	1336.842	_11
-0.002249	0.001343	0.348199	2515435.732	6859359.643	1337.990	_12
-0.002514	0.002061	0.349067	2515305.587	6859721.919	1336.548	_13
-0.003049	0.001693	0.345705	2515177.245	6860082.919	1335.385	_14
-0.002305	0.002077	0.355403	2515046.526	6860445.861	1334.077	_15
-0.001910	0.000585	0.354588	2514914.116	6860804.766	1334.888	_16
-0.003219	0.000769	0.348863	2514782.055	6861166.184	1333.840	_17
-0.002582	0.002001	0.345121	2514652.718	6861527.307	1332.653	_18
0.002628	-0.002039	-2.799564	2515100.072	6861706.969	1337.625	_19
0.002511	-0.001739	-2.787837	2515227.491	6861345.659	1337.942	_20
0.001919	-0.000715	-2.774191	2515361.239	6860984.573	1339.035	_21
0.001529	-0.001072	-2.777093	2515500.813	6860627.515	1339.187	_22
0.002043	-0.001586	-2.787426	2515638.745	6860269.102	1338.099	_23
0.002226	-0.002789	-2.783857	2515772.454	6859908.270	1336.851	_24
0.002682	-0.002129	-2.786676	2515905.543	6859548.172	1338.778	_25
0.002858	-0.000753	-2.787334	2516037.755	6859188.286	1339.156	_26
0.001951	-0.001720	-2.795910	2516168.115	6858826.883	1338.685	_27
0.002139	-0.001642	-2.785787	2516298.109	6858465.526	1337.178	_28
0.002054	-0.001062	-2.793830	2516429.545	6858104.992	1337.234	_29
0.002227	-0.001634	-2.796295	2516558.938	6857742.472	1336.168	_30
0.002679	-0.001413	-2.786874	2516688.515	6857382.706	1338.977	_31
0.002117	-0.001909	-2.770880	2516823.485	6857021.650	1339.249	_32
0.001803	-0.000731	-2.792722	2516959.126	6856663.768	1336.969	_33
0.001550	-0.001792	-2.792609	2517219.059	6855939.604	1336.890	_34
0.001695	-0.001770	-2.795805	2517348.002	6855577.444	1337.264	_35
-0.002113	0.002383	0.350437	2517704.588	6856032.599	1344.134	_36
-0.002253	0.000921	0.357321	2517573.090	6856392.468	1343.717	_37
-0.002072	0.001275	0.355266	2517437.795	6856752.063	1344.739	_38
-0.002036	0.002188	0.354648	2517305.091	6857112.026	1344.129	_39

-0.002032	0.001650	0.358904	2517171.435	6857472.796	1342.967	_40
-0.001963	0.002258	0.352906	2517037.847	6857833.218	1345.669	_41
-0.002078	0.001712	0.350147	2516906.665	6858194.114	1343.991	_42
-0.001683	0.001322	0.344761	2516777.019	6858555.515	1342.726	_43
-0.001740	0.001819	0.337360	2516649.650	6858916.790	1342.107	_44
-0.002225	0.001600	0.349293	2516521.665	6859279.232	1341.814	_45
-0.002519	0.001068	0.351954	2516389.967	6859639.723	1342.100	_46
-0.002242	0.001698	0.350577	2516258.147	6860001.443	1343.329	_47
-0.001568	0.001052	0.348841	2516127.268	6860361.869	1344.079	_48
-0.002125	0.002290	0.350194	2515995.962	6860724.219	1344.459	_49
-0.002268	0.001182	0.354061	2515864.690	6861084.788	1344.050	_50
-0.002392	0.001891	0.352100	2515733.067	6861444.899	1344.277	_51
-0.002199	0.001362	0.348587	2515602.123	6861806.000	1342.822	_52
0.001646	-0.001462	-2.790483	2516017.379	6862077.717	1326.976	_53
0.002763	-0.001774	-2.786858	2516148.615	6861717.984	1327.214	_54
0.002259	-0.000611	-2.781693	2516281.997	6861357.564	1329.293	_55
0.002152	-0.001146	-2.788648	2516414.886	6860998.142	1329.374	_56
0.003081	-0.000838	-2.791557	2516545.704	6860637.130	1329.251	_57
0.001115	-0.001607	-2.792409	2516677.040	6860275.573	1327.373	_58
0.003039	-0.000681	-2.795770	2516807.214	6859913.567	1325.076	_59
0.002059	-0.000504	-2.789627	2516937.658	6859552.432	1328.456	_60
0.002048	-0.000384	-2.788005	2517069.409	6859192.052	1330.284	_61
0.002719	-0.001920	-2.784317	2517201.786	6858831.487	1328.682	_62
0.002309	-0.001039	-2.780136	2517335.913	6858471.180	1326.814	_63
0.002649	-0.001865	-2.782555	2517469.046	6858111.461	1328.606	_64
0.002371	-0.001202	-2.790451	2517601.672	6857750.298	1328.494	_65
0.001610	-0.000459	-2.793885	2517732.107	6857389.111	1326.532	_66
0.002282	-0.000916	-2.793303	2517862.451	6857028.418	1325.817	_67
0.001922	-0.000788	-2.787177	2517995.666	6856667.802	1327.089	_68
0.002175	-0.000760	-2.772958	2518131.185	6856308.543	1328.443	_69
-0.000983	-0.002571	1.911529	2517142.541	6860628.573	1340.365	_70
-0.001371	-0.002766	1.915499	2516778.715	6860500.803	1341.126	_71
-0.000925	-0.002459	1.915519	2516417.097	6860372.542	1341.871	_72
-0.001448	-0.002557	1.912020	2516055.037	6860243.694	1342.056	_73
-0.000977	-0.002497	1.905135	2515693.901	6860116.792	1340.511	_74
-0.000405	-0.002848	1.907739	2515330.361	6859991.350	1340.988	_75
-0.000598	-0.002290	1.907327	2514966.004	6859865.155	1342.266	_76
-0.001018	-0.003159	1.911633	2514603.751	6859739.193	1343.706	_77

2.5.36 2018 SMK 8 km imagery




Fig. 94. Index of the six UltraCam Eagle images from 8 km.

Data was received from Terractec (for course ME-013C in 2019) and originally it is a taxpayer-financed campaign by SMK, Suomen Metsäkeskus.

C = 100.5 mm
PPAX = -0.080 mm
PPAY = 0.000 mm
17004 x 26460 pixels

See more information about the sensor in the 2020 3km imaging campaign Section.

The original EO was in UTM35 (Hyde_6_GPS_INS.txt).

The images were re-georeferenced (relative orientation) with iWitness (rigid tramnsformation) followed by WLS-bundle block adjustment with IK's adjustment software.

Data includes

Level-2 TIFFs
Level-3 RGB & CIR TIFFs (turned into raw-files for KUVAMITT)
Camera calibration certificates.


2.5.37 2020 Riegl RGB imagery



Fig. 95. Index of the Riegl 2020 RGB-imagery. The flight repeats hte 2018 lidar/imaging campaign "1:1" with slight changes in both the lidar and camera sensors.

- Captured during Riegl laser scanning June 3, 2020, by Terratec Norway/Finland
- 1150 m AGL, apprx. 10 cm resolution, 67% f-overlap
- 14204 × 10652 pixels, 453,909,970 bytes per image
- Phase One - iXM-RS150F sensor, 54° × 42° FOV
- f/4, 1/800 seconds, ISO 100
- CMOS-sensor, no sensitivity curves, Bayer-filter??
- Calibration Nov 28, 2019:
  Pixel size 3.76 um,
  c = 51.5383 mm,
  xp = -0.0375 mm,
  yp = 0.1170 mm,
  k1=1.50518e-05,
  k2 = -4.76124e-09,
  k3=5.29874e13,
  p1=-1.78431e-06, p2=3.39647e-06
- 80 frames (TIFFs), 5 strips
- Match-At aerial triangulation with GPS/IMU data alone
- Consortium at UH (prof. Bäck, Puttonen, Holopainen, Vauhkonen & Korpela). Funding by courses utilizing these data + SMEAR.

Notes on the above calibration model:




1. Measurement data in the images are provided as pixel coordinates first. u_meas and v_meas values are columns and rows on the chip.
2. Transforming into metric coordinates is accomplished by:
   $x_meas = ps \cdot (u_meas - NC/2)$
   $y_meas = -ps \cdot (v_meas - NR/2)$
   with NC and NR the number of columns and rows, respectively. Pixel size is denoted by ps.
3. The coordinates of the principle point, xp_meas and yp_meas, in the x_meas/ y_meas coordinate system allows the transformation in the camera coordinate system x, y, (z).
   $x = x_meas - xp_meas$
   $y = y_meas - yp_meas$
4. With
   $r = \sqrt{x^2 + y^2}$
   $dr = (K0 + K1 \cdot r^2 + K2 \cdot r^4 + K3 \cdot r^6 + K4 \cdot r^8 + K5 \cdot r^{10} + K6 \cdot r^{12} + K7 \cdot r^{14})$
   $dn = (1 + P3 \cdot r^2 + P4 \cdot r^4)$
   corrected coordinates (xc and yc) are calculated as
   $xc = x + x \cdot dr + dn \cdot (P1(r^2 + 2x^2) + 2P2 \cdot x \cdot y)$
   $yc = y + y \cdot dr + dn \cdot (P2(r^2 + 2y^2) + 2P1 \cdot x \cdot y)$
5. These corrected coordinates of a measured point in the image is $P_img(xc, yc, C)$ where C is the camera constant or focal length. Together with the front nodal point O (center of the camera coordinate system) this defines a ray towards the object,
   $O - P_img = (-xc, -yc, -C)$

Fig. 96. Explanation of the camera parameters in the calibration pdf-file.

The aerial triangulation by Match AT was done using only GNSS-IMU data, i.e. without any ground control. The RMS-statistics below reflect thus accuracy of relative orientation and minor systematic errors may be present in any of the exterior orientation parameters. These can only be analysed by using the GCPs, some of which are visible in the images still.

<u>MATCH-AT-results (no ground control)</u>
RMS IMU observations (number: 80)
omega 0.0029 [deg]
phi 0.0035 [deg]
kappa 0.0037 [deg]
RMS GNSS observations (number: 80)
x 0.054 [meter]
y 0.038 [meter]
z 0.040 [meter]
sigma naught 0.7 micron (16:16:53)



pix4D software (structure from motion) was briefly tested for solving the exterior orientation, it does however not consider the observatoins of image rotations (as observations), only the xyz-positions by GNSS.

The MATCH-AT triangulation was repeated by transforming the gnd-observations from UTM35/N2000 into KKJ-2/N60 coordinate system:

Table 8. Exterior orientation parameters in radians and degrees in the KKJ-2/N60 system.

IM	omega	phi	kappa	x0	y0	z0
657	0.008651	0.005487	0.352415	2516901.13	6855349.79	1339.27
658	0.009431	0.005418	0.349553	2516773.58	6855697.41	1340.26
659	0.008805	0.005174	0.342288	2516647.60	6856040.36	1340.08
660	0.008701	0.006271	0.360298	2516522.33	6856383.39	1340.17
661	0.008464	0.005714	0.350877	2516395.51	6856725.60	1340.43
662	0.009245	0.005765	0.352929	2516268.94	6857067.46	1340.42
663	0.008909	0.004777	0.356095	2516142.03	6857409.94	1340.37
664	0.009473	0.006001	0.346248	2516013.54	6857755.12	1340.52
665	0.008965	0.006049	0.346480	2515887.26	6858098.86	1339.93
666	0.008634	0.005044	0.334713	2515763.05	6858442.41	1339.23
667	0.009274	0.005349	0.353345	2515641.57	6858784.44	1339.59
668	0.007724	0.004088	0.352337	2515519.49	6859125.45	1339.97
669	0.008867	0.005236	0.357296	2515398.25	6859465.73	1339.43
670	0.008749	0.005648	0.360718	2515276.28	6859807.00	1339.54
671	0.009658	0.004839	0.355750	2515154.14	6860145.62	1339.16
672	0.009028	0.004953	0.334965	2515031.90	6860482.12	1339.31
673	0.008968	0.005733	0.348350	2514909.40	6860820.40	1340.50
674	0.008900	0.005099	0.373563	2514785.38	6861156.20	1339.91
675	0.009074	0.006417	0.359164	2514664.06	6861492.74	1339.27
621	-0.008782	-0.005433	-2.791684	2515138.33	6861590.23	1340.58
622	-0.008797	-0.005713	-2.798510	2515260.18	6861254.73	1340.90
623	-0.007991	-0.004659	-2.792065	2515381.71	6860918.96	1340.38
624	-0.009221	-0.006182	-2.787643	2515504.47	6860583.58	1340.16
625	-0.008671	-0.004893	-2.791228	2515627.91	6860248.69	1340.26
626	-0.009028	-0.006479	-2.791199	2515750.25	6859912.56	1340.58
627	-0.008623	-0.005591	-2.789350	2515874.67	6859574.09	1340.99
628	-0.009690	-0.005868	-2.796750	2516000.20	6859235.36	1340.29
629	-0.009252	-0.005688	-2.792903	2516125.68	6858894.81	1340.37
630	-0.008863	-0.006018	-2.789074	2516252.43	6858555.07	1341.11
631	-0.008483	-0.005438	-2.793821	2516375.87	6858215.66	1340.43
632	-0.008805	-0.004878	-2.786818	2516498.55	6857875.33	1340.10
633	-0.008955	-0.005715	-2.798806	2516622.20	6857531.53	1339.86
634	-0.008485	-0.006305	-2.785618	2516746.38	6857186.69	1340.21
635	-0.009347	-0.005850	-2.782225	2516873.35	6856844.64	1340.84
636	-0.009219	-0.006000	-2.789635	2517001.45	6856497.14	1340.85
637	-0.009656	-0.005265	-2.791717	2517130.08	6856151.86	1340.67
638	-0.009137	-0.005251	-2.784531	2517258.79	6855804.73	1340.88
639	0.008967	0.008054	0.354596	2517738.60	6855949.92	1346.64
640	0.008577	0.006216	0.356340	2517612.82	6856298.77	1346.76
641	0.008736	0.005537	0.356553	2517486.31	6856646.73	1346.84
642	0.009601	0.005296	0.356861	2517357.67	6856994.38	1346.94
643	0.008785	0.005150	0.358454	2517228.68	6857339.06	1347.27
644	0.009128	0.005750	0.346768	2517099.83	6857682.93	1346.95
645	0.008441	0.005849	0.339340	2516971.15	6858027.27	1345.55
646	0.009137	0.005334	0.339850	2516847.70	6858368.63	1344.99
647	0.009411	0.005795	0.344787	2516724.86	6858709.90	1345.21
648	0.008758	0.005330	0.358281	2516600.53	6859052.49	1345.83
649	0.009519	0.005497	0.358717	2516474.16	6859393.52	1345.97
650	0.008779	0.005901	0.345104	2516347.78	6859734.83	1345.43
651	0.009664	0.005483	0.349387	2516225.22	6860070.70	1345.14
652	0.009078	0.005473	0.346859	2516103.55	6860408.03	1345.61
653	0.008669	0.005100	0.347319	2515983.26	6860747.25	1345.80
654	0.009038	0.004850	0.352730	2515863.52	6861085.42	1345.74
655	0.009099	0.005186	0.364014	2515741.58	6861422.74	1345.77
656	0.008893	0.005121	0.349910	2515617.62	6861759.26	1346.11
676	-0.011187	-0.007197	-2.793250	2516070.14	6861930.50	1327.97
677	-0.009802	-0.005608	-2.790003	2516189.59	6861597.26	1327.93
678	-0.009216	-0.005644	-2.783156	2516311.30	6861266.38	1328.42
679	-0.010374	-0.005275	-2.800022	2516433.35	6860933.86	1328.44
680	-0.009984	-0.006612	-2.795458	2516553.13	6860600.67	1328.75
681	-0.009348	-0.006360	-2.782889	2516673.30	6860266.77	1328.95
682	-0.009495	-0.006338	-2.788987	2516793.93	6859933.61	1328.79
683	-0.009180	-0.005671	-2.789728	2516918.13	6859597.28	1328.61
684	-0.009448	-0.005277	-2.790411	2517038.77	6859259.78	1327.95
685	-0.010242	-0.006602	-2.786304	2517161.55	6858919.56	1328.13
686	-0.009802	-0.005579	-2.788387	2517286.66	6858585.33	1328.15
687	-0.008949	-0.005920	-2.788599	2517412.81	6858249.16	1328.11
688	-0.009298	-0.004596	-2.794802	2517540.72	6857910.22	1328.04
689	-0.009766	-0.005688	-2.789191	2517667.95	6857570.96	1327.59
690	-0.009821	-0.005440	-2.807992	2517791.35	6857229.75	1327.89
691	-0.009659	-0.005835	-2.800449	2517912.39	6856885.02	1328.80
692	-0.010003	-0.006328	-2.793754	2518035.40	6856539.49	1328.66
613	-0.006028	0.011510	1.901906	2516985.08	6860571.84	1343.29
614	-0.005245	0.009129	1.909518	2516646.35	6860453.36	1342.26
615	-0.006502	0.010068	1.908454	2516308.39	6860334.02	1341.84
616	-0.005450	0.009888	1.899643	2515971.28	6860216.44	1341.42
617	-0.005780	0.008732	1.908106	2515631.06	6860098.35	1341.19
618	-0.005066	0.009629	1.903497	2515291.52	6859979.33	1342.37
619	-0.005339	0.009311	1.912432	2514950.51	6859859.63	1343.44
620	-0.004527	0.009798	1.860798	2514607.18	6859739.37	1342.39

Following MATCH-AT recalculation in KKJ2/N60; the lens distortions were removed using iWitness (XYrectify) to create "pinhole versions" of the images (for kuvamitt). Bicubid interpolation was applied resulting in 14604 x 11052 images with xp, yp at column = 7311.97, row = 5557.11. Affine coefficients: [265957.4468, 0, 7311.97, 0, 265957.4468 , 5557.11}. The rectified images include 0-valued pixels in the margins but retain the original 3.76-micron pixel size. File names are 2020_1km_RGB_00###.raw. TIF-versions of these pinhole images were not stored, only the originals.
Epipolar geometry works well in these 2020 RGB images.

Files:

2.5.38 2020 UltraCam 3 km RGBN imagery




Fig. 97. Index of the 51 images in two strips. The flight was tuned in to cover Lakkasuo, which was however not covered by the LiDAR of 2020 due to budget constraints.

- Captured June 10, 2020, at 0520 GMT by Terratec
- Low solar elevation at 25-26°
- 3300 m AGL, apprx. 13 cm (PAN) resolution
- 80% forward-overlap
- Lvl2-PAN 26460 x 17004, 16 bits per pixel
  Lvl2-RGBN 8820 x 5668, RGBN, 16 bits per band
  Lvl3-RGBN 17004 × 26460 pixels, 8 bytes per band
  Lvl3-CIR-images (*.raw), 8 bytes per band
- PAN-sharpening ratio 1:3, i.e. multispectral pixels sample the ground at apprx. 40 cm resolutoin
- Ultracam Eagle M3, serial 431S71474X017018-f100
- 4 um pixels ("12 um" in RGBN (multispectral) using a focal length of 100.5 mm. All CCDs are the same.
- f/6.7, 1/250 seconds exposure settings, constant (verify)
- In total eight lenses and 9 (PAN) + 4 CCD-arrays: FTF9060-M Area CCD Sensor by DALSA
- Calibration Nov 28, 2019:
  Pixel size 4 um
  c = 100.500 mm, 33.3 mm in multispectral
  xp = 0.0 mm
  yp = 0.0 mm
  Remaining distortions < 2 um after applying a correction table from calibration.
- 51 frames, 2 strips
- Match-At aerial triangulation with GPS/IMU data alone
- Consortium at UH (prof. Bäck, Puttonen, Holopainen, Vauhkonen & Korpela). Funding by courses utilizing these data + SMEAR.




Fig. 98. Sensitivity curves from the calibration pdf.

The MATCH-AT triangulation by Terratec was utilized (tie points and their image observations) to transform the exterior orientation (by recalculating the bundle block adjustment) from UTM35/N2000 into KKJ-2/N60 coordinate system.

Table 9. Exterior orientation parameters in KKJ-2/N60 (radians and meters).

image	omega	phi	kappa	x0	y0	z0
_52	0.009057	-0.003245	1.782890	2516991.08	6852027.31	3478.121
_53	0.009842	-0.003437	1.787895	2516896.16	6852466.91	3478.203
_54	0.010751	-0.003647	1.791288	2516799.28	6852907.13	3477.846
_55	0.002271	-0.000391	1.797259	2516700.56	6853347.35	3477.185
_56	0.004156	-0.001000	1.797392	2516599.87	6853787.86	3477.121
_57	0.003975	-0.000542	1.801886	2516497.53	6854229.63	3476.871
_58	0.003525	-0.000672	1.805490	2516393.87	6854669.98	3476.739
_59	0.003686	-0.000247	1.808265	2516289.32	6855111.38	3476.792
_60	0.003060	-0.000374	1.810155	2516184.40	6855549.68	3477.374
_61	0.003230	-0.000345	1.810916	2516078.24	6855991.46	3477.686
_62	0.003357	-0.000868	1.811331	2515972.10	6856432.11	3477.579
_63	0.003056	-0.000731	1.807896	2515866.06	6856873.89	3477.408
_64	0.003498	-0.000328	1.805629	2515760.74	6857314.47	3476.996
_65	0.003471	-0.000172	1.804012	2515655.85	6857756.57	3476.631
_66	0.003138	-0.000548	1.800781	2515552.16	6858198.23	3476.402
_67	0.003191	-0.000358	1.794790	2515452.12	6858638.05	3476.692
_68	0.003054	0.000041	1.787748	2515355.05	6859078.47	3477.304
_69	0.003581	-0.000794	1.783623	2515260.06	6859521.50	3477.619
_70	0.002934	-0.000265	1.776435	2515166.72	6859966.76	3477.942
_71	0.002989	-0.000458	1.772625	2515076.32	6860410.25	3478.348
_72	0.002903	-0.000642	1.767529	2514988.29	6860853.43	3478.421
_73	0.002967	-0.000443	1.764789	2514901.51	6861298.28	3478.281
_74	0.003411	-0.000749	1.760855	2514816.77	6861742.53	3477.635
_75	0.003231	-0.001084	1.768330	2514731.49	6862188.35	3477.002
_76	0.003130	-0.000665	1.774269	2514642.07	6862635.46	3476.437
_77	-0.003330	0.000500	-1.348619	2515999.13	6862961.47	3476.636
_78	-0.003202	0.000729	-1.349197	2516097.33	6862522.40	3476.987
_79	-0.003325	0.000560	-1.348534	2516195.57	6862082.34	3477.093
_80	-0.003495	-0.000208	-1.348970	2516293.93	6861643.73	3477.314
_81	-0.003280	0.000625	-1.350387	2516392.32	6861203.94	3477.618
_82	-0.003154	0.000884	-1.350367	2516490.11	6860765.38	3477.566
_83	-0.002997	0.000200	-1.349106	2516588.33	6860323.52	3477.129
_84	-0.003236	0.000345	-1.350070	2516686.00	6859884.42	3476.761
_85	-0.003500	-0.000245	-1.352667	2516783.40	6859443.50	3477.106
_86	-0.003309	0.000510	-1.352553	2516879.72	6859003.17	3477.538
_87	-0.003511	0.000627	-1.353773	2516976.50	6858560.87	3477.385
_88	-0.003382	0.000486	-1.354784	2517072.71	6858120.27	3477.031
_89	-0.003176	0.000384	-1.355307	2517168.63	6857677.23	3477.248
_90	-0.003131	0.000658	-1.344470	2517267.35	6857235.29	3477.399
_91	-0.003181	0.000346	-1.339342	2517369.91	6856793.66	3478.057
_92	-0.003478	-0.000390	-1.337404	2517473.99	6856351.13	3478.777
_93	-0.003403	0.000673	-1.336447	2517577.49	6855910.60	3478.617
_94	-0.003254	0.000567	-1.339815	2517681.65	6855467.51	3477.948
_95	-0.003207	0.000205	-1.338981	2517784.48	6855027.15	3477.812
_96	-0.003277	0.000193	-1.338967	2517887.14	6854588.83	3477.553
_97	-0.003222	0.000332	-1.338027	2517990.54	6854148.43	3477.179
_98	-0.003430	0.000302	-1.338971	2518093.71	6853707.46	3477.521
_99	-0.003663	-0.000446	-1.341108	2518196.11	6853266.42	3477.318
_100	-0.003265	0.000411	-1.340688	2518298.26	6852826.27	3477.106
_101	-0.003039	0.000393	-1.341736	2518400.00	6852386.78	3477.041
_102	-0.003110	0.000637	-1.389003	2518502.19	6851943.47	3477.131

2.5.39 2022 UltraCam Eagle 7-km RGBN imagery

May 25, 2022 (08:23-09:42 DST) by National Land Survey (MML). Images were received for research and teaching at UH in September 2022 via Risto Ilves at NLS.

Camera and calibration UC-Eagle-2-413S71562X313019-f80_29.04.2021_A. (Certificate is with NLS).

The image set has Pan-sharpened Lvl3 images only, i.e., 8 bits per pixel RGBN (4 channel) TIFFs (1.3 GBytes each). Raw Lvl2-images (four bands and panchromatic) are in the NLS archives.

Focal length 0.0798000 m
Image size 14790 x 23010
Pixel size 4.6 microns
Principal point of autocollimation: column 7425, row 11504.5
Nominal pixel size on the ground is 40 cm.

At NLS, images were oriented in UTM35 with N2000 elevations using ESPA software. Espa's 3D rotation matrix (left-handed coordinate system) was solved for camera rotations (in a right-handed system) omega, phi, kappa using the iterative (manual) process in ESPA_TO_KUVAMITT.xls. Solving the orientation in KKJ2/N60 was done by creating ground points in a 400 m grid, which were converted from UTM35 to KKJ2 and "lowered 32 cm" (N2000->N60). These synthetic points were mapped to images and the image observations were applied in a bundle block adjustment. There exists no direct transformation method.

There are 22 exposures from two flight lines, which are numbered as 20221007A_01_0002...00013 and 221007A_02_0087...0096.

The images are from the start of the campaign (flight lines 1 and 2 of eight, 50-km-long). Exact exposure times were not in the delivery.

Solar elevation is ca. 27-30 degrees only. Solar Azimuth was 92-95 degrees. There are no special field images to show the phenology on May 25, 2022, as the imaging campaign was a standard mapping, and the timetable was not known in Hyytiälä. In some field images taken May 22-24 (IK visiting Hyytiälä) from Korkeakoski and Hyytiälä, only silver birch has (not fully developed) leaves. Aspens are leaf-off. Pubescent birch had almost no leaves.


MAANMITTAUSLAITOS
ILMAKUVAKESKUS

LIMIKUVA 20221007A 1:200000
Ruovesi
25.5.2022 8:23:00-9:42:54
GSD Maastoresoluutio 40 cm
KORKEUS 6939 + 143 m
KAMERA 29.4.2021
UC-Eagle2-413S71562X313019-f80
KUVAT 20221007A: 1-343
Maanmittauslaitoksen maastotietojärjestelmä
OH-ACN1

The 4-band (BIL) TIFFs were broken into 1-band raw images with Matlab, and then re-sampled into 4-band raw BIP image files (*.raw) for the use KUVAMITT.

UTM35/N2000 orientation parameters

Image	X0	Y0	Z0	omega	phi	kappa
2	6851784.48	360752.60	7121.10	0.0130414	0.0107755	1.5798383
3	6852967.87	360743.09	7120.73	-0.0011860	-0.0027904	1.5760205
4	6854150.37	360739.36	7122.90	0.0014780	0.0006628	1.5743266
5	6855333.87	360741.83	7127.25	0.0010685	0.0000518	1.5668123
6	6856517.71	360757.13	7130.76	0.0001870	-0.0004510	1.5490580
7	6857701.51	360790.74	7132.23	0.0002016	-0.0002785	1.5356662
8	6858887.76	360821.91	7134.08	0.0002889	0.0004956	1.5579536
9	6860070.28	360830.56	7135.05	-0.0005204	0.0008871	1.5684786
10	6861254.05	360830.45	7135.56	0.0007408	0.0005801	1.5734054
11	6862436.51	360826.89	7135.13	0.0002244	0.0007446	1.5733838
12	6863618.22	360819.07	7135.58	0.0008152	0.0000532	1.5773076
13	6864802.85	360804.16	7136.40	0.0008109	-0.0000385	1.5857878
87	6863614.18	354297.50	7130.37	-0.0004916	-0.0005378	-1.5716632
88	6862431.20	354298.96	7129.98	-0.0006598	-0.0012033	-1.5698285
89	6861249.59	354304.53	7131.28	-0.0002208	0.0004018	-1.5673486
90	6860066.37	354309.89	7131.13	-0.0007240	-0.0023335	-1.5674167
91	6858883.95	354315.36	7130.98	-0.0010581	-0.0001094	-1.5673329
92	6857699.85	354323.46	7131.28	-0.0006203	-0.0018827	-1.5622166
93	6856517.02	354334.96	7131.81	-0.0001875	0.0006053	-1.5601995
94	6855334.97	354347.15	7132.61	-0.0005583	0.0002503	-1.5599423
95	6854152.57	354359.48	7133.30	-0.0004769	-0.0008066	-1.5605273
96	6852970.19	354371.25	7133.73	0.0000557	-0.0009758	-1.5636710




Fig. 99. Mosaic of the 22 images (May 25, 2022) added to the time-series. Images of the whole campaign.

KKJ2/N60 orientation parameters by bundle block adjustment with synthetic observations.

Omega	Phi	Kappa	X0	Y0	Z0
0.0125298	0.0113650	1.6259958	2519208.48	6851892.10	7121.87
-0.0010553	-0.0028419	1.6221791	2519144.38	6853073.97	7121.50
0.0014469	0.0007302	1.6204849	2519086.09	6854255.22	7123.67
0.0010661	0.0001011	1.6129705	2519033.95	6855437.76	7128.02
0.0002085	-0.0004416	1.5952163	2518994.61	6856621.24	7131.54
0.0002157	-0.0002690	1.5818244	2518973.57	6857805.51	7133.01
0.0002661	0.0005084	1.6041118	2518949.97	6858992.14	7134.86
-0.0005603	0.0008621	1.6146368	2518904.05	6860173.99	7135.83
0.0007138	0.0006135	1.6195638	2518849.32	6861356.68	7136.34
0.0001902	0.0007540	1.6195423	2518791.20	6862537.91	7135.91
0.0008124	0.0000904	1.6234662	2518728.86	6863718.18	7136.36
0.0008121	-0.0000010	1.6319463	2518659.30	6864901.06	7137.18
-0.0004671	-0.0005599	-1.5255044	2512213.41	6863413.17	7131.14
-0.0006041	-0.0012323	-1.5236697	2512269.46	6862231.33	7130.75
-0.0002397	0.0003914	-1.5211899	2512329.54	6861051.04	7132.05
-0.0006148	-0.0023640	-1.5212583	2512389.50	6859869.13	7131.91
-0.0010518	-0.0001583	-1.5211746	2512449.52	6858688.04	7131.75
-0.0005321	-0.0019088	-1.5160583	2512512.25	6857505.38	7132.06
-0.0002153	0.0005960	-1.5140411	2512578.32	6856324.16	7132.58
-0.0005691	0.0002248	-1.5137838	2512645.04	6855143.74	7133.39
-0.0004393	-0.0008274	-1.5143685	2512711.92	6853962.98	7134.08
0.0000993	-0.0009718	-1.5175121	2512778.24	6852782.22	7134.51

2.5.40 2023 June 15 3 km Ultracam Eagle RGBN-PAN imagery

This campaign repeats that of 2020. There are 51 images from two parallel flight lines.

Sensor	UC Eagle
PAN	17004 x 2640 pixels
RGBN	5568 x 8820 pixels
Height	3.5 km
Pixel size	13/40 cm
Focal length	100.5 mm (PAN)
PPA_X, PPA_Y	0.000, 0.000 mm
Pan-RGBN ratio	1:3
Time	11:35-11:44 GMT
Solar elevation	49.54 – 49.16 degrees
Solar azim.	206.2-208.6 degrees

Exterior orientation was solved without ground control points in UTM35/N2000 heights. EO was re-computed to KKJ2/N60 by IK.

XY-accuracy of forward ray-intersected targets was 20 cm.
Z-values are slightly biased (above true heights), perhaps 10-40 cm.

Exterior orientation ETRS-TM35FIN/N2000 (radians, meters):

Image	Omega	Phi	Kappa	X0	Y0	Z0
72426	0.0039711	0.0022118	1.7497853	360046.433	6851843.753	3498.158
72427	0.0089883	0.0047027	1.7505193	359964.439	6852289.328	3498.255
72428	0.0100066	0.0050297	1.7500207	359886.710	6852734.417	3496.350
72429	0.0085879	0.0055163	1.7494540	359811.636	6853180.217	3493.908
72430	0.0082424	0.0058757	1.7495431	359732.556	6853626.007	3493.935
72431	0.0067700	0.0040003	1.7494837	359649.276	6854070.297	3495.443
72432	0.0043330	0.0003541	1.7498567	359564.584	6854515.112	3495.425
72433	0.0053610	0.0022601	1.7494026	359482.855	6854959.634	3495.599
72434	0.0046715	0.0004808	1.7492854	359404.445	6855405.713	3494.274
72435	0.0045069	-0.0004761	1.7496188	359326.657	6855850.758	3493.703
72436	0.0054899	0.0011984	1.7491694	359249.039	6856296.908	3494.530
72437	0.0049367	0.0011984	1.7490977	359171.876	6856742.061	3494.828
72438	0.0046532	0.0013887	1.7491841	359094.462	6857188.287	3495.379
72439	0.0048293	0.0005155	1.7491254	359016.060	6857633.073	3494.747
72440	0.0047747	0.0005561	1.7506514	358936.095	6858078.912	3494.884
72441	0.0045192	0.0000614	1.7510006	358856.075	6858523.583	3495.724
72442	0.0046084	0.0005856	1.7487375	358779.909	6858969.885	3496.197
72443	0.0042270	0.0002364	1.7509381	358705.910	6859415.550	3494.367
72444	0.0047953	0.0005393	1.7508650	358631.210	6859862.228	3493.343
72445	0.0048889	0.0006000	1.7486321	358555.691	6860307.951	3494.254
72446	0.0044741	0.0007043	1.7504621	358480.228	6860754.186	3495.227
72447	0.0039837	0.0005338	1.7511638	358404.472	6861199.835	3495.218
72448	0.0042446	0.0002882	1.7494739	358326.383	6861645.641	3494.399
72449	0.0044177	0.0007288	1.7509032	358246.841	6862090.469	3494.876
72450	0.0051536	0.0005540	1.7505542	358167.817	6862536.243	3494.358
72451	0.0048698	0.0004530	1.7489985	358089.405	6862981.177	3494.686
72452	-0.0046681	-0.0013883	-1.3925640	356642.912	6862718.130	3494.974
72453	-0.0039685	-0.0004276	-1.3906865	356722.615	6862273.341	3494.828
72454	-0.0056198	-0.0010138	-1.3905350	356801.970	6861827.417	3494.627
72455	-0.0040822	-0.0004298	-1.3904414	356880.717	6861382.659	3495.628
72456	-0.0038497	-0.0003651	-1.3907229	356959.283	6860936.657	3495.911
72457	-0.0035275	-0.0008176	-1.3910562	357037.875	6860491.708	3494.451
72458	-0.0046348	-0.0006666	-1.3930780	357117.192	6860045.997	3494.317
72459	-0.0047215	-0.0001720	-1.3914265	357196.616	6859601.299	3496.116
72460	-0.0046329	-0.0002667	-1.3912628	357276.020	6859155.470	3498.610
72461	-0.0039391	-0.0003600	-1.3928732	357355.590	6858710.568	3498.142
72462	-0.0039747	-0.0009706	-1.3913256	357435.985	6858265.150	3496.891
72463	-0.0051255	-0.0008292	-1.3918316	357516.917	6857820.485	3497.531
72464	-0.0049680	-0.0005784	-1.3935312	357595.461	6857374.661	3498.571
72465	-0.0048497	-0.0006079	-1.3920958	357669.945	6856928.970	3498.416
72466	-0.0046197	-0.0005482	-1.3916503	357742.466	6856481.810	3497.094
72467	-0.0044502	-0.0007654	-1.3934182	357814.583	6856035.704	3496.962
72468	-0.0046307	0.0002320	-1.3918515	357887.978	6855588.734	3497.132
72469	-0.0044362	-0.0001133	-1.3908695	357962.727	6855143.191	3497.456
72470	-0.0042547	-0.0006327	-1.3940844	358039.302	6854696.671	3496.708
72471	-0.0043252	-0.0010870	-1.3917757	358116.241	6854251.790	3497.289
72472	-0.0052564	-0.0001756	-1.3919712	358192.886	6853806.487	3498.974
72473	-0.0036874	-0.0012734	-1.3932275	358270.945	6853360.450	3499.042
72474	-0.0043665	-0.0004137	-1.3911748	358352.074	6852916.016	3497.806
72475	-0.0052424	0.0000240	-1.3917337	358432.482	6852470.370	3497.811
72476	-0.0046810	-0.0006445	-1.3929874	358510.746	6852025.430	3498.146

Exterior orientation KKJ2/N60 (radians, meters):

Image	Omega	Phi	Kappa	X0	Y0	Z0
72426	0.0038655	0.0023983	1.7959445	2514104.256	6851715.644	3498.361
72427	0.0087649	0.0051136	1.7966755	2514001.761	6852157.019	3498.448
72428	0.0097611	0.0054990	1.7961763	2513903.605	6852598.139	3496.552
72429	0.0083311	0.0059101	1.7956087	2513807.995	6853040.039	3494.102
72430	0.0079640	0.0062549	1.7956963	2513708.423	6853481.794	3494.142
72431	0.0065762	0.0043175	1.7956387	2513604.733	6853921.850	3495.651
72432	0.0043148	0.0005706	1.7960108	2513499.622	6854362.337	3495.631
72433	0.0052500	0.0025074	1.7955586	2513397.400	6854802.697	3495.799
72434	0.0046432	0.0006959	1.7954382	2513298.475	6855244.750	3494.482
72435	0.0045357	-0.0002545	1.7957725	2513200.267	6855685.763	3493.907
72436	0.0054284	0.0014570	1.7953234	2513102.108	6856127.966	3494.738
72437	0.0048777	0.0014251	1.7952517	2513004.453	6856569.149	3495.029
72438	0.0045889	0.0016076	1.7953381	2512906.541	6857011.388	3495.578
72439	0.0048041	0.0007391	1.7952789	2512807.671	6857452.153	3494.954
72440	0.0047419	0.0007851	1.7968076	2512707.236	6857893.919	3495.094
72441	0.0045156	0.0002766	1.7971566	2512606.758	6858334.475	3495.926
72442	0.0045751	0.0008043	1.7948928	2512510.069	6858776.878	3496.405
72443	0.0042109	0.0004417	1.7970952	2512415.588	6859218.718	3494.572
72444	0.0047604	0.0007721	1.7970178	2512320.351	6859661.561	3493.548
72445	0.0048474	0.0008260	1.7947871	2512224.293	6860103.410	3494.456
72446	0.0044388	0.0009129	1.7966173	2512128.318	6860545.719	3495.426
72447	0.0039438	0.0007207	1.7973185	2512032.069	6860987.515	3495.421
72448	0.0042322	0.0004897	1.7956305	2511933.488	6861429.256	3494.604
72449	0.0043830	0.0009347	1.7970593	2511833.479	6861870.015	3495.086
72450	0.0051291	0.0008006	1.7967096	2511733.982	6862311.728	3494.568
72451	0.0048440	0.0006792	1.7951526	2511635.085	6862752.664	3494.900
72452	-0.0046126	-0.0016020	-1.3464074	2510202.038	6862423.148	3495.182
72453	-0.0039496	-0.0006063	-1.3445292	2510302.205	6861982.412	3495.036
72454	-0.0055538	-0.0012645	-1.3443784	2510402.074	6861540.489	3494.841
72455	-0.0040595	-0.0006185	-1.3442876	2510501.246	6861099.821	3495.837
72456	-0.0038141	-0.0005384	-1.3445684	2510600.338	6860657.790	3496.118
72457	-0.0034830	-0.0009704	-1.3449021	2510699.409	6860216.913	3494.660
72458	-0.0045974	-0.0008828	-1.3469228	2510799.175	6859775.272	3494.522
72459	-0.0047191	-0.0003788	-1.3452715	2510899.095	6859334.683	3496.328
72460	-0.0046098	-0.0004684	-1.3451074	2510999.002	6858892.867	3498.818
72461	-0.0039269	-0.0005417	-1.3467172	2511098.986	6858452.089	3498.348
72462	-0.0039170	-0.0011434	-1.3451708	2511199.895	6858010.726	3497.103
72463	-0.0050888	-0.0010660	-1.3456763	2511301.229	6857570.252	3497.740
72464	-0.0049516	-0.0008083	-1.3473786	2511400.276	6857128.486	3498.774
72465	-0.0048114	-0.0008220	-1.3459416	2511495.295	6856686.567	3498.620
72466	-0.0045899	-0.0007583	-1.3454959	2511588.358	6856243.176	3497.298
72467	-0.0044062	-0.0009713	-1.3472636	2511680.979	6855800.788	3497.176
72468	-0.0046394	0.0000232	-1.3456948	2511774.959	6855357.633	3497.341
72469	-0.0044241	-0.0003050	-1.3447163	2511870.223	6854915.926	3497.671
72470	-0.0042221	-0.0008183	-1.3479293	2511967.322	6854473.357	3496.916
72471	-0.0042764	-0.0012745	-1.3456186	2512064.723	6854032.444	3497.503
72472	-0.0052422	-0.0004163	-1.3458163	2512161.810	6853591.059	3499.184
72473	-0.0036330	-0.0014355	-1.3470736	2512260.399	6853149.059	3499.246
72474	-0.0043377	-0.0006068	-1.3450200	2512361.967	6852708.725	3498.022
72475	-0.0052525	-0.0002089	-1.3455768	2512462.869	6852267.262	3498.022
72476	-0.0046545	-0.0008511	-1.3468300	2512561.595	6851826.317	3498.354

2.5.41 2023, Aug 18 1 km RGB imagery during LiDAR

These true-color images (n=86) are similar as those captured in 2020 during the LiDAR campaign.

Sensor	PhaseOne, RGB CCD array
Size	14204 x 10652 pixels (original)
Size	14604 x 11052 pixels (undistorted)
Height	1.2 km
Pixel size	8.5 cm, 3.76 um
Focal length	51.7710 mm
PPA_X, PPA_Y	-0.0076, -0.0717 mm



Time	06:28-06:45 GMT
Solar elevation	25.9 – 27.5 degrees
Solar azim.	111.7-115.33 degrees

These images were captured along the four pararallel flight lines of the LIDAR acquisition + perpendicular flight line #5. This line was not flown along the same path as in 2018 and 2020 (which had been requested). The original TIF images were resampled to undistorted versions in which the lens errors are largely removed, and the images are in “perfect” pinhole camera geometry.

The images from one flight line match well, but the epipolar geometry has a mismatch of about one pixel when using images of adjacent lines for 3D reconstruction. Also, it appears that the 3D reconstructed points float 10-30 cm above their true coordinates.

Omega	Phi	Kappa	X0	Y0	Z0	Image
-0.001345	0.000041	0.358735	2516937.95	6855209.49	1316.38	1
0.002700	-0.000020	0.359579	2516808.71	6855552.63	1321.57	2
0.002297	-0.000667	0.351325	2516678.38	6855895.40	1318.79	3
0.001173	-0.000558	0.352757	2516552.11	6856237.82	1317.39	4
0.001349	-0.001064	0.346121	2516426.26	6856579.27	1317.11	5
0.001515	-0.000998	0.349551	2516299.67	6856921.63	1316.86	6
0.001219	-0.000763	0.347874	2516174.37	6857265.21	1317.06	7
0.001601	-0.001166	0.343295	2516049.71	6857609.64	1317.60	8
0.001877	-0.000826	0.339567	2515925.96	6857955.21	1317.85	9
0.001464	-0.000545	0.340464	2515802.74	6858298.71	1317.89	10
0.001557	-0.001550	0.346086	2515680.44	6858639.49	1318.08	11
0.001305	-0.000543	0.349210	2515557.25	6858980.07	1318.14	12
0.001375	-0.000481	0.342700	2515434.29	6859320.90	1318.09	13
0.001163	-0.001377	0.339465	2515313.00	6859660.30	1318.29	14
0.001995	-0.000592	0.346552	2515191.07	6859999.56	1318.35	15
0.000974	-0.000950	0.358047	2515065.23	6860335.83	1318.64	16
0.001325	-0.000961	0.347968	2514940.02	6860672.91	1318.49	17
0.001937	-0.000490	0.348650	2514817.32	6861008.28	1318.46	18
0.001158	-0.001015	0.350957	2514693.38	6861345.71	1318.59	19
0.001499	-0.001155	0.347475	2514568.87	6861686.99	1318.54	20
0.010288	-0.002111	-2.787091	2515026.05	6861854.45	1321.67	21
0.014891	-0.004185	-2.797870	2515149.01	6861520.16	1321.61	22
0.016739	-0.004885	-2.790652	2515272.33	6861183.54	1321.44	23
0.014258	-0.003585	-2.788024	2515395.97	6860848.54	1321.32	24
0.002706	0.000017	-2.790494	2515519.11	6860513.74	1321.32	25
-0.002562	0.001247	-2.795856	2515641.35	6860178.09	1321.45	26
-0.002557	0.001843	-2.796050	2515762.95	6859843.45	1321.45	27
-0.001881	0.000951	-2.799139	2515886.52	6859502.93	1321.52	28
-0.000836	0.000941	-2.794731	2516010.96	6859162.11	1321.73	29
-0.001821	0.001490	-2.796953	2516134.28	6858823.20	1321.52	30
-0.002225	0.001675	-2.792519	2516259.08	6858481.55	1321.48	31
-0.001671	0.000793	-2.795844	2516383.06	6858143.11	1321.38	32
-0.001531	0.001076	-2.794832	2516507.70	6857802.77	1321.36	33
-0.002032	0.001471	-2.788880	2516633.63	6857460.56	1321.41	34
-0.001756	0.000952	-2.795115	2516760.07	6857116.33	1321.26	35
-0.000948	0.000991	-2.796767	2516884.32	6856773.03	1321.43	36
-0.001242	0.000654	-2.788937	2517011.57	6856425.61	1321.46	37
-0.001199	0.001175	-2.781773	2517141.18	6856079.90	1321.59	38
-0.001954	0.000668	-2.785818	2517271.33	6855734.41	1321.80	39
-0.001432	0.001242	-2.781722	2517401.56	6855388.04	1321.85	40
0.001666	-0.001118	0.356275	2517749.02	6855879.47	1327.74	41
0.001480	-0.001770	0.352582	2517619.54	6856226.30	1327.82	42
0.001590	-0.001286	0.346103	2517492.76	6856573.57	1327.57	43
0.001526	-0.000819	0.350342	2517364.97	6856922.98	1327.78	44
0.001517	-0.001637	0.349218	2517237.99	6857267.67	1327.84	45
0.001706	-0.000940	0.349289	2517111.50	6857612.63	1327.83	46
0.001849	-0.000843	0.354750	2516984.52	6857956.97	1327.90	47
0.001150	-0.001697	0.350278	2516858.49	6858295.87	1327.77	48
0.001245	-0.000229	0.353035	2516732.29	6858638.27	1327.45	49
0.001284	-0.001109	0.352551	2516605.21	6858978.30	1327.50	50
0.001835	-0.001056	0.342966	2516480.28	6859319.63	1327.44	51
0.001921	-0.001374	0.352390	2516355.61	6859661.47	1327.63	52
0.001375	-0.001775	0.353299	2516229.35	6860001.97	1327.72	53
0.001339	-0.001039	0.349927	2516105.51	6860338.19	1327.65	54
0.002117	-0.001074	0.351532	2515980.83	6860673.64	1327.77	55
0.001201	-0.001429	0.345000	2515855.82	6861010.56	1327.67	56
0.001163	-0.000742	0.338834	2515735.16	6861349.34	1327.35	57
0.001583	-0.000999	0.350706	2515612.90	6861686.82	1327.64	58
0.000557	-0.001381	0.347623	2515489.76	6862023.35	1327.73	59
-0.001809	0.001759	-2.803721	2515963.14	6862197.00	1317.33	60
-0.000090	0.002863	-2.797883	2516082.55	6861864.23	1318.23	61
-0.001173	0.002174	-2.798619	2516203.82	6861528.25	1318.51	62
-0.001605	0.001526	-2.802383	2516323.64	6861193.39	1318.60	63
-0.001952	0.001515	-2.799663	2516444.29	6860858.34	1318.49	64
-0.001596	0.001405	-2.800972	2516564.94	6860525.41	1318.46	65
-0.001137	0.001158	-2.788528	2516687.27	6860191.49	1318.42	66
-0.001426	0.001119	-2.792243	2516811.19	6859853.14	1318.39	67
-0.001648	0.001262	-2.795828	2516934.16	6859515.10	1318.27	68
-0.001447	0.001200	-2.798003	2517057.93	6859174.85	1318.36	69
-0.001049	0.001322	-2.790145	2517182.26	6858837.02	1318.44	70
-0.001729	0.001252	-2.796031	2517306.30	6858499.45	1318.51	71
-0.001417	0.001499	-2.792261	2517430.13	6858161.24	1318.63	72
-0.001039	0.001375	-2.790563	2517555.35	6857820.06	1318.88	73
-0.001486	0.000984	-2.794995	2517679.83	6857477.54	1318.79	74
-0.001301	0.001745	-2.796058	2517805.62	6857131.12	1318.61	75
-0.001589	0.001474	-2.796720	2517930.88	6856785.66	1318.64	76
-0.001276	0.000930	-2.788876	2518056.31	6856442.61	1318.83	77
-0.001014	-0.001129	-1.244091	2514275.58	6860375.83	1322.89	78
-0.001268	-0.001482	-1.245161	2514614.52	6860491.47	1322.63	79
-0.001502	-0.001286	-1.246506	2514954.34	6860606.48	1322.54	80
-0.001511	-0.001662	-1.243075	2515294.43	6860721.91	1322.41	81
-0.001127	-0.001646	-1.231205	2515633.09	6860840.25	1322.34	82
-0.001336	-0.001645	-1.235494	2515969.87	6860959.51	1322.26	83
-0.001481	-0.001340	-1.232305	2516306.85	6861078.45	1322.34	84
-0.001847	-0.001341	-1.228063	2516642.82	6861198.80	1322.36	85
-0.001897	-0.001180	-1.233604	2516982.68	6861319.79	1322.27	86

3 Airborne LiDAR data


3.1 General remarks



Fig. 100. First LiDAR acquisition in 2004. Geodetic point (88M5041) near Syväniemi farm in Musturinkulma, where the GPS reference station was put up after a fast translocation from Tikkakoski (EFJY).

3.1.1 Number of acquisitions

By Oct 2023, there have been 16 acquisitions/campaigns, of which one was done (2011b) in leaf-off conditions. Acquisition heights have varied from 300 m to 4 km. The same acquisition date can include several scanning heights or repeated strips of redundant data, called datasets (Table 10). AOIs include the 'Hyytiälä rectangle', Lakkasuo, Siikaneva and Susimäki, of which "Hyytiälä rectangle" is always included. It encloses SMEAR II and has been the focus of forest RS activities (Fig. 7). Lakkasuo is covered by data collected in 2006 and 2011.






Fig. 101. Coverage of 2004, 2006, 2007 2008, 2010, & 2011 data. 10 x 20 km.




Fig. 102. Coverage of 2012, 2013 Riegl and 2013 Siikaneva LiDAR.




Fig. 103. Coverage of 2013 (ALS60), 2015 (Riegl) & 2016 (Optech) LiDAR. 10 x 20 km.




Fig. 104. Coverage of 2018, 2020 and leaf-off 2011 acquisitions. 10 x 20 km.




Fig. 105. Coverage of the 2023 acquisition. 10 x 20 km.

Table 10. LiDAR data sets in Hyytiälä

Year/set	Date	System	Sensor	Notes	Heights, km	Density	Coverage
2004	Aug, 5	DR	ALTM2033	One of first forest campaigns in Finland, DEM	0.9	1	Hyytiälä
2006-Hyytiälä	July 25	DR	ALTM3100	High-density for single-tree remote sensing	0.8	6	Hyytiälä
2006-Lakkasuo	July 25	DR	ALTM3100	Lakkasuo area, DEM	0.5, 1.2	2	Lakkasuo
2007	July 4	DR	ALS50-II	High-density, for single-tree remote sensing	0.8	6	Hyytiälä
2008-1km	Aug 23	DR	ALS50-II	Large FOV, during the ADS40 campaign	1	3	Hyytiälä, Lakkasuo
2008-2km	Aug 23	DR	ALS50-II	2km is the source data of DEM estim.	2	2	
2008-3km	Aug 23	DR	ALS50-II		3	0.5	
2008-4km	Aug 23	DR	ALS50-II		4	0.2	
2010-1km	July 19	DR+WF	ALS60+WDM65	First WF data, Leica test sensor	1	10/5 (all/WF)	Hyytiälä
2010-2km	July 19	DR+WF	ALS60+WDM65	1 and 2 ns sampling repeated strips, DEM	2	6/3 (all/WF)	Hyytiälä
2010-3km	July 19	DR+WF	ALS60+WDM65	1 and 2 ns sampling repeated strips	3	2/1 (all/WF)	Hyytiälä
2011a-1km-Hyytiälä	Aug 2	DR+WF	ALS60+WDM65		0.8	11	Hyytiälä
2011a-1km-Susimäki	Aug 2	DR+WF	ALS60+WDM65		0.8	?	Susimäki old growth
2011a-1km-Lakkasuo	Aug 2	DR+WF	ALS60+WDM65		0.9	?	Lakkasuo
2011a-2km-Hyytiälä	Aug 2	DR+WF	ALS60+WDM65		2	2	Hyytiälä
2011b	Nov 15	WF (DR)	LMS-Q680i	First leaf-off, in November	1	19	Hyytiälä
2012-05km	July5/6	DR+WF	ALS60+WDM65	Fixed SNR for flat targets	0.5	11/5 (all/WF)	Hyytiälä
2012-1km	July5/6	DR+WF	ALS60+WDM65	Multi-footprint data set	1	5	
2012-2km	July5/6	DR+WF	ALS60+WDM65		2	3	
2012-3km	July5/6	DR+WF	ALS60+WDM65		2.75	2	
2013a	May 28	WF (DR)	LMS-Q680i	Leaf-on, early summer	1	20	Hyytiälä + Siikaneva
2013b-07km	June 15/16	DR+WF	ALS60+WDM50	AGC on	0.7	10	Hyytiälä
2013c	??	DR	??	The national campaign by NLS (acquire)	?	1	All areas
2015	Aug 18	WF (DR)	LMS-Q680i	Echo detection thresholds low	1	20	Hyytiälä
2016	June 14	DR	Optech Titan	Three-band sensor	1	10	Hyytiälä, Lakkasuo
2018	May 24	DR	Riegl 1560	1064 nm early summer	1.2	15	Hyytiälä
2020	June 3	DR	”		1.2	15	Hyytiälä
2023	August 18	DR	”		1.2	15	Hyytiälä

3.1.2 Systems used

Less focus was put on (existed) understanding the systems in the beginning. Pulse density (p/m^2), or point density, was the main parameter that was looked at, in addition to the budget limits.

Since 2004, the campaigns have been carried out, using more and more sophisticated sensors, navigation systems, and data post processing solutions. Optech ALTM1033 was capable of 33 kHz pulse repetition frequency in 2004 (1-2 echoes), while Riegl LMS-Q680i delivered data at the rate of 267 kHz in 2011, and 1550i accelerated to 1 MHz per LiDAR, having twoinstalled in parallel.

All data are acquired with small-footprint systems, in which the beam divergence is ~0.3 milliradians, or below, at the 1/e point, where the intensity is down to 37% of the maximum in the center of the illuminated footprint.

Pure discrete-return (DR) recording systems were used 2004–2008. They receive the signal with a fast-response photodiode and process the analogue signal with specific circuits into range values, by measuring the 2-way travel time of the light pulse. ALS60 sensors that have both DR and waveform recording were used in 2010, 2011a, 2012, 2013b. 'Genuine' WF recording system (LMSQ680i) was used in 2011b, 2013a, and 2015. In 2016, three-band DR sensor Titan was tested and campaigns of 2018, 2020 and 2023 were done using a DR sensor capable of over 10 returns.

All sensors transmit short pulses, < 10 ns in length as measured by full-width-half-maximum (FWHM). The exact value of the FWHM of the transmitted pulse is known only for Leica ALS60. It is either 4 or 9 ns, depending on the pulse repetition frequency. FWHM of the 'system waveform' have been estimated for datasets containing waveform recordings. Pulses from well-defined targets were used.

The pulse densities vary and include "high-pulse-density" data (> 3 / m2) and "low-pulse-density" campaigns. Because of strip overlap, there is always considerable variation in pulse density.

The number of returns per pulse is 1–2, 1–4, 1–12 in the DR systems, but 1–10 in the WF acquisitions (Riegl LMS-Q680i). It should be noted that echo extraction from the WFs can result in almost any number of echoes if greedy parameterization is used.

Sensors have applied an oscillating mirror or a rotating polygonal mirror (2011b, 2013a, 2015, 2018, 2020, 2023). Pulse repetition frequency, PRF, is 30–400 kHz (up to 1MHz). The scan angles (perpendicular to the flying direction) are from ±15 to ±35º. The width of the area covered by a strip (flight line) depends on the flying height and the scan angle. Adjacent strips have some overlap (redundancy), and there usually are perpendicular strips that are needed for the control of the geometry of the data. Sometimes even the system calibration that established the position and attitude of the LiDAR sensor with respect to the GPS and inertial measurement unit is solely based on redundancy provided by the perpendicular strip. More common is that the (recently mounted) sensor is calibrated in an urban environment.

3.1.3 In situ measurements

There were radiometric measurements and/or reference targets in the field in datasets of 2008 and 2010.

Field photography right at the time of the campaign was made in 2011b, 2012, 2013a, 2013b, and 2015. In 2010, photographs of seedling/sampling stand vegetation were taken within 3 weeks after the campaign, as well as photographs of the calibration targets that were placed in the football field. Photographs of 2011a do not exist.

3.1.4 Campaign settings

In 2012, the signal-to-noise-ratio (SNR) of well-defined targets was kept constant from 500 m to 2.7 km acquisition heights to achieve varying footprint size, by accounting for the spherical 2-way losses. In other campaigns, the companies acquiring the data used 'good-known-settings' of the sensor, by accounting for the maximal eye-safety. The flying height, overlap, pulse density were features set by the researchers.

The waveform recordings are at sampling rates of 1 or 2 nano-seconds. Data of 2010, 2011a, 2012 and 2013b were acquired by Leica ALS60 that produced a single continuous sample of 256 or 128 amplitude values, while the 2011b (2013a, 2015) Riegl LMS-Q680i sensor could record several variable lengths (60/120/180, or 80/160/240) samples.

The data comprise the deliverables of the observations; usually strip-level data (LAS) files, trajectory data by strips, a project report, and metadata on the acquisition parameters as well as GNNS/IMU data. From these, binary pulse-records with specific record structure (Appendix 3) were processed and arranged in per-hectare binary files (Little Endian bit/byte order) to speed up file i/o. These are the files for analysis.

The wavelength is 1064 nm except in the Riegl LMS-Q680i (2011b, 2013a, 2015) data, where it was 1550 nm. In 2016, Titan by Optech used 1550, 1064 and 532 nm.

3.2 Data formats

Characteristic to all acquisitions is the use '*comprehensive data format*', which combines the trajectory information (position and attitude of the sensor) to each pulse transmitted, for which all information is stored in a 'pulse record'.

This means that the complete 3D path is retrievable (measurement of scatterer-free volume, even). Appendix 3 has the different formats used in the stored per-hectare binary file data of different acquisitions. The format was extended from fixed length records to variable length records as the potential number of DR echoes increased over time and storage issues became obvious.

The deliverables have included in-house/proprietary formats and those matching the LAS-standard by ASPRS. Again, these have been processed into per-pulse binary records that vary slightly between acquisitions, reflecting the changes/development in the sensors and recorded observations. These records are compiled into hectare-files, i.e. all pulses (their last echo) hitting a certain KKJ-2 hectare are in one file. However, all campaigns are separated (2004-2023), i.e. there are, several 'BIN-files' per hectare (e.g. 2004\080_056.bin, \2006\080_056.bin). The coordinate information of the deliverables has been changed from UTM35/WGS84-ellipsoidal heights to KKJ-2/N60 orthometric heights as a part of this process. The original files are stored also and documented here for future reference. Siikaneva 2013 bin-files are an exception and remained in the UTM35/WGS84 system.

The waveform data are in separate per-hectare binary files, and there is a file pointer from the pulse or the echo record to the start of the WF sequence that should be read and is associated with the pulse or its echo.

3.3 Digital elevation models (DEMs)

The data has been processed into DEMs that are defined in either the KKJ-2 (with N60 heights) or UTM35 map projections (ellipsoidal

heights). The estimation has never included manual editing of local errors, due to sharp break lines (cliffs, buildings, bridges etc.), but is based on visual assessment for parameter tuning. N.B. the DEMs can always be re-estimated using the original/filtered LiDAR data, even on-the-fly. Local small DEMs were filtered at times for specific needs, but these are not stored.

DEMs that cover the entire Hyytiälä rectangle were made from the 2004, 2008 and 2010 data. For Lakkasuo there is one made with the 2006 data.




Fig. 106. Two DEMs estimated from the 2004 and 2006 data for Hyytiälä and Lakkasuo, respectively. (LiDARDTM.raw, Lakka.bil).




Fig. 107. Top 2 km 2008 DEM - filtered ground points (1900m_Gnd.las) as seen by Isenburg's LASVIEW.EXE. The DEM shows Lakkasuo only partially in the South. Missing data from water surfaces. Bottom: The 2010 DEM.

Table 11. LiDAR DEMs.

Campaign	Projection	low-left corner	Cell size, Width x Height	Notes on the format	Files
2004 Hyytiälä	KKJ-2/N60		1 m, 4054 x 9855	Low-left corner center: 2513971.5, 6854649.5 four-byte single	HydeLidarDEM.hdr, lidarDTM.raw
2006 Lakkasuo	KKJ-2/N60			Ground classification done at BLOM as. Raster model estimated with Isenburg's LAS to TIN (uint16, divide by 100). ground.zip (pwd gT67kp) has the points classified as ground.	lakka_.hdr, lakka_bil flipped

2008 Hyytiälä	UTM35/WGS84	1900-m data used; Terrascan; GND points in LAS. Other formats: 2 and 5 m grids (img/rrd)	1900m_Gnd.las
2010 Hyytiälä	UTM35/WGS84		grd.las hyytiala_DEM_2010.bin hyytiala_DEM_2010.hdr

3.4 Positional accuracy in 3D

Most comprehensive tests were carried out for possible Z-offsets, using accurate GNSS reference measurements made in well-defined man-made surfaces, such as roads.

Table 12. Z-offsets (LiDAR – ground truth).

Dataset	ΔZ, m	Ground truth
2004	-0.35	a
2006-Hyytiälä	0.05	a
2006-Lakkasuo	N/A	N/A
2007	-0.01	a
2008-1km	0.04	a
2008-2km	-0.02	a
2008-3km	0.12	a
2008-4km	0.10	a
2010-1km	-0.20	a
2010-2km (2010 DEM!)	-0.27	a
2010-3km	-0.16	a
2011a-1km-Hyytiälä	-0.01	a
2011a-1km-Susimäki	N/A	N/A
2011a-1km-Lakkasuo	N/A	N/A
2011a-2km-Hyytiälä	0.04	a
2011b	0.03	b
2012-05km	-0.02	b
2012-1km	0.05	b
2012-2km	0.00	b
2012-3km	0.08	b
2013a	0.04	c
2013b-07km	0.08	c
2013b-07km-AGCoff	0.02	c
2013b-08km-AGCoff	0.00	c
2013b-09km-AGCoff	-0.01	c
2013b-2km	0.00	c
2015	0.05	c

a VRS-GPS points in 2010: sand road (Forstitie), football field, asphalt road (from Hyytiälä towards route 66)
b VRS-GPS points in 2010 and 2012: asphalt road (from Hyytiälä towards route 66), sand road (Forstitie, Ala-Hyytiäläntie middle, Ala-Hyytiäläntie close to Lapinkangas)
c VRS-GPS points in 2013: Sand and asphalt roads over the entire Hyytiälä AOI

All datasets have been corrected for between-strip discrepancies by the companies delivering the data by applying what is called strip matching. In it, strip-level corrections are made to the attitude (rotation) parameters and Z of the GNSS so that adjacent overlapping LiDAR strips match well. Some of the project reports describe the processes used for achieving the best possible absolute and relative positioning accuracy.

The relative xy-match between strips is possible to monitor using breaklines in the scene. Examples of such are

- Shores of paludified ponds (Silmäpäänlammi, Vuorijärvi, Kaakkolammi)
- building roof without tangent vegetation (dormitories A, B, Impivaara)
- The SMEAR II tower
- 20 kV 3-cable power lines

These targets are measurable in 3D by means of photogrammetry, using aerial images, or by using terrestrial images of the Hyytiälä buildings.

Observed offsets are reported for each campaign separately.

The stored LiDAR data were not corrected for any geometric errors; corrections are to be applied by the users.




Fig. 108. Top: An example of 2 km LiDAR data from 2012 in Silmäpäänlammi. The shoreline is digitized from aerial images, constrained at constant elevation (here 182.2 m a.s.l) of the pond. The water absorbs the pulses, while the white moss triggers observations. The data are shifted in xy to minimize (Bottom) the number of LiDAR echoes from the water, inside the pond xy-polygon. This establishes a local xy-match of the data in a strip.

Absolute accuracy can only be controlled using monuments in the scene. Only in some special cases are there such (In 2010 corners of the reflectance tarps in the football field were mapped with Network GNSS).

3.5 AGC correction in the Leica sensors

The Leica ALS50/ALS60 sensors apply a gain control loop. The stored intensity and WF amplitude data are affected by it. The observed values (S_{obs}) and the operation voltage of the AGC circuit ($AGC_{voltage}$) are stored as 1Byte unsigned integers (0…255).

Campaigns affected by AGC are 2007, 2008, 2010, 2011a, 2012, and 2013b.

Generally, the effects of AGC can be removed with normalization models. The model parameters are sought by finding radiometrically (reflectance) homogenous well-defined surfaces in the scene. In Hyytiälä these can be

old asphalt, ρ ~ 0.16 (at 1064 nm)
fine sand (volleyball field), ρ ~ 0.3
grass (football field), ρ ~ 0.45
gravel (old buildings), ρ ~ 0.25
bitumen (roofs of 1977 buildings, the gravel was cleared in the summer of 2008). ρ ~ 0.05
FGIs 4 x 4-m reflectance tarps 2008, 2010

The receiver gain is a function of $AGC_{voltage}$. This function has a sigmoid form, meaning that in the mid-range of $AGC_{voltage}$ values the gain increases linearly with the $AGC_{voltage}$. In the low-end of $AGC_{voltage}$ values the gain increases exponentially with $AGC_{voltage}$, and in the high-end it saturates. Various versions of normalization models have been used over years.

Model with additive correction term (RSE 112: 3891-3897). Used in studies made with 2007–2008 LiDAR data. Parameters?

$$S_{norm} = S_{obs} + (b \cdot S_{obs}) \cdot (127.5 - AGC_{voltage})$$

ii. Linear model (ISPRS JPRS 83: 81–93). If the $AGC_{voltage}$ values remain in the mid-range within the acquisition, a linear model is sufficient to remove the AGC effects. The linear model is of form

$$S_{norm} = \frac{1}{1 + (AGC_{voltage} - a) \cdot b} \cdot (S_{obs} - c)$$

iii. Non-linear model (Unpublished). This is better if the $AGC_{voltage}$ takes a wide range of values. The model is of form

$$S_{norm} = \frac{1}{a_3 + a_2 \cdot AGC_{voltage} + a_1 \cdot AGC_{voltage}^2} \cdot (S_{obs} - c)$$

Parameters of the linear model have been estimated for all Leica datasets. Pulses reflected from homogeneous calibration targets (natural and man-made) were used and the parameters were estimated separately for DR intensity and for WF amplitude data.

Parameters of the non-linear model have been estimated for 2012 data, using the same targets. The model was estimated simultaneously for four flying heights and included multiplicative "power correction" terms that made the observations from different flying heights comparable.

The model parameters and the estimation procedure for both linear and non-linear models are documented in

\HYDE_REF\LiDAR\LiDAR.html

The documentation includes polygons that delineate the calibration targets, and the data used in parameter estimation.

3.6 Additional remarks on sensors and data

3.6.1 Riegl LMS-Q680i: Output power, receiver linearity, and ringing

In Riegl LMS-Q680i, the transmitted pulse energy is determined by the pulse repetition frequency. We have asked the manufacturer, but they did not give the average power in watts.

The receiver has two non-linear channels: low-power (high-gain) and high-power (low-gain) channel. The lower end of the low-power channel, up to amplitude values of 130, is linear, with respect to power entering the aperture. Only the data from low power channel is exported to LAS1.3, which were used to generate the hectare BIN filess. In Siikaneva 300 m acquisition, the high power channel was in use, and Riegl's original sdf files have to be used to get access to these waveforms. See more detailed documentation in:

- LiDAR\2013a\Index.docx

N.B. In November 2015, the Siikaneva 2013 low-gain data were analyzed using MATLAB routines, because the FWHM that is computed from the overexposured low-power channel data were influenced by the peak power, i.e. the FWHM increases with signal strength.

Ringing-effect causes a false echo to occur after a strong echo (e.g. from ground surface). The false echoes occur in pulses that have maximum amplitude over approx. 100. See more detailed documentation in:

- LiDAR\2015\Riegl2015_QC.docx

3.6.2 Leica ALS60: Waveform samples in the prefix preceeding first DR echo

In all ALS60 datasets (2010-2013) there can be peaks in the waveform before the first DR echo, i.e. the DR circuit did not detect an echo although there was weak? backscattering preceding the first echo. These are found in <0.5% of the pulses.

3.7 Acquisitions

3.7.1 Structure of the Binary observation files

Appendix 3 shows code samples for reading the per-hectare tiles of binary LiDAR data. Each pulse is assigned to a hectare, and that file starts with an int32 (4 byte signed integer) that specifies the number of pulse records in that hectare file. The BIN files are separate for each campaign – but the data from several flight lines (acquisition heights) may be fused in the BIN file. Flight line (strip number) code, GPS-time and trajectory information can be used to distinguish between strips.

3.7.2 2004 DR, low-density, 1km, Optech, Hyytiälä

This is one of the first forest LiDAR campaigns in Finland. The modified Optech ALTM2033 sensor flew the next day in eastern Finland, in Matalansalo. The delivered data were first in the form of echoes, first and second echoes separated, but later data were obtained in comprehensive format (Appendix 3 – Formats of LiDAR pulse records 2004-201).

During acquisition, a GPS was at geodetic point 88M5040 (Fig. 100), with non-leveled N60 elevation of 136.1 m corresponding to ellipsoidal height of 154.787 m. There is an offset in elevation that remained in the stored LiDAR data. The N60 elevation was later in 2005 measured to be 136.28 m with a VRS GPS (Fin2000 geoid). The LiDAR Z-values need a correction of +0.18 m, and so does the DEM that was deduced from the data.

There are data from 1614 different hectares. The pulse density is 0.5-3 m^{-2}.

Original delivery, September 2004 was reprocessed in April 2005 to so-called comprehensive format.

Data stored includes also the GPS/IMU data. The intensity scale in ALTM1033 may include two gain/offset values; In addition to separate range detection circuits for the first (FR) and last return (LR) data. This must be examined.


A GPS reference point: Lat: 61 50 5.18736; Long: 2420 13.73439; Ell height: 154.787

- August 5, 2004; GPS day 218; Day 4.4 of the GPS week; 11 GMT
- Pulse repetition frequency 33 kHz
- Scan Frequency 29 Hz
- Scan Angle ± 20 º
- Divergence 0.3 mrad
- Density 1.4 m2/pulse (0.7 per m2)
- Flying speed 75 m/s
- Trajectory in the post-processed comprehensive format files
- GPS/IMU yes, applanix files, raw/postp.
- Altitude 900 m AGL
- Strip adjustments ΔRoll, ΔPitch, ΔZ (Terramatch)

zip-password: juupajoki

\LiDAR\als2004\Original_Delivery
\LiDAR\als2004\Reprocessed
\LiDAR\als2004\BIN

3.7.3 2006 DR, high-density, 1km, Optech, Hyytiälä



This campaign consists of two acquisitions done during the same flight: Hyytiälä and Lakkasuo. Optech's ALTM3100 sensor was used. VRS-ground station in Orivesi was used for GPS. ALTM3100 recorded 1–4 discrete returns (points) for a pulse transmitted.

Hyytiälä 1 km - Blom project code: NO06735

- July 25, 2006; 15:41-16:57 GMT
- Pulse repetition frequency 100 kHz
- Scan Frequency 70 Hz
- Scan Angle ± 14º
- Divergence 0.3 mrad at 1/e?
- Density 6 per m2
- Flying speed 75 m/s
- Altitude 800 m AGL
- Trajectory in the cmp-files
- GPS/IMU system *******
- System calibration for ΔRoll, ΔPitch, ΔHeading, Δscale
- Strip adjustments ΔRoll, ΔPitch, ΔZ (Terramatch)

The data was delivered in Optech's comprehensive format, strip wise files *.cmp. (N=14). These were converted to ascii using BinToAsc.exe (README.txt), and further to per-hectare binary files (*.BIN). The data from Lakkasuo (500m, 1200m) are combined in the BIN files of 2006 with the Hyytiälä data.

zip-password: gT67kp

- \LiDAR\als2006\BIN\
  Per-hectare 207-byte pulse-records (Appendix 3) in BIN flies
- \LiDAR\als2006\CMP_files\
  Zipped per-strip cmp (comprehensive) files
- \LiDAR\als2006\Docs_Utilities\
  Reports, passwords, tenders
- \LiDAR\als2006\CMP_to_Bin\
  VB6 program calls a C++ dll-function CMP_to_BIN conversion
- \LiDAR\als2006\Lakkasuo_classified\
  Lakkasuo points divided between ground and non-ground

3.7.4 2006 DR, dense 500m, sparse 1200m; Lakkasuo-Vatiharju-Hanhisuo

Lakkasuo - Blom project code: NO06752

These Data are in the same 2006 BIN files, combined with the Hyytiälä campaign.




Fig. 109. Point elevation maps in the two acquisitions. 500 m AGL and 1200m AGL. Lakkasuo-Vatiharju-Hanhisuo

500 m (Vatiharju)

- July 25, 2006; 15:41-16:57 GMT
  (See the GPStime attribute of each pulse)
- Pulse repetition frequency 100 kHz
- Scan Frequency 31 Hz
- Scan Angle ± 14º
- Divergence 0.3 mrad at 1/e
- Density 5-18 per m2
- Flying speed 75 m/s
- Altitude 500 m AGL
- System calibration for ΔRoll, ΔPitch, ΔHeading, Δscale
- Strip adjustments ΔRoll, ΔPitch, ΔZ (Terramatch)

1200 m (Lakkasuo, Vatiharju, Hanhisuo)

- July 25, 2006; 15:41-16:57 GMT
  (See the GPStime attribute of each pulse)
- Pulse repetition frequency 70 kHz
- Scan Frequency 42 Hz
- Scan Angle ± 14º
-
- Divergence 0.3 mrad at 1/e
- Density 1-3 per m2
- Flying speed 75 m/s
- Altitude 1200 m AGL
- System calibration for ΔRoll, ΔPitch, ΔHeading, Δscale
- Strip adjustments ΔRoll, ΔPitch, ΔZ (Terramatch)

The data were delivered in comprehensive format, strip wise files *.cmp. (N = 5 + 4). Documentation is provided in a pdf. The *.cmp files were converted to ascii using BinToAsc.exe (README.txt), and further to per-hectare binary files (*.BIN). No GPS/IMU data are available.





Fig. 110. In Vatiharju, a 3-cable 20 kV powerline. A 100-m-long segment of 500-m LiDAR data from two overlapping strips (a) shows the sideview with Z, (b) shows a bird-eye view, (c) intensity data 'as seen by a squirrel' with orthographic eyes viewing the cables in their direction. Minor xy offset between strips is seen, as well as dependence of the intensity on the intersection geometry (Gaussian PSF of the within-footprint irradiance, W/m2).

3.7.5 2007 DR, high-density, 1km, Leica ALS50, Hyytiälä



Leica ALS50-II sensor was flown by Finnmap FM-international. 1-4 discrete returns per pulse transmitted. Intensity recorded only for returns 1-3 (general feature of the ALS50/60-series sensors). AGC was effective, and the gain value is stored for each pulse.

- July 4, 2007; 15:40-17:25 GMT
- Pulse repetition frequency 115.8 kHz
- Scan Frequency 52 Hz
- Scan Angle ± 15º
- Divergence 0.15 mrad at 1/e
- Density 6 per m2
- Flying speed 72 m/s
- Altitude 800 m AGL
- Trajectory FILEs
- GPS/IMU system N/A
- System calibration for not reported
- Strip adjustments Terramatch

The first delivery was in LAS format; trajectory data was later combined to els-files. (using an in-house program by Jonne davidsson at Finnmap, eLAS.exe) eLAS considered (see run.bat), campaign-level ΔRoll, ΔPitch, ΔHeading, and strip-level ΔZs. The els files have point records and these were processed with a cpp-program (ALS2007_purku_v2.cpp) to per-hectare binary files with 207-byte pulse records (Appendix 3).

ALS2007\BIN
ALS2007\LAS_ELS
ALS2007\Docs
ALS2007\Utilities

Intensity based range correction, LUT N/A

AGC-correction?

Strip-files (power, temperature etc.) N/A

3.7.6 2008 Discrete-return low-pulse-density, 1, 2, 3, 4 km, Leica, Hyytiälä

During the ADS40 imaging campaign, August 23, 2008, ELB's ALS50-ii LiDAR sensor was making observations as well. The sensor-camera producing 1280x1024 RGB images was active, taking pictures at about every 100 m. From these the clouds at 700 m are seen (filenames are GMT + 2h). The campaign includes a repeated 1 km strip with and without the AGC. Kai Laemmert (Leica) was the navigator, and Yuji Kuwano (Leica) did the post processing. Estonian Land Board flew the campaign (ES-MAA).






Fig. 111. 0845 GMT from (4 km).

The low flying speed made the PAV (gyro-stabilized mount) reach the 5-degree maximum in Pitch angle at times.

- August 23, 2008; 06:56-08:55 GMT
- Pulse repetition frequency 92.1,108.6, 77.6, 57.5 kHz
- Scan Frequency 35, 34, 23.4, 17.7 Hz
- Scan Angle ± 32.5º
- Divergence 0.15 mrad at 1/e
- Laser current 29%, 74%, 100%, 100%
  (in 4 km data there are less 2nd & 3rd returns)
- AGC Switch Up, Switch Dwn 12, 3 (1 km 0733 GMT AGC off)
- Density #, #, #, # per m2
- Flying speed 51 m/s (1km), 72 m/s (2-4 km)
- Altitude 1, 2, 3, 4 km AGL
- Trajectory hyytialaTrj_00001.asc
- System calibration for unknown (antenna vector ELB)
- Range-intensity calibr. SN080_IBRC_100kHz-071024.txt
- Strip adjustments Terramatch

The VRS base station data from Orivesi et al. was provided to Leica for GNSS calculations. Raw SCN-files are available – the reader?

Like LiDAR 2007, there are ELS-files that were converted to pulse-records that were written in the per-hectare




Fig. 112. The ALS2008 1 km data has a repeated strip with and without the AGC. Intensity dynamics are affected by it.

3.7.7 2010 Waveform/DR, varying-density, 1, 2, 3 km, Leica, Hyytiälä

The Hyytiälä area was flown

At 1 km, with 60% overlap, 1ns waveform sampling, 173.6 kHz
At 2 km, with 30% overlap, 2 ns, 119 kHz
At 2 km, with 30% overlap, 1 ns, 119 kHz
At 3 km, with 30% overlap, 2 ns, 83 kHz
At 3 km, with 30% overlap, 1 ns, 83 kHz

FOV was 30 degrees in all strips.

The campaign started at 15:30 GMT and the last strip was flown at 17:38 GMT.

ALS60 uses 2 different pulse widths based on selected Pulse Rate. 4 ns - higher than 115khz; 9 ns -lower than 115khz

Leica's ALS60 sensor with the WDM65 digitizer was relocated to Finland for July. See the flight_line_log files for more details.

3.7.8 2011a Waveform/DR, varying-pulse-density, 1, 2 km, Leica, Hyytiälä-Lakkasuo-Susimäki

This campaign provides data for area-based forest interpretation (2 km);

Lakkasuo LiDAR of 2006 was repeated (900 m);

Susimäki was scanned from 780 m as well as the 'Hyytiälä rectangle'.

Date August 2, 2011. Time 1653–19 GMT (times in strip filenames are GMT +3). Finnmap's ALS60 sensor with the new WDM65 module was used.

Campaign settings

(1km-Hyytiälä, 1km-Susimäki, 1km-Lakkasuo, 2km-Hyytiälä)

- Emitted pulse width 4 ns
- FWHM of the system WF 7.8 ns
- Beam divergence 0.22 mrad at $1/e^2$
- WF sampling rate 1 ns
- Number of samples in a WF 256
- Scan angle ± 15°
- Scan pattern Sinusoidal
- Pulse repetition frequency 118, 118, 105.9, 117.9 kHz
- Pulse max power/tot energy #, #, #, #, J
- Pulse density 10.7, ???, ???, 2.4 per m^2
- Strip overlap-% 55, ???, ???, 30
- Flying speed 62 m/s
- Altitude 0.8, 0.8, 0.9, 2 km
- Trajectory trj, and txt, @ 10 and 200 Hz
- System calibration HRP, 3.8.2011 (place unknown)
- Strip adjustments ΔRoll (global), ΔPitch (global), ΔHeading (global), ΔZ (strip-wise) (TerraMatch)

Data delivery and formats

The data was delivered to UH on several occasions because of some errors detected. The first delivery was in September 2011, and included DR + WF data (LAS1.3) and the trajectories. New LAS1.3 was requested in November 2011, because the WF data did not match with the DR echoes. New data was requested once more a year later in November 2012, as there had been a wrong parameter value entered to the ALS_PP software, which affected multi-echo pulses. Thus 2nd, 3rd, and 4th DR returns were missing. Strip adjustment was performed in conjunction with this 2012 delivery. Only the points, not the trajectories, were shifted in the adjustment. Strip adjusted points are in LAS1.2 format. They are exceptionally in 500x500m tiles, unlike in other campaigns where files were per strip.

The contractor sent to us also raw laser data (.scn) and a reader that converts the csn to csv files. We needed the raw data because we wanted to investigate if the DR returns were missing already in the raw data. This assumption proved to be wrong: The missing DR returns were due to problems in post-processing. The .csn files were also used for examining the erroneous intensity values: For 3–8% of the 2nd-3rd returns the DR intensity did not correlate with the WF peak amplitude. The problem was seen already in the raw data. It is thus a sensor issue, not a post-processing one. The same problem was seen in the 2012 data but not in the 2013 data, although the same sensor was used. Finally the examination of .csn revealed that there were pulses in which no echoes were triggered which was an interesting finding.

Processing into binary hectare files

We combined strip adjusted points (LAS1.2) with WF data (LAS1.3) based on GPS time stamp, and the data were written into per-hectare bin files. The format is the same as used in 2010 (Appendix 3). A Java program was used to do the task. The 10 Hz trajectories (files per strip) were used instead of 200 Hz to interpolate position of the LiDAR.

Further documentation

An html-document (in Finnish) was written in autumn 2012 when the data were delivered to us and were quality controlled. The reader is referred to that document for more details about the data, file formats, and problems/exceptions noticed during data processing:

- LiDAR\2011a\Hyytiala_ALS60_2011\index.html

Contents

\2011a\

..\bin\
Hectare binary data.
..\Weather\
Weather observations.
..\Hyytiala_ALS60_2011\
All the other data items and programs. See index.html.

3.7.9 2011b Waveform, leaf-off, high-density, 1 km, Riegl LMS-Q680i, Hyytiälä

A WF-recording sensor became available in the late autumn, and the first leaf-off dataset was ordered from Hyytiälä. Weather was not favorable, and the acquisition was as late as November 15, 2011.

Characteristics of the campaign

- November 15, 2011; 09:54-10:35 GMT
- Emitted pulse width ???
- FWHM of the system WF 4.3 ns
- Beam divergence 0.5 mrad at $1/e^2$
- WF sampling rate 1 ns
- Scan Angle ± 30°
- Scan pattern Rotating polygonal mirror
- System calibration for HRP, RiWorld, Hyytiälä 15.11.
- Strip adjustments Terramatch, ΔZ, ΔR, ΔP
- Pulse repetition frequency 240 kHz
- Pulse max power/tot energy # J
- Pulse density 19 per m2
- Strip overlap-% 75
- Flying speed 41 m/s Helicopter
- Altitude 750 m AGL
- DR data With RiAnalyze 5.2.2
- Trajectory trj, and txt, @ 256 Hz
- Range calibr. Tested, RMS 2.8 mm on roads

Notes on deliverables and processing (by AH)

The data QC was done multiple times 4-10/2012. The last version is from Oct 25, when data were processed into per-hectare BIN files. Original delivery was in April 2012. We noticed then that RiProcess, which outputs data in LAS1.3 format, left out some of the WF samples. The minor bug was fixed in Austria. Re-processing was done in early September 2012, and the delivery was in LAS1.3. However, it was then noticed in geometric Q/C that there were 10-30 cm offsets between strips. Only a campaign level HRP-estimation had been possible, as TerraMatch would not output LAS1.3 that is suitable for representing WF data. So, the strip matching was done on the point clouds, and delivered in point-wise LAS1.2 files. We then matched the WF data in the LAS1.3 files with the DR data in the strip-matched LAS1.2 files. Actually, the WF data of LAS1.3 were in WDP-files. GPS time stamps enabled the 1:1 matching. In addition to the LAS files, the delivery contains the Riegl's raw observation files (sdf) that can be viewed with WaveView.exe or RiWavelib dll library..



Fig. 113. Two hours after the scanning 17 photographs showing targets in Hyytiälä were taken by P. Kaitaniemi.

Format of the per-hectare BIN files

(See also Appendix 3) Echoes belonging to a pulse as well as the WF samples comprise a record. XY-coordinates of the last echo define the KKJ-2 hectare (BIN file) to which the pulse belongs.

There is one file for discrete return data (##1_##2.bin). Each echo has a file pointer to the waveform data file (##1_##2_wf.bin). Pointer indexing (unsigned 32bit integer) starts from file beginning that has the address 0. LMS-Q680i stores waveform data into 80-sample blocks. Echoes in a pulse can point to one or more waveform blocks. The blocks can be "connected" or "continuous", when exported to LAS1.3, if there is no gap between them. Thus, there can be waveform packets in the ##1_##2_wf.bin files that contain 80, 160 or 240 samples.

Structure of ###_###.bin, DR-data per hectare files

At file start, the number of pulses in the hectare (signed int32, bytes 0–3) are given. The first pulse record is at file position 4 (5th byte). Each record contains pulse-level attributes, and a variable number of echoes with the echo attributes.

Pulse, variable length, depending on echo count
* echoCount (signed 8-bit integer)
* gpsTime (64-bit float)
* byteLAS (signed 8-bit integer, NOTE: has errors in the case of more-than-7-return-pulses)
* echoes[] (36 bytes each, from last to first)
* scanAngle (signed 8-bit integer)
* poslidar.x (64-bit float)
* poslidar.y (64-bit float)
* poslidar.z (64-bit float)
* stripNum (trajectory number, signed 8-bit integer (not necessarily same as in original files))

Echo, a 36-byte structure
* pos.x (64-bit float)
* pos.y (64-bit float)
* pos.z (64-bit float)
* intensity (unsigned 16-bit integer)
* pointer (pointer to waveform data, signed 32-bit integer)
* waveformSampleSize (number of waveform samples, signed 16-bit integer)
* retPointWFLoc (distance of the DR echo from start of the waveform recording in picoseconds, 32-bit float)

Structure of ###_###_wf.bin WF data files

There is no header - WF data samples start from the beginning of the file. Waveforms are stored using unsigned 16-bit integers.

Aspects discovered during data processing

The retPointWFLoc (time from the echo to the start of the WF packet) is not accurate. It is rounded into the nearest nanosecond by RiProcess software. The more accurate value, if needed, can probably be calculated using original waveform data from the *.sdf -files.

There were small number of echoes that were missing the pointer to a waveform block. The reason for this was a bug in Riegl's RiProcess software. If the echo was located exactly in between two waveform blocks i.e. its distance from the start of waveform recording was rounded to 80 ns, it was left without pointer when exported to LAS1.3. If there was no subsequent echo after the one with missing pointer, the latter waveform block did not exist in the LAS - file. The bug was corrected, and final data do not contain echoes with

missing pointer to waveform data (except a small number of pulses at the end of some flight lines, reason for this remained unknown).

There is a problem considering return numbering when exporting to LAS1.3 using RiProcess. The return number and number of returns in a pulse are coded using 3-bit integers. If the pulse contains more than 7 returns, the return number for 8th, 9th etc. returns is always 7. Also the "number of returns" -flag is erroneous if pulse contains more than 7 returns. These pulses were corrected: the echoes were sorted by z-coordinate and relabeled. The number of pulses containing more than 7 echoes is extremely low. For example, in the first strip there were 23812840 pulses, of which 162 had more than 7 returns.

Some assessment of geometry/radiometry




Fig. 114. A 20kV 3-cable powerline (500 m S of Hyytiälä, 40-m segment) had produced these DR returns for the 2011b data. The X-axis has the deviation in meters, perpendicular to the direction of the cables.




Fig. 115. DR intensities as a function distance from the cable.

Further documentation

An html-document (in Finnish) was written in autumn 2012 when the final data were delivered to us and were quality controlled. The reader is referred to that document for more details about the data, file formats, and problems/exceptions noticed during data processing. Note! Due to changes in folder structure some of the links in the document are broken.

- LiDAR\2011b\index.html

Images taken during the campaign:

- Terrestrial_Images\Other_Images\2011_LiteMapper_Keilaus\

Contents

\2011b\

..\Bin\
The per-hectare BIN files of Oct 25, 2012 processing
..\LAS1_2_strip_Matched\
Strip-matched DR data: LAS1.2 (*.las); Delivery of October 2012
..\LAS1_3_201209\
Campaign HRP matched DR + WF data in LAS1.3 format (*.las), WFs as *.wdp files, and TerraScan indexfiles (*.idx); Delivery of September 2012
..\Preparations\
Preparations of the campaign
..\Processing_1\
Java software used to process the data into binary hectare files. Test version and miscellaneous calculations.
..\Processing_2\
Java software used to process the data into binary hectare files. Final version from Oct 25 + processing log (Loki.txt).
..\RawLaserObs\
Raw WF data as *.sdf files
..\RiManuals\
Riegl's manuals: LiteMapper, RiAnalyze, RiProcess
..\riwavelib_sdf_1.3.51\
Riegl's dll's for reading .sdf files.
..\TerraMatch\
Z control report + other files
..\trj_256Hz_tm35fin\
Trajectories as .trj
..\trj_ascii_256Hz\
Trajectories as ascii
..\waveView\
Riegl's waveform viewer
..\Weather\
Weather data
..\Laserkeilausraportti_Hyytiala_LiteMapper_2011.pdf
Finnmap's original project report, 28.3.2012 (pdf)
..\index.html
Notes on data processing made by AH in autumn 2012 (in Finnish). Note! The links are broken.

3.7.10 2012 Waveform/DR, varying-pulse-density, 0.5, 1, 2, 3 km, Leica ALS60, Hyytiälä

The idea was to acquire pulses with varying footprint size at target. In addition, we wanted the irradiance (W/m^2) to be similar from all heights giving a constant signal-to-noise ratio (in well-defined surfaces).

There are 34 flight lines (Fig. 116). A single perpendicular line was flown only at 1 km, which was not optimal, considering the weights, i.e. sampling densities from various heights, and their influence on the system (misalignment) calibration.




Fig. 116. The pulse densities (0-6) from 500 m, 1 km, 2 km, and 2.75 km AGL. Overlap-% increases with the height for keeping the densities high. July 5 data only.

Repeated lines

Flight lines 1–29 were flown July 5, and lines 30–34 were flown the following evening as it was suspected that the 500 m data had areas without sampling.

Differences in data recorded between pulses

At the start of each flight line, the data consists of DR data only, because the WF recording commenced with a delay. In addition, the 500 m data was acquired using high PRF, resulting in every second pulse pair being with / without the WF data. The repeated flight lines compensate this in part. The 500-m data has thus 2 x DR, 2 x (DR + WF), 2 X DR, ...

Intensity vs. WF amplitude data

We have understood that the receiver in the ALS60 used comprises a GAIN circuit followed by the WF digitizer and four separate (or eight) range detection circuits for the DR data. There may be separate ones (4 + 4) for the two pulse widths of the transmitted pulse. DR intensity is recorded for returns 1-3 and return 4 is always at value 1.




Fig. 117. Illustration of the ALS60 sensor as we understand it. The gain circuit affects the signal that is split between the WF recorder and the range detection circuits that all have their own geometric (time delays) and radiometric characteristics (offset and gain). The WF recording is triggered by r1 unit! Some 30 ns of WF is always stored in a buffer to be included in the recording.

Calibration and strip adjustments

The system calibration was first done with Hyytiälä data. Error in pitch angle was noticed: Coordinates of the echoes were shifted by 1 m in direction parallel to the strip, when flying from 2700 m altitude. The data were re-processed with HRP values used in Finnmap's earlier acquisitions (calibration place and date unknown). Strip adjustment was performed for the re-processed data.

Characteristics of the campaign

- July 5, 2012; 19.10 – 01.55 (departure - arrival)
- July 6, 2012; 14.35 – 16.05 (departure - arrival)
- Sensor — Leica ALS60 SN6125 Freebird
- Navigation — Leica FCMS
- Emitted pulse width — 4, 9, 9, 9 ns
- FWHM of the system WF — 7.8, 10.1, 10.3, 10.4 ns
- Beam divergence — 0.22 (1/e^2)
- WF sampling rate — 1 ns
- Number of sample in a WF — 256
- Scan Angle — ± 15°
- Scan pattern — Sinusoidal
- Scan Frequency — 68.4, 60.3, 33, 24.7 Hz
- Pulse repetition frequency — 152.6, 99.2, 58.9, 44.9 kHz
- Pulse max power/tot energy — # J
- Pulse density — 5.3/10.5 (WF/DR), 5.4, 3.2, 2.2 per m^2
- Strip overlap-% — 20, 45, 80, 85%
- Flying speed — 62 m/s
- Altitude — 500 m, 1, 2, 2.75 km AGL
- Trajectory — trj, and txt, @ 200 Hz
- System calibration for — HRP, time and place unknown
- Range calibration — Hyytiälä 5.7.
- Strip adjustments — ΔRoll, ΔZ, time-dependent ΔZ

N. B. The last (ID= 15) 1 km line had ± 20º Scan angles.

Further documentation

An html-document (in Finnish) was written in autumn 2012 when the data were received from Finnmap, quality controlled, and processed into per hectare bins. The reader is referred to that document for more details about the data, file formats etc.:

- LiDAR\2012\index.html

Images of vegetation and other targets nearby Hyytiälä station:

- Terrestrial_Images\Other_Images\2012_Hyytiala_ALS60\

3.7.11 2013a Waveform, high-density, 0.8, 0.3 km, Riegl LMS-Q680i, Hyytiälä-Siikaneva

Two areas were scanned in May 28: Hyytiälä and Siikaneva. The Hyytiälä flight was a repetition of the 2011 campaign. The same flying height and settings were applied. The Siikaneva flight was performed in order to map areas surrounding the two SMEAR towers with low-altitude, high pulse density data.

The data were acquired with a Bell 206L (OH-HJL) helicopter. The scanning system was IGI LiteMapper 6800 with Riegl ALS LMS-Q680i scanner. Both Hyytiälä and Siikaneva included also RGB aerial imagery acquired with a Hasselblad H4D-50 camera (documented elsewhere).

Because of the early summer acquisition, the leaves of birch had just reached their full size. Alder had still very small leaves, and aspen did not have full-grown leaves. Field photographs were taken in the Hyytiälä area after the campaign (29.5.):

- \HYDE_REF\LiteMapper_2013_valokuvat\index.html

Campaign settings

General

- May 28, 2013; 09:30-12:20 GMT
- Emitted pulse width ???
- FWHM of the system WF 4.5 ns
- Beam divergence 0.5 mrad at $1/e^2$
- WF sampling rate 1 ns
- Scan angle ± 30°
- Scan pattern Rotating polygonal mirror
- System calibration Sjökulla, April 27th, 2013
- Strip adjustments ΔRoll, ΔPitch, ΔHeading, ΔZ (TerraMatch)

Hyytiälä

- Pulse repetition frequency 240 kHz
- Pulse max power/tot energy # J
- Pulse density 19.5 per m^2
- Strip overlap-% 75
- Flying speed 41 m/s
- Altitude 750 m AGL

Siikaneva

- Pulse repetition frequency 400 kHz
- Pulse max power/tot energy # J
- Pulse density 50 per m^2
- Strip overlap-% 55
- Flying speed 36 m/s
- Altitude 300 m AGL

Data delivery and formats

The data provider extracted the DR points with RiAnalyze v5.4.3. The geoereferenced point cloud was generated with RiWorld v4.5.1, and data in LAS1.2 (DR point cloud) and LAS1.3 (DR point could + waveform data) were exported with RiProcess software. There were several problems with LAS export, and the data had to be processed several times. Finally, the LAS data was generated with new RiProcess v1.5.9 that preserved the time offset between DR echo and WF recording at pikosecond level (note that In the data from the 2011 Riegl campaign, this offset was rounded into nearest nanosecond). In addition to LAS format, the original WF data in Riegl's sdf format was provided if needed in further investigations.

Strip-adjustment was performed for the point cloud exported in LAS1.2 format. TerraMatch software was used. Global HRP-corrections, stripwise HRP-corrections, and stripwise Z corrections were applied.

Format of the per-hectare bin-files

We combined strip adjusted points (from LAS1.2) with WF data (from LAS1.3) into per-hectare bin files. The format is the same as used in 2011b (Appendix 3).

Note! Siikaneva data, unlike other LiDAR datasets in Hyytiälä, is in ETRS-TM35FIN coordinate system with ellipsoid heights. See Appendix 3.

Note! In Siikaneva, the received power was on average high. Therefore, large portion of waveform amplitude values were in the nonlinear part of the amplitude scale. Some of the waveforms were even recorded by both high- and low power channels of the receiver. The waveforms recorded by the high power channel were not exported in the LAS-format and are thus missing from the per-hectare bin files. For these data, the user is referred to the original sdf-files.

Contents

\2013a\
..\Raportti\
Reports by the contractor
..Index.docx
Documentation by Aarne Hovi. E.g. strip indexing, detailed documentation of issues occurred during data processing software etc., and related correspondence with Riegl.

Hyytiälä
Hyytiala\LAS_1.2\
Point data in LAS1.2 format, strip-adjusted and original
Hyytiala\LAS_1.3\
Non-strip adjusted point data + WF data in LAS1.3 format
Hyytiala\Raw_sdf\
Waveform data in Riegl's original format
Hyytiala\Trajectories_256Hz_TM35FIN_ellipH\
Trajectory data (ASCII and .trj formats)
Hyytiala\Lentolinjasovitus_korjaukset\
Calibration data and corrections due to strip adjustment. These apply to Siikaneva also.
Hyytiala\bin\
Data processed into binary hectare files
Hyytiala\HectareProcessing2013LiteMapper\
Java program used for processing into hectares. Runs in NetBeans environment.

Siikaneva
Siikaneva\LAS_1.2\
Point data in LAS1.2 format, strip-adjusted and original
Siikaneva\LAS_1.3\
Non-strip adjusted point data + WF data in LAS1.3 format
Siikaneva\Raw_sdf\
Waveform data in Riegl's original format
Siikaneva\Trajectories_256Hz_TM35FIN_ellipH\
Trajectory data (ASCII and .trj formats)
Siikaneva\DEM_20cm\
Raster DEM (tiff) in 20 cm resolution
Siikaneva\bin\
Data processed into binary hectare files
Siikaneva\HectareProcessing2013LiteMapperSiikaneva\
Java program used for processing into hectares. Runs in NetBeans environment.

3.7.12 2013b Waveform/DR, varying density, 0.7, 2, 0.7, 0.8, 0.9 km, Leica ALS60, Hyytiälä

Leica ALS60 sensor with WDM65 WF-digitization unit was used with fixed-wing aircraft (Piper Chieftain, OH-PNX). The sensor records 1–4 DR echoes per pulse, and the WF of each pulse was digitized at 1 ns.

The campaign includes five datasets. Data over the entire Hyytiälä rectangle were acquired from two flying heights:

- 2 × 6 km area, 13 strips, AGC on, ~700 m altitude
- 2 × 6 km area, 6 strips, AGC on, ~2000 m altitude

In addition, a smaller area was scanned with fixed receiver gain (AGC off) from three flying heights:

- 3 strips, AGC off, ~700 m altitude
- 3 strips, AGC off, ~800 m altitude
- 3 strips, AGC off, ~900 m altitude

Campaign settings

- June 15–16, 2013, 20:55 – 0:25 GMT
- Emitted pulse width 4 ns
- FWHM of the system WF 7.8 ns
- Beam divergence 0.22 mrad at $1/e^2$
- WF sampling rate 1 ns
- Number of samples in a WF 256
- Scan angle ± 15°
- Scan pattern Sinusoidal
- Pulse repetition frequency 105.9, 117.9, 105.9, 105.9, 105.9 kHz
- Pulse max power/tot energy #, #, #, #, # J
- Pulse density 10, 5, 5, 5, 5 per m^2
- Strip overlap-% 55, 67, 20, 30, 38
- Flying speed 62 m/s
- Altitude 0.7, 2, 0.7, 0.8, 0.9 km
- System calibration Turku, 15th June, 2015
- Strip adjustments ΔRoll, ΔPitch, ΔHeading, ΔZ (TerraMatch)

Data delivery and formats

Strip adjustment was performed by the contractor. Global heading roll, pitch, and Z corrections. Stripwise roll and Z corrections.

The contractor delivered flight- and post-processing reports, trajectory data (256 Hz trj and ascii), and the LiDAR records in LAS-format. The strip-adjusted DR point cloud was in LAS1.2. DR point cloud without strip adjustment and the WF data were in LAS1.3 format. We combined strip-adjusted DR points with WF data from LAS1.3 into binary hectare files.

Note! Small areas at the start/end of each strip were missing WF data. In addition, strip nr 29 (repeated) was missing WF data entirely.

Quality control and issues with the data

When acquiring the fixed-gain data, the gain was initially set too high. The first strip from 700 m (strip nr 14) was acquired with this too high gain. This strip was repeated (strip nr 15) and all the rest of the fixed-gain strips were acquired with the lower gain. However, the gain was still too high and the intensity data of the 700 m strips were saturated in highly reflective targets such as seedling stands and grass surfaces.

Status of vegetation and weather conditions

Photographs were taken during the campaign:

- HYDE_REF/LiDAR/LeicaALS_2013_kuvat/index.html

The flight was at night time, and there was near-ground fog on low-lying lands. Light dew was observed on low vegetation and grass.

Contents

\2013b\

Delivery:

..\Hyytiälä_laserkeilaus_als60_2013_raportti.pdf
Contractors report about data delivery
..\Hyytiälä_laserkeilaus_als60_2013_lentoraportti.pdf
Flight report
..\130615_210514_FlightLineLog.csv
Flight line log
...\LAS_original\
DR point data without strip adjustment (LAS1.2 and LAS1.3) + WF data (LAS1.3)
..\LAS_stripadjusted\
Strip adjusted DR point data (LAS1.2)
..\Trajectories\
Trajectory data in trj and ascii
..\Hyytiälä_laserkeilaus_als60_2013_lehtijako_TM35FIN.dgn
TerraScan project file

Processed hectare bins:

..\Index.docx
Notes on data processing by Aarne Hovi, includes strip indexing and pulse density maps
..\bin\
Binary hectare files
..\HectareProcessing2013Leica\
Java code for processing data into hectare files. Runs in NetBeans programming environment.
..\Leica2013_processing_log_AH_20130410.txt
Processing log file
..\leica_pulsedens.asc
Density of all pulses, all strips together (EsriGrid raster, 30 × 30 m resolution)
..\leica_pulsedens_missing_wf.asc
Density of pulses without waveform data, all strips together (EsriGrid raster, 30 × 30 m resolution)

AGC-compensation model for intensity and WF's Report here)

3.7.13 2013c DR (terrain modeling) data by NLS

These data were downloaded and turned into binary files following the per-hectare structure: ##1_##2.bin.

FN1 = Format$(Int((X - 2510000) / 100), "000")
FN2 = Format$(Int((Y - 6850000) / 100), "000")

There are data from 7147 hectares. Each file starts with an unsigned long that gives the number of 34-byte point-records.

```
Type NLS_POINT
 X As Double
 Y As Double
 z As Single
 Intensity As Byte
 EchoN As Byte
 NR As Byte
 Classification As Byte
 ScanAngle As Integer
 GpsTime As Double ' 34 bytes
End Type
```

The downloaded (from Paituli service)*.laz files represent 6 x 6 km areas. Each 6 x 6 km block comes with a CSV-file that has the metadata.




Fig. 118. The data are rather sparse, except for areas of overlapping strips.

3.7.14 2015 Waveform, high density, 0.8 km, Riegl LMS-Q680i, Hyytiälä

Repetition of 2011 and 2013 Riegl campaigns. Same flying height and settings applied. Used for a study that looked to the influence of phenology.

Data acquired with a Bell 206L (OH-HJL) helicopter. The scanning system was IGI LiteMapper 6800 with Riegl ALS LMS-Q680i scanner. RGB aerial imagery was acquired on the same flight, using Hasselblad H4D-50 camera.

The acquisition was first tried on 14th August but there were problems with the LiDAR sensor. The second trial was after re-assembling the LiDAR sensor on the platform (18th August). Field photogrammetry was performed during 14th-17th August to document the status of vegetation.

- Terrestrial_Images\Hyyt_kuvaus_Riegl2015\2015_LiteMapper_MaastoKuvaus.html

Campaign settings

- Aug 18, 2015; 07:43-10:19 GMT
- Emitted pulse width ???
- FWHM of the system WF 4.5 ns
- Beam divergence 0.5 mrad at $1/e^2$
- WF sampling rate 1 ns
- Scan angle ± 30°
- Scan pattern Rotating polygonal mirror
- System calibration HRP, Hyytiälä Aug 18th
- Strip adjustments ΔRoll, ΔZ (TerraMatch)
- Pulse repetition frequency 240 kHz
- Pulse max power/tot energy # J
- Pulse density 20 per m^2
- Strip overlap-% 75
- Flying speed 41 m/s
- Altitude 750 m AGL
- DR data With RiAnalyze 5.4.3
- Trajectory trj, and txt, @ 256 Hz

Data delivery and formats

The data provider extracted the DR points with RiAnalyze v5.4.3, and data in LAS1.2 (DR point cloud) and LAS1.3 (DR point could + waveform data) were exported with RiProcess v1.5.9. In addition to LAS files, the original WF data in Riegl's sdf format was provided.


Originally, system calibration was made in Karjaa, but the system was re-assembled after Aug 14 trial. HRP calibration for the re-assembled system had to be performed with Hyytiälä data.

Strip-adjustment was performed for the point cloud exported in LAS1.2 format. TerraMatch software was used. Stripwise roll and Z corrections were applied. Only the point cloud was shifted in the adjustment, the trajectory data (ascii and trj files) was left untouched.

We combined strip adjusted points (from LAS1.2) with WF data (from LAS1.3) to form pulse records that were written into per-hectare bin files (Appendix 3).

Quality control and notes about the data

The strip numbers written in bin files equal those in 2011 and 2013. The strips were not flown in the same order. In 2015, strips #2 to #9 were flown first, and strip #1 last.



The XY accuracy was estimated by superimposing LiDAR returns on aerial images. No notable errors or mismatch between strips were detected.

The Z accuracy was evaluated by comparing against asphalt and sand road profiles measured with VRS-GPS. There was on average 0.05 m positive Z bias in the coordinates of the LiDAR echoes, i.e. the LiDAR Z was above the Z measured with GPS. The likely reason is that the Z calibration of LiDAR was perfomed using signaled GCPs (white crosses). It is likely that some of the LiDAR returns originated not from top of the signal but in between top of signal and ground. Consequently, some of the LiDAR echoes had Z below the signal's Z, and the echoes were therefore shifted upwards in the calibration.

Intensity and amplitude histograms over entire Hyytiälä were examined. There were hardly any pulses with amplitude values exceeding 200. Thus, only low power channel of the receiver was in use (high power channel is used if the peak amplitude exceeds approx. 220).

The parameters used in Gaussian decomposition (RiAnalyze) differed from 2011 and 2013 acquisitions that used the default values:

	2013	2015
"Threshold"	9	5
"Decay of trigger rise"	5.0	3.0

As a result, the proportion of multi-return pulses from all pulses was larger in 2015 (54–59 %) compared to 2013 (44–51 %). An error tag was assigned to each pulse to indicate the presence of ringing-induced echoes. The error tag replaced "byteLAS" variable in the bin files. See further explanations in Appendix 3 and in Riegl2015_QC.docx.

Contents

\2015\

Finnmap's delivery:

..\LAS1.2_sovitettu_500m_lehdet\
Strip adjusted echoes in LAS1.2 format, 500x500m tiles
..\LAS1.2_sovitettu_lentolinjoittain\
Strip adjusted echoes in LAS1.2, one file per flight line
..\LAS1.3\
Original (non-strip adjusted) echoes + WF data in LAS1.3
..\Raw_sdf\
Original unprocessed LiDAR data in .sdf format
..\report\
Finnmap's reports
..\trajectrory\
Trajectory data in ascii and .trj
..\RiAna_543.zip
Parameters used by FM in Gaussian decomposition

Data processed by UH:

..\bin\
Pulses in binary hectare format
..\DEM\
DEMs used for tagging the erroneous echoes
..\HectareProcessing2015LiteMapper\
Java program used for processing the data into hectare bins
..\hectare_processing_log.txt
Processing log file by AH
..\Riegl2015_QC.docx
Notes about the data made when processing into hectare bins
..\Aarnes_notes\
Miscellaneous calculations made for QC

3.7.15 2016 Discrete-return, 3-band, 1km, Optech Titan, Hyytiälä, Syväniemi, Lakkasuo

Nine overlapping flight lines. Channel numbering:

Ch1 = 1550 nm, Ch2 = 1064 nm, Ch3 = 532 nm.


The scan patterns have a 3.5-degree (0, 3.5 and 7) offsets in flying direction, and nadir data are acquired by 1064 nm only.

The 207-byte pulse records consume disk space:

1550 nm	55,862,174,575 bytes
1064 nm	52,332,294,966
532 nm	41,349,348,178

There are most recorded pulses in SWIR and 20% of the GRN pulses never triggered a response.

The BASIC programs written for LAS-BIN conversion and data tiling are presented in Appendix 3.



Pulse density, CH1, Ch2 and Ch3.

Campaign settings (1550, 1064, 532)

- Date, time — June 14, 2016; 12:35-13:10 GMT
- Beam divergence — 0.35, 0.35, 0.7 mrad at 1/e
- Scan angle — ± 40° (3..22°, 0..22°, 7..23°)
- Scan pattern — Oscillating mirror
- System calibration — HRP & scale in Hyytiälä
- Strip adjustments — ΔHeading, ΔZ (all CHs combined)
- Pulse repetition frequency — 300, 300, 300 kHz
- Pulse max power/tot energy — # J
- Pulse density — <12 per m^2
- Strip overlap-% — ##
- Flying speed — ##
- Minimum echo separation — < 1 m
- Altitude — 1000 m AGL
- DR data — 0–4 echoes per pulse emitted
- Trajectory — txt, @ 200 Hz

The Z-values of the LAS-file echoes were subtracted 0.32 m from N2000 to N60.

3.7.16 2018 Discrete-return Riegl 1560, 1.15 km

Purpose


This campaign was initiated at 'last minute' and documents the status of the SMEAR II stations' vicinity prior to an intermediate felling of the nearby stands. Terratec (FIN/NOR) had their Riegl 1560i sensor in Finland and agreed to fly in Hyytiälä.

The campaign costs were covered by ICOS Suomi and the CoE at SMEAR (Bäck & Vesala). In return, students of course ME-013C measured a 4-ha forest plot surrounding the SMEAR station.

The campaign was repeated in 2020 using the same sensor model (different unit) and by striving for similar acquisition settings (same flight lines, same sensor, same settings).

Campaign settings

The data comprises 4 parallel strips and 1 perpendicular strip. RGB images were acquired simoultaneously.



Pulse density (0-40 /m2) per hectare (map size 10 x 15 km).

Date May 24, 2018

Acquisition time 0630-0654 GMT.

Ground photography at the site: kuvat24518.zip (by Pekka Kaitaniemi in Hyytiälä)

Delivered LAS1.2 data

Data were first delivered in LAS 1.2 (Point type 1) format in 500 x 500 m tiles and later in strip-files (N=5). After Q/C, it was recognized that data was duplicated, as each echo was twice in each LAS-file. A third delivery was needed.

Trajectory data (XYZ) is available at 1Hz resolution (70 m intrapoint distance) for computing the position of the sensor at a given point in time. Each LiDAR pulse has a time tag (GPS time, < 1 microsecond accuracy, 8-byte floating point representation), so it was possible to estimate the origin of the pulse vector and collect all return points per pulse transmitted into a single pulse-record (for kuvamitt-software). LAS 1.2 is point-format and points belonging to a pulse may no be in sequantial order in the file.

In rare cases, there could be upto 8-9 echoes per pulse transmitted. Echo number attribute in LAS 1.2 has a max of 7 (three-bit representation). Delivered LAS 1.2 file had all echoes, but the rare cases with 8 or 9 echoes per pulse transmitted may be corrupted in (8th and 9th return saved as 6th and 7th) the BIN-files created for KUVAMITT - simply because the echo number value of LAS1.2 is wrong, and it was not accounted for as these cases were very rare. LAS 1.4 files were never asked from Terratec. That format allows for more points per pulse (return number, number of returns attributes)

Kuvamitt-per-hectare bin files

Regular users would use LAS-files. All LiDAR data in Hyytiälä (2004-) is converted into "comprehensive format", in which pulses form the records, and each pulse has various attributes such as the position of the sensor, and all echoes belonging to it in sequantial order. A new binary format for kuvamitt-software was defined, because none of the previous (sensor specific) formats did not quite suit. Similar to Riegl-format used for the 2011, 2013 and 2015 , echoes of a pulse were stored in a variable length echo array as the number of echoes could range from 1 to 7.

Files realize a tiling into hectares in the KKJ2 coordinate system (as with all LiDAR from Hyytiälä), while the LAS files have UTM35/N2000 coordinates. The coordinates in the bin files are in KKJ2 Easting (x), Northing (y) and N60-orthometric elevatoin (z). Reduce .32 m from N2000 to get N60 orthometric heights.

First 4 bytes in the ha-file give the number of pulse records. These records start at fifth byte, which has the echocount (Byte, int8) attribute of the first pulse. Variables GPStime, ByteLAS, ScanAngle, PosLiDAR, Receiver and stripnum follow. See the visual basic type declaration below. Followed by these attributes are N x 23-byte EchoRiegl1560 echo-records, which have the xyz coordinates, intensity and classification as the attributes. The 2018 data is classified (ground, vegetation, tower), while the 2020 isn't.

```
Type PulseRIegl_1560          ' A whole pulse-record
  echocount As Byte           ' N of EchoRiegk_1560s
  GPStime As Double           ' Seconds
  ByteLAS As Byte             ' Byte copied from LAS-file
  ScanAngle As Byte           ' Scan Angle Rank in LAS
  PosLidar As Point_3d        ' XYZ of LiDAR
  Receiver As Byte            ' Which of the two scanners
  StripNum As Byte            ' Identifier for a strip
  Echoes() As EchoRiegl_1560
End Type

Type EchoRiegl_1560  ' A return, 1-10 in a pulse emitted
 pos As Point_3d              ' XYZ of the echo
 intensity As Integer         ' Intensity by RiProcess
 class As Byte                ' Classification
End Type
```

How was the conversion done: The LAS1.2 Point 1 data files comprises a header of 227 bytes followed by fixed-length echo records. A routine was written in C that splits these >2 GByte LAS-files into smaller chunks (< 2 GByte) that are readable with Visual Basic. (See Section Riegl 1560 processing, May 2018).

The 28-byte LAS 1.2 echo-record defined in Visual Basic:


```
Type LasPoint1 ' point format 1 in las1.2
 X As Long
 Y As Long
 z As Long
 intensity As Integer
 PulseByte1 As Byte
 class As Byte
 ScanAngle As Byte
 UserData As Byte
 PointSourceID As Integer
 GPStime As Double
End Type
```

X values were stored as 32-bit integers, scaled by 0.001
Y values were also 32-bit integers, scaled by 0.001, offset by 6000000. Z values were as 32-bit longs, scaled by 0.001.
PulseByte1 has the structure "00111222", number of returns is in bits 3-5, while return number is in bits 6-8. Userdata has the sensor code 1 or 2 (1560i has two LiDAR scanners)!

About Riegl 1560i sensor

Runs two scanners (#1, #2) mounted in a known geometry. There is a tag for each pulse that tells the scanner. It is the Userdata attribute in the LAS-files. In the bin-files for kuvamitt, it is the Receiver attribute. Both are 1-byte entities although 1 bit would suffice.

FOV	58 degrees
Tilt angle (scan lines)	+/- 14 degrees
Forward/Backward Scan Angle in Non-Nadir Direction	+/- 8 (at the edges)



Notes on radiometry

Data were processed in “amplitude mode”, i.e. each intensity value is to be interpreted as gain in dB (power difference, power ratio) with respect to a minimum input power required to trigger an echo (interpretation is not verified by Riegl). It is unclear if intensity is affected by echo width, or if it corresponds to maximum amplitude of that echo. The latter is assumed to be the case.

$dB = 10 \log10(P_{out}/P_{in})$

Typical values on some surfaces were

	Intensity	Reflectance at 1064 nm
Bitumen	400-600	3-5%
Asphalt	1100	15%
Fine sand	1200	20%
Grass	1500	30-40%

Very low values of 100-300 were observed for the instrument cottage roof at SMEAR, which normally has given rise to very few echoes owing to the absorbing paint.


$I_{grass} - I_{bitumen}$ => 1500-500 = 1000 is the gain between the two surfaces, which should be about 10 dB (3%->30% of relectance).

dB = Intensity/100 is a rough guess. If the minimal reflectance that triggers an echo is 0.01, then 1600 is 16dB stronger, 40 times more received power. The strongest intensity values were found in metal structures and wavy water.



Strong (Intensity>1800) echoes. The ditch has running water from a spring resulting in "corner reflections". Cars, roof, lake water and other metal structures constitute other strong reflectors.

As mentioned, it's not even known if intensity corresponds to peak amplitude or echo width/energy (integral).




In a bog with sparse pine crowns, 3-6-m high, the joint distribution of (1st and 2nd) intensity data in 2-return pulses shows the logarithmic (dB) nature of the intensity data, and how receiver 1 intensity data are higher. Observations are given separately for scanners 1 and 2 in strip 1.

Assuming: intensity /100 = gain in dBs. Then, e.g. grass "corresponds to 15 dBs" and grass has a reflectance of 0.32, if the minimum (reference for received power Pin) in the data is 0.01. SMEAR-roof and branches gives as low intensity valuess as 50-100. So, the reflectances are 0.5 dB-1 dB above 0.01 reflectance, that is 0.0112...0.0126 in reflectance. The strongest values of intensity were above 2000 (100 power ratio if 2000=20dBs), so the reference cannot be 0.01 but lesser. The linearity of the sensor is unknown, so without field calibration, the interpretation of the intensity data remains speculative.


xyz-accuracy

The geometric accuracy has several aspects (and hierachic levels) to consider: A) Absolute accuracy in a coordinates system, B) between-strip errors (relative accuracy, strip matching, and C) between-scanner errors due to misalignment. Type C angular errors do not cause constant xyz shifts in the scene but can vary with scan zenith angle.


Linear targets were used to study Type B and C geometric accuracy. Type A accuracy was only indirectly assessed, since there are no accurate monuments in the scene, only features that can be measured using photogrammetric techniques (with limited accuracy). Large type A errors would show as discrepancies. Such errors were not observed. In all, no major errors of Type A, B or C were observed.



Powerline test site I with three parallel lines (90 cm separation) running S-N. Strip 1 (dark blue) produced most echoes (1190 m range), while Strip 2 (1264 m) fewer and strip 5 (perpendicular flight direction, 1285 m range, specular reflection?) produced only one echo in this segment that is 45 m long.




Powerline wires - squirrel's view. Strips 1, 2 and 5. No offsets between scanners or strips. Scanner 2 in strip 2 produced no echoes. Strip 5 had only a single echo. Intensities range from 49 to 395.




Powerline site II. Strips 1 and 2. No major offsets in the orthogonal direction (power lines parallalel to flying direction). Again, scanner 2 in strip 2 produced no echoes. Strip 5 did not cover this area.



SMEAR 380V cable: Strips 1, 2 and 5. Cable running towards SMEAR near the sawmill. Orientation of the cable is SW-NE.




Overlapping strips 1, 2 and 5 produced echoes showing little (< 10 cm) systematic between-scanner offsets. X-axis shows distance from a parallel virtual cable, shifted by about 1 m. The cable "becomes 30 cm thick" owing to xyz inacccuracy and the size of the illuminated area (>20 cm, pulse cross-section).



Intensity and scan angle in the cable: Fewer echoes were observed the higher the scan angle is. (specular reflections, or just systematics in the point sampling as strip 5 with most echoes was flown in parallel direction).



Sawmill-roof site: Roof edge provides a perpendicular linear test feature for the cable.



Distance of echoes from a parallel line to the roof edges (at a distance of about 50 cm) x intensity shows that the between-scanner (type C) offsets are < 15 cm, while type B offsets are < 30 cm.

3.7.17 2020 Discrete-return Riegl Q1560, 1.15 km

'Repeated campaign' (2018) with minor changes due to sensor development. Purpose - to document the harvesting activities in winter 2019/20 by pairing these data with the 2018 campaign. The same flight paths were strived for as well any sensor settings. Again, make note that the 1560i sensor comprises too laser scanners, scanner #1 and #2.

As with 2018, data (LAS 1.2 files) were delivered four times by Terratec. First delivery had pulses filtered differently (allowed scan angle) from the 2018 acquisition. 2nd delivery fixed that problem, but the intensity data in these files are corrected for the range. Third delivery has the intensity data amplitude based in dBs as in 2018. The fourth delivery is in LAS1.4, because there were upto 10 echoes per pulse and LAS1.2 supports max. 7 pulses (return number and number of returns occupy three bits, 0-7). LAS 1.4 files gave no warnings with Lastools software. Aerial RGB photography in cloud-free conditions was carried out this time as well.

Date: June 3, 2020

Time: 05:43-05:57 GMT (5 strips)

Photography at the site

See photos in Korpela_fenologia2020.zip (by Pekka Kaitaniemi)

Splitting into per-hectare bin (kuvamitt) files

All this (except for discussion about LAS 1.4 format) is irrelevant to users of LAS-files. This tiling into 1 hecrate files was carried out only to turn the data readable with KUVAMITT-program. The format is explained in the documentation of the 2018 data.

In total, there are 5 LAS-files, one per strip. Since the files are large, they were first split by time into "LAS-files" (#.bin) smaller than 2GB (signed long integers in Visual Basic). The echoes in the bin-files were sorted by time and rearranged into per-hectare (kkj2) binary files, in which the LiDAR position is estimated from the 1Hz trajectory data. Importantly, all echoes belonging to a pulse are in sequental order in these per hectare binary files. However, the order in any 8-10-echo pulses cannot be trusted for the last echoes (8th, 9th, 10th), which are rare but exist. Why? LAS 1.2 files support 7 echoes per pulse and the echo order wasn't always correct despite attempts to sort by Z-coordinate. When using the bin-data or LAS 1.2 , this should be considered. Delivered LAS 1.4 files won't have this issue (recommended to be used).

Intensity data

The intensity data in the LAS-files were scaled 0-65000 (unsigned short) in deliveries #1 and #2, with range correction applied to the intensity values. Delivery #3 had the intensities in dB-scale, unccorrected amplitude-based and in LAS 1.2 format as requested - matching the format of the 2018 data. LAS 1.4 files should have the same content but are not verified (Oct 5, 2020). The two scanners inside 1560 called for Q/C for possible discrepancies. It was found that in hard surfaces, scanner #1 shows higher intensity values (in dB scale).




Fig. 119. Intensity of 2-return pulses in a pine bog. 1st return is from pine crows and the second from the bog surface. Pehkusuo, near Hyytiälä. Logarithmic nature of the intensity data shows clearly as does the difference between scanners 1 and 2. Sensor #1 giving rise to “stronger” echoes.




Fig. 120. Intensity histograms, Grass. N=14200. Scanner 1 shows higher values. Histograms combine observations from three overlapping strips.



Asphalt & dark bitumen echoes sampled for tests.

Assuming that the data really are in dB-scale, we could estimate the "voltage" that is in linear relationship with power entering the sensor's aperture, and then check if radar equation explains spherical losses due to varying range. There however is not enough range variation and repeated observations of suitable surfaces to do this.

Something was attempted, however. The CV of raw intensities (dB) in asphalt were 4.4% without range correction or correction for slant angle. The power term that miniimized the CV was 1, suggesting that the data are range corrected, if the linearity condition (dB-to-Power intensity data are ratio scale observation of received power) is met. In bitumen, CV was 12.5%. In dark bitumen, the power term that minimized CV was 5, suggesting that the linearity condition is not met. However, the estimation of the power term is highly ill-posed


when range variation is lacking. It is highly unlikely that linearization with the simple equation is possible, so the corrected intensity values should not be treated as ratio-scale data as was the notion with 2018 data.

Table 13. Examples of targets of varying reflectance. Range is given in meters, I# refers to average of raw-dB-scaled-intensity in overlapping strips 1, 2 and 5. Dark bitumen has an intensity of about 600, while grass shows intensities above 1600.

Target	range1	range2	range5	I1	I2	I5
Bitumen1	1178	1238	1181	908	755	889
Bitumen2	1191	-	1217	625	-	589
Asphalt	1189	1277	1198	1322	1241	1292
Gravel	1189	1285	1194	1255	1182	1238
Fine Sand	1192	1305	1200	1477	1375	1448
Grass	1192	1299	1212	1669	1578	1637
Trees						
Sib. fir	1167	1277	1174	1120	1207	1090
Maple	1178	1285	1188	1260	1165	1213
N. spruce	1161	1233	1163	1020	1032	998
Pine, old	1161	1236	1165	1075	1072	1014
Other						
Power cable	1204	1178	1171	241	308	326
Wire	1186	1256	1276	246	234	213

The darkest bitumen has perhaps a reflectance of 2-3%, while that of grass is 50%. Lowest average intensity values were recorded for 20kV powerline wires, ca. 240. Lowest single intensity value was 90 in the power line wire. Range variation clearly explains the variation of average intensity in hard surfaces.

Now, if we assume that 1600 = 16 dB, then bitumen is 6dB, which is 10 dB less and that corresponds to a 10-fold difference. It does not explain the anticipated 12-13 dB difference in reflectance between bitumen and grass. Fine sand could have reflectance of about 20%, and it is down about 230 units, i.e. 2.3 dB, which is less than the expected ca. 3 dB. Maple and Siberian fir show the highest intensity values as expected. Next, the weather radar's sphere was used as a test target.




If the radar dome (sphere) has a radius of 2.7 m, the indidence angle could be computed for each pulse in strip 1, which has low scan zenith angle (< 1 degr) in both 2018 and 2020 data. At 45 degrees (surface normal off vertical), the (logarithmic) intensity falls from 1800 to 1200 in the 2020 data (6dB). The cosine is 0.7 at that angle, so the surface has high specular reflectance as 6dB implies that the intensity should reduce by a factor of 0.25. In all, we note that (nominal) intensity values are higher in the 2020 data compared to 2018.


XYZ-accuracy analyses

The geometric accuracy has several aspects to consider: A) Absolute accuracy in a coordinates systenm, B) between-strip errors (relative accuracy, strip matching, and C) between-scanner errors due to misalignment.


Linear targets were used to study type B and C geometric inaccuracy. Type A accuracy was only indirectly assessed, since there are no accurate 3D monuments in the scene, only features that can be measured using photogrammetric techniques. Large type A errors would show as discrepancies. Type C errors were observed and the vendor was asked to re-compute strip matching by correcting also the between-scannner misalignments (which they admitted not having done for this sensor unit, Nov 18, 2020).




Power line wires (cables) .95 m apart. Color by strip (1, 2 and 5).




Sag in powerline cable, by strips. Noise (in Z, elevation) constitutes about 10 cm in these wire objects.




This powerline is aligned with the flying direction. Mismatch between scanners 1 and 2 within a single strip (#1) is ca. 20 cm. Correction for mismatch between sensors was not a part of the strip adjustment in deliveries 1-4. (information received from Terratec Nov 17, 2020).




The offset between scanners is slightly lesser in cables running in the perpendicular direction to flight line. X-axis has distance, and blue dots on the left are "mirrored to the right".






Analysis of XY-offsets using a sharp building edge aligned perpendicular to flight line direction. 3D line is set some 50 cm from the building running parallel with the "building's outer edge". Line-point distance is computed for each echo and points closer than 1 m /at the same elevation are outputted. X-axis has the distance (m) and y-axis show the intensity. Strips 1 and 2, sensors 1 and 2 separately. Offsets (Pitch angle) between scanners are 10 cm, between strips 30 cm.





Sawmill's roof edge: Strip 5 - scanners 1 and 2 show large 25-30 cm offset in the SE-NE orientated roof edge, that runs perpendicular to that strip. Strip 5 shows lesser between-scanner offset.





Power cable: Again, in the perpendicular direction, strip 5 shows larger offset between scanners 1 and 2, about 25 cm.





The offsets in the perpendicular direction (building edge aligned with flying direction) are within 30 cm.


Comparison of the 2018 and 2020 data sets

This Section highlights the similarities and differences between the two acquisitoins and was done in November 2020.


Test site 1, Ala-Hyytiälä old-growth forest. Circle with a radius of 10 m, 314 m2, all echoes analyzed

Data set 2020 has more echoes per pulse transmitted. There are more later echoes, 2nd, 3rd etc., while 2018 data has a maximum of 5 echoes per pulse. It is rather clear that the functioning of the receivers differs somewhat between 2018 and 2020 - in forest canopies (soft targets).


Nreturns	1st	2nd	3rd	4th	5th	6th	7	8	9
2020	13032	10448	6702	3137	1054	217	30	3	0
2018	12953	8976	4160	1197	74	0	0	0	0



As a result (or because of it) - data set 2018 has more single-echo pulses, with a tail of cases with low intensity values, unexpected. This needs to be accounted for and it may be advisable to exclude those with intensity below a threshold (from the set of single returns).




Fewer (%) single returns reached the forest floor in 2018 and more were observed in the upper canopy. X-axis shows height above ground in 2-m classes.



Single-return data intensity as a function of height above ground: The low intensities of single returns in 2018 spread across the whole height range. Unexpected, because single returns are by default strong reflections.

The mean intensities are 1145 (scanner 1) and 1085 (scanner 2) in the 2018 data and 1423 and 1377 in the 2020 data. Differences are not due to systematic differences in range or scan zenith angle. In the 2018 data, both scanners 1 and 2 share the phenomenon: "single returns include weak intensities". So, a malfunctioning of the other scanner does not explain why there are these (unexpected) weak single echoes in 2018 data. In analysing single-return data, this major difference needs to be accounted for. It may be advisable to filter out weak single returns (in 2018 data, intensity below 700) and (re-class) consider them as multi-return pulse echoes (first-of-many, intermediate or last-of-many).



In all first (single or first-of-many) return (canopy and ground) data, 2020 and 2018 data differ in intensity.

First-return intensities, h > 2 m. Average in by scanners #1 and #2

Year	#1	#2
2020	769	752
2018	691	660

First-return intensities, h < 2 m. Average in by scanners

Year	#1	#2
2020	1449	1431
2018	1241	1215

The difference of average intensity between 2018 and 2020 shows in the first-return data. Scanners 1 and 2 do not differ greatly, but scanner #1 shows somewhat higher intensity values in both 2018 and 2020.

In all echo types we note a difference in the range of intensities (min-max) canopy/ground data:

Intensities range 29-1541 in 2018
Intensities range 59-1786 in 2020

Test 2: Special hard and linear targets

Average intensity by year and scanner:

	20_1	20_2	18_1	18_2
Asphalt	1325	1288	1097	1044
Bitumen, dark	625	583	592	548
Bitumen, light	905	865	771	715
Grass	1670	1626	1477	1465
Fine sand	1452	1418	1230	1212
Gravel	1248	1211	1067	1008
Grass-moss	1581	1537	1445	1425
Wire 20 kV	234	240	154	138
Cable, 380 V	330	312	251	198
Roof, Institute	1129	1089	943	878

Grass produced the highest average intensity values in both datasets and both scanners. The abosulte difference (logarithmic!) between scanners is about 35 to 40 units in 2020 and 20 to 70 in 2018 data. In linear targets (wie, cable)that produced weak echoes, there were less observations and the results are less accurate.

Relative to Asphalt and Scanner 1:

Target	20_1	20_2	18_1	18_2
Asphalt	1.00	0.97	1.00	0.95
Bitumen	0.47	0.44	0.54	0.50
Bitumen	0.68	0.65	0.70	0.65
Grass	1.26	1.23	1.35	1.34
Fine sand	1.10	1.07	1.12	1.10
Gravel	0.94	0.91	0.97	0.92
Grass-moss	1.19	1.16	1.32	1.30
Wire	0.18	0.18	0.14	0.13
Cable	0.25	0.24	0.23	0.18
Roof	0.85	0.82	0.86	0.80
Spruce	0.80	0.78	0.85	0.82
Pine	0.74	0.72	0.81	0.77
Birch	0.76	0.75	0.80	0.75

The average intensity values relative to (normalized by) Asphalt and Scanner 1 show that dataset 2018 has a wider range, 0.13-1.35, while that of LiDAR 2020 is 0.18-1.23. Target grass-moss is likely unstable (2018-2020).

Scanner #2 is 0.02-0.04 units "weaker" than Scanner #1 in 2020 data, except for dark dargets (wire, cable). Scanner #2 is "weaker" in the 2018 sensor, about 0.04-0.05 units. Bright grass does not show any difference.


=> Logarithmic scale applies to both sensors, 2018 and 2020.
=> Scanner #2 shows lower intensity values
=> Sensor 2018 shows "wider intensity dynamics", nominal at least.

In trees, the relative differences do not hold for birch, which may be due to the early season and phenological diffrences between 2018 and 2020.

Target	20_1	20_2	18_1	18_2
Asphalt	1.00	0.97	0.83	0.79
Bitumen	1.00	0.93	0.95	0.88
Bitumen	1.00	0.96	0.85	0.79
Grass	1.00	0.97	0.88	0.88
Fine sand	1.00	0.98	0.85	0.83
Gravel	1.00	0.97	0.85	0.81
Grass-moss	1.00	0.97	0.91	0.90
Wire	1.00	1.03	0.66	0.59
Cable	1.00	0.95	0.76	0.60
Roof Inst	1.00	0.96	0.84	0.78
Spruce	1.00	0.98	0.88	0.84
Pine	1.00	0.97	0.90	0.85
Birch	1.00	0.98	0.86	0.81

When normalizing with target intensities by dataset 2020 - Scanner 1, the relative differences w.r.t. scanner 1 in 2018 are not constant (e.g. 0.85) across the range of targets. "Dark wire" is down to 66%, cable 76% and brighter targets show relative differences of 83% to 95%. Grass is at 90%. If intensity corresponds to peak amplitude or echo energy, remains unknown. Trees (soft targets) show 86-90% relative difference, while hard targets: fine sand, roof and gravel are at 85%.

On logarithmic nature of intensity data




If the interpretation is that intensity is in dBs, and that represents power ratio (P_{out}/P_{in}), we can assume for example that intensity of 50 corresponds to the minimal recorded signal. Then, intensity of 1800 means 18 dBs above it. Power ratio of 56.

Now, the range of intensity values were


29-1541 in 2018 data
59-1786 in 2020 data

If these are interpreted as 0.3-15.4 dB and 0.6-17.8 dB, it would simply mean that the dynamic range in the 2018 data was larger. That, however, is unlikely and it is a matter of scaling and behaviours of two different instruments and four (2+2) different coarsely calibrated scanners.




Some targets (bitumen, asphalt, fine sand, grass, gravel) in Hyytiälä were measured for nadir reflectance in 2008-2010. The change of reflectance per unit intensity (steepness of the curve) is the lowest when intensity is below 1000.

Test site 3: barren pine bog (Pehkusuo), 2-echo pulses




2018




2020

Intensity of 1st (canopy) and 2nd return (ground) in barren pine-bog.



Height (z, elevation) distribution of points in 2-echo pulses in the pine bog. The shift is probably due to water level in the bog, or systematic ranging differences in the datasets. Height growth of the 3-6-m high trees is minimal, 2-5 cm/a.


SMEAR-pine forest



At SMEAR, the thin-from-below logging and clearing of the understory shows in the height distributions. In 2018 10% of pulses found canopy gaps and produced a first only only at the ground, while it was nearly 50% in 2020.

3.7.18 2023 Discrete-return Riegl Q1560, 1.2 km

There is a separate 24-page document *Hyytiälä aerial photographs and LiDAR 2023.docx* that reports in more detail the campaign and compared it with the 2018 and 2020 "twins".




This campaign repeats those of 2018 and 2020 using the same five flight lines and sensor settings. Aerial images were captured during the acquisition.


Date	August 18, 2023
Time, GMT	06:28-06:45
Project code	41847 (Terratec, now Field)
Flying	1310-1365 m AGL, 75 m/s
Scan angle	+/- 30 (28)
Sensor	Riegl 1560
Data	LAS 1.4 Point type 6
Coord. Syst	ETRS-TM35FIN + ellipsoidal heights
PRF	1MHz + 1 MHz (two scanners)

Data was processed by first sorting the LAS-files according to GPStime, echo number (1-11) and scanner number (1-2). This data was read echo by echo and trajectory file was analysed for the position of the sensor at the time of pulse transmission. This way all echoes belonging to the pulse were merged into pulse-records that also had the position of the sensor. There pulse data were converted to KKJ2/N60 geometry and stored in per hectare binary files (as is customary). The same binary format was used as was in 2018 and 2020.


The geometry matched with reference targets at an accuracy of approximately 20 cm or better. Small offsets (+/- 8 cm) in elevation were observed between 2018, 2020 and 2023. Radiometry was evaluated in hard surfaces and canopies. The intensity data of the targets does not match (and is on logarithmic dB-scale), so intensity calibration is needed if they are used for change detection.



Intensity distributions in fine sand (Hyytiälä volleyball field). Scanners 1 and 2 are shown separately for each year, 2018, 2020, 2023.



Comparison of 2018, 2020 and 2023 in pine plot P1. The growth of trees is clearly visible in the side view and vertical slice atop the canopy.




Echoes	Pulses with N echoes		
1	17517	7483	42.72
2	10034	6221	35.51
3	3813	3101	17.70
4	712	694	3.96
5	18	17	0.10
6	1	1	0.01
7	0	0	0.00
8	0	0	0.00
Total		17517	

Echoes	Pulses with N echoes		
1	17836	5861	32.86
2	11975	5580	31.29
3	6395	4350	24.39
4	2045	1700	9.53
5	345	307	1.72
6	38	32	0.18
7	6	5	0.03
8	1	1	0.01
Total		17836	

Echoes	Pulses with N echoes		
1	18061	4730	26.19
2	13331	5142	28.47
3	8189	4643	25.71
4	3546	2525	13.98
5	1021	807	4.47
6	214	183	1.01
7	31	28	0.16
8	3	3	0.02
Total		18061	

In 2018 the scanners produced less echoes per pulse compared to 2020 and 2023.



Intensity data of two-echo pulses on a barren pine bog (Pehkusuo). X-axis has the 1st echo and y-axis shows the 2nd echo. Black = 2018, red = 2020, Blue = 2023. Scanners 1 and 2 blend.

4 Terrestrial images

Photogrammetric experiments. Camera EO and IO parameters were solved which enabled accurate orientation of the images. These are documented in more detail in the following sub-sections.

Other than photogrammetric images. The images do not have orientation information. These images include e.g., images taken during field and LiDAR campaigns, and are listed at the end of this section.

4.1 Lapinkangas forest floor 2007

A block of overlapping, oblique, down-looking, JPEG images (N=1053) of the bottom flora in a 30 x 32 m plot in Lapinkangas was acquired in August 2007. Data were used in (Korpela 2008) and reindeer lichens were then mapped from the images. A consumer-grade camera was used, and calibrated later.




Fig. 121. The lichen patch map of the plot.

Camera	Canon Powershot G6
Focal length	7 mm (calibrated for this, shortest)

There were 27 lines (E–W oriented), with a 1.2-m spacing. Each line had 39 images with 0.8-m spacing. The camera-operator had a 1.55-m-high monopod and the camera was tilted down and pointing south when the photography was done.



Fig. 122. Line 1, image 2. Oblique view from a height of 1.5 m AGL. GCP #36 is seen. The xyz-coordinates were measured to the center point at the top.

Powershot G6 was calibrated using an indoor 3D test field (HUT) to solve the parameters: camera constant, c_{min}, principal point location (x_p, y_p), radial and tangential lens distortion (k_i, t_i), as well as the affinity and shearing (a, b) of the 3072×2304-pixel CCD. The parameters were solved in a bundle block adjustment of 21 convergent images with 1436 carefully measured image points of known XYZ. The pixel size was assumed to be 2.3 microns.

Table 14. Results of the calibration block adjustment for the camera parameters.

Parameter	Value	Standard error
x_p	1536.5	0.22
y_p	1151.7	0.26
c_{min}	7.35 mm	0.014 mm
k_1	–1.9399E-08	4.35E-10
k_2	1.1005E-15	2.88E-16
k_3	3.2917E-22	5.74E-23
t_1	2.4040E-07	1.57E-08
t_2	–4.8441E-07	2.03E-08
a	4.0370E-04	8.61E-05
b	3.1696E-04	1.17E-04
σ_0	0.53 pixels	df = 2672

2.1.2 Image observations. A common practice is to extend the collinearity equation with various parameters to acquire a model, which more accurately corresponds the imaging conditions (Brown (1976), Ebner (1976), Kilpelä (1981), Jacobsen (1982), Fraser (1997), Cramer *et al.* (2002), Jacobsen (2003)). Mathematical parameters used in this study were the well-known Ebner's parameters (Ebner 1976). The physical deformation model applied in this investigation was the following:

$$\Delta x = dx_0 - \frac{x}{c}dc + x(k_1r^2 + k_2r^4 + k_3r^6) + p_1(r^2 + 2x^2) + 2p_2xy + B_1x + B_2y \quad (1)$$

$$\Delta y = dy_0 - \frac{y}{c}dc + y(k_1r^2 + k_2r^4 + k_3r^6) + 2p_1xy + p_2(r^2 + 2y^2) \quad (2)$$

where $r^2 = x^2 + y^2$, k1, k2 and k3 model radial distortions, p1 and p2 model tangential distortions and B1 and B2 model affinity and shearing.

****

Conversion to camera model of iWitness

See iWitnes_solution_to_2007_calibration.xlsx

The iWitness equations are (Maple format)
fx:=-x*(k1*r^3+k2*r^5+k3*r^7)/r-p1*(r^2+2*x^2)-2*p2*x*y;
fy:=-y*(k1*r^3+k2*r^5+k3*r^7)/r-p2*(r^2+2*y^2)-2*p1*x*y;

, where
x = ($x_{measured}$ – xp)
y = ($y_{measured}$ – yp)
r^2 = x^2 + y^2
dr = k1*r^3+k2*r^5+k3*r7

Jan 2013: OLS estimation of k1, k2, k3, p1, and p2 by constraining B1, B2, xp and yp to zero.

The 2 x 5 differential quotients (5 parameters with respect to x and y) were computed, all units set to mm, corrections by the Ebner model (See above 2.1.2 from Honkavaara 2004) were the independent variables and the five parameters in iWitness model were solved using OLS estimation.

The 2007 calibration corresponds to :

k1	3.4530E-03
k2	-6.1517E-05
k3	-7.0916E-07
p1	-8.9787E-05
p2	1.9454E-04

Further, set c to 7.35 mm, pixel size to 2.3 um, B1 and B2 to zero, xp to zero and yp to zero.



Fig. 123. The same 2007 GCP seen in a 2007 image (top), and in a 2012 image. Immobility?

- Data for 1053 HDR-files were established in the KKJ-2/N60 system. Hdr_teko_LK.csv
- The JPEGs are ~5 Mbytes each (Fig. 122)
- 54 horizontal 'side views' covering the plot along y-axis, imaged towards the x-axis, 2 x 27, from each end of the horizontal image lines (Fig. 124).
- Espa image observations (row, col) for triangulation
- Triangulation files (observations, results)



Fig. 124. A 'side-view', one of 54, from the SW corner towards east. GCPs are seen, and it is possible to orientate the images, if needed.

* Distance – azimuth measurements of trees for positioning of the plot. These were from the four corners of the plot

In 2007 triangulation was carried out, using 36 GCPs. (wooden sticks). GCPs.xls, LK1.job.

The plot corners

See Plot_location.xls
The total station was set up at the SE corner, and aligned with the Y-axis of the plot. Corners were positioned using the total station, to the exact local positions of (0,0), (0,32), (30, 32), and (30,0).

From each corner point, trees with X and Y estimated in aerial images were observed for azimuth and distance. Locally, in a polar coordinate system:

x_local_i = distance * cos(azimuth+cv)
y_local_i = distance * cos(azimuth+cv)

where cv is the systematic deviation (compass variation) between the magnetic north and the north given by the compass (Bussoli, 0.5 degree nominal accuracy). Distance was corrected for the stem diameter. cv is an unknown. Index i is 1, 2, 3 or 4, for each corner.

Now, since the corners had exact local coordinates, it was possible to establish equations for mapping the local coordinates to global XY coordinates.

(From Korpela, 2008):

"The corner poles of the 960-m^2 plot and 36 control points inside the plot were positioned using a total station with a relative accuracy better than 1 cm. The LiDAR data and images were oriented in the national KKJ Gauss-Krüger map projection with elevations in the N60 system of orthometric heights (Z). The 3D plot coordinate system was tied to this object coordinate system, using trees as XY control points (Korpela et al., 2007). The interpoint distances (d) and azimuths (φ) were measured to nearby tree stems in each plot corner with a laser distance meter and a precision compass. The XYZ treetop positions were measured from a set of 6 aerial images. A total of 46 trees (i) were used as control points in a least-square adjustment of coordinates (Eq. 1) to solve the unknowns in Table 2. In the adjustment, the 4 corner poles ($Xc_{cp(j)}$,$Y_{cp(j)}$) formed a 30-m×32-m rectangle rotated about the plot origin.

$$\begin{cases} X_i = X_0 + \cos(\alpha)\cdot X_{cp(j)} - \sin(\alpha)\cdot Y_{cp(j)} + d_{ij}\cdot\cos(\varphi_{ij} + cv) + \varepsilon \\ Y_i = Y_0 + \sin(\alpha)\cdot X_{cp(j)} + \cos(\alpha)\cdot Y_{cp(j)} + d_{ij}\cdot\sin(\varphi_{ij} + cv) + \varepsilon \end{cases}$$

Orientation of the field plot:

Parameter	Value	Standard error
X_0, plot origin	2516587.218 m	0.068 m
Y_0, plot origin	6856270.139 m	0.065 m
α, rotation	3.01°	0.14°
cv, compass variation	8.15°	0.32°

The coordinates of all four corners:

X_local	Y_local	X	Y
0	0	2516587.22	6856270.14
0	32	2516585.54	6856302.10
30	32	2516615.50	6856303.67
30	0	2516617.18	6856271.71

The absolute position is accurate to 5-10 cm. See Section (Lapinkangas forest floor 2012).

Notes on the image orientation files

lines.obs has the col,row values in ascii (ESPA software), left-handed

ima_obs_UnCalib.txt observations computed from ESPA obs, right handed, half-pixel shift.

```
a = 427991
b = 1
c = 1536
d = 1
e = 427991
f = 1152
nrow = 2304
Loop
 colval = colval + 0.5
 rowval = (nrow - 1) - (rowval + 0.5)
 xp = (-e*c+e*x+f*b-y*b)/(a*e-b*d)
 yp = -(a*f-a*y-c*d+x*d)/(a*e-b*d)
End
```

ima_obs_calibFraser.txt Contains the metric image coordinates corrected for lens errors.

uk1053_5_Fraser_5_81.txt Solution vector (all unknowns with solutions) Final RMS of image residuals 5.81 um

Gnd_obs.txt has the GCP and tie point initial approx.

cam_obs_sol.txt has the initial apprx. for EO.

task.txt shows the number of images, XYZ GCPs, Z GCPs, tie points and image observations.

Note that f was set at 0.0073486 m in the final version, and pixel size is 2.3365E-06 m = (1/427991). These values are also used in Hdr_teko_LK.csv.

The plot elevation

The total station was 1.61 m above the ground, which is z == 0 in the local coordinate system.


In 2007, the N60 elevation for the origin (P0) was set to 140.62 m in the triangulation. It was taken from leveling.

The elevation remains an issue because there was no permanent Z-monument between 2007-2012, or, more precisely, the elevation of P0 has not been measured in 2007, as it was in 2012.

=> Some Z constraints between conjugate points 2007-2012 may help here, but most likely there'll be a mismatch of 2-3 cm in Z too.

Calibration in Dec 2023

Using IWitness, the following parameter values were obtained



The values match reasonably well with those that were mathematically computed from the 2013 Ebner's model:

0.003453007	k1	3.4530E-03
-6.1517E-05	k2	-6.1517E-05
-7.09161E-07	k3	-7.0916E-07
-8.97873E-05	p1	-8.9787E-05
0.000194544	p2	1.9454E-04

Lens errors were removed using the new estimates in Dec 2023.

Filenames are 01_01_undistorted_bilinear.raw. The whole image set of 1053 images in raw format is 27.6 GB. Note! Image 23_20 is missing and replaced by a copy of image 23_19. It was searched in old CDs/DVDs without luck. Original JPEG-file is corrupted at 1 kB.

The lens error corrected images have 3472 x 2704 pixels but retain the pixel size of 2.336 microns.

The EO parameters from 2013 were used in making the image header-files for the lens error corrected images.

Image-#, omega, ohi, kappa, X0, Y0 and Z0, c=0.007341 mm.


01_01	-0.58838	-0.01354	3.22691	2516615.785	6856304.423	142.249
01_02	-0.58712	-0.01520	3.21462	2516614.985	6856304.259	142.255
01_03	-0.60411	-0.05932	3.18789	2516614.107	6856304.249	142.218
01_04	-0.57725	-0.08098	3.22391	2516613.298	6856304.218	142.177
01_05	-0.59756	-0.03642	3.17035	2516612.515	6856304.181	142.154
01_06	-0.54236	-0.05082	3.19848	2516611.724	6856304.136	142.211
01_07	-0.55721	-0.03809	3.17313	2516610.884	6856304.105	142.177
01_08	-0.57225	-0.00631	3.13847	2516610.132	6856304.111	142.212
01_09	-0.53881	-0.04974	3.18465	2516609.348	6856304.043	142.211
01_10	-0.58245	-0.04432	3.19502	2516608.536	6856304.026	142.207
01_11	-0.55785	-0.05062	3.20636	2516607.750	6856303.940	142.190
01_12	-0.52001	-0.02743	3.16504	2516606.966	6856303.833	142.209
01_13	-0.52552	-0.06738	3.17475	2516606.085	6856303.829	142.208
01_14	-0.51227	-0.07659	3.22027	2516605.348	6856303.755	142.177
01_15	-0.54644	-0.07523	3.21315	2516604.515	6856303.707	142.119
01_16	-0.55028	-0.04935	3.21209	2516603.788	6856303.649	142.132
01_17	-0.53997	-0.02146	3.19177	2516603.061	6856303.602	142.106
01_18	-0.55088	-0.03124	3.19783	2516602.234	6856303.620	142.081
01_19	-0.57964	-0.04220	3.19987	2516601.421	6856303.617	142.046
01_20	-0.57876	-0.03499	3.19255	2516600.621	6856303.550	142.028
01_21	-0.57524	-0.02595	3.21218	2516599.872	6856303.521	142.027
01_22	-0.56557	-0.06597	3.23489	2516599.011	6856303.351	142.095
01_23	-0.52396	-0.03358	3.17625	2516598.162	6856303.294	142.196
01_24	-0.48407	-0.10831	3.22561	2516597.270	6856303.236	142.305
01_25	-0.50622	0.00910	3.15228	2516596.601	6856303.196	142.201
01_26	-0.48598	-0.06968	3.19566	2516595.805	6856303.036	142.100
01_27	-0.47862	0.00874	3.15268	2516595.033	6856303.033	142.099
01_28	-0.50401	-0.00482	3.17774	2516594.234	6856303.058	142.082
01_29	-0.50119	-0.04796	3.22859	2516593.440	6856303.053	142.099
01_30	-0.48161	-0.00179	3.19779	2516592.670	6856302.969	142.057
01_31	-0.49193	-0.00043	3.18771	2516591.865	6856302.928	142.079
01_32	-0.49884	0.01533	3.16825	2516591.061	6856302.896	142.035
01_33	-0.49697	-0.01479	3.19725	2516590.262	6856302.804	142.037
01_34	-0.48443	-0.01226	3.17442	2516589.406	6856302.711	142.039
01_35	-0.55528	-0.05101	3.20877	2516588.577	6856302.739	141.926
01_36	-0.53942	0.04289	3.16180	2516587.909	6856302.667	141.956
01_37	-0.49046	0.01710	3.19310	2516587.072	6856302.541	142.057
01_38	-0.46059	0.02029	3.17272	2516586.209	6856302.472	142.091
01_39	-0.43622	0.19393	3.12118	2516585.614	6856302.388	142.189
02_01	-0.61053	-0.05160	3.22244	2516615.854	6856303.322	142.327
02_02	-0.58443	-0.02455	3.15529	2516615.090	6856303.207	142.312
02_03	-0.58565	-0.06554	3.20249	2516614.255	6856303.153	142.231
02_04	-0.56755	-0.01183	3.14637	2516613.475	6856303.141	142.194
02_05	-0.60088	-0.01639	3.17676	2516612.713	6856303.157	142.200
02_06	-0.58313	-0.00347	3.15601	2516611.905	6856303.107	142.244
02_07	-0.58345	-0.00810	3.17788	2516611.098	6856303.077	142.203
02_08	-0.56811	-0.06003	3.23608	2516610.322	6856303.031	142.300
02_09	-0.57243	0.00728	3.17231	2516609.554	6856302.958	142.234
02_10	-0.56890	-0.03459	3.21136	2516608.732	6856302.879	142.228
02_11	-0.50087	-0.00117	3.15398	2516607.926	6856302.783	142.200
02_12	-0.51125	-0.01896	3.16503	2516607.103	6856302.773	142.151
02_13	-0.53969	-0.00680	3.15496	2516606.310	6856302.741	142.190
02_14	-0.54391	-0.02723	3.16702	2516605.493	6856302.741	142.188
02_15	-0.54137	-0.02788	3.15724	2516604.696	6856302.696	142.237
02_16	-0.53763	-0.03437	3.20994	2516603.949	6856302.627	142.129
02_17	-0.54144	0.01327	3.16012	2516603.172	6856302.585	142.082
02_18	-0.52739	0.00817	3.16231	2516602.375	6856302.528	142.083
02_19	-0.52241	0.02503	3.13755	2516601.584	6856302.450	142.053
02_20	-0.50469	-0.00474	3.18742	2516600.786	6856302.401	142.091
02_21	-0.51020	-0.01723	3.20844	2516600.009	6856302.371	142.095
02_22	-0.50352	-0.02274	3.18408	2516599.167	6856302.290	142.068
02_23	-0.52217	-0.02602	3.15869	2516598.329	6856302.271	142.110
02_24	-0.54734	-0.04520	3.16981	2516597.500	6856302.293	142.146
02_25	-0.48116	-0.02303	3.17907	2516596.737	6856302.108	142.111
02_26	-0.50651	-0.01781	3.15336	2516595.952	6856302.045	142.091
02_27	-0.52259	0.00345	3.18356	2516595.165	6856302.044	142.023
02_28	-0.51583	-0.01013	3.17766	2516594.365	6856302.038	142.037
02_29	-0.50608	-0.00201	3.14926	2516593.574	6856301.969	142.043
02_30	-0.53198	-0.00470	3.19250	2516592.782	6856301.914	142.022
02_31	-0.44780	-0.01219	3.17020	2516591.982	6856301.744	141.981
02_32	-0.47634	-0.00612	3.16698	2516591.156	6856301.722	141.988
02_33	-0.46477	-0.00429	3.18790	2516590.384	6856301.722	141.975
02_34	-0.50258	-0.01266	3.19402	2516589.563	6856301.730	141.991
02_35	-0.46693	0.00628	3.18441	2516588.775	6856301.645	141.977
02_36	-0.50785	-0.00585	3.21717	2516587.995	6856301.658	141.986
02_37	-0.45729	-0.01927	3.25580	2516587.219	6856301.544	142.025
02_38	-0.46499	-0.02076	3.23688	2516586.357	6856301.473	141.989
02_39	-0.50541	-0.01052	3.19618	2516585.523	6856301.481	142.046
03_01	-0.48135	-0.10123	3.26744	2516615.896	6856301.865	142.495
03_02	-0.49059	-0.05461	3.17924	2516615.071	6856301.755	142.437
03_03	-0.46701	-0.03582	3.20088	2516614.320	6856301.672	142.322
03_04	-0.50181	-0.04326	3.20731	2516613.513	6856301.676	142.312
03_05	-0.48154	-0.02544	3.20148	2516612.738	6856301.637	142.290
03_06	-0.50409	-0.02604	3.21147	2516611.934	6856301.634	142.248
03_07	-0.45770	-0.04088	3.21812	2516611.178	6856301.513	142.294
03_08	-0.49897	-0.04819	3.20878	2516610.305	6856301.535	142.312
03_09	-0.50318	-0.04852	3.21809	2516609.517	6856301.486	142.243
03_10	-0.50111	-0.04501	3.24067	2516608.747	6856301.498	142.235
03_11	-0.50069	-0.03790	3.20803	2516607.937	6856301.464	142.216
03_12	-0.53462	-0.05772	3.20284	2516607.088	6856301.484	142.194
03_13	-0.50717	-0.04778	3.19487	2516606.309	6856301.422	142.160
03_14	-0.52502	-0.04435	3.17537	2516605.520	6856301.366	142.133
03_15	-0.50698	-0.03359	3.17819	2516604.722	6856301.332	142.077
03_16	-0.51970	-0.03242	3.19293	2516603.931	6856301.286	142.100
03_17	-0.51226	-0.03568	3.19183	2516603.136	6856301.212	142.081
03_18	-0.50009	-0.01066	3.17297	2516602.369	6856301.161	142.086
03_19	-0.49982	0.03642	3.13178	2516601.609	6856301.139	142.039
03_20	-0.48991	-0.02912	3.18041	2516600.780	6856301.113	142.082
03_21	-0.49572	-0.01243	3.17595	2516599.952	6856301.048	142.051
03_22	-0.49607	0.00141	3.17010	2516599.191	6856300.977	142.035
03_23	-0.46763	-0.03839	3.18455	2516598.337	6856300.911	142.055
03_24	-0.46780	-0.01554	3.18833	2516597.577	6856300.872	142.043
03_25	-0.51272	0.03805	3.16204	2516596.773	6856300.830	141.986
03_26	-0.47816	-0.02073	3.24481	2516596.031	6856300.883	142.078
03_27	-0.52184	0.01793	3.17464	2516595.211	6856300.889	142.025
03_28	-0.47301	-0.03799	3.23425	2516594.413	6856300.735	141.969
03_29	-0.49982	0.00831	3.17136	2516593.584	6856300.705	141.956
03_30	-0.50319	0.00885	3.16122	2516592.780	6856300.698	141.963
03_31	-0.52945	-0.03375	3.22498	2516592.003	6856300.680	141.973
03_32	-0.48391	0.00556	3.15395	2516591.179	6856300.610	141.943
03_33	-0.51599	-0.02105	3.13548	2516590.315	6856300.543	141.934
03_34	-0.51324	0.01154	3.15468	2516589.604	6856300.530	141.940
03_35	-0.52040	-0.00459	3.17266	2516588.757	6856300.488	141.887
03_36	-0.50932	-0.02774	3.20782	2516587.947	6856300.355	141.928
03_37	-0.55968	0.03355	3.14667	2516587.189	6856300.340	141.935
03_38	-0.52218	0.02670	3.17524	2516586.386	6856300.253	141.912
03_39	-0.49005	-0.04566	3.25614	2516585.595	6856300.124	141.897
04_01	-0.49767	-0.07738	3.23633	2516615.955	6856300.684	142.437
04_02	-0.51166	-0.09561	3.25307	2516615.140	6856300.618	142.515
04_03	-0.48591	-0.06130	3.24101	2516614.371	6856300.535	142.280
04_04	-0.51212	-0.01479	3.20349	2516613.593	6856300.517	142.263
04_05	-0.51272	0.01630	3.20009	2516612.832	6856300.467	142.300
04_06	-0.52865	-0.02711	3.18632	2516611.972	6856300.449	142.338
04_07	-0.50577	-0.02233	3.21403	2516611.166	6856300.381	142.302
04_08	-0.51932	0.06858	2.99966	2516610.332	6856300.350	142.466
04_09	-0.55843	-0.01613	3.18220	2516609.602	6856300.382	142.261
04_10	-0.57254	0.03528	3.14876	2516608.805	6856300.347	142.169
04_11	-0.56428	0.01344	3.16742	2516607.996	6856300.296	142.108
04_12	-0.56415	0.02284	3.17012	2516607.204	6856300.222	142.112
04_13	-0.54272	0.00711	3.18348	2516606.408	6856300.208	142.115
04_14	-0.53776	0.01210	3.17257	2516605.612	6856300.140	142.099
04_15	-0.56785	-0.03068	3.20207	2516604.791	6856300.138	142.042
04_16	-0.56802	-0.02838	3.18400	2516603.978	6856300.075	142.060
04_17	-0.60622	-0.01653	3.20617	2516603.234	6856300.061	141.992
04_18	-0.61508	0.00048	3.18069	2516602.431	6856300.072	141.970
04_19	-0.60240	-0.00144	3.17851	2516601.638	6856300.028	141.988
04_20	-0.60840	0.01717	3.16246	2516600.859	6856299.967	142.011
04_21	-0.57075	0.00435	3.17874	2516600.026	6856299.889	141.957
04_22	-0.57506	0.00098	3.17161	2516599.221	6856299.848	141.950
04_23	-0.58591	0.01927	3.17192	2516598.473	6856299.842	142.017
04_24	-0.62583	0.00155	3.20775	2516597.661	6856299.834	141.895
04_25	-0.59095	0.01501	3.17917	2516596.767	6856299.768	141.911
04_26	-0.57457	0.01134	3.20188	2516596.060	6856299.712	141.957
04_27	-0.57844	-0.00302	3.18516	2516595.240	6856299.626	141.914
04_28	-0.55386	0.00830	3.20131	2516594.452	6856299.584	141.953
04_29	-0.58627	0.00059	3.21350	2516593.653	6856299.570	141.934
04_30	-0.58177	0.02276	3.16413	2516592.844	6856299.529	141.948
04_31	-0.54283	0.03372	3.15487	2516592.065	6856299.416	141.963
04_32	-0.57523	-0.03033	3.20756	2516591.237	6856299.409	141.958
04_33	-0.54317	-0.03297	3.20669	2516590.419	6856299.322	141.914
04_34	-0.58287	0.02431	3.16979	2516589.653	6856299.335	141.983
04_35	-0.56414	0.00412	3.20283	2516588.847	6856299.237	141.926
04_36	-0.55997	0.00445	3.17411	2516588.040	6856299.178	141.935
04_37	-0.54643	0.00446	3.21370	2516587.269	6856299.162	141.912
04_38	-0.53377	0.00981	3.19586	2516586.463	6856299.097	141.926
04_39	-0.53534	0.00429	3.22935	2516585.676	6856299.018	141.910
05_01	-0.54092	-0.07105	3.26060	2516616.050	6856299.498	142.357
05_02	-0.52063	-0.08590	3.23559	2516615.317	6856299.408	142.325
05_03	-0.52937	-0.07009	3.19805	2516614.551	6856299.363	142.301
05_04	-0.56950	-0.06969	3.19576	2516613.726	6856299.329	142.242
05_05	-0.57561	-0.07611	3.18818	2516612.904	6856299.309	142.236
05_06	-0.55504	-0.03206	3.19723	2516612.177	6856299.216	142.231
05_07	-0.56632	-0.03114	3.19852	2516611.402	6856299.206	142.219
05_08	-0.52869	-0.05128	3.22281	2516610.569	6856299.125	142.212
05_09	-0.58335	-0.04918	3.19544	2516609.752	6856299.159	142.162
05_10	-0.55454	-0.05173	3.20368	2516608.963	6856299.101	142.139
05_11	-0.56598	-0.02843	3.18134	2516608.155	6856299.079	142.096
05_12	-0.57997	-0.04726	3.19308	2516607.363	6856299.069	142.158
05_13	-0.54738	-0.06143	3.19829	2516606.556	6856298.970	142.147
05_14	-0.52914	-0.06121	3.23692	2516605.793	6856298.887	142.066
05_15	-0.57364	-0.07694	3.24113	2516604.950	6856298.874	142.078
05_16	-0.57588	-0.05346	3.21360	2516604.166	6856298.829	142.034
05_17	-0.57696	-0.06591	3.21410	2516603.344	6856298.764	142.024
05_18	-0.56842	-0.03962	3.19116	2516602.597	6856298.745	142.025
05_19	-0.58446	-0.02619	3.15593	2516601.778	6856298.745	141.990
05_20	-0.59707	-0.04483	3.19362	2516600.990	6856298.722	142.006
05_21	-0.60993	-0.02402	3.17470	2516600.200	6856298.726	141.985
05_22	-0.53814	-0.06567	3.23366	2516599.409	6856298.634	141.980
05_23	-0.57246	-0.05083	3.21877	2516598.585	6856298.572	141.949
05_24	-0.63533	-0.01213	3.18311	2516597.794	6856298.586	141.947
05_25	-0.60491	-0.03953	3.20749	2516596.998	6856298.503	141.975
05_26	-0.59800	-0.02620	3.18260	2516596.233	6856298.451	141.985
05_27	-0.55870	-0.01892	3.16921	2516595.413	6856298.402	141.979
05_28	-0.55599	-0.07259	3.21683	2516594.561	6856298.315	141.989
05_29	-0.58876	-0.07360	3.20636	2516593.798	6856298.283	141.933
05_30	-0.57416	-0.07065	3.21840	2516592.961	6856298.206	141.945
05_31	-0.55982	-0.05656	3.19449	2516592.191	6856298.151	141.931
05_32	-0.57143	-0.03041	3.15390	2516591.385	6856298.163	141.924
05_33	-0.63164	-0.00866	3.16100	2516590.624	6856298.206	141.918
05_34	-0.55416	-0.04088	3.18073	2516589.789	6856298.046	141.930
05_35	-0.58147	-0.04964	3.17671	2516588.969	6856298.026	141.907
05_36	-0.54865	-0.04899	3.22135	2516588.208	6856297.977	141.933
05_37	-0.56754	-0.03228	3.20253	2516587.421	6856297.931	141.901
05_38	-0.56895	-0.01253	3.18474	2516586.581	6856297.888	141.942
05_39	-0.57735	0.02065	3.16637	2516585.814	6856297.851	141.949
06_01	-0.48308	-0.09242	3.23072	2516616.222	6856298.259	142.352
06_02	-0.47348	-0.11246	3.24337	2516615.388	6856298.093	142.359
06_03	-0.47558	-0.01688	3.14431	2516614.632	6856298.008	142.262
06_04	-0.51428	-0.04427	3.16388	2516613.799	6856298.039	142.277
06_05	-0.51108	-0.05468	3.22399	2516613.060	6856298.005	142.264
06_06	-0.51131	-0.01882	3.18751	2516612.248	6856297.958	142.245
06_07	-0.52082	-0.01229	3.18820	2516611.487	6856297.894	142.149
06_08	-0.52590	-0.03751	3.16796	2516610.652	6856297.920	142.208
06_09	-0.51758	0.01166	3.14939	2516609.879	6856297.830	142.181
06_10	-0.56421	-0.04940	3.17224	2516609.019	6856297.843	142.163
06_11	-0.54552	-0.01525	3.19781	2516608.277	6856297.804	142.150
06_12	-0.54758	-0.01494	3.18648	2516607.455	6856297.743	142.153
06_13	-0.53042	-0.04086	3.19377	2516606.655	6856297.719	142.138
06_14	-0.52848	-0.02396	3.19324	2516605.888	6856297.589	142.127
06_15	-0.50523	-0.03397	3.20326	2516605.078	6856297.536	142.121
06_16	-0.55768	-0.03321	3.18202	2516604.274	6856297.547	142.098
06_17	-0.51094	-0.02001	3.18012	2516603.483	6856297.443	142.078
06_18	-0.53962	-0.02155	3.17864	2516602.681	6856297.423	142.061
06_19	-0.50812	-0.01176	3.14042	2516601.886	6856297.388	142.043
06_20	-0.55462	-0.01128	3.17789	2516601.096	6856297.398	142.032
06_21	-0.55763	-0.01935	3.19226	2516600.291	6856297.359	142.043
06_22	-0.54016	-0.01472	3.19280	2516599.509	6856297.277	142.066
06_23	-0.52279	-0.03266	3.22249	2516598.730	6856297.251	142.062
06_24	-0.54210	-0.01997	3.18046	2516597.876	6856297.208	142.028
06_25	-0.54922	-0.04464	3.19014	2516597.086	6856297.190	142.030
06_26	-0.58346	-0.04322	3.17961	2516596.272	6856297.203	142.019
06_27	-0.54691	-0.03322	3.14856	2516595.461	6856297.090	142.058
06_28	-0.49619	-0.07066	3.21626	2516594.652	6856297.003	142.041
06_29	-0.55423	0.01702	3.11373	2516593.865	6856297.020	142.089
06_30	-0.55101	0.07837	3.12013	2516593.333	6856297.093	142.183
06_31	-0.56970	-0.03313	3.19840	2516592.294	6856297.008	141.989
06_32	-0.55055	-0.01725	3.19329	2516591.522	6856296.883	141.942
06_33	-0.58110	-0.01389	3.18515	2516590.738	6856296.889	141.932
06_34	-0.49592	-0.01872	3.19644	2516589.916	6856296.735	141.940
06_35	-0.56371	-0.01456	3.20620	2516589.118	6856296.784	141.945
06_36	-0.54886	-0.03703	3.19928	2516588.293	6856296.727	141.930
06_37	-0.55414	0.00543	3.15568	2516587.515	6856296.696	141.906
06_38	-0.55320	0.00615	3.17664	2516586.726	6856296.661	141.968
06_39	-0.58559	-0.00442	3.11283	2516585.829	6856296.653	141.962
07_01	-0.48008	-0.07293	3.19726	2516616.207	6856297.019	142.400
07_02	-0.53388	-0.05699	3.19737	2516615.486	6856296.958	142.382
07_03	-0.49917	-0.06835	3.23376	2516614.705	6856296.847	142.297
07_04	-0.49489	-0.04608	3.20206	2516613.874	6856296.820	142.213
07_05	-0.48354	-0.01569	3.19289	2516613.143	6856296.741	142.189
07_06	-0.47099	-0.01564	3.21862	2516612.337	6856296.693	142.218
07_07	-0.48401	-0.06155	3.21256	2516611.490	6856296.666	142.204
07_08	-0.50560	-0.02994	3.18276	2516610.695	6856296.676	142.227
07_09	-0.49240	-0.01388	3.16890	2516609.904	6856296.619	142.153
07_10	-0.51418	-0.03974	3.19264	2516609.105	6856296.602	142.152
07_11	-0.54723	-0.04120	3.19555	2516608.300	6856296.614	142.148
07_12	-0.54022	-0.01223	3.18330	2516607.540	6856296.585	142.145

07_13	-0.53090	-0.03663	3.19490	2516606.747	6856296.565	142.216	10_21	-0.50415	-0.05768	3.19621	2516600.565	6856292.603	142.123
07_14	-0.52755	-0.02430	3.19009	2516605.935	6856296.486	142.165	10_22	-0.48618	-0.07564	3.20238	2516599.779	6856292.587	142.093
07_15	-0.54833	-0.02896	3.17364	2516605.073	6856296.467	142.167	10_23	-0.55142	-0.05555	3.19166	2516598.959	6856292.644	142.168
07_16	-0.51876	-0.01575	3.20928	2516604.151	6856296.348	142.190	10_24	-0.48519	-0.06996	3.21404	2516598.173	6856292.512	142.070
07_17	-0.50145	-0.00134	3.16817	2516603.539	6856296.286	142.105	10_25	-0.53088	-0.06333	3.22417	2516597.405	6856292.549	142.048
07_18	-0.50150	-0.01350	3.17442	2516602.749	6856296.274	142.096	10_26	-0.56197	-0.04621	3.19438	2516596.575	6856292.543	142.001
07_19	-0.51710	-0.00569	3.17792	2516601.960	6856296.260	142.079	10_27	-0.52471	-0.06854	3.18265	2516595.747	6856292.457	142.000
07_20	-0.54244	-0.01191	3.17331	2516601.140	6856296.223	142.057	10_28	-0.52576	-0.05738	3.18959	2516594.907	6856292.373	141.978
07_21	-0.55343	-0.02513	3.19227	2516600.356	6856296.188	142.056	10_29	-0.52647	-0.05684	3.18754	2516594.181	6856292.328	141.974
07_22	-0.51041	-0.05162	3.22498	2516599.534	6856296.109	142.083	10_30	-0.54792	-0.03770	3.17398	2516593.290	6856292.307	141.978
07_23	-0.53490	0.01297	3.15068	2516598.892	6856296.146	142.144	10_31	-0.53584	-0.05656	3.20558	2516592.562	6856292.249	141.952
07_24	-0.54245	-0.04112	3.21572	2516597.959	6856296.021	142.073	10_32	-0.51916	-0.04025	3.16777	2516591.781	6856292.219	142.038
07_25	-0.55046	-0.03579	3.20986	2516597.154	6856295.986	142.066	10_33	-0.52972	-0.06048	3.19660	2516590.974	6856292.222	141.934
07_26	-0.52516	-0.04220	3.20856	2516596.378	6856295.921	142.018	10_34	-0.51025	-0.03796	3.20350	2516590.185	6856292.108	141.985
07_27	-0.55761	-0.04785	3.21449	2516595.545	6856295.890	142.044	10_35	-0.51071	-0.04281	3.19939	2516589.389	6856292.094	141.959
07_28	-0.52304	-0.02223	3.19395	2516594.760	6856295.820	142.038	10_36	-0.53602	-0.03715	3.20965	2516588.590	6856292.076	141.980
07_29	-0.51574	-0.08296	3.24607	2516593.952	6856295.787	142.043	10_37	-0.53691	-0.01290	3.17719	2516587.823	6856292.056	142.046
07_30	-0.52921	-0.03816	3.20193	2516593.120	6856295.751	141.998	10_38	-0.53468	-0.03293	3.18933	2516587.018	6856291.968	142.141
07_31	-0.52295	-0.02452	3.20096	2516592.341	6856295.702	142.005	10_39	-0.49471	-0.03855	3.17749	2516586.216	6856291.878	141.991
07_32	-0.50272	-0.03227	3.19327	2516591.557	6856295.638	141.997	11_01	-0.53310	-0.09892	3.17210	2516616.253	6856292.299	142.306
07_33	-0.53336	-0.03119	3.20598	2516590.767	6856295.579	141.997	11_02	-0.51267	-0.06464	3.17595	2516615.513	6856292.176	142.270
07_34	-0.52518	-0.02811	3.20942	2516589.990	6856295.538	141.972	11_03	-0.48449	-0.03355	3.16908	2516614.762	6856292.083	142.212
07_35	-0.54790	-0.01223	3.17097	2516589.140	6856295.477	141.974	11_04	-0.52518	-0.02107	3.19025	2516613.963	6856292.088	142.201
07_36	-0.55301	-0.01292	3.14329	2516588.345	6856295.456	141.980	11_05	-0.51404	-0.04409	3.18187	2516613.124	6856292.088	142.177
07_37	-0.50635	0.02245	3.11907	2516587.551	6856295.340	142.038	11_06	-0.52090	-0.05434	3.20304	2516612.346	6856292.011	142.175
07_38	-0.50915	-0.01899	3.16388	2516586.698	6856295.344	142.088	11_07	-0.49252	-0.02630	3.18730	2516611.569	6856291.955	142.131
07_39	-0.44297	-0.04644	3.22200	2516586.037	6856295.274	142.050	11_08	-0.49948	-0.02216	3.19561	2516610.803	6856291.933	142.130
08_01	-0.60387	-0.13187	3.22313	2516616.226	6856295.999	142.290	11_09	-0.50689	-0.00757	3.17598	2516610.044	6856291.909	142.124
08_02	-0.53246	-0.03576	3.14804	2516615.480	6856295.777	142.225	11_10	-0.50577	-0.02862	3.21173	2516609.206	6856291.907	142.115
08_03	-0.55883	-0.03989	3.17210	2516614.711	6856295.774	142.215	11_11	-0.50103	-0.01813	3.19124	2516608.490	6856291.840	142.170
08_04	-0.53719	-0.05131	3.19887	2516613.933	6856295.703	142.195	11_12	-0.49175	0.00452	3.18567	2516607.641	6856291.760	142.117
08_05	-0.55369	-0.05134	3.18479	2516613.114	6856295.658	142.189	11_13	-0.49253	-0.01246	3.20595	2516606.847	6856291.753	142.190
08_06	-0.57039	-0.04386	3.19675	2516612.338	6856295.615	142.160	11_14	-0.53373	-0.04353	3.18888	2516605.949	6856291.799	142.120
08_07	-0.51446	-0.04347	3.21582	2516611.567	6856295.533	142.167	11_15	-0.55161	-0.00523	3.19192	2516605.246	6856291.746	142.105
08_08	-0.52199	-0.03257	3.20484	2516610.773	6856295.470	142.206	11_16	-0.53238	0.01056	3.18683	2516604.458	6856291.697	142.098
08_09	-0.51768	-0.02154	3.17499	2516609.904	6856295.410	142.077	11_17	-0.54557	0.00252	3.20079	2516603.674	6856291.672	142.084
08_10	-0.51057	-0.01359	3.16911	2516609.150	6856295.399	142.089	11_18	-0.56648	-0.00355	3.18119	2516602.858	6856291.646	142.072
08_11	-0.55418	-0.09514	3.24695	2516608.335	6856295.449	142.129	11_19	-0.50465	-0.01999	3.19191	2516602.028	6856291.543	142.064
08_12	-0.53328	-0.05236	3.21652	2516607.564	6856295.372	142.117	11_20	-0.51932	0.00041	3.15226	2516601.229	6856291.536	142.064
08_13	-0.52818	-0.01092	3.18517	2516606.789	6856295.335	142.138	11_21	-0.56041	0.00712	3.14855	2516600.437	6856291.551	142.033
08_14	-0.53876	-0.07558	3.26226	2516605.967	6856295.265	142.119	11_22	-0.54174	-0.02884	3.16020	2516599.609	6856291.473	142.045
08_15	-0.54147	-0.04826	3.16105	2516605.133	6856295.218	142.126	11_23	-0.52759	0.00940	3.15466	2516598.821	6856291.366	142.016
08_16	-0.50941	-0.06677	3.18287	2516604.302	6856295.164	142.113	11_24	-0.50417	-0.02587	3.17715	2516597.993	6856291.329	141.994
08_17	-0.54978	-0.05000	3.18477	2516603.561	6856295.116	142.111	11_25	-0.53197	-0.05047	3.21464	2516597.199	6856291.332	142.004
08_18	-0.52775	-0.00734	3.18444	2516602.811	6856295.050	142.084	11_26	-0.54649	-0.03261	3.19351	2516596.437	6856291.293	141.991
08_19	-0.54283	-0.03438	3.18528	2516601.961	6856295.032	142.069	11_27	-0.56182	-0.02236	3.16509	2516595.592	6856291.284	141.981
08_20	-0.52224	-0.04049	3.17438	2516601.110	6856294.975	142.045	11_28	-0.54401	0.04311	3.15106	2516594.884	6856291.225	141.991
08_21	-0.52978	-0.05222	3.18286	2516600.353	6856294.940	142.080	11_29	-0.55549	-0.01715	3.17766	2516594.028	6856291.207	142.005
08_22	-0.53079	-0.05777	3.20793	2516599.539	6856294.907	142.063	11_30	-0.57011	-0.03029	3.21232	2516593.209	6856291.203	141.979
08_23	-0.52522	-0.06668	3.25003	2516598.767	6856294.813	142.068	11_31	-0.53857	0.00870	3.17247	2516592.450	6856291.116	141.965
08_24	-0.51393	-0.07800	3.24368	2516597.970	6856294.770	142.027	11_32	-0.55168	-0.05993	3.21819	2516591.607	6856291.080	141.944
08_25	-0.49281	-0.05403	3.20809	2516597.159	6856294.689	142.016	11_33	-0.52863	0.00954	3.17680	2516590.858	6856291.036	141.966
08_26	-0.54702	-0.06049	3.17481	2516596.352	6856294.702	142.046	11_34	-0.53112	-0.01695	3.19293	2516590.028	6856290.983	141.940
08_27	-0.50240	-0.03984	3.19103	2516595.591	6856294.646	142.041	11_35	-0.56380	-0.01672	3.19769	2516589.239	6856290.950	141.900
08_28	-0.51341	-0.04030	3.18917	2516594.788	6856294.587	142.011	11_36	-0.55720	-0.01895	3.17833	2516588.427	6856290.907	141.954
08_29	-0.52277	-0.01467	3.17415	2516593.970	6856294.632	142.006	11_37	-0.56664	-0.04260	3.17784	2516587.584	6856290.893	142.019
08_30	-0.52727	-0.07823	3.19534	2516593.125	6856294.571	142.002	11_38	-0.51787	-0.03978	3.22561	2516586.844	6856290.768	141.938
08_31	-0.52662	-0.08360	3.21738	2516592.358	6856294.475	142.002	11_39	-0.58365	-0.02238	3.26317	2516586.124	6856290.799	141.936
08_32	-0.56165	-0.04229	3.18912	2516591.598	6856294.503	142.118	12_01	-0.52561	-0.07411	3.19663	2516616.429	6856291.077	142.258
08_33	-0.53041	-0.04049	3.16987	2516590.745	6856294.435	142.013	12_02	-0.54225	-0.06907	3.20303	2516615.521	6856290.986	142.207
08_34	-0.52419	-0.03217	3.19729	2516590.025	6856294.369	141.989	12_03	-0.54083	-0.05780	3.21187	2516614.739	6856290.954	142.177
08_35	-0.50084	-0.02189	3.19896	2516589.233	6856294.297	142.015	12_04	-0.51837	-0.06357	3.22143	2516613.967	6856290.906	142.190
08_36	-0.51167	-0.05710	3.21349	2516588.418	6856294.262	141.992	12_05	-0.55177	-0.03085	3.19380	2516613.149	6856290.878	142.169
08_37	-0.53765	-0.02433	3.19595	2516587.610	6856294.265	141.986	12_06	-0.53097	-0.02358	3.17899	2516612.337	6856290.801	142.121
08_38	-0.51347	-0.00083	3.18715	2516586.858	6856294.236	142.059	12_07	-0.54256	-0.04556	3.18397	2516611.571	6856290.821	142.128
08_39	-0.53020	-0.09161	3.22978	2516585.979	6856294.145	142.040	12_08	-0.55672	-0.01440	3.17292	2516610.761	6856290.773	142.092
09_01	-0.53622	-0.04489	3.14845	2516616.358	6856294.732	142.303	12_09	-0.57566	-0.00598	3.16018	2516609.966	6856290.771	142.106
09_02	-0.54248	-0.02979	3.14268	2516615.553	6856294.624	142.284	12_10	-0.52234	-0.04748	3.21369	2516609.137	6856290.648	142.080
09_03	-0.53160	-0.01734	3.15256	2516614.746	6856294.592	142.261	12_11	-0.52393	-0.02414	3.19650	2516608.386	6856290.690	142.069
09_04	-0.54838	-0.00988	3.14807	2516613.957	6856294.566	142.244	12_12	-0.55891	-0.02005	3.17952	2516607.561	6856290.695	142.090
09_05	-0.56339	-0.03262	3.16442	2516613.165	6856294.513	142.246	12_13	-0.59563	-0.00598	3.19690	2516606.811	6856290.675	142.064
09_06	-0.55894	-0.06257	3.17946	2516612.324	6856294.502	142.199	12_14	-0.57283	-0.02251	3.20198	2516606.017	6856290.629	142.059
09_07	-0.49376	-0.04555	3.18360	2516611.530	6856294.449	142.144	12_15	-0.55963	-0.00218	3.17838	2516605.197	6856290.587	142.041
09_08	-0.58972	-0.07242	3.20451	2516610.746	6856294.443	142.136	12_16	-0.61014	-0.00492	3.18263	2516604.410	6856290.613	142.064
09_09	-0.54526	-0.05434	3.20097	2516609.999	6856294.367	142.139	12_17	-0.55782	-0.03414	3.18916	2516603.577	6856290.519	142.052
09_10	-0.54496	-0.05399	3.20721	2516609.176	6856294.355	142.144	12_18	-0.60370	-0.07459	3.21957	2516602.765	6856290.553	142.072
09_11	-0.52702	-0.01802	3.17866	2516608.369	6856294.304	142.140	12_19	-0.50831	-0.06774	3.18911	2516601.916	6856290.420	142.341
09_12	-0.55628	-0.04582	3.21722	2516607.609	6856294.332	142.162	12_20	-0.51148	-0.09452	3.19861	2516601.145	6856290.405	142.064
09_13	-0.55338	-0.03603	3.16553	2516606.756	6856294.279	142.103	12_21	-0.52184	-0.05141	3.15864	2516600.311	6856290.377	142.086
09_14	-0.56350	-0.03764	3.18955	2516605.966	6856294.275	142.138	12_22	-0.53739	-0.07259	3.19274	2516599.553	6856290.325	142.041
09_15	-0.53383	-0.06159	3.20939	2516605.169	6856294.215	142.113	12_23	-0.53165	-0.04362	3.17351	2516598.761	6856290.258	142.035
09_16	-0.56985	-0.04184	3.20902	2516604.434	6856294.226	142.096	12_24	-0.54970	-0.04789	3.22381	2516597.988	6856290.201	142.043
09_17	-0.51177	-0.07322	3.22810	2516603.598	6856294.076	142.074	12_25	-0.51257	-0.09185	3.24208	2516597.153	6856290.116	142.037
09_18	-0.56700	-0.06239	3.19181	2516602.790	6856294.089	142.112	12_26	-0.56564	-0.06236	3.22698	2516596.381	6856290.104	142.013
09_19	-0.54837	-0.06616	3.20822	2516601.993	6856294.022	142.099	12_27	-0.57268	-0.05537	3.22324	2516595.603	6856290.081	141.979
09_20	-0.52009	-0.04529	3.21157	2516601.213	6856293.914	142.047	12_28	-0.56170	-0.05102	3.20126	2516594.770	6856290.028	141.943
09_21	-0.55564	-0.04482	3.19448	2516600.427	6856293.907	142.015	12_29	-0.56018	-0.05270	3.22277	2516593.972	6856290.009	141.994
09_22	-0.55228	-0.04991	3.22468	2516599.657	6856293.885	142.020	12_30	-0.55546	-0.08135	3.23243	2516593.164	6856289.927	141.990
09_23	-0.52138	-0.06426	3.23027	2516598.822	6856293.841	142.069	12_31	-0.55381	-0.05601	3.19342	2516592.328	6856289.879	142.039
09_24	-0.54807	-0.06113	3.20746	2516597.997	6856293.676	142.016	12_32	-0.54681	-0.07558	3.21722	2516591.544	6856289.821	142.001
09_25	-0.53010	-0.05848	3.22124	2516597.208	6856293.672	141.998	12_33	-0.53818	-0.07273	3.22020	2516590.788	6856289.734	141.959
09_26	-0.52160	-0.03489	3.20671	2516596.458	6856293.543	142.009	12_34	-0.51805	-0.06802	3.22121	2516589.976	6856289.664	141.938
09_27	-0.51872	-0.04818	3.21819	2516595.636	6856293.507	142.024	12_35	-0.54548	-0.05126	3.17747	2516589.138	6856289.625	141.971
09_28	-0.51189	-0.03762	3.19697	2516594.834	6856293.491	142.036	12_36	-0.54067	-0.05536	3.17318	2516588.358	6856289.578	141.973
09_29	-0.50143	-0.05128	3.21425	2516594.030	6856293.435	141.952	12_37	-0.55111	-0.06405	3.22347	2516587.621	6856289.518	141.990
09_30	-0.51262	-0.07892	3.23981	2516593.218	6856293.393	141.987	12_38	-0.56063	-0.05388	3.19989	2516586.774	6856289.490	141.984
09_31	-0.54347	-0.06217	3.22563	2516592.434	6856293.400	141.945	12_39	-0.59396	0.00992	3.19380	2516586.058	6856289.508	142.132
09_32	-0.53171	-0.03702	3.20085	2516591.630	6856293.331	141.988	13_01	-0.55326	-0.06132	3.18118	2516616.616	6856289.944	142.248
09_33	-0.51540	-0.07251	3.23327	2516590.839	6856293.208	141.948	13_02	-0.53806	-0.04538	3.16193	2516615.809	6856289.864	142.233
09_34	-0.52285	-0.02964	3.19018	2516590.040	6856293.161	141.981	13_03	-0.56603	-0.04983	3.17531	2516615.013	6856289.896	142.177
09_35	-0.52324	-0.03106	3.19406	2516589.246	6856293.118	141.992	13_04	-0.54376	-0.00346	3.15327	2516614.267	6856289.817	142.200
09_36	-0.52332	-0.03408	3.21161	2516588.442	6856293.090	141.961	13_05	-0.56439	-0.10038	3.19751	2516613.372	6856289.772	142.206
09_37	-0.48806	-0.03968	3.24700	2516587.649	6856293.052	141.983	13_06	-0.52690	-0.02692	3.13407	2516612.632	6856289.691	142.127
09_38	-0.50523	-0.01885	3.18239	2516586.866	6856292.994	141.991	13_07	-0.58142	-0.03981	3.16555	2516611.836	6856289.673	142.146
09_39	-0.53760	-0.00929	3.16529	2516586.014	6856293.016	142.005	13_08	-0.54294	-0.01594	3.16508	2516611.073	6856289.575	142.140
10_01	-0.52845	-0.05634	3.16848	2516616.430	6856293.530	142.311	13_09	-0.53736	-0.00846	3.17699	2516610.262	6856289.550	142.125
10_02	-0.50703	-0.04163	3.18869	2516615.751	6856293.448	142.273	13_10	-0.54410	-0.07612	3.21508	2516609.404	6856289.540	142.111
10_03	-0.51662	-0.05487	3.19114	2516614.911	6856293.402	142.267	13_11	-0.51824	-0.09454	3.22665	2516608.639	6856289.462	142.108
10_04	-0.50578	-0.01322	3.15891	2516614.142	6856293.408	142.229	13_12	-0.52270	-0.05603	3.19442	2516607.867	6856289.424	142.103
10_05	-0.49041	-0.06134	3.20755	2516613.316	6856293.335	142.204	13_13	-0.59047	-0.07598	3.22180	2516607.050	6856289.490	142.091
10_06	-0.49153	-0.04383	3.17887	2516612.532	6856293.257	142.214	13_14	-0.51467	-0.03818	3.16547	2516606.260	6856289.333	142.077
10_07	-0.54121	-0.06647	3.19105	2516611.720	6856293.279	142.195	13_15	-0.53567	-0.05351	3.18878	2516605.430	6856289.364	142.072
10_08	-0.53745	-0.06107	3.20565	2516610.973	6856293.206	142.145	13_16	-0.56432	-0.04979	3.20607	2516604.664	6856289.361	142.082
10_09	-0.53668	-0.04682	3.19368	2516610.370	6856293.166	142.121	13_17	-0.53148	-0.07375	3.21318	2516603.865	6856289.287	142.116
10_10	-0.51123	-0.01352	3.17633	2516609.465	6856293.063	142.111	13_18	-0.54491	-0.03035	3.17244	2516603.120	6856289.254	142.101
10_11	-0.53980	-0.03915	3.20281	2516608.600	6856293.090	142.140	13_19	-0.52608	-0.03143	3.17373	2516602.295	6856289.284	142.104
10_12	-0.55241	-0.05100	3.20469	2516607.757	6856293.064	142.158	13_20	-0.52019	-0.04936	3.19389	2516601.493	6856289.205	142.112
10_13	-0.51638	-0.03582	3.18102	2516606.956	6856293.000	142.110	13_21	-0.53670	-0.07326	3.19797	2516600.699	6856289.149	142.141
10_14	-0.52186	-0.06177	3.20451	2516606.135	6856292.960	142.099	13_22	-0.53141	-0.09328	3.20241	2516599.811	6856289.052	142.069
10_15	-0.52094	-0.07292	3.21496	2516605.346	6856292.940	142.101	13_23	-0.52978	-0.09374	3.19995	2516598.962	6856289.023	142.019
10_16	-0.51787	-0.07183	3.18351	2516604.493	6856292.855	142.091	13_24	-0.54117	-0.08449	3.19150	2516598.204	6856289.038	142.000
10_17	-0.51390	-0.08675	3.19852	2516603.701	6856292.808	142.037	13_25	-0.56188	-0.09476	3.22395	2516597.434	6856289.002	141.994
10_18	-0.49781	-0.04820	3.18175	2516602.965	6856292.729	142.028	13_26	-0.58040	-0.06633	3.18733	2516596.647	6856288.973	142.032
10_19	-0.52650	-0.02084	3.17017	2516602.216	6856292.661	142.088	13_27	-0.54168	-0.07994	3.22389	2516595.846	6856288.879	142.035
10_20	-0.52823	-0.05990	3.19416	2516601.378	6856292.605	142.001	13_28	-0.57737	-0.05770	3.20384	2516595.063	6856288.854	142.018

13_29	-0.55207	-0.05025	3.21991	2516594.296	6856288.802	142.027	16_37	-0.53631	-0.04094	3.19553	2516587.953	6856284.797	141.998
13_30	-0.56058	-0.07178	3.21170	2516593.456	6856288.788	142.013	16_38	-0.52989	-0.08832	3.24565	2516587.137	6856284.776	141.976
13_31	-0.54448	-0.07745	3.20962	2516592.635	6856288.717	141.997	16_39	-0.51922	-0.12007	3.29658	2516586.349	6856284.685	141.957
13_32	-0.51501	-0.09146	3.23992	2516591.879	6856288.519	141.945	17_01	-0.49298	-0.08501	3.20460	2516616.707	6856285.027	142.262
13_33	-0.52162	-0.07247	3.21909	2516591.063	6856288.503	142.057	17_02	-0.53161	-0.01193	3.15457	2516615.921	6856284.993	142.263
13_34	-0.56350	-0.04898	3.20127	2516590.258	6856288.485	141.966	17_03	-0.52520	-0.07693	3.21310	2516615.087	6856284.965	142.231
13_35	-0.51045	-0.12342	3.26812	2516589.492	6856288.380	141.969	17_04	-0.50787	-0.03785	3.16848	2516614.339	6856284.907	142.201
13_36	-0.56591	-0.02110	3.18738	2516588.753	6856288.371	141.962	17_05	-0.53282	-0.06566	3.18456	2516613.498	6856284.885	142.193
13_37	-0.57565	-0.04217	3.20165	2516587.929	6856288.441	141.953	17_06	-0.51344	-0.06840	3.20588	2516612.721	6856284.752	142.129
13_38	-0.55804	-0.04452	3.19819	2516587.094	6856288.508	142.009	17_07	-0.53690	-0.05171	3.17640	2516611.901	6856284.745	142.144
13_39	-0.55181	-0.01341	3.15657	2516586.247	6856288.340	142.046	17_08	-0.50475	-0.05415	3.19450	2516611.124	6856284.685	142.091
14_01	-0.54215	-0.07899	3.21936	2516616.520	6856288.724	142.218	17_09	-0.52069	-0.05663	3.19246	2516610.332	6856284.638	142.110
14_02	-0.56034	-0.03469	3.18007	2516615.727	6856288.668	142.188	17_10	-0.52553	-0.05871	3.19705	2516609.532	6856284.654	142.102
14_03	-0.53480	-0.07477	3.21580	2516614.904	6856288.603	142.212	17_11	-0.51609	-0.04606	3.19453	2516608.753	6856284.616	142.113
14_04	-0.52210	-0.04703	3.18944	2516614.077	6856288.550	142.174	17_12	-0.59182	-0.03991	3.20313	2516607.986	6856284.664	142.242
14_05	-0.54666	-0.02551	3.14601	2516613.236	6856288.549	142.175	17_13	-0.53357	-0.04906	3.20419	2516607.183	6856284.506	142.115
14_06	-0.54456	-0.03775	3.17611	2516612.471	6856288.509	142.130	17_14	-0.53695	-0.05708	3.18325	2516606.270	6856284.472	142.045
14_07	-0.51964	-0.03581	3.19151	2516611.685	6856288.476	142.121	17_15	-0.53550	-0.05480	3.18365	2516605.558	6856284.423	142.065
14_08	-0.55720	-0.02924	3.16348	2516610.872	6856288.458	142.127	17_16	-0.54787	-0.05654	3.19972	2516604.746	6856284.393	142.066
14_09	-0.50457	-0.04616	3.19269	2516610.060	6856288.367	142.120	17_17	-0.54033	-0.04777	3.17926	2516603.968	6856284.365	142.087
14_10	-0.57442	-0.03291	3.16058	2516609.335	6856288.487	142.242	17_18	-0.51179	-0.04822	3.19105	2516603.183	6856284.291	142.118
14_11	-0.53868	-0.04635	3.17246	2516608.452	6856288.321	142.107	17_19	-0.51954	-0.06183	3.19092	2516602.353	6856284.284	142.075
14_12	-0.52871	-0.05088	3.17467	2516607.662	6856288.310	142.184	17_20	-0.54467	-0.08244	3.19464	2516601.523	6856284.268	142.096
14_13	-0.53541	-0.04917	3.20970	2516606.894	6856288.262	142.144	17_21	-0.56158	-0.06249	3.20337	2516600.787	6856284.254	142.038
14_14	-0.52487	-0.04133	3.18654	2516606.086	6856288.220	142.103	17_22	-0.55255	-0.06984	3.20455	2516599.959	6856284.172	142.028
14_15	-0.54500	-0.04905	3.20512	2516605.310	6856288.196	142.099	17_23	-0.51800	-0.02431	3.16758	2516599.191	6856284.094	142.149
14_16	-0.52785	-0.01852	3.17654	2516604.500	6856288.185	142.095	17_24	-0.56021	-0.09577	3.22339	2516598.338	6856284.126	142.083
14_17	-0.52242	-0.02870	3.17799	2516603.701	6856288.146	142.096	17_25	-0.52908	-0.09595	3.21968	2516597.514	6856284.069	142.028
14_18	-0.54209	-0.03638	3.18435	2516602.923	6856288.200	142.134	17_26	-0.50893	-0.07144	3.19143	2516596.735	6856283.988	142.058
14_19	-0.54309	-0.02435	3.18252	2516602.149	6856288.115	142.078	17_27	-0.52100	-0.08515	3.21147	2516595.905	6856283.980	142.006
14_20	-0.53215	-0.06312	3.20758	2516601.299	6856288.017	142.122	17_28	-0.57953	-0.06200	3.20334	2516595.168	6856284.006	141.983
14_21	-0.52223	-0.03949	3.17596	2516600.477	6856287.916	142.131	17_29	-0.51198	-0.07745	3.22127	2516594.357	6856283.849	142.000
14_22	-0.55095	-0.06051	3.20796	2516599.684	6856287.924	142.080	17_30	-0.53709	-0.05691	3.20346	2516593.555	6856283.824	141.995
14_23	-0.55049	-0.08175	3.20762	2516598.839	6856287.894	142.051	17_31	-0.51159	-0.09001	3.23244	2516592.766	6856283.752	141.976
14_24	-0.55860	-0.10028	3.23307	2516598.045	6856287.856	142.036	17_32	-0.54445	-0.07949	3.23168	2516591.945	6856283.770	142.003
14_25	-0.53327	-0.09239	3.20956	2516597.240	6856287.783	142.018	17_33	-0.55351	-0.08382	3.16236	2516591.209	6856283.796	142.181
14_26	-0.54186	-0.07328	3.23402	2516596.478	6856287.726	142.052	17_34	-0.53053	-0.05967	3.18718	2516590.373	6856283.675	142.033
14_27	-0.53404	-0.03340	3.18430	2516595.685	6856287.644	142.049	17_35	-0.49870	-0.05215	3.18402	2516589.581	6856283.600	142.021
14_28	-0.54246	-0.03998	3.19073	2516594.882	6856287.609	142.048	17_36	-0.53226	-0.08006	3.20000	2516588.751	6856283.621	141.948
14_29	-0.54259	-0.04734	3.19957	2516594.105	6856287.561	142.056	17_37	-0.55970	-0.04255	3.18542	2516587.973	6856283.621	141.962
14_30	-0.53917	-0.06172	3.20061	2516593.272	6856287.518	142.000	17_38	-0.52450	0.00352	3.17194	2516587.223	6856283.521	142.004
14_31	-0.56100	-0.10133	3.21807	2516592.453	6856287.516	142.025	17_39	-0.54857	-0.03108	3.18350	2516586.515	6856283.490	141.976
14_32	-0.51390	-0.07110	3.20395	2516591.656	6856287.445	142.035	18_01	-0.50138	-0.09658	3.19030	2516616.936	6856283.887	142.194
14_33	-0.54021	-0.04278	3.20863	2516590.899	6856287.340	142.014	18_02	-0.52307	-0.06131	3.15584	2516616.217	6856283.830	142.210
14_34	-0.54545	-0.03690	3.18997	2516590.097	6856287.288	142.020	18_03	-0.52333	-0.08097	3.21953	2516615.417	6856283.795	142.173
14_35	-0.52613	-0.05678	3.20963	2516589.274	6856287.228	142.040	18_04	-0.51619	-0.06009	3.21476	2516614.645	6856283.729	142.121
14_36	-0.52393	-0.07751	3.21632	2516588.457	6856287.162	142.035	18_05	-0.51658	-0.05126	3.19425	2516613.856	6856283.681	142.144
14_37	-0.53655	-0.07761	3.22438	2516587.693	6856287.121	142.072	18_06	-0.52520	-0.06244	3.21435	2516613.058	6856283.690	142.121
14_38	-0.52493	-0.06279	3.22791	2516586.925	6856287.041	142.019	18_07	-0.54460	-0.05321	3.20714	2516612.273	6856283.665	142.175
14_39	-0.54310	0.00198	3.16604	2516586.150	6856287.034	142.014	18_08	-0.53694	-0.04053	3.16292	2516611.460	6856283.605	142.107
15_01	-0.56816	-0.03008	3.12779	2516616.741	6856287.634	142.236	18_09	-0.52572	-0.05656	3.17844	2516610.589	6856283.589	142.114
15_02	-0.51706	-0.02675	3.13920	2516615.952	6856287.441	142.165	18_10	-0.55717	-0.07502	3.19613	2516609.854	6856283.576	142.092
15_03	-0.52561	-0.03914	3.15268	2516615.076	6856287.439	142.226	18_11	-0.53605	-0.03406	3.17516	2516609.075	6856283.510	142.094
15_04	-0.56065	-0.02050	3.16534	2516614.377	6856287.449	142.294	18_12	-0.49274	-0.06301	3.19070	2516608.254	6856283.453	142.119
15_05	-0.52923	-0.05305	3.17856	2516613.550	6856287.393	142.242	18_13	-0.55123	-0.06014	3.19915	2516607.455	6856283.468	142.123
15_06	-0.54418	-0.07150	3.18666	2516612.741	6856287.348	142.187	18_14	-0.50985	-0.04886	3.19107	2516606.694	6856283.377	142.078
15_07	-0.54126	-0.02057	3.14788	2516611.960	6856287.305	142.145	18_15	-0.53676	-0.06283	3.19612	2516605.857	6856283.363	142.064
15_08	-0.56578	-0.03742	3.20101	2516611.164	6856287.361	142.216	18_16	-0.52017	-0.06192	3.20897	2516605.082	6856283.315	142.038
15_09	-0.50059	-0.04712	3.19456	2516610.361	6856287.196	142.121	18_17	-0.54160	-0.08250	3.23451	2516604.282	6856283.282	142.070
15_10	-0.52516	-0.02164	3.17692	2516609.596	6856287.186	142.144	18_18	-0.53366	-0.08022	3.23547	2516603.486	6856283.219	142.003
15_11	-0.53674	-0.01412	3.17731	2516608.821	6856287.160	142.144	18_19	-0.53961	-0.06463	3.18834	2516602.680	6856283.204	142.048
15_12	-0.52583	-0.03583	3.21461	2516608.002	6856287.128	142.128	18_20	-0.55392	-0.06768	3.17989	2516601.852	6856283.170	142.053
15_13	-0.54752	-0.05262	3.19169	2516607.143	6856287.102	142.128	18_21	-0.52174	-0.06050	3.18343	2516601.074	6856283.113	141.983
15_14	-0.52655	-0.02645	3.17563	2516606.386	6856287.045	142.152	18_22	-0.55981	-0.03718	3.15859	2516600.270	6856283.092	142.016
15_15	-0.53536	-0.02008	3.17856	2516605.606	6856287.003	142.075	18_23	-0.53154	-0.02740	3.17721	2516599.512	6856283.034	142.054
15_16	-0.56187	-0.02438	3.17933	2516604.823	6856286.992	142.085	18_24	-0.52496	-0.03528	3.19816	2516598.731	6856282.988	142.120
15_17	-0.52696	-0.03455	3.18676	2516603.965	6856286.921	142.097	18_25	-0.52585	-0.06732	3.19042	2516597.858	6856282.981	142.121
15_18	-0.50344	-0.04706	3.20759	2516603.218	6856286.866	142.089	18_26	-0.53129	-0.07256	3.21669	2516597.067	6856282.943	142.034
15_19	-0.55460	-0.03948	3.19969	2516602.443	6856286.881	142.129	18_27	-0.51330	-0.06695	3.22367	2516596.326	6856282.866	141.993
15_20	-0.49952	-0.00213	3.18205	2516601.672	6856286.784	142.140	18_28	-0.54793	-0.05329	3.18746	2516595.475	6856282.834	141.984
15_21	-0.51150	-0.03457	3.19553	2516600.834	6856286.757	142.137	18_29	-0.52282	-0.07115	3.22824	2516594.680	6856282.775	141.944
15_22	-0.48699	-0.05356	3.19884	2516600.013	6856286.683	142.121	18_30	-0.51505	-0.04935	3.20240	2516593.899	6856282.689	141.971
15_23	-0.50688	-0.00946	3.19578	2516599.253	6856286.705	142.108	18_31	-0.51807	-0.05713	3.20272	2516593.102	6856282.670	141.961
15_24	-0.50390	-0.06263	3.19989	2516598.380	6856286.650	142.064	18_32	-0.55450	-0.05368	3.20507	2516592.300	6856282.677	141.961
15_25	-0.49872	-0.01684	3.16963	2516597.574	6856286.593	142.068	18_33	-0.51939	-0.04841	3.20928	2516591.534	6856282.562	141.957
15_26	-0.57210	-0.07651	3.22127	2516596.775	6856286.614	142.034	18_34	-0.49338	-0.06676	3.23866	2516590.718	6856282.492	141.972
15_27	-0.52259	-0.06507	3.21038	2516595.945	6856286.456	142.020	18_35	-0.49462	-0.07821	3.22493	2516589.899	6856282.444	141.985
15_28	-0.48901	-0.06015	3.20169	2516595.175	6856286.417	142.026	18_36	-0.51200	-0.07364	3.25306	2516589.126	6856282.376	141.960
15_29	-0.52560	-0.05264	3.20652	2516594.371	6856286.407	142.038	18_37	-0.52224	-0.01683	3.16925	2516588.317	6856282.318	141.937
15_30	-0.52131	-0.05281	3.20473	2516593.571	6856286.360	142.038	18_38	-0.54113	-0.00899	3.12304	2516587.516	6856282.289	141.978
15_31	-0.54316	-0.09254	3.21302	2516592.772	6856286.346	142.055	18_39	-0.51672	0.04697	3.06375	2516586.735	6856282.238	142.018
15_32	-0.53096	-0.06397	3.19272	2516591.973	6856286.264	142.041	19_01	-0.54503	-0.05940	3.18781	2516617.006	6856282.784	142.147
15_33	-0.55707	-0.06123	3.19066	2516591.177	6856286.237	142.018	19_02	-0.53797	-0.07374	3.22095	2516616.248	6856282.642	142.133
15_34	-0.53723	-0.03894	3.19338	2516590.413	6856286.128	142.013	19_03	-0.53591	-0.06706	3.18329	2516615.405	6856282.592	142.133
15_35	-0.56367	-0.04882	3.17521	2516589.575	6856286.095	142.026	19_04	-0.55896	-0.08056	3.19753	2516614.637	6856282.568	142.132
15_36	-0.53099	-0.06034	3.20129	2516588.775	6856286.020	142.001	19_05	-0.53395	-0.03879	3.16493	2516613.846	6856282.497	142.062
15_37	-0.49156	-0.03102	3.18505	2516587.958	6856285.928	142.026	19_06	-0.56830	-0.02854	3.15737	2516613.052	6856282.524	142.109
15_38	-0.54592	-0.09457	3.25637	2516587.233	6856285.952	142.030	19_07	-0.54249	0.00318	3.14379	2516612.305	6856282.519	142.192
15_39	-0.50349	-0.05594	3.22414	2516586.443	6856285.806	141.994	19_08	-0.54586	-0.04642	3.15592	2516611.440	6856282.460	142.149
16_01	-0.51910	-0.06822	3.21520	2516616.747	6856286.272	142.280	19_09	-0.54149	-0.06651	3.17051	2516610.620	6856282.393	142.101
16_02	-0.50118	-0.07172	3.20753	2516615.872	6856286.187	142.277	19_10	-0.55525	-0.04427	3.16349	2516609.849	6856282.334	142.091
16_03	-0.50186	-0.05344	3.17580	2516615.084	6856286.137	142.209	19_11	-0.53094	-0.03707	3.16095	2516609.061	6856282.283	142.096
16_04	-0.51620	-0.04668	3.17796	2516614.285	6856286.130	142.236	19_12	-0.53253	-0.05219	3.20270	2516608.294	6856282.242	142.102
16_05	-0.47972	-0.05442	3.19191	2516613.497	6856286.071	142.185	19_13	-0.55360	-0.02644	3.16673	2516607.492	6856282.198	142.067
16_06	-0.52135	-0.01127	3.13791	2516612.704	6856286.083	142.132	19_14	-0.54073	-0.07506	3.20487	2516606.657	6856282.168	142.081
16_07	-0.51768	-0.05850	3.20132	2516611.909	6856286.079	142.133	19_15	-0.53345	-0.04185	3.18844	2516605.873	6856282.103	142.075
16_08	-0.52498	-0.04348	3.19748	2516611.123	6856286.045	142.107	19_16	-0.51886	-0.04448	3.19390	2516605.083	6856282.076	142.049
16_09	-0.54856	-0.02653	3.18312	2516610.319	6856285.989	142.119	19_17	-0.54228	-0.06282	3.21456	2516604.252	6856282.041	142.028
16_10	-0.50300	-0.03595	3.21377	2516609.465	6856285.946	142.084	19_18	-0.51214	-0.06321	3.21718	2516603.469	6856281.971	142.034
16_11	-0.55375	-0.05562	3.23184	2516608.725	6856285.938	142.104	19_19	-0.50300	-0.04145	3.19224	2516602.683	6856281.878	142.040
16_12	-0.50960	-0.04733	3.22330	2516607.937	6856285.846	142.090	19_20	-0.49566	-0.06887	3.21952	2516601.887	6856281.842	142.032
16_13	-0.49910	-0.06971	3.21983	2516607.106	6856285.773	142.092	19_21	-0.51960	-0.06628	3.21919	2516601.070	6856281.824	142.007
16_14	-0.51455	-0.05114	3.21023	2516606.312	6856285.760	142.093	19_22	-0.52007	-0.06799	3.20137	2516600.211	6856281.776	142.001
16_15	-0.51480	-0.04459	3.21847	2516605.535	6856285.677	142.072	19_23	-0.52255	-0.06000	3.21134	2516599.504	6856281.736	142.009
16_16	-0.52805	-0.07757	3.22897	2516604.729	6856285.660	142.068	19_24	-0.54235	-0.06589	3.20742	2516598.674	6856281.685	142.029
16_17	-0.49054	-0.06214	3.25000	2516603.954	6856285.578	142.050	19_25	-0.53017	-0.07526	3.21834	2516597.847	6856281.630	142.021
16_18	-0.50558	-0.05893	3.22490	2516603.125	6856285.569	142.060	19_26	-0.52155	-0.06956	3.21468	2516597.095	6856281.566	142.006
16_19	-0.49257	-0.06054	3.23820	2516602.330	6856285.509	142.080	19_27	-0.52365	-0.06641	3.20660	2516596.272	6856281.570	142.004
16_20	-0.50739	-0.03423	3.19965	2516601.556	6856285.483	142.080	19_28	-0.53834	-0.04100	3.19223	2516595.514	6856281.541	141.978
16_21	-0.51564	-0.05255	3.17486	2516600.700	6856285.461	142.064	19_29	-0.52359	-0.07582	3.22989	2516594.681	6856281.492	141.947
16_22	-0.52981	-0.01772	3.16503	2516599.934	6856285.435	142.057	19_30	-0.54463	-0.07279	3.22616	2516593.889	6856281.461	141.970
16_23	-0.52793	-0.02837	3.16834	2516599.136	6856285.401	142.074	19_31	-0.54468	-0.05324	3.18458	2516593.050	6856281.437	141.949
16_24	-0.50439	-0.04783	3.17112	2516598.316	6856285.326	142.060	19_32	-0.57256	-0.05439	3.18802	2516592.276	6856281.430	141.970
16_25	-0.46897	-0.03177	3.18755	2516597.508	6856285.305	142.069	19_33	-0.58008	-0.06163	3.20586	2516591.463	6856281.435	141.978
16_26	-0.53016	-0.01192	3.13641	2516596.680	6856285.298	142.052	19_34	-0.53972	-0.08315	3.21970	2516590.645	6856281.295	141.954
16_27	-0.52450	-0.05383	3.18355	2516595.915	6856285.261	142.045	19_35	-0.53345	-0.08898	3.21353	2516589.853	6856281.171	141.981
16_28	-0.53898	-0.02514	3.17927	2516595.128	6856285.231	142.058	19_36	-0.53137	-0.07509	3.19789	2516589.096	6856281.206	141.939
16_29	-0.55670	-0.02983	3.18785	2516594.336	6856285.219	141.983	19_37	-0.57919	-0.10691	3.25684	2516588.280	6856281.208	141.950
16_30	-0.57261	-0.05499	3.19784	2516593.513	6856285.173	142.014	19_38	-0.57253	-0.05414	3.17929	2516587.489	6856281.159	141.959
16_31	-0.54593	-0.08407	3.23335	2516592.699	6856285.141	142.033	19_39	-0.55147	-0.00269	3.13051	2516586.733	6856281.123	141.944
16_32	-0.55800	-0.04513	3.21627	2516591.949	6856285.098	141.990	20_01	-0.49678	-0.08380	3.23460	2516616.925	6856281.484	142.212
16_33	-0.53756	-0.06781	3.23345	2516591.140	6856284.980	142.033	20_02	-0.53302	-0.13360	3.27225	2516616.105	6856281.414	142.190
16_34	-0.52417	-0.05762	3.17190	2516590.300	6856284.902	141.989	20_03	-0.48701	-0.04493	3.20415	2516615.325	6856281.372	142.096
16_35	-0.50797	-0.02978	3.12543	2516589.509	6856284.848	141.995	20_04	-0.53878	-0.03632	3.18792	2516614.539	6856281.422	142.135
16_36	-0.52281	-0.05459	3.18892	2516588.738	6856284.841	141.956	20_05	-0.53334	-0.03599	3.20455	2516613.748	6856281.355	142.138

20_06	-0.50603	0.00093	3.18740	2516612.988	6856281.357	142.102	23_14	-0.54537	-0.05319	3.17823	2516606.672	6856277.399	142.046
20_07	-0.50578	0.00459	3.18439	2516612.174	6856281.257	142.113	23_15	-0.55700	-0.02283	3.15533	2516605.880	6856277.367	142.051
20_08	-0.53965	-0.03363	3.19897	2516611.449	6856281.261	142.122	23_16	-0.51482	-0.02851	3.17452	2516605.083	6856277.224	142.093
20_09	-0.55134	-0.04604	3.19628	2516610.613	6856281.243	142.128	23_17	-0.55432	-0.05497	3.19080	2516604.272	6856277.192	142.040
20_10	-0.56484	-0.03946	3.18377	2516609.736	6856281.271	142.084	23_18	-0.52363	-0.06329	3.19203	2516603.491	6856277.160	142.006
20_11	-0.53380	-0.02969	3.17494	2516608.948	6856281.187	142.105	23_19	-0.51782	-0.06437	3.20613	2516602.691	6856277.124	141.983
20_12	-0.56638	-0.01347	3.16548	2516608.139	6856281.172	142.137	23_20	-0.50943	-0.03388	3.19831	2516601.923	6856277.041	141.967
20_13	-0.53254	-0.05081	3.20420	2516607.169	6856281.130	142.107	23_21	-0.54590	-0.02344	3.18337	2516601.114	6856277.019	142.040
20_14	-0.52638	-0.05978	3.21550	2516606.559	6856281.022	142.066	23_22	-0.51650	-0.06015	3.21149	2516600.313	6856276.939	142.024
20_15	-0.56352	-0.01574	3.18379	2516605.760	6856280.958	142.056	23_23	-0.54288	-0.05240	3.22051	2516599.525	6856276.914	141.963
20_16	-0.57084	-0.02763	3.17226	2516604.925	6856280.920	142.052	23_24	-0.53643	-0.04859	3.22971	2516598.739	6856276.892	141.955
20_17	-0.54032	-0.02066	3.14429	2516604.112	6856280.872	142.064	23_25	-0.57929	-0.05295	3.21893	2516597.934	6856276.874	141.996
20_18	-0.53930	-0.09131	3.20215	2516603.310	6856280.832	142.034	23_26	-0.55385	-0.00758	3.15655	2516597.119	6856276.820	141.994
20_19	-0.55384	-0.06735	3.22047	2516602.561	6856280.833	142.017	23_27	-0.52708	-0.00394	3.15283	2516596.307	6856276.775	141.956
20_20	-0.54462	-0.04137	3.18793	2516601.780	6856280.692	142.025	23_28	-0.55182	-0.05876	3.17664	2516595.485	6856276.779	142.008
20_21	-0.54602	-0.01430	3.18307	2516600.984	6856280.676	142.000	23_29	-0.52086	-0.01558	3.14920	2516594.703	6856276.728	141.977
20_22	-0.55306	-0.04100	3.20401	2516600.178	6856280.643	141.986	23_30	-0.52298	-0.02154	3.15568	2516593.935	6856276.676	141.972
20_23	-0.56712	-0.00189	3.18348	2516599.431	6856280.527	142.003	23_31	-0.51141	-0.03234	3.15300	2516593.108	6856276.630	141.988
20_24	-0.54155	-0.00663	3.19366	2516598.593	6856280.509	142.017	23_32	-0.52114	-0.04057	3.18725	2516592.324	6856276.613	142.029
20_25	-0.55661	-0.05390	3.24787	2516597.812	6856280.500	142.010	23_33	-0.53549	-0.01273	3.17619	2516591.513	6856276.587	141.988
20_26	-0.53457	-0.01922	3.20601	2516597.011	6856280.407	141.973	23_34	-0.53101	-0.04581	3.20953	2516590.717	6856276.505	141.971
20_27	-0.53940	-0.01407	3.15838	2516596.197	6856280.325	141.974	23_35	-0.56600	-0.04692	3.20339	2516589.928	6856276.502	141.967
20_28	-0.53471	-0.01175	3.17518	2516595.398	6856280.286	141.996	23_36	-0.53757	-0.03847	3.21009	2516589.166	6856276.451	141.963
20_29	-0.54531	-0.02216	3.19360	2516594.589	6856280.274	142.007	23_37	-0.58671	-0.04340	3.22008	2516588.269	6856276.466	142.026
20_30	-0.53126	-0.04607	3.20321	2516593.803	6856280.209	142.034	23_38	-0.50347	-0.04062	3.24247	2516587.827	6856276.300	142.036
20_31	-0.53725	0.00619	3.15092	2516593.012	6856280.134	142.022	23_39	-0.49891	0.00543	3.18639	2516587.007	6856276.272	142.035
20_32	-0.57145	-0.01944	3.19824	2516592.224	6856280.169	142.115	24_01	-0.51111	-0.08275	3.19564	2516617.062	6856276.740	142.163
20_33	-0.51298	-0.04539	3.20529	2516591.389	6856280.065	142.000	24_02	-0.55469	-0.10302	3.24322	2516616.335	6856276.663	142.110
20_34	-0.50098	-0.00641	3.16036	2516590.609	6856279.989	141.991	24_03	-0.51912	-0.04840	3.21783	2516615.585	6856276.560	142.147
20_35	-0.51964	0.01510	3.12637	2516589.816	6856279.938	142.035	24_04	-0.55620	-0.05407	3.19576	2516614.736	6856276.579	142.115
20_36	-0.51848	0.01089	3.14280	2516588.991	6856279.979	141.995	24_05	-0.55678	-0.03448	3.17406	2516613.956	6856276.566	142.073
20_37	-0.50855	-0.03654	3.19209	2516588.165	6856279.962	142.141	24_06	-0.54547	-0.03132	3.18841	2516613.166	6856276.541	142.019
20_38	-0.52982	-0.05388	3.21158	2516587.396	6856279.916	142.029	24_07	-0.56579	-0.03059	3.18351	2516612.362	6856276.576	141.995
20_39	-0.54770	-0.01091	3.16860	2516586.553	6856279.844	142.011	24_08	-0.58166	-0.02705	3.18768	2516611.567	6856276.580	142.013
21_01	-0.52551	-0.09119	3.22019	2516616.889	6856280.397	142.212	24_09	-0.58606	-0.01818	3.19665	2516610.764	6856276.478	141.960
21_02	-0.57129	-0.07200	3.20153	2516616.089	6856280.376	142.181	24_10	-0.56046	-0.05264	3.19780	2516609.948	6856276.425	141.932
21_03	-0.55603	-0.04748	3.17348	2516615.315	6856280.265	142.157	24_11	-0.58112	0.00496	3.15029	2516609.173	6856276.388	141.957
21_04	-0.56773	-0.03519	3.18705	2516614.533	6856280.223	142.110	24_12	-0.54000	-0.03687	3.16759	2516608.344	6856276.300	141.987
21_05	-0.56184	-0.05059	3.19618	2516613.730	6856280.210	142.114	24_13	-0.53875	-0.01519	3.15380	2516607.582	6856276.270	141.974
21_06	-0.57935	-0.05240	3.19770	2516612.902	6856280.180	142.099	24_14	-0.51581	-0.00759	3.14839	2516606.777	6856276.212	141.987
21_07	-0.52363	-0.06656	3.22971	2516612.103	6856280.144	142.117	24_15	-0.56177	-0.05204	3.17588	2516605.946	6856276.250	141.997
21_08	-0.55038	-0.04309	3.19201	2516611.328	6856280.104	142.067	24_16	-0.50405	-0.01087	3.17733	2516605.184	6856276.160	142.087
21_09	-0.53781	-0.04846	3.18828	2516610.502	6856280.027	142.108	24_17	-0.56189	-0.04806	3.18256	2516604.344	6856276.139	142.004
21_10	-0.56360	-0.07136	3.19561	2516609.729	6856280.004	142.133	24_18	-0.56504	-0.03473	3.16741	2516603.574	6856276.113	141.998
21_11	-0.51666	-0.05065	3.17189	2516608.917	6856279.937	142.088	24_19	-0.58609	-0.03312	3.17248	2516602.771	6856276.113	141.975
21_12	-0.54816	-0.03739	3.19569	2516608.143	6856279.901	142.088	24_20	-0.55070	-0.00207	3.17144	2516602.007	6856276.049	142.138
21_13	-0.60660	-0.02106	3.18733	2516607.165	6856279.849	142.065	24_21	-0.51751	-0.03725	3.18518	2516601.169	6856275.995	142.041
21_14	-0.53601	-0.06275	3.19725	2516606.527	6856279.815	142.067	24_22	-0.54488	-0.04371	3.19564	2516600.396	6856276.002	141.995
21_15	-0.55425	-0.03851	3.17850	2516605.738	6856279.751	142.069	24_23	-0.52292	-0.03726	3.18988	2516599.571	6856275.945	141.956
21_16	-0.54741	-0.03434	3.17659	2516604.949	6856279.711	142.064	24_24	-0.53118	-0.02987	3.21147	2516598.799	6856275.910	141.971
21_17	-0.54233	-0.02673	3.16907	2516604.143	6856279.634	142.046	24_25	-0.56412	-0.06944	3.23569	2516597.981	6856275.841	141.941
21_18	-0.55384	-0.06590	3.20483	2516603.330	6856279.640	141.998	24_26	-0.56893	-0.02475	3.22101	2516597.200	6856275.707	141.968
21_19	-0.56211	-0.02589	3.17753	2516602.543	6856279.589	142.005	24_27	-0.57367	-0.00341	3.20348	2516596.405	6856275.714	141.956
21_20	-0.55050	-0.05644	3.20637	2516601.736	6856279.521	142.009	24_28	-0.54296	-0.01112	3.20802	2516595.629	6856275.642	141.998
21_21	-0.53494	-0.04237	3.19359	2516600.936	6856279.448	141.970	24_29	-0.52840	-0.03384	3.18782	2516594.795	6856275.591	142.020
21_22	-0.55566	-0.04965	3.19803	2516600.166	6856279.444	141.985	24_30	-0.55457	-0.02542	3.16959	2516593.996	6856275.635	142.131
21_23	-0.56512	-0.03799	3.20402	2516599.332	6856279.412	141.990	24_31	-0.54904	-0.06023	3.21593	2516593.179	6856275.539	141.986
21_24	-0.54161	-0.05471	3.20837	2516598.536	6856279.380	142.013	24_32	-0.55011	-0.05393	3.20500	2516592.370	6856275.539	142.030
21_25	-0.57367	-0.05294	3.19396	2516597.768	6856279.336	141.984	24_33	-0.53588	-0.01935	3.18236	2516591.595	6856275.466	142.013
21_26	-0.56378	-0.08458	3.21957	2516596.940	6856279.268	141.989	24_34	-0.53446	-0.03038	3.17716	2516590.776	6856275.435	141.952
21_27	-0.53210	-0.04168	3.19368	2516596.176	6856279.184	141.973	24_35	-0.53695	-0.01143	3.16249	2516590.001	6856275.385	141.995
21_28	-0.52293	-0.06790	3.21488	2516595.331	6856279.167	141.996	24_36	-0.54276	0.02780	3.10827	2516589.195	6856275.332	142.000
21_29	-0.55514	-0.06000	3.21541	2516594.546	6856279.062	141.967	24_37	-0.54225	0.00054	3.11165	2516588.382	6856275.250	141.990
21_30	-0.53779	-0.04167	3.21494	2516593.769	6856279.002	142.011	24_38	-0.50286	0.03252	3.12643	2516587.669	6856275.148	142.016
21_31	-0.56277	-0.07996	3.22169	2516592.944	6856278.953	142.034	24_39	-0.55320	-0.02957	3.16538	2516586.808	6856275.178	142.013
21_32	-0.52498	-0.05874	3.20112	2516592.170	6856278.850	142.029	25_01	-0.52542	-0.07277	3.23018	2516617.209	6856275.633	142.121
21_33	-0.51186	-0.01643	3.18389	2516591.381	6856278.833	142.138	25_02	-0.53015	-0.07088	3.24562	2516616.454	6856275.538	142.086
21_34	-0.58782	-0.11065	3.20532	2516590.512	6856278.831	142.108	25_03	-0.51825	-0.10233	3.27571	2516615.647	6856275.459	142.091
21_35	-0.56895	-0.01899	3.17132	2516589.779	6856278.826	141.999	25_04	-0.53626	-0.12532	3.27721	2516614.834	6856275.420	142.098
21_36	-0.55984	-0.03731	3.18229	2516588.966	6856278.778	141.948	25_05	-0.52956	-0.08376	3.24072	2516614.020	6856275.275	142.127
21_37	-0.57571	-0.03543	3.20146	2516588.189	6856278.741	141.979	25_06	-0.55292	-0.05203	3.21439	2516613.237	6856275.193	142.152
21_38	-0.52856	0.00034	3.18016	2516587.438	6856278.633	142.022	25_07	-0.53413	-0.04213	3.17277	2516612.429	6856275.210	142.155
21_39	-0.54712	-0.01229	3.14807	2516586.544	6856278.639	142.014	25_08	-0.53919	-0.05405	3.18820	2516611.662	6856275.163	142.049
22_01	-0.49026	-0.06407	3.18147	2516616.987	6856279.070	142.156	25_09	-0.54219	-0.04583	3.16922	2516611.022	6856275.137	142.037
22_02	-0.51428	-0.05609	3.16480	2516616.171	6856278.934	142.183	25_10	-0.52218	-0.05276	3.17360	2516610.145	6856275.083	142.026
22_03	-0.52786	-0.03603	3.15009	2516615.392	6856278.918	142.175	25_11	-0.52584	-0.03683	3.15326	2516609.313	6856275.086	141.992
22_04	-0.55962	-0.04792	3.17223	2516614.610	6856278.967	142.214	25_12	-0.54941	-0.04013	3.15960	2516608.439	6856275.038	142.042
22_05	-0.53117	-0.07349	3.17702	2516613.779	6856278.886	142.105	25_13	-0.51138	-0.04893	3.16488	2516607.625	6856274.988	141.979
22_06	-0.53299	-0.03762	3.18473	2516613.034	6856278.857	142.073	25_14	-0.52271	-0.04624	3.17030	2516606.842	6856274.987	141.937
22_07	-0.51988	-0.04294	3.20492	2516612.252	6856278.796	142.082	25_15	-0.50903	-0.05110	3.19251	2516606.026	6856274.942	141.947
22_08	-0.52370	-0.03664	3.20113	2516611.464	6856278.725	142.115	25_16	-0.53877	-0.06349	3.20272	2516605.238	6856274.924	141.951
22_09	-0.53577	-0.02326	3.17818	2516610.647	6856278.705	142.092	25_17	-0.49686	-0.05730	3.18613	2516604.437	6856274.833	141.916
22_10	-0.48849	0.00399	3.14227	2516609.849	6856278.606	142.061	25_18	-0.49471	-0.05113	3.18208	2516603.636	6856274.796	141.909
22_11	-0.49253	-0.01706	3.15776	2516609.047	6856278.603	142.116	25_19	-0.53514	-0.07061	3.21193	2516602.848	6856274.774	141.907
22_12	-0.53913	-0.02668	3.16312	2516608.224	6856278.600	142.169	25_20	-0.50879	-0.03499	3.19560	2516602.084	6856274.706	141.933
22_13	-0.48286	-0.02972	3.15775	2516607.426	6856278.453	142.083	25_21	-0.49453	-0.07623	3.21690	2516601.241	6856274.678	141.925
22_14	-0.47698	-0.00940	3.13453	2516606.648	6856278.376	142.089	25_22	-0.50271	-0.07062	3.21518	2516600.462	6856274.640	141.893
22_15	-0.50419	-0.03744	3.17902	2516605.839	6856278.414	142.067	25_23	-0.52966	-0.07307	3.22221	2516599.631	6856274.608	141.883
22_16	-0.49041	-0.02233	3.18616	2516605.067	6856278.363	142.060	25_24	-0.51353	-0.06573	3.22072	2516598.856	6856274.562	141.874
22_17	-0.48331	-0.03711	3.16584	2516604.237	6856278.302	142.023	25_25	-0.52179	-0.07765	3.23887	2516598.054	6856274.519	141.880
22_18	-0.53708	-0.06392	3.20234	2516603.424	6856278.319	142.051	25_26	-0.52675	-0.05525	3.21460	2516597.279	6856274.458	141.911
22_19	-0.49008	-0.04941	3.17479	2516602.622	6856278.258	142.016	25_27	-0.55199	-0.03933	3.20720	2516596.484	6856274.448	141.907
22_20	-0.51265	-0.03432	3.16426	2516601.831	6856278.267	142.025	25_28	-0.51608	-0.08711	3.25414	2516595.659	6856274.423	141.944
22_21	-0.49897	-0.03679	3.18575	2516601.060	6856278.191	141.998	25_29	-0.50718	-0.07607	3.23633	2516594.866	6856274.368	141.953
22_22	-0.51972	-0.02198	3.16471	2516600.244	6856278.179	142.008	25_30	-0.50263	-0.06630	3.23469	2516594.059	6856274.274	141.998
22_23	-0.50895	-0.04027	3.20225	2516599.456	6856278.142	141.987	25_31	-0.49554	-0.04250	3.18910	2516593.290	6856274.176	141.966
22_24	-0.50531	-0.04335	3.21820	2516598.678	6856278.060	141.995	25_32	-0.51475	-0.06381	3.19929	2516592.462	6856274.177	141.998
22_25	-0.48013	-0.00079	3.21806	2516597.931	6856278.024	142.019	25_33	-0.52152	-0.03074	3.17207	2516591.687	6856274.140	142.014
22_26	-0.49884	-0.10879	3.21317	2516596.967	6856278.022	142.022	25_34	-0.49912	-0.03102	3.16799	2516590.883	6856274.107	142.001
22_27	-0.50711	-0.02603	3.15878	2516596.245	6856277.961	141.953	25_35	-0.51579	-0.01720	3.16150	2516590.106	6856274.128	142.040
22_28	-0.55387	-0.03608	3.16016	2516595.456	6856277.928	141.997	25_36	-0.49540	-0.00652	3.16499	2516589.314	6856274.014	142.008
22_29	-0.54708	-0.04239	3.20821	2516594.689	6856277.909	141.989	25_37	-0.51493	-0.02985	3.17216	2516588.507	6856274.016	141.947
22_30	-0.53131	-0.05795	3.21524	2516593.865	6856277.866	141.988	25_38	-0.49228	-0.01383	3.18763	2516587.756	6856274.003	141.960
22_31	-0.49864	-0.03927	3.19043	2516593.031	6856277.787	142.011	25_39	-0.50559	0.00240	3.15793	2516586.861	6856273.986	141.967
22_32	-0.50327	-0.06411	3.22682	2516592.260	6856277.736	141.983	26_01	-0.49604	-0.04222	3.22297	2516617.215	6856274.414	142.159
22_33	-0.51248	-0.03508	3.18652	2516591.450	6856277.698	141.953	26_02	-0.49368	-0.05469	3.23421	2516616.535	6856274.304	142.139
22_34	-0.48990	-0.02555	3.18287	2516590.685	6856277.629	141.995	26_03	-0.54292	-0.00170	3.17568	2516615.766	6856274.280	142.160
22_35	-0.53039	-0.06187	3.21375	2516589.861	6856277.647	142.035	26_04	-0.55767	-0.03468	3.20551	2516614.929	6856274.254	142.154
22_36	-0.50298	-0.04114	3.20129	2516589.087	6856277.561	141.970	26_05	-0.60950	-0.01810	3.19434	2516614.160	6856274.205	142.193
22_37	-0.55204	-0.02527	3.22145	2516588.337	6856277.563	141.996	26_06	-0.53886	-0.05832	3.21974	2516613.342	6856274.081	142.111
22_38	-0.56966	-0.02961	3.23562	2516587.498	6856277.540	142.033	26_07	-0.55592	-0.04003	3.18622	2516612.527	6856274.059	142.074
22_39	-0.52457	-0.01583	3.20488	2516586.596	6856277.438	141.993	26_08	-0.55382	-0.03383	3.20141	2516611.725	6856274.066	142.121
23_01	-0.50105	-0.08731	3.18991	2516617.031	6856277.921	142.170	26_09	-0.53223	-0.03960	3.19674	2516610.928	6856274.010	142.064
23_02	-0.51243	-0.08651	3.20297	2516616.255	6856277.864	142.125	26_10	-0.59246	-0.04301	3.16548	2516610.101	6856274.023	141.998
23_03	-0.56088	-0.05938	3.19328	2516615.479	6856277.860	142.127	26_11	-0.59497	-0.03022	3.16528	2516609.321	6856274.074	141.943
23_04	-0.55237	-0.06749	3.19649	2516614.676	6856277.811	142.096	26_12	-0.57675	-0.02022	3.14918	2516608.524	6856274.013	141.935
23_05	-0.53676	-0.03133	3.18524	2516613.913	6856277.742	142.043	26_13	-0.57714	-0.02163	3.17052	2516607.755	6856273.959	141.944
23_06	-0.50492	-0.05048	3.19541	2516613.111	6856277.692	142.084	26_14	-0.59815	-0.02518	3.17981	2516606.949	6856273.948	141.944
23_07	-0.54879	-0.02989	3.19723	2516612.335	6856277.646	142.033	26_15	-0.56960	-0.04148	3.18861	2516606.140	6856273.869	141.991
23_08	-0.51535	-0.00210	3.18934	2516611.541	6856277.590	142.100	26_16	-0.54446	-0.04945	3.18678	2516605.319	6856273.808	142.010
23_09	-0.51755	-0.01718	3.16655	2516610.694	6856277.538	142.082	26_17	-0.55867	-0.05063	3.16995	2516604.498	6856273.798	142.007
23_10	-0.51991	-0.02464	3.16756	2516609.892	6856277.513	142.003	26_18	-0.54063	-0.04707	3.16652	2516603.699	6856273.735	141.952
23_11	-0.54621	0.01268	3.15432	2516609.139	6856277.503	142.041	26_19	-0.54615	-0.05206	3.19322	2516602.921	6856273.758	141.974
23_12	-0.52833	-0.04242	3.17965	2516608.298	6856277.464	142.056	26_20	-0.51556	-0.04939	3.20376	2516602.141	6856273.643	141.989
23_13	-0.53818	-0.02440	3.16075	2516607.507	6856277.407	142.023	26_21	-0.54755	-0.06555	3.21881	2516601.335	6856273.576	141.970

26_22	-0.52216	-0.04300	3.20337	2516600.546	6856273.499	141.936
26_23	-0.55362	-0.03427	3.20514	2516599.766	6856273.478	141.942
26_24	-0.53706	-0.05380	3.23700	2516598.924	6856273.428	141.934
26_25	-0.54076	-0.04726	3.22563	2516598.144	6856273.428	141.977
26_26	-0.55911	-0.05115	3.23324	2516597.384	6856273.434	141.970
26_27	-0.58637	-0.05978	3.25737	2516596.563	6856273.438	141.971
26_28	-0.57413	-0.02404	3.23808	2516595.783	6856273.295	141.951
26_29	-0.59781	-0.08093	3.19032	2516594.884	6856273.273	141.948
26_30	-0.56180	-0.05405	3.20242	2516594.130	6856273.173	142.002
26_31	-0.53034	-0.03400	3.17383	2516593.341	6856273.168	141.952
26_32	-0.54782	-0.02057	3.16690	2516592.542	6856273.125	141.946
26_33	-0.54860	-0.04585	3.19030	2516591.733	6856273.083	141.942
26_34	-0.51067	-0.02679	3.19656	2516590.979	6856272.977	141.986
26_35	-0.49901	-0.04805	3.21222	2516590.164	6856272.908	142.000
26_36	-0.54125	-0.04886	3.19141	2516589.351	6856272.885	141.979
26_37	-0.53242	-0.00202	3.13899	2516588.585	6856272.815	141.966
26_38	-0.54978	0.00851	3.14630	2516587.793	6856272.822	141.949
26_39	-0.53097	-0.03385	3.14245	2516586.914	6856272.766	141.986
27_01	-0.56158	-0.04450	3.22294	2516617.337	6856273.212	142.055
27_02	-0.55666	-0.02518	3.20479	2516616.522	6856273.215	142.149
27_03	-0.57023	-0.04375	3.21756	2516615.726	6856273.165	142.126
27_04	-0.55018	-0.02028	3.19862	2516614.977	6856273.095	142.157
27_05	-0.56166	-0.05617	3.20281	2516614.167	6856272.993	142.155
27_06	-0.56000	-0.02112	3.16016	2516613.353	6856272.988	142.154
27_07	-0.54884	-0.03187	3.17436	2516612.539	6856272.989	142.111
27_08	-0.56350	-0.03201	3.18195	2516611.737	6856272.942	142.096
27_09	-0.56954	-0.04935	3.20057	2516610.965	6856272.904	142.071
27_10	-0.57068	-0.04399	3.18268	2516610.134	6856272.868	142.040
27_11	-0.53943	-0.04749	3.18388	2516609.340	6856272.818	142.032
27_12	-0.56692	-0.05528	3.19124	2516608.555	6856272.811	142.036
27_13	-0.55768	-0.06801	3.20516	2516607.735	6856272.719	142.014
27_14	-0.54185	-0.04930	3.20613	2516606.976	6856272.669	142.026
27_15	-0.52290	-0.07550	3.20890	2516606.112	6856272.599	142.019
27_16	-0.54778	-0.07501	3.21939	2516605.360	6856272.605	141.973
27_17	-0.56144	-0.06217	3.19823	2516604.541	6856272.547	141.946
27_18	-0.56188	-0.04208	3.18553	2516603.741	6856272.532	141.945
27_19	-0.56254	-0.03673	3.18405	2516602.970	6856272.469	141.928
27_20	-0.56712	-0.03756	3.19852	2516602.185	6856272.446	141.900
27_21	-0.58712	-0.07621	3.21632	2516601.362	6856272.379	141.897
27_22	-0.57986	-0.07198	3.23931	2516600.565	6856272.353	141.920
27_23	-0.53662	-0.04550	3.22386	2516599.796	6856272.333	141.932
27_24	-0.58426	-0.05599	3.21346	2516598.972	6856272.318	141.896
27_25	-0.55052	-0.03904	3.20757	2516598.177	6856272.273	141.921
27_26	-0.53037	-0.00889	3.18468	2516597.373	6856272.205	141.928
27_27	-0.58050	-0.05418	3.20683	2516596.541	6856272.183	141.951
27_28	-0.60228	-0.17667	3.19596	2516595.585	6856272.146	141.855
27_29	-0.54706	-0.13583	3.19476	2516594.876	6856272.054	141.850
27_30	-0.53771	-0.00278	3.18713	2516594.255	6856272.047	141.978
27_31	-0.54386	-0.05908	3.22355	2516593.391	6856271.997	142.061
27_32	-0.50689	-0.04474	3.20311	2516592.601	6856271.998	141.996
27_33	-0.56990	-0.04635	3.17259	2516591.764	6856271.986	141.916
27_34	-0.56940	-0.06852	3.16435	2516590.954	6856271.883	141.889
27_35	-0.55906	-0.06143	3.17223	2516590.167	6856271.823	141.899
27_36	-0.50524	-0.00119	3.15702	2516589.436	6856271.733	141.925
27_37	-0.54325	-0.01143	3.17269	2516588.677	6856271.699	141.897
27_38	-0.54172	-0.05243	3.20304	2516587.890	6856271.604	141.900
27_39	-0.53320	-0.01493	3.13695	2516587.075	6856271.525	141.914



Radial distortion is up to 74 pixels, decentring 4.

4.2 Lapinkangas forest floor 2012

The same 30x32-m plot was visited again July 5, 2012. The 2007 corners were found, and total station was set up in a location with good view across the plot. Imaging lines with 2-m spacing, E-W-oriented, as in 2007, were established. Distance between photo positions was 1.5 m. This gave 17 x 21 = 357 images. This time, a total of 54 GCPs were positioned in the area (wooden poles). Their numare 10-63. The corner poles P0...P3 from 2007 were measured coordinates with interpoint distances of 31.986, 29.988, 31.983, and 30.042 m. The poles P1..P3 were sticks that had not been entirely immobile as they were only some 5-10 cm into the humus/sand.

The leveled total station was oriented (X0, Y0, rotation) with the help of trees that were measured for XY coordinates in aerial images of 2012, and they numbered 64. The solution for total station was: 99.65º, 2516605.898 m, 6856269.563 m. The sdevs of X0 and Y0 were 0.03 m. When the corner poles P0-P3 were solved for XY using the total station orientation result and observations, the coordinates were:

Corner	X	Y	ΔX	ΔY
P0	2516617.35	6856271.73	-0.12	-0.11
P1	2516615.74	6856303.67	-0.25	-0.10
P2	2516585.79	6856302.20	-0.24	0.00
P3	2516587.34	6856270.25	0.17	-0.02

ΔX, ΔY are the deviations to coordinates of 2007 (See Section Lapinkangas forest floor 2007).

These results clearly indicate that there were systematic differences in the fotogrammetric coordinates of trees.

Another solution was obtained by minimizing the RMS-error between 2007 and 2012, for the eight X and Y coordinates of the corner poles P0-P3. The 28 common (2007 & 2012) trees were used, with the fotogrammetric XY coordinates of 2007. While minimizing the RMS (of 2007 vs. 2012 differences) at the four corners, the SDEV of the X and Y residuals were 0.33 m for the 28 common trees. SE is 0.33/sqrt(28) ~ 0.06 m. The mean deviations were -0.031 m, and -0.017 m, suggesting quite good fit between the azimuth/distance field observations of 2007 and 2012.

Solution of plot corner coordinates utilizing the tree coordinates of 2007 for 28 trees observed for azimuth and distance with the total station in 2012. RMS of ΔX, ΔY was minimized here:

Corner	X	Y	ΔX	ΔY
P0	2516617.17	6856271.70	0.05	-0.03
P1	2516615.51	6856303.64	-0.02	-0.02
P2	2516585.56	6856302.12	-0.01	0.03
P3	2516587.17	6856270.17	-0.01	0.01

In this solution, the total station orientation became 99.56º, 2516605.720 m, 6856269.513 m, showing an offset of 18 cm in X and 5 cm in Y to the solution applying 64 trees observed in aerial images of 2012.

What needs to be done (written in 2013), clearly, is a local triangulation from accurate GNSS points. The current absolute solution can be off 5–15 cm because of the fotogrammetric observations of tree positions might be affected by aerial image orientation offsets and effects by the solar azimuth on trees seen in the images. Such offsets were observed in Korpela (2008) between LiDAR and the positioned lichen mats (and in Korpela, Hovi. Morsdorf 2012, for the neighboring LK3 plot).

Another option is to find corresponding targets in the 2007 and 2012 image blocks, and compute the offset from these data (Fig. 127). This might however be difficult, because so few immobile and unchanged details will be available. (tried in Dec 2023).




Fig. 125. The aerial image of 2012 shows potential openings from where a Network GNSS solution is available.

Imaging July 5, 2012

A 3.76-m high (height of the ball-joint in the camera head) pole was used. Nikon D300 with f=18 mm was used. The optical axis pointed south and down, zenith angle was ~70º. The camera often rotated about the pole as seen in Fig. 126. The f-number was fixed at f/8. ISO-400. Shutter speed varied (automatic). Time tags are from 14:36 to 18:45 (4 hours).



Fig. 126. An image where the camera has rotated some 10 degrees and the optical axis is not exactly towards south. The pole with the leveling bubble is seen.

Photography started from the plot's NE corner, and the first line was traversed E->W, and the next by returning W->E, and so on. DSC9383.jpg ... DSC9746.jpg. There are some gaps in the numbering of the DSC#### (images re-taken).

Orientation - interior

The iWitness camera calibration was done the next day:

```
Camera number: 1, name: NIKON CORPORATION
NIKON D300, ID: Cala_20120706_2
Calibration Date: 06/07/2012 13:42pm
Resolution: 4288 x 2848 pixels, Pixel Size =
0.0055 mm
 c =   18.686582 mm
xp =    0.018544 mm
yp =    0.041191 mm
K1 = 4.5472e-004
K2 = -2.1406e-007
K3 = -3.5513e-009
P1 = 3.9502e-005
P2 = 9.6460e-006
B1 = 0.0000e+000
B2 = 0.0000e+000
```

Orientation – exterior

Triangulation has not been done (2013). The coordinates systems of 2007 and 2012 were shown to match with a precision of 2-3 cm.

If triangulation of 2012 imagery is tried, it would be preferable to try to find conjugate points seen in both 2007 and 2012, but this may be very challenging. Details of tree bark may perhaps be used, or stems of small understory spruces and pines (XY constraints), but in all probability the mismatch will be in the order of 2-3 cm. In 2007, there were only 36 GCPs, with an average spacing of 6 m, and the images covered smaller areas, giving a higher number of images between GCPs, which may skew locally the coordinates.

The absolute orientation of the GCPs of 2012 needs to be established as explained before. It is a less demanding task than the orientation of the 357 images, which may take 30-40 hours.

Files

Plot_positioning_using_64_trees_with_2012_photo_coords.xlsx
Solution of total station orientation by fitting to the 64 trees positioned in 2012 images. (updates in Dec 2023)

Plot_positioning_using_28_trees_with_2007_photo_coords.xlsx
Solution of total station orientation by fitting the plot corners of 2007 and 2012, using 28 common trees observed in both time points and the fotogrammetric tree coordinates of 2007.


JPEGs\




Fig. 127. Example image pair with an almost similar view geometry.

Orientation in Dec 2023


The images were triangulated with iWitness (manually) by positioning tie points (n=1649) between images. Of these, 54 were GCPs that had been measured with the tacheometer in July 2012. iWitness does relative orientation (bundle block adjustment), and the resulting 3D point cloud of tie points was transformed using a rigid 3D transformation to the network of the 54 GCPs. The errors in these 54 points had SDEVs of 20, 26 and 12 mm. GCPs were not used in triangulation to “force geometry to comply” to these observations.




Map of camera positions, GCPs (treated as tie points) and tiepoints in the KKJ2 coordinate system.




The XY error vectors in XY in the 54 control points (Matlab quiver plot).




Norm of the XY error vectors in the 54 control points (Excel). Norm varies 0..70 mm.




Z-errors in the control points (-39...+26 mm).




Elevation variation of tie points 140.39-142.31 m (N60 system of heights). Ground varies from 140.4...140.9, points above are tiepoints in trunks of trees, stumps, understory trees.




In the centre of the plot the geometry of the 2007 and 2012 image blocks has just 1-3 cm offsets. Image pair of 2007 and four images of 2012. A twig was positioned in 2007 images (circled) and using the Z values, objecs were pointed in the 2007 images (blue dots are short epipolar lines at that Z). All litter has changed in 5 years, lichen mats are tracable.




GCP #12 of 2007 was one of the 27 control points of 2007, where the wooden stick was still visible in the 2012 images (in many cases the stick had bent or broken). In image scale, the offset was 4.6 cm with 3D photogrammetric coordinates 2516616.17, 6856280.51, 140.85 and 2516616.12, 6856280.49, 140.86, i.e. showing offsets of 5 cm, 2 cm and 1 cm in X, Y and Z.




XY-offsets between the GCPs of 2007 and their photogrammetric coordinates in the 2012 images (includes all broken / bent cases). The average offsets of 88 and 101 mm were applied to the 54 GCPs of 2012 to have the image blocks of 2007 and 2012 match better. The SDEV of deviations were 37 and 35 mm in X and Y. The SDEV of Z coordinate differences was 27 mm.



Circled GCPs still had remnants of the wooden stick seen in the 2012 images. The numbering of points is from 2007.



The camera tilt was 14-15 degrees in images 1-357.



The camera rotated about the 4 m pole +/- 10 degrees (the pole rotated in the hands of the photographer), but the overlaps were high enough such that each point is seen in stereo.


The EO-parameters following shift to match 2007 block are given below.

Image-#, omega, phi, kappa, X0, Y0, Z0 of the images:

9383	-0.26218	-0.03581	-3.07509	2516615.834	6856303.665	144.506
9384	-0.25808	-0.01823	-3.06960	2516614.392	6856303.567	144.461
9385	-0.25409	-0.02246	-3.09031	2516612.867	6856303.511	144.389
9386	-0.25866	-0.01552	-3.11906	2516611.365	6856303.444	144.374
9387	-0.25559	-0.02355	-3.11689	2516609.857	6856303.370	144.409
9388	-0.25116	-0.01714	-3.11663	2516608.369	6856303.302	144.401
9389	-0.24801	-0.03479	-3.04828	2516606.897	6856303.203	144.353
9390	-0.25389	-0.03454	-3.03357	2516605.394	6856303.186	144.374
9391	-0.25725	-0.02593	-3.09089	2516603.878	6856303.110	144.369
9392	-0.25204	0.01217	3.05199	2516602.361	6856303.029	144.320
9393	-0.25355	0.01274	3.04778	2516600.849	6856302.939	144.326
9394	-0.25491	-0.01922	3.12190	2516599.302	6856302.867	144.299
9395	-0.25866	-0.03784	-3.02778	2516597.873	6856302.867	144.290
9396	-0.26181	-0.02273	-3.07858	2516596.370	6856302.742	144.452
9397	-0.25372	-0.03725	-3.07003	2516594.842	6856302.634	144.252
9398	-0.25777	-0.02382	-3.08834	2516593.378	6856302.585	144.254
9399	-0.25820	-0.05648	-3.00492	2516591.849	6856302.553	144.204
9400	-0.25843	-0.03742	-3.03034	2516590.360	6856302.495	144.197
9401	-0.26613	-0.03795	-3.06421	2516588.815	6856302.437	144.153
9402	-0.25632	-0.02635	-3.08987	2516587.336	6856302.367	144.127
9403	-0.26603	-0.04001	-3.02920	2516585.866	6856302.343	144.105
9404	-0.26092	-0.05777	-2.96606	2516586.039	6856300.203	144.132
9405	-0.25816	-0.05992	-2.95182	2516587.689	6856300.210	144.159
9406	-0.25968	-0.04981	-3.00493	2516589.064	6856300.345	144.162
9407	-0.24807	-0.03096	-3.04068	2516590.534	6856300.416	144.210
9408	-0.25492	-0.01996	-3.10045	2516591.426	6856300.391	144.245
9409	-0.25435	-0.04339	-3.01917	2516593.410	6856300.308	144.236
9410	-0.25422	-0.06815	-2.93357	2516595.109	6856300.528	144.260
9411	-0.24084	-0.05315	-2.96165	2516596.655	6856300.579	144.265
9412	-0.25313	-0.04844	-2.96517	2516598.178	6856300.643	144.278
9413	-0.24689	-0.06660	-2.91429	2516599.630	6856300.847	144.295
9414	-0.24360	-0.06219	-2.92806	2516601.116	6856300.971	144.302
9415	-0.25637	-0.04897	-2.97242	2516602.626	6856301.080	144.335
9416	-0.25079	-0.04886	-2.98868	2516604.063	6856301.138	144.328
9417	-0.25333	-0.05121	-2.97905	2516605.623	6856301.085	144.453
9418	-0.24907	-0.03934	-3.02252	2516607.108	6856301.139	144.339
9419	-0.25825	-0.03583	-3.04005	2516608.603	6856301.276	144.450
9420	-0.24262	-0.04598	-2.98157	2516609.937	6856301.226	144.447
9421	-0.24881	-0.04378	-3.02089	2516611.615	6856301.501	144.428
9422	-0.25228	-0.04570	-3.00861	2516612.999	6856301.376	144.423
9423	-0.24656	-0.06487	-2.93005	2516614.539	6856301.426	144.398
9424	-0.25217	-0.05307	-3.00964	2516615.952	6856301.564	144.503
9425	-0.25285	-0.05314	-3.02182	2516616.178	6856299.628	144.438
9426	-0.24991	-0.07905	-2.92684	2516614.759	6856299.589	144.414
9427	-0.24011	-0.06360	-2.95047	2516613.307	6856299.430	144.380
9428	-0.24169	-0.06407	-2.96763	2516611.771	6856299.356	144.316
9429	-0.26037	-0.04045	-3.03929	2516610.301	6856299.366	144.414
9430	-0.25335	-0.02190	-3.07941	2516608.814	6856299.281	144.335
9431	-0.23810	-0.03563	-3.03103	2516607.332	6856299.170	144.351
9432	-0.24209	-0.06598	-2.95096	2516605.790	6856299.146	144.343
9433	-0.23624	-0.05537	-2.97166	2516604.318	6856299.060	144.295
9434	-0.24839	-0.06881	-2.95886	2516602.797	6856299.016	144.294
9435	-0.24210	-0.08322	-2.89628	2516601.324	6856298.939	144.296
9436	-0.24082	-0.07526	-2.89996	2516599.808	6856298.858	144.283
9437	-0.24655	-0.07154	-2.89353	2516598.370	6856298.850	144.257
9438	-0.24100	-0.08067	-2.87616	2516596.781	6856298.790	144.262
9439	-0.23463	-0.07938	-2.89615	2516595.296	6856298.688	144.259
9440	-0.24830	-0.07577	-2.89565	2516593.796	6856298.633	144.251
9441	-0.23844	-0.08512	-2.88337	2516592.266	6856298.495	144.214

9442	-0.24698	-0.07947	-2.91579	2516590.742	6856298.445	144.193	9577	-0.24845	-0.05196	-3.08926	2516594.588	6856284.250	144.205
9443	-0.23494	-0.09134	-2.84142	2516589.255	6856298.330	144.142	9578	-0.25105	-0.02364	3.04865	2516596.039	6856284.473	144.215
9444	-0.24530	-0.07584	-2.90230	2516587.750	6856298.257	144.166	9579	-0.25509	-0.03128	-3.13506	2516597.660	6856284.604	144.187
9445	-0.23799	-0.08723	-2.86105	2516586.258	6856298.160	144.124	9580	-0.24417	-0.05722	-3.08027	2516599.301	6856284.639	144.274
9446	-0.23192	-0.10978	-2.77333	2516586.414	6856296.190	144.159	9581	-0.24429	-0.07091	-2.99976	2516600.715	6856284.573	144.166
9447	-0.24266	-0.06517	-2.91143	2516587.992	6856296.204	144.165	9582	-0.25141	-0.04139	-3.13583	2516602.113	6856284.669	144.255
9448	-0.23471	-0.06819	-2.91713	2516589.537	6856296.375	144.172	9583	-0.23992	-0.07019	-3.03638	2516603.730	6856284.938	144.281
9449	-0.25247	-0.06440	-2.91284	2516590.983	6856296.564	144.197	9584	-0.24206	-0.06822	-3.03059	2516605.271	6856285.049	144.268
9450	-0.25373	-0.05085	-3.02640	2516592.539	6856296.872	144.268	9585	-0.24110	-0.06797	-3.00470	2516606.801	6856285.055	144.262
9451	-0.25975	-0.03788	-3.06640	2516593.966	6856296.828	144.240	9586	-0.23752	-0.05209	-3.09946	2516608.234	6856285.141	144.308
9452	-0.24583	-0.07096	-2.93144	2516595.506	6856296.765	144.237	9587	-0.24465	-0.07124	-3.03794	2516609.663	6856285.166	144.286
9453	-0.24410	-0.07746	-2.90572	2516597.029	6856296.771	144.283	9588	-0.24341	-0.05342	-3.07865	2516611.250	6856285.208	144.294
9454	-0.25405	-0.02098	-3.06327	2516598.338	6856296.738	144.315	9589	-0.24382	-0.06591	-3.03423	2516612.864	6856285.231	144.351
9455	-0.24775	-0.06190	-2.97241	2516599.931	6856296.793	144.280	9590	-0.24350	-0.04928	-3.07666	2516614.289	6856285.184	144.398
9456	-0.25331	-0.06728	-2.92400	2516601.531	6856296.861	144.282	9591	-0.25259	-0.04248	-3.10549	2516615.701	6856285.570	144.585
9457	-0.25180	-0.06561	-2.97174	2516603.062	6856297.114	144.287	9592	-0.24370	-0.06198	-3.05356	2516616.968	6856285.694	144.394
9458	-0.24734	-0.06390	-2.90125	2516604.478	6856297.017	144.319	9593	-0.25332	-0.01522	-3.09454	2516617.105	6856283.773	144.364
9459	-0.24992	-0.06344	-2.96400	2516606.057	6856296.985	144.318	9594	-0.25301	-0.00895	-3.14117	2516615.673	6856283.619	144.384
9460	-0.25400	-0.04031	-3.04989	2516607.461	6856297.089	144.352	9596	-0.24623	-0.02344	-3.12035	2516614.179	6856283.514	144.298
9461	-0.24489	-0.04709	-3.00149	2516608.950	6856297.082	144.336	9597	-0.25080	-0.02321	-3.08999	2516612.712	6856283.485	144.314
9462	-0.25742	-0.05133	-3.02419	2516610.561	6856297.155	144.394	9598	-0.25891	0.00000	3.09873	2516611.224	6856283.409	144.324
9463	-0.24630	-0.06928	-2.94092	2516612.021	6856297.232	144.415	9605	-0.24556	-0.08895	-3.13878	2516609.749	6856283.341	144.294
9464	-0.24661	-0.07936	-2.90106	2516613.473	6856297.218	144.413	9606	-0.26225	-0.09750	-3.13867	2516608.194	6856283.285	144.287
9465	-0.25001	-0.03493	-3.01099	2516614.719	6856297.272	144.438	9607	-0.25946	-0.10016	3.13698	2516606.674	6856283.237	144.269
9466	-0.25092	-0.03866	-3.04090	2516616.282	6856297.617	144.464	9608	-0.25079	-0.09124	3.11035	2516605.176	6856283.129	144.239
9467	-0.25429	-0.02362	-3.11398	2516616.390	6856295.682	144.429	9609	-0.26416	-0.08602	3.13727	2516603.725	6856283.118	144.249
9468	-0.26128	-0.03001	-3.11214	2516614.971	6856295.642	144.431	9610	-0.25353	-0.09217	3.10624	2516602.208	6856283.039	144.275
9469	-0.26672	-0.04543	-3.04899	2516613.498	6856295.580	144.431	9611	-0.25611	-0.09590	3.13336	2516600.725	6856282.937	144.188
9470	-0.26229	-0.04155	-3.05748	2516612.018	6856295.537	144.398	9612	-0.24681	-0.10258	3.13474	2516599.205	6856282.830	144.279
9471	-0.26230	-0.03784	-3.07947	2516610.540	6856295.471	144.372	9613	-0.25315	-0.08124	3.03878	2516597.696	6856282.762	144.307
9472	-0.25969	-0.02588	-3.09821	2516609.044	6856295.415	144.340	9614	-0.24711	-0.08565	3.08616	2516596.209	6856282.685	144.189
9473	-0.25954	-0.02831	-3.13638	2516607.518	6856295.361	144.307	9615	-0.24974	-0.07669	3.04060	2516594.693	6856282.591	144.184
9474	-0.25598	-0.01461	3.10774	2516606.030	6856295.255	144.345	9616	-0.25182	-0.08013	3.07395	2516593.211	6856282.505	144.205
9475	-0.25674	-0.02561	-3.10373	2516604.578	6856295.199	144.336	9617	-0.26014	-0.06427	3.00826	2516591.674	6856282.456	144.198
9476	-0.25127	-0.03001	-3.10840	2516603.064	6856295.124	144.314	9618	-0.26906	-0.04855	3.00304	2516590.224	6856282.419	144.213
9477	-0.24740	-0.04128	-3.06934	2516601.561	6856295.007	144.247	9619	-0.25906	-0.06999	3.01881	2516588.657	6856282.333	144.173
9478	-0.25913	-0.05426	-3.03916	2516600.027	6856294.938	144.284	9620	-0.25574	-0.07308	3.05647	2516587.311	6856282.231	144.206
9479	-0.25018	-0.02385	-3.13501	2516598.515	6856294.900	144.247	9621	-0.25703	-0.03365	3.11010	2516587.298	6856280.223	144.225
9480	-0.24981	-0.01670	-3.12355	2516597.060	6856294.852	144.291	9622	-0.24871	-0.08180	-3.06085	2516588.874	6856280.358	144.190
9481	-0.24954	-0.03410	-3.10042	2516595.526	6856294.791	144.238	9623	-0.24608	-0.06405	-3.11253	2516590.425	6856280.358	144.207
9482	-0.26340	-0.02476	-3.14157	2516594.000	6856294.766	144.199	9624	-0.25374	-0.03714	3.05771	2516591.819	6856280.465	144.235
9483	-0.25431	-0.03359	-3.08691	2516592.520	6856294.722	144.231	9625	-0.25195	-0.04421	3.09629	2516593.276	6856280.491	144.199
9484	-0.25016	-0.05619	-3.04442	2516590.973	6856294.571	144.246	9626	-0.24084	-0.06412	-3.11988	2516594.698	6856280.297	144.170
9485	-0.26142	-0.02880	-3.08884	2516589.514	6856294.497	144.173	9627	-0.25482	-0.07057	-3.11524	2516596.409	6856280.409	144.166
9486	-0.25342	-0.04979	-3.06987	2516587.970	6856294.344	144.165	9628	-0.23961	-0.07965	-3.07612	2516597.919	6856280.389	144.199
9487	-0.25484	-0.01640	3.13681	2516586.607	6856294.245	144.214	9629	-0.24223	-0.08561	-3.04777	2516599.482	6856280.531	144.202
9488	-0.23841	-0.04600	-2.99549	2516586.819	6856292.219	144.235	9630	-0.23508	-0.07356	-3.10901	2516600.965	6856280.589	144.192
9489	-0.25466	-0.04994	-3.01533	2516588.238	6856292.470	144.205	9631	-0.23777	-0.07317	-3.08401	2516602.502	6856280.794	144.210
9490	-0.24726	-0.07329	-2.92788	2516589.744	6856292.557	144.232	9632	-0.25008	-0.05376	3.09598	2516604.083	6856281.110	144.271
9491	-0.24484	-0.07153	-2.93496	2516591.215	6856292.431	144.199	9633	-0.25462	-0.04259	3.11690	2516605.437	6856281.085	144.254
9492	-0.24672	-0.07390	-2.93600	2516592.725	6856292.492	144.192	9634	-0.25289	-0.04929	3.09973	2516606.856	6856281.066	144.283
9493	-0.25135	-0.08474	-2.91846	2516594.267	6856292.566	144.226	9635	-0.24998	-0.03168	3.03078	2516608.450	6856281.025	144.285
9494	-0.24904	-0.03804	-3.06359	2516595.772	6856292.543	144.233	9636	-0.24801	-0.02665	3.03367	2516609.899	6856281.228	144.287
9495	-0.25147	-0.04516	-3.05253	2516597.159	6856292.593	144.255	9637	-0.24913	-0.05844	-3.12190	2516611.308	6856281.335	144.290
9496	-0.25057	-0.03080	-3.04547	2516598.755	6856292.541	144.466	9638	-0.23874	-0.08756	-3.04033	2516612.837	6856281.292	144.282
9497	-0.24241	-0.06321	-2.95416	2516600.441	6856292.788	144.269	9639	-0.24330	-0.08479	-3.05333	2516614.479	6856281.427	144.322
9498	-0.24776	-0.03944	-3.03380	2516601.824	6856292.701	144.225	9640	-0.23107	-0.08234	-3.03642	2516615.835	6856281.484	144.295
9499	-0.25062	-0.04169	-3.04102	2516603.369	6856292.687	144.232	9641	-0.23566	-0.08247	-3.03695	2516617.142	6856281.705	144.372
9500	-0.25545	-0.05264	-3.00636	2516604.737	6856292.874	144.285	9642	-0.23804	-0.01791	-3.12035	2516617.214	6856279.714	144.373
9501	-0.24923	-0.04773	-3.00566	2516606.371	6856292.989	144.297	9643	-0.25495	-0.00127	3.08222	2516615.826	6856279.685	144.371
9502	-0.25478	-0.06866	-2.96271	2516607.832	6856293.129	144.328	9644	-0.24506	0.00298	3.05972	2516614.324	6856279.622	144.330
9503	-0.25658	-0.03867	-3.08248	2516609.239	6856293.338	144.314	9645	-0.24739	-0.02275	-3.10523	2516612.851	6856279.496	144.283
9504	-0.25077	-0.03081	-3.11868	2516610.702	6856293.361	144.349	9646	-0.23388	-0.03242	-3.07965	2516611.387	6856279.429	144.258
9505	-0.25161	-0.03341	-3.09116	2516612.271	6856293.452	144.417	9647	-0.24300	-0.01958	-3.13893	2516609.862	6856279.389	144.257
9506	-0.24570	-0.02829	-3.09340	2516613.614	6856293.594	144.480	9648	-0.24031	-0.03385	-3.10591	2516608.371	6856279.273	144.247
9507	-0.25420	-0.01865	3.10846	2516615.074	6856293.636	144.437	9649	-0.24221	-0.01931	3.12784	2516606.864	6856279.206	144.266
9508	-0.24876	-0.04512	-3.00470	2516616.585	6856293.645	144.441	9650	-0.25255	-0.02512	-3.14128	2516605.364	6856279.140	144.235
9509	-0.25021	0.02761	3.13580	2516616.710	6856291.666	144.479	9651	-0.24336	-0.03856	-3.08364	2516603.881	6856279.082	144.209
9510	-0.26005	-0.00554	-3.07853	2516615.278	6856291.661	144.409	9652	-0.25709	-0.02484	-3.09800	2516602.467	6856279.084	144.171
9511	-0.26833	-0.01943	-3.06747	2516613.775	6856291.651	144.395	9653	-0.24891	-0.02394	-3.11923	2516600.892	6856278.981	144.215
9512	-0.25452	-0.01135	-3.07626	2516612.269	6856291.565	144.358	9654	-0.24217	-0.03585	-3.11952	2516599.338	6856278.878	144.199
9513	-0.25568	-0.02186	-3.07506	2516610.752	6856291.579	144.343	9655	-0.24752	-0.02520	-3.06838	2516598.018	6856278.838	144.305
9514	-0.25429	-0.02501	-3.04730	2516609.254	6856291.522	144.342	9656	-0.23668	-0.04781	-3.03193	2516596.433	6856278.726	144.163
9515	-0.24292	-0.00738	-3.12702	2516607.800	6856291.389	144.317	9657	-0.24457	-0.04624	-3.04457	2516594.938	6856278.614	144.189
9516	-0.24022	-0.03032	-3.02519	2516606.332	6856291.283	144.335	9658	-0.24739	-0.03398	-3.07236	2516593.449	6856278.508	144.213
9517	-0.25564	-0.04496	-2.93566	2516604.860	6856291.294	144.281	9659	-0.24806	-0.03336	-3.06694	2516591.927	6856278.465	144.250
9518	-0.25220	-0.03103	-3.05469	2516603.316	6856291.105	144.339	9660	-0.25030	-0.04703	-3.03857	2516590.409	6856278.358	144.280
9519	-0.26168	-0.02736	-3.06251	2516601.774	6856291.097	144.263	9661	-0.24555	-0.02685	-3.09005	2516588.912	6856278.282	144.177
9520	-0.25185	-0.01067	-3.07750	2516600.346	6856290.958	144.242	9662	-0.25145	-0.03261	-3.05963	2516587.575	6856278.295	144.211
9521	-0.24920	-0.01334	-3.09817	2516598.851	6856290.866	144.247	9663	-0.25423	-0.07091	-2.90900	2516587.762	6856276.303	144.226
9522	-0.25310	-0.00776	-3.11137	2516597.368	6856290.793	144.262	9664	-0.25609	-0.04037	-3.04611	2516589.105	6856276.285	144.185
9523	-0.25462	0.00861	3.13765	2516595.868	6856290.704	144.196	9665	-0.24538	-0.03523	-3.07279	2516590.546	6856276.341	144.188
9524	-0.25309	-0.01701	-3.08410	2516594.359	6856290.628	144.210	9666	-0.25130	-0.02728	-3.10401	2516592.131	6856276.406	144.215
9525	-0.24986	-0.01955	-3.07008	2516592.843	6856290.532	144.254	9667	-0.25374	-0.01705	-3.13964	2516593.723	6856276.439	144.168
9526	-0.25802	-0.02066	-3.04353	2516591.348	6856290.504	144.198	9668	-0.24799	-0.04143	-3.04153	2516595.236	6856276.614	144.188
9527	-0.24986	-0.02189	-3.07040	2516589.797	6856290.386	144.186	9669	-0.24530	-0.02978	-3.06494	2516596.707	6856276.578	144.174
9528	-0.25370	-0.00773	-3.09559	2516588.353	6856290.293	144.250	9670	-0.25064	-0.05815	-2.98762	2516598.062	6856276.666	144.200
9529	-0.25083	-0.04704	-2.98707	2516586.873	6856290.274	144.197	9671	-0.24920	-0.03978	-3.08598	2516599.631	6856276.677	144.148
9530	-0.23978	-0.03276	-3.00814	2516586.959	6856288.220	144.201	9672	-0.23625	-0.04254	-3.03544	2516601.185	6856276.721	144.226
9531	-0.24956	-0.01381	-3.08096	2516588.573	6856288.266	144.175	9673	-0.24552	-0.05454	-3.01307	2516602.587	6856276.937	144.204
9532	-0.24936	-0.02008	-3.05840	2516589.856	6856288.442	144.164	9674	-0.24493	-0.04270	-3.05430	2516604.116	6856277.075	144.237
9533	-0.24918	-0.02790	-3.07221	2516591.445	6856288.440	144.234	9675	-0.24361	-0.03868	-3.06558	2516605.612	6856277.132	144.235
9534	-0.24091	-0.02700	-3.03768	2516593.049	6856288.357	144.187	9676	-0.24518	-0.04548	-3.02162	2516607.142	6856277.364	144.207
9535	-0.24407	-0.03534	-3.00235	2516594.496	6856288.443	144.244	9677	-0.25336	-0.02031	-3.11733	2516608.619	6856277.397	144.186
9536	-0.24976	-0.01758	-3.08642	2516596.037	6856288.616	144.242	9678	-0.25013	-0.02539	-3.12190	2516610.040	6856277.417	144.188
9537	-0.25278	0.02116	3.07481	2516597.675	6856288.757	144.226	9679	-0.24974	-0.02178	3.14096	2516611.473	6856277.589	144.245
9538	-0.24957	-0.01460	-3.09100	2516599.157	6856288.764	144.236	9680	-0.25276	-0.02063	-3.14139	2516613.012	6856277.607	144.222
9539	-0.24469	-0.03954	-2.96843	2516600.769	6856288.834	144.256	9681	-0.24727	-0.03512	-3.08934	2516614.507	6856277.660	144.212
9540	-0.25077	-0.02721	-2.99681	2516602.121	6856288.856	144.263	9682	-0.23940	-0.03317	-3.09084	2516615.877	6856277.714	144.242
9541	-0.25103	-0.00096	-3.08950	2516603.713	6856288.868	144.272	9683	-0.24261	-0.01868	3.11876	2516617.217	6856277.751	144.263
9542	-0.24269	-0.02136	-3.04203	2516605.136	6856288.819	144.297	9684	-0.25433	-0.03343	3.08169	2516617.306	6856275.813	144.263
9543	-0.24203	-0.01465	-3.08654	2516606.503	6856288.973	144.296	9685	-0.25650	-0.03334	3.08090	2516616.048	6856275.772	144.258
9544	-0.24145	-0.00432	-3.10325	2516608.071	6856289.145	144.317	9686	-0.26369	-0.02279	3.07156	2516614.590	6856275.706	144.243
9545	-0.23704	-0.01600	-3.09090	2516609.424	6856289.155	144.335	9687	-0.25961	-0.04550	-3.14119	2516613.104	6856275.587	144.240
9546	-0.24671	-0.02543	-3.03364	2516610.859	6856289.168	144.323	9688	-0.26883	-0.02205	3.04596	2516611.594	6856275.535	144.257
9547	-0.24661	-0.02638	-3.04104	2516612.432	6856289.151	144.319	9689	-0.26315	-0.02952	3.09869	2516610.120	6856275.437	144.228
9548	-0.23578	-0.01923	-3.02739	2516614.091	6856289.429	144.409	9690	-0.25152	-0.05459	-3.09201	2516608.621	6856275.305	144.197
9549	-0.24476	-0.03189	-3.05177	2516615.407	6856289.421	144.377	9691	-0.25618	-0.05681	-3.11383	2516607.098	6856275.227	144.152
9550	-0.24834	-0.02077	-3.02662	2516616.792	6856289.638	144.412	9692	-0.25871	-0.01914	3.05299	2516605.617	6856275.118	144.128
9551	-0.24010	-0.03200	-3.12320	2516616.880	6856287.678	144.371	9693	-0.25482	-0.04215	3.13288	2516604.092	6856275.066	144.122
9552	-0.24471	-0.00814	3.01076	2516615.462	6856287.592	144.310	9694	-0.25242	-0.05496	-3.10740	2516602.623	6856274.981	144.109
9553	-0.24659	-0.05597	-3.08392	2516614.038	6856287.526	144.360	9695	-0.25341	-0.07322	-3.03956	2516601.130	6856274.881	144.181
9554	-0.22704	-0.09554	-2.90354	2516612.575	6856287.433	144.349	9696	-0.25587	-0.04971	-3.09873	2516599.628	6856274.882	144.130
9555	-0.24246	-0.07507	-3.02978	2516611.011	6856287.353	144.324	9697	-0.24444	-0.07061	-3.03455	2516598.116	6856274.792	144.124
9556	-0.25383	-0.05402	-3.06589	2516609.550	6856287.394	144.306	9698	-0.24569	-0.06957	-3.09777	2516596.541	6856274.657	144.131
9557	-0.24986	-0.05646	-3.09216	2516608.019	6856287.274	144.306	9699	-0.25014	-0.05497	-3.09852	2516595.094	6856274.607	144.155
9558	-0.23956	-0.06638	-3.04041	2516606.547	6856287.213	144.335	9700	-0.25678	-0.04536	3.13393	2516593.535	6856274.577	144.155
9559	-0.23910	-0.06420	-3.05509	2516605.028	6856287.062	144.268	9701	-0.25391	-0.04796	3.11924	2516592.052	6856274.488	144.189
9560	-0.25149	-0.04984	-3.09597	2516603.512	6856287.128	144.251	9702	-0.25384	-0.05880	-3.08543	2516590.559	6856274.403	144.214
9561	-0.24124	-0.05611	-3.10448	2516602.023	6856286.967	144.204	9703	-0.25481	-0.04827	-3.12939	2516589.057	6856274.335	144.193
9562	-0.25009	-0.05423	-3.09118	2516600.513	6856286.975	144.233	9704	-0.26119	-0.02161	3.05984	2516587.638	6856274.250	144.156
9563	-0.24818	-0.05152	3.12030	2516598.957	6856286.938	144.239	9705	-0.24981	-0.06002	-3.09395	2516587.536	6856272.214	144.115
9564	-0.24299	-0.05410	-3.12779	2516597.508	6856286.816	144.226	9706	-0.24711	-0.05700	-3.07428	2516589.180	6856272.196	144.122
9565	-0.24881	-0.04525	3.12527	2516595.940	6856286.757	144.191	9707	-0.25327	-0.02910	3.09871	2516590.697	6856272.214	144.155
9566	-0.25846	-0.04953	-3.13452	2516594.488	6856286.732	144.217	9708	-0.25115	-0.05692	-3.11037	2516592.305	6856272.285	144.134
9567	-0.24928	-0.06052	-3.07293	2516592.986	6856286.627	144.242	9709	-0.24459	-0.06677	-3.06869	2516593.807	6856272.219	144.200
9568	-0.25571	-0.05386	-3.11506	2516591.457	6856286.574	144.198	9710	-0.25570	-0.04789	3.12723	2516595.155	6856272.314	144.147
9569	-0.24460	-0.06013	-3.03945	2516590.011	6856286.410	144.193	9711	-0.25068	-0.05105	-3.10766	2516596.731	6856272.285	144.160
9570	-0.23813	-0.08669	-3.01148	2516588.429	6856286.295	144.192	9712	-0.25462	-0.05033	-3.11144	2516598.310	6856272.574	144.132
9571	-0.22937	-0.08709	-2.95478	2516587.055	6856286.210	144.213	9713	-0.25205	-0.05940	-3.08341	2516599.895	6856272.708	144.115
9572	-0.25346	-0.04443	-3.11005	2516587.168	6856284.232	144.252	9714	-0.25818	-0.04609	3.13922	2516601.368	6856272.738	144.080
9573	-0.24446	-0.06426	-3.02275	2516588.613	6856284.193	144.178	9715	-0.25415	-0.06235	-3.08423	2516602.737	6856272.822	144.134
9574	-0.23865	-0.06480	-3.06083	2516590.034	6856284.239	144.263	9716	-0.24681	-0.07742	-3.03959	2516604.262	6856272.861	144.116
9575	-0.23816	-0.06501	-3.04884	2516591.588	6856284.262	144.243	9717	-0.24560	-0.07476	-3.00691	2516605.915	6856273.023	144.147
9576	-0.23891	-0.06326	-3.05665	2516593.005	6856284.200	144.186	9718	-0.23796	-0.06901	-3.04924	2516607.418	6856272.990	144.193

9719	-0.24897	-0.06555	-3.07077	2516608.903	6856273.029	144.230
9720	-0.24205	-0.08253	-3.01932	2516610.401	6856273.107	144.234
9721	-0.24402	-0.07034	-3.04901	2516611.872	6856273.241	144.285
9722	-0.24819	-0.06988	-3.04217	2516613.329	6856273.339	144.299
9723	-0.23911	-0.07558	-3.02129	2516614.832	6856273.561	144.422
9724	-0.23832	-0.06485	-3.05443	2516616.253	6856273.664	144.340
9725	-0.24095	-0.06550	-3.07455	2516617.400	6856273.776	144.279
9726	-0.26030	-0.06676	-3.07919	2516617.352	6856271.894	144.289
9727	-0.23776	-0.05920	-3.07502	2516616.004	6856271.703	144.335
9728	-0.25337	-0.05003	-3.11266	2516614.553	6856271.728	144.274
9729	-0.25318	-0.05958	-3.09582	2516613.045	6856271.685	144.287
9730	-0.25340	-0.05265	-3.12447	2516611.574	6856271.588	144.303
9731	-0.24427	-0.06892	-3.04100	2516610.183	6856271.500	144.232
9732	-0.26271	-0.04341	-3.12815	2516608.908	6856271.478	144.170
9733	-0.26443	-0.07203	-3.08391	2516607.341	6856271.428	144.221
9734	-0.25131	-0.04394	-3.10531	2516605.973	6856271.284	144.165
9735	-0.25448	-0.06357	-3.07589	2516604.381	6856271.215	144.110
9736	-0.25922	-0.04113	3.09608	2516602.625	6856271.099	144.169
9737	-0.24278	-0.05301	-3.11489	2516601.311	6856271.011	144.230
9738	-0.25388	-0.06984	-3.07345	2516599.815	6856271.028	144.202
9739	-0.24569	-0.06757	-3.06859	2516598.191	6856270.932	144.169
9740	-0.24724	-0.05378	-3.12462	2516596.715	6856270.784	144.195
9741	-0.26852	-0.06415	-3.13852	2516595.201	6856270.714	144.197
9742	-0.25398	-0.05484	-3.12920	2516593.634	6856270.559	144.108
9743	-0.25270	-0.06709	-3.05949	2516592.174	6856270.488	144.179
9744	-0.25195	-0.06547	-3.08006	2516590.693	6856270.355	144.143
9745	-0.24873	-0.05206	3.13660	2516589.119	6856270.316	144.120
9746	-0.26228	-0.02991	3.12299	2516587.544	6856270.289	144.075




Global radiation at SMEAR II on July 5, 2012. Field imaging took place in the afternoon.

In image # 9641, the shadow direction of a trunk implied a solar azimuth of approximately 265 degrees. Time tag in that images was 18:15. According to suncalc.org, at UTC+3 (18:17), the azimuth was 266 degrees. The camera times are UTC+3 times and can be trusted.

Tree trunk-shadow points:

x	y
2516618.13	6856281.97
2516616.01	6856281.77
2516617.04	6856281.81
2516617.57	6856281.84
2516618.88	6856281.99



4.3 Canopy imaging at Lapinkangas 3 (LK3) plot June 2011



Fig. 128. This is an example photo that shows pine and spruce crowns.

Date of field work and photography June 7-10, 2011.

Fig. 129.

The idea was to take zenith-looking and oblique images at locations where a LiDAR pulse had traversed and of tree crowns.

Tacheometer was used to establish a network (set) of imaging points that were marked with a small wooden pole. The local xyz coordinates were established in the tacheometer coordinate system at a precision of well better than 10 mm.

Four of the points were positioned in the KKJ2/N60 system by observing interpoint (N = 13-17) azimuths and distances, and LS adjustment of these observations (triangulation and trilateration). The RMSE of the 8 solved xy coordinates (df = 5) was 0.07 m.

D = 150 mm polystyrene spheres were hauled to the canopy to serve the purpose of control points (CPs). The coordinates were measured at 4-cm local accuracy, using the tacheometer as theodolite.

A monopod with a h of 1.53 m and a ball-joint mount was used. The radius from the turning point to the projection center was assessed to be 7 cm. The two rotations of the camera (azimuth, elevation) were accounted for in computing the observed projection center position during the photography. The monopod was leveled vertical.

June 10, the photography took place in five sessions between 0845 and 2300 local time.

Canon Powershot G6 was used. It was calibrated only in September, and the calibration was compared against that of 2007. Considering the different definitions for the pixel size (2.33 vs. 2.3 um), there was a 0.1% difference in the f/pixel ratio. The lens deformations are of the same order acknowledging the fact that the ppa-coords were set to zero (they were within one pixel, in 2007), when they were solved from the coefficients of 2007 to match those of the iWitness.

Table 15. iWitness calibration parameters. Value (2007) shows the parameters solved from the Ebner model parameters that were estimated in 2007.

Parameter	Value (2007)	Value 2012
f	7.350 mm	7.228 mm
xp	0.000 mm	0.0329 mm
yp	0.000 mm	0.0342 mm
k1	3.4530E-03	3.7909e-003
k2	-6.1517E-05	-5.0964e-005
k3	-7.0916E-07	-1.5227e-006
p1	-8.9787E-05	-4.3770e-005
p2	1.9454E-04	-2.3405e-004

Calibration Date: 20/09/2011 14:43pm
Resolution: 3072 x 2304 pixels, Pixel Size = 0.0023 mm

c = 7.227937 mm
xp = 0.032902 mm
yp = 0.034274 mm
K1 = 3.7909e-003
K2 = -5.0964e-005
K3 = -1.5227e-006
P1 = -4.3770e-005
P2 = -2.3405e-004
B1 = 0.0000e+000
B2 = 0.0000e+000

The exterior orientation was solved, using WLS adjustment of image observations, projection center coordinates and CP coordinates.

1.5 pixel RMSE was obtained.

There were a total of 284 images.

Data

Photogrammetric_Images\LK3_Canopy_Photos2011\
hdr_teko_LK3_2011.csv file for making HDRs
LK3_cam_data.csv file with EO

HDR\
Header files for kuvamitt

Hyde_latvuskuvien_orientointi\
Folder with contents from the orientation in 2011

Images\
Lens-error corrected JPGs and RAWs

Images_orig\
Original images – note date is wrong by one day

4.4 Hyytiälä buildings and urban trees May 2012




Fig. 130. DR LiDAR data superimposed on an image pair from the site #4.

Date of photography and field work, May 2-4; 2012.

Reference data to be used in conjunction with the November 2011 Riegl WF-LiDAR.

4.4.1 Sites of photography

There were six sites, from where convergent photography were taken, all in the vicinity of the forest station. The camera-target distances vary between sites as does the imaging geometry (angles of rays meeting).

1. Aspens between the Machine hall and Institute building
Nikon images DSC7327-DSC 7338
RMSE 10.7 um, (0.06, 0.15, 0.05) a posteriori sdevs of sphere CPs

2. Engelmannii spruce and a dry A. sibirica next to Impilinna
Canon images IMG7360-IMG7370
RMSE 5.37 um, (0.09, 0.11, 0.16) a posteriori sdevs of sphere CPs

3. Memorial spruce stand
Nikon images DSC7429-DSC7437
RMSE 10.8 um, (0.09, 0.15, 0.04) sdevs of sphere CPs

4. Large birch trees and a pine next to Pikku Sauna
Nikon images DSC7353-DSC7369
RMSE 16.5 um, (0.13, 0.14, 0.12) sdevs of sphere CPs

5. Large accommodation building A
Nikon images DSC7387-7396
RMSE 8.2 um, (0.15, 0.17, 0.14) sdevs of photogrammetric CPs

6. The buildings around the football field
Nikon images DSC7397-DSC7423
RMSE 12 um, (0.28, 0.23, 0.31) sdevs of photogrammetric CPs

4.4.2 Description of activities – sites 1-4 with trees

Cameras were the Canon Powershot G6 and Nikon D300 with zoom lenses used at the minimal focal length. Camera calibrations done with iWitness are given below.

A monopod with a ball-joint (at h of 1.533 m), total length 1.587 m, was used. The radius from the ball-joint to the estimated position of the projection center was 7 cm and 9 cm, for Canon and Nikon, respectively. The projection center was assumed to be collinear with the line thru the ball-joint and the point of attachment to the camera body.

A tacheometer was used to establish camera positions (points P1-P39) on the ground, which were marked using a 5x5-cm plywood plate, with a 6" nail anchoring the plate to the ground. This local xyz position was transformed to the KKJ2/N60 XYZ system by orientating the leveled tacheometer with XY control points (CPs), which were measured in large-scale aerial images (man-made targets in buildings etc.). The Z was taken from LiDAR data, and has an uncertainty of about 3-5 cm and the XY positions (points K1-K7) of the tacheometer were obtained at about 0.1 m accuracy, using 4-8 CPs. All camera positions were positioned from two tacheometer station positions, which were oriented, using different sets of CPs to provide redundancy.

There were polystyrene spheres in the canopy as additional CPs, which were positioned, using the tacheometer as a theodolite.

The image blocks were first oriented with iWitness, using a relative orientation. Rigid 3D transformation (offset, rotation, scale) was applied to the ray bundle by supplying the camera coordinates and coordinates of the spheres. The approximate camera rotations were then used in refining the coordinates of the projection centers (the use of the ball-joint camera head – the xyz-offset with respect to the measured point at the base of the monopod changed with the rotation of the camera), and the orientation was re-established, using weighted least-square bundle block adjustment. In it, the a priori measurement accuracies of 0.1 m for the sphere (XYZ) and 0.025 m for the projection center coordinates.

4.4.3 Description of activities – sites 5-6 with buildings

These images were taken from free positions and the EO was established using the CPs seen in the images (man-made targets positioned in aerial images)

4.4.4 Calibrations, Canon

Calibration Date: 02/05/2012 14:54pm
Resolution: 3072 x 2304 pixels, Pixel Size = 0.0023 mm

c = 7.233562 mm
xp = 0.024801 mm
yp = 0.046810 mm
K1 = 3.7848e-003
K2 = -5.8565e-005
K3 = -1.0617e-006
P1 = -3.1726e-005
P2 = -2.7222e-004
B1 = 0.0000e+000
B2 = 0.0000e+000

Calibration Date: 04/05/2012 15:32pm
Resolution: 3072 x 2304 pixels, Pixel Size = 0.0023 mm

c = 7.232394 mm
xp = 0.022468 mm
yp = 0.056819 mm
K1 = 3.7189e-003
K2 = -4.3547e-005
K3 = -1.7692e-006
P1 = -2.4074e-005
P2 = -3.6359e-004
B1 = 0.0000e+000
B2 = 0.0000e+000

4.4.5 Calibration, Nikon

Calibration Date: 03/05/2012 8:24am
Resolution: 4288 x 2848 pixels, Pixel Size = 0.0055 mm

c = 18.696734 mm
xp = 0.049724 mm
yp = 0.076118 mm
K1 = 4.6007e-004
K2 = 5.5803e-008
K3 = -4.8944e-009
P1 = 2.5894e-005
P2 = -9.8620e-006
B1 = 0.0000e+000
B2 = 0.0000e+000

4.4.6 Data

Photogrammetric_Images\Hyytiala_May2012\

\Images_and_EO\
The original JPEG images, and folder for each site with the files for the weighted least square adjustment, iWitness files. Folder ...\Panorama\MINV12_triangulation_program_gcp_weights\ has the VB6 code for the WLS adjustment.

\1_Aspens ...\6_Building_panoramic folders have the lens error corrected images and the HDR files for KUVAMITT.

\Cameracalibration folder has the iWitness projects for the lens calibration.

\FieldWork\

areafile.txt // area file of the geodimeter
Calibration_EOIO_CanonPSG6_1.txt
Calibration_EOIO_CanonPSG6_2.txt
Calibration_EOIO_NikonD300.txt
HaavikkoPointData.txt // positions of CPs in aerial images
hdr_teko_touko2012.csv // file for producing HDR files
Hyytiala_03052012.xlsx // computation of P-points
Hyytiala_03052012_kuvaustiedot.xlsx // info on photography
jobifile.txt // the job-file of the Geodimeter
Maastofotogrammetriaa.htm // coordinate solutions
Teodoliitti_2.xls // file for theodolite positioning, two obs
Teodoliitti_3.xls // file for theodolite psotioning, three obs
Touko2012TakymFiles.zip // The raw Geodimeter files

4.5 Systematic canopy imaging at SMEAR 60-yr-old pine plot June 2012



Fig. 131. This is an example photo from the pine stand that shows two CPs – polystyrene spheres.

4.5.1 Description of activities

An area of 12 x 10 m was delineated in a pine stand, for the purpose of establishing a 1-m grid of camera positions (N=143) for vertical, zenith-looking imaging. The positions were marked with 5x5-cm plywood plates, anchored to the ground. A total of 42+6 (K1-K48) of these were positioned locally, using a tacheometer. Eight additional oblique views are included from photo locations K43-K48 (and from two non-mapped points).

The tacheometer was oriented in the KKJ2/N60 system, using intrapoint distance and azimuth observations to N = 29 trees (positioned in aerial images). The average L2 norm of the XY residuals was 31 cm, thus, for 29 trees, the SDEV of the tacheometer position was apprx. 5 cm in X and Y. The tacheometer position estimate was 2515592.675, 6860098.042, 179.0 and the rotation 43.88 degrees with respect to the KKJ-North. LiDAR points were used for deriving the Z. Tacheometer was on flat rock in a canopy opening.

Seven polystyrene spheres (CPs) were hauled to the canopy and measured for local xyz at an accuracy of better than 5 cm in 3D (theodolite principle).

The images were taken June 21, at 6 am. There were 143 zenith looking and 9 oblique images.

The exterior orientation was established with iWitness, and adjusted using WLS bundle block adjustment. In it, the XYZ coordinates of the spheres were used (a priori SD of 0.1 m for X, Y and Z), the camera positions (0.025 m for X0, Y0 and Z0), as well as stem XY positions (a priori SD of 0.1 m). The latter were observed with the tacheometer, and as tie points (vertical objects) in the images. The camera positions were adjusted for the rotation of the camera head (and projection center) - causing an xyz offset. See EO_analyses.xlsx. The gnd_obs.txt and cam_obs.txt files show the used observations with the corresponding a priori weights. The average a posteriori sdev of the projection center coordinates was 23 mm, and RMS of image residuals was 3.1 pixels.

The oblique images were omitted apart from two in the lens-corrected image set (the EO exists for these). I.e. there are 145 lens-corrected #_corr.jpg images.

4.5.2 Data

Photogrammetric_Images\Canopy_Photos_2012\Pine\
Calibration.txt The used iWittness calibration coefficients
EO\
WLS-adjustment files
EO\ iWitness_Files\
Image observations (*.icf), observation files (iwp), iwitness EO results based on rigid 3D transformation
HDR\
HDR files and CSV files for producing HDR-files.
Images\
The original from July 21 and lens-error corrected JPG and RAW images.

4.6 Systematic canopy imaging at Silmäpäänlammi 60-yr-old spruce plot - July 2012



Fig. 132. This is an example photo from the spruce stand, showing spruce crowns and some pine crowns on the low-right corner.

This site was similar to the pine stand, except that there were no CPs in the canopy, but 42 camera positions marked on the ground, and 60-mm spheres (attached on ropes) as tie points some 5-6 m above the ground. Photography was in the morning of July 6, 2012.

The tacheometer orientation was established with 31 trees. The SDEVs were 0.043 m for X and Y. The position estimate was 2515675.908, 6861266.421, 188.2 and the tacheometer wads rotated 45.17 degrees with respect to the KKJ-North. LiDAR points were used for the Z. The tacheometer was on flat terrain lacking low vegetation.

iWitness was used for orientation – with X0, Y0 and Z0 corrected for the xyz-offset due to camera rotation about the ball-joint camera head. RMS of image residuals was 2.8 pixels. The results of the rigid 3D transformation were used as such, because the residuals at the 42 known points were small, with SDEVs of 18, 11 and 22 mm, for x, y and z. Mean sdevs of tie point coordinates were at 4, 4 and 13 mm. The solution was not changed in WLS bundle block adjustment.

4.6.1 Data

Photogrammetric_Images\Canopy_Photos_2012\Spruce\

EO\
Iwitness – image coordinates of tie-points
HDR\
HDR-files of the 143 zenith-looking images
Images\
The original and lens-corrected JPEGs, lens-corrected RAWs

4.7 2010 TEKES images

Photogrammetric_Images\Tekes2010\

TEKES photogrammetric experiment. Dokumentointi keskeneräinen. Sites, images, which were oriented, which not. Powershot G6?

Other_Images\2010_Kuvia_Hyytialasta_AH

Some images taken by Aarne Hovi during the field activities.

4.8 Canopy imaging at Lapinkangas Lichen plot, July 2012

Photogrammetric_Images\Lk_pysty\

Convergent images of trees were taken. Ilkka lisää dokumentaatio!!!

4.9 Sahatie 20-yr-old mixed stand imaging 2007

Photogrammetric_Images\2007_Sahatie\

Miscellaneous 22 documentation images of the plot taken in August 2007 with f = 7 mm, views show the tree labels. The trees on the plot were mapped with a total station/GNSS prior to photography. Images can be oriented only roughly as the GCPs (labels) are positioned in XY, and labels are at 1.3 m height above gnd, which has z-accuracy of 5-10 cm. Use the calibration of the G6 from the Lapinkangas 2007 image data.

Inventory data / tree measurements – See Hyde_Ref plot data

4.10 Leaf angle distributions, July 2013

Photogrammetric_Images\LAD_2013\

A test was done to see if leaf-angle distributions could be measured by means of photogrammetry, using a 3D structure of known dimension and attitude in the scene. See html-documentation:

- LAD\LAD_photogrammetry_2013.html

4.11 Riegl 2015 campaign, August 2015

Photogrammetric_Images\Hyyt_kuvaus_Riegl2015\

Images at various locations were taken to document the status of vegetation during the LiDAR campaign. See html-documentation:

- 2015_LiteMapper_MaastoKuvaus.html

4.12 Other than photogrammetric images

Other_Images\
Contains all other than photogrammetric images. The names of the sub-folders have the year and a description of what was imaged:

2000_RTK_GPS\
2004_ALTM1033_laserkeilaus\
2004_HuppionLetto\
2005_MetsaekologianKurssi\
2006_Aikasarja_Patsainmaki\
2006_Taimikot\
2007_KuviaHydenKoealoilta\
2007_Taimikot\
2008_ADS40\
2009_Alikasvosmittaukset\
2009_DMC_Kuvaus\
2009_FGI_Leica_Tapaaminen\
2009_Kaukokartoituspaivat\
2010_ALS60_Leica_Finnmap\
2010_Antti_Makinen_Vaitos\
2010_Evo_Laserseminaari\
2010_Harvennukset\
2010_Joensuu\
2010_Kuvia_Hyytialasta_AH\
2010_Lumituhoja\
2010_Vierailu_Leica_Heerbrugg\
2011_Abi_Vierailu_Viikki\
2011_AlumniJuhla_Viikki\
2011_A_Hovi_Seminaari\
2011_GL_seminaari\
2011_Joensuun_Reissu\
2011_Kevatretki_Hyytialaan\
2011_Lapinkangas_Latvuskuvaukset\
2011_Lauri_Korhonen_Vaitos\
2011_LiteMapper_Keilaus\
2011_MARV1_koealoja_AH\
2011_Minna_Raty_vaitos\
2011_Prof_Pfeifer_TKK\
2011_UMB_Matka\
2012_Heinakuu_6_Pihapiiri_ALS60\
2012_Hyytiala\
2012_Hyytiala_ALS60\
2012_Kohteiden_Etsinta_Retki\
2012_Kyle_Eyvindson_Vaitos\
2012_Markus_Holopainen_Virkaanastujaiset\
2012_Mekrijarven_Matka\
2012_Mikko_Vastaranta_Vaitos\
2012_Taimikot_AH\
2012_Teppo_Hujalan_DosenttiLuento\
2013_Awuar_Baffour_Vaitos\
2013_Hyytialan_Tyontekijoita\
2013_Hyytiala_ALS60_dokumentointikuvat_AH\
2013_Kuvia_Finnmapin_ALS50\
2013_LAI_LAD_mittaukset\
2013_LiteMapper_dokumentointikuvat_AH\
2013_LiteMapper_Pihakuvia\
2013_Metsalaitoksen_Tilaisuuksista\
2013_Vatukot_LAI_ja_optiset_omin_AH\
2014_Automatka_Palkane_Hyytiala\
2014_ForestSAT\
2014_Harvennukset_AH\
2014_Jarkko_Saarimaki\
2014_KIT\
2014_Kuvia_Hyytialasta\
2014_Metsalaitokselta\
2014_NorUt_UAV\
2014_SekalKoealoja_Norut_AH\
2014_Siikaneva\
2014_Taksaattori_Kokous\
2014_Zurich\
2015_GCP_tarkistus_AH\
2015_Hyytialasta\
2015_Kulotus\
2015_Metsalaitokselta\
Marv1_2007\
Marv1_2008\
Marv1_2009\
Marv1_2010\
Marv1_2011\
Marv1_2013\
Marv1_2014\
Marv1_2015\

5 UAV images

All data are in folder
\UAV\

5.1 2010 TEKES

Two 14–23 ha areas were imaged on 5.8.2010 for TEKES Social Forest campaign.

Six areas were prepared in the field before the campaign. Suitable areas were selected that had enough landing space and contained field reference plots. GCP signals were established and positioned with GNSS. There are up to 5 signals per area. These are white crosses made of 10 cm wide wooden board. GCPs are documented under “ground reference data”.

Only two areas (#1 and #2) were finally imaged. Photogrammetric DSMs of both areas were delivered to UH. Original RGB images exist only for area #1. Area #2 images were never requested from EnsoMosaic.

Contents

\2010_TEKES_UAV\

UAV_plan_20100723.pdf
Document of the prepared areas

Images\
Images for area #1:
8-bit RGB images in JPG (N=81)
Tiff images, converted from JPG?

mosaics\
Image mosaic of area #1

Blocks\
Ilkka, what is this?

DSM\
DSMs delivered to UH for evaluation, see the README.txt for details

Meeting_20110523.pptx
Report_20110606.pdf
Reports on evaluation of the DSMs by UH

5.2 2014 Norut

UAV imagery acquired by Northern Research Institute (Norway). Images were acquired over AH1 plot and nearby fields, 1.7.2014 in the morning. Small quadcopter?. Canon PowerShot SX230 HS camera. False colour images. The UAV was broken in the midst of the campaign.

\2014_UAV\

Images in tiff format (N = 314)

..\MaxMax.txt
Camera IO parameters

The block was densified with Pix4D in May 2020. The block is small, and the value of the imagery is marginal. Camera parameters and EO parameters were solved using a small number of GCPs.




Fig. 133. Area covered near Ala-Hyytiälä farm (Muistokoivikko stand shows in the North)

5.3 2018 Henri Riihimäki (Vuorijärvensuo)




Fig. 134. N=603 images. 75 ha covering Vuorijärvensuo-area. Images were oriened with Pix4D and normalized to pinhole-cameras images for KUVAMITT. EO was solved in UTM35/N2000. HDR-files for kuvamitt and a CSV with the IO/EO information were created.

DATA (c) Henri Riihimäki

METADATA
Kuvattu 15.05.2018
Pilvet: 0/8
Lennokki: Phantom 4
Autopilotti: Map pilot
Frontal overlap: 90%
Side overlap: 70%
Lentokorkeus: 150 m (noin)

Fenologia:
Lehdet: Leaf-on (ei kuitenkaan täydessä lehdessä)
Aluskasvillisuus: Vähän tämän vuotisia ruohoja, heinää. Pääosin laostunutta, viime vuotista ruskeaa kasvillisuutta. Saniaiset ei puhjenneet.

Käyttöehdot:
-Saa käyttää vapaasti vapaasti opetukseen, lähde mainittava
-Ei levitystä edelleen
-Muu käyttö sovittava erikseen, yhteystiedot:
henri.riihimaki@helsinki.fi
+358407770596

6 Field reference data

The document below gives an overview of what is measured in the field. Links to detailed description and data are given. The links refer to subfolders of \Field_data\. Terrestrial photographs are excluded here because they were documented elsewhere.

The field reference data are divided into

i) Permanent forest plots that are continuously kept up to date.
ii) Geometric ground control, e.g. signaled GCPs used in aerial triangulation, or elevation data for estimating Z accuracy of LiDAR data.
iii) Other ground reference measurements.

6.1 Permanent forest plots with mapped trees (over 20-year-old forests)

Mapping methods – planimetric coordinates, orthometric heights

The first mapped plots were established in 1995 using a total station (mapping into a local XYZ-system). The use of total stations for tree mapping lasted from 1995 to 2005. A mirror was placed in front of the stem and the XYZ-coordinates were calculated by extending the 3D vector using the DBH observation. Alternatively, occluded trees were measured using a 2-4-m-long vector with end points visible the the total station (to reduce the need for the tedious relocating the apparatus during mapping). These (local) stem maps are approximately 10-cm accurate.

The estimation of the XY-offset and rotation (2D) of the plot's local coordinate system (corners, center point) in the national coordinate system KKJ2 has been establed in most cases using photogrammetric measurements of trees, or by direct measurements with an accurate GNSS (2005-) in seedling stands, where the antenna could be placed at 1-4-m height. The absolute positioning accuracy of the plots has not been tested but is likely better than 30 cm in the photogrammetric estimation and better than 5 cm when using RTK-GNSS in seedling stands (RTK-GNSS does not worl under a canopy).

In 2000, field levelling was done to obtain orthometric heights to some of the plots as the terrain models (map contour lines) at the time had low accuracy. An accurate DEM was obtained only in 2004 following the first LiDAR campaign (1 m resolution, 0.25 m RMS accuracy) and levelling was no longer needed except in very accurate work. The height system was N60 and since 2005 the national system has been N2005, which shows 32 cm higher values in Hyytiälä. The ellipsoidal height of N60 (geoid correction) was 18.67 m, i.e., all WGS-84 ellipsoidal heights should be added 18.67 m to get N60 and 18.67 + 0.32 to obtain N2000 elevations.

Since 2005, the xy-mapping of trees has been based on the photogrammetric-geodetic method by Korpela et al. (2007), which was published in Silva fennica. In it, large trees (their treetops) are positioned in remote sensing data (images, point clouds) and these trees are used as control points in the field for the XY-positioning of small or occluded trees and other targets such as plot corner poles. Using this method, the trees are directly mapped into the national map coordinate system, and, hence, the size of the plots was no longer limited by line-of-sight in the field. The accuracy of the positions is 0.1-0.5 m and depends on the number of trees used as control points, and their geometry.

Selection of forest plots, types of plots

Table below shows the plots by year of establishment.

Table 16. Permamnent plots in over 20-year-old stands - year of establishment. Plot codes in red are abandoned in May 2023.

Year	Plot Code
1995	MMM1, MMM2
1996	S1, S2, S3, S4, S5, S6
1997	B1, B2, B3, B4, P1, P2, P3, P4, P6
1998-2001	No new plots
2002	FT_2002, KM, MKuusi, LK1, LK2,
2003	L15, L88
2004	No new plots
2005	LiisiK, MAKU, TELE
2006	AH1, AH2, FT_2006, PTS
2007	Sahatie, Marv31, Marv37, Marv 41, Marv 50, Marv60, Marv62, Marv78, MARV81, MARV84, MARV94, MARV96, MARV103, MARV107, MARV108, MARV114, MARV122, MARV131, MARV132, MARV133
2007	59 MARV4_# circular plots
2008	MARV08_1ABCD, MARV08_2ABCD, MARV08_3_ABCD, MARV_08_4ABCD, ME185, ME186, ME187, ME188
2009	MARV09_1ABCD, MARV09_2ABCD, MARV09_7ABCD, MARV09_8ABCD, MARV09_9ABCD, MKoivu
2010	MARV10_1AB, MARV10_2AB, MARV10_3ABC, MARV10_4AB, MARV10_5AB, MARV10_6AB
2011	MARV11_1ABCD, MARV11_2CD, MARV11_3AB, MARV11_4ABC, MARV11_5, MARV11_7ABC
2012-2014	- (no new established plots)
2015	MARV15_5ABC, MARV15_6, MARV15_7AB, MARV15_8AB, MARV15_9, MARV15_10, MARV15_11
2016	MARV16_1ABC, MARV16_2AB, MARV16_3ABC, MARV16_4AB, MARV16_5ABCD
2017	TEXAS, VJSUO, ASEMA
2018	SMEAR, TAPIOLA
2019	No new plots
2020	No new plots
2021	No new plots
2022	No new plots
2023	No new plots
2024	No new plots

The plot locations have been mostly subjectively selected to include some specific forest structure or site type. Exception to this rule are the 59 permanent (inventory, MARV4_#) circular plots with measurements done in 2007, 2013, 2019 and 2024.

Trees are identified by numbers. The plot size varies between 0.04–4 ha. There are three shapes: rectangular, circular, and free-shaped. Rectangular plots are the most common. Some of them have subplots to divide the workload. The free-shaped plots do not have strictly defined boundaries. The trees are mapped from an arbitrarily shaped area (plots SAHATIE, TELE, PTS, FT_2006).

The tree positioning method prior to 2006 was tacheometer. Later, photogrammetric-geodetic method has been applied. In it, trees visible to high-resolution aerial image and/or LiDAR data are first mapped by manual measurements. These trees are identified in the field,and form a network of control points in triangulation or

trilateration that is performed to position the omission trees. In addition to tacheometer and the photogrammetric-geodetic method, GNSS was used to position the trees if tree height is below approx. 5 m (seedling stands).

The minimum size of trees that are mapped and measured is determined by plot-specific minimum diameter at breast height (DBH) (tree height in some plots). If the photogrammetric-geodetic method was applied for mapping, the inclusion of trees is a bit more complicated. First, all trees discernible in the RS data are mapped. The discernibility is dependent e.g., on tree height, stand density, and resolution of the RS data. Second, all the omission trees exceeding the minimum diameter (or height) are mapped.

The measurements vary between plots. Normally, diameter at breast height and a visual estimate on tree status are recorded. Other data, e.g. height measurements on sample trees, are measured when needed. Tree heights are not usually necessary because they can be obtained from the RS data or predicted with models. The measurements are kept up to date by regular re-visits in the field, typically at 5 to 8 years interval. By Jan 2025, the plots had been measured 1–6 times.
Most of the plots are located on state-owned land that is managed according to common silvicultural practices. Thinnings and clear-cuts can be performed, and the status of the plot changes. Because the field measurements are difficult to perform all at the same timepoint, manual aerial image and LiDAR data interpretation is also used to update the status of the all the trees at a certain timepoint. These updates have been performed in 2008, 2011, and 2015.

Measurement data for the permanent plots are available in the wwww database (in Finnish):

- http://www.helsinki.fi/~korpela/HYDE_REF/Plots/Koealat_Hyytialassa.html

The copy of the data is kept on this device:

- \HYDE_REF\Plots\

Koeala	Kuvaus1	Kuvaus	Koko	Rajatiedosto	Tilanne 12/2024	Seuranta	Viimeisin
MMM1	MÄ-Ku-Ko	Kallionen, sekam.	120 x 60 jälj.	MMM1.csv	Etelä kaistalehakattu	tien N-puoli	1995,2002,2013
MMM2	Ku-Mä	Vanha kuusivalt. 150 v	150 x 70	MMM2.csv	Ei käsittelyjä	ok	1995, 2002, 2013
S1	Ku	Kuusen kasvatus	50 x 50	S1.csv	Ei käsittelyjä	ok	1996, 2002, 2006, 2009, 2013, 2022
S2	Ku	Kuusen kasvatus	50 x 50	S2.csv	Ei käsittelyjä	ok	1996, 2002, 2006, 2009, 2013, 2022
S3	Ku	Kuusen kasvatus, luonnonnormaa	50 x 50	S3.csv	Ei käsittelyjä	ok	1996, 2002, 2006, 2009, 2013, 2022
S4	Ku	Kuusen kasvatus	50 x 50	S4.csv	Ei käsittelyjä	ok	1996, 2002, 2006, 2009, 2013, 2022
S5	Ku	Kuusen kasvatus	50 x 50	S5.csv	Ei käsittelyjä	ok	1996, 2002, 2006, 2009, 2013, 2022
S6	Ku	Kuusen kasvatus	50 x 50	S6.csv	Ei käsittelyjä	ok	1996, 2002, 2006, 2009, 2013, 2022
P1	Mä	Männyn kasvatus	50 x 50	P1.csv	Ei käsittelyjä	ok	1997, 2992, 2006, 2009, 2010, 2013, 2022
P2	Mä	Männyn kasvatus	50 x 50	P2.csv	Ei käsittelyjä	ok	1997, 2992, 2006, 2009, 2010, 2013, 2023
P3	Mä	Männyn kasvatus	50 x 50	P3.csv	Ei käsittelyjä	ok	1997, 2992, 2006, 2009, 2010, 2013, 2023
P4	Mä	Männyn kasvatus, luonnonnorma	50 x 50	P4.csv	Ei käsittelyjä	ok	1997, 2992, 2006, 2009, 2010, 2013, 2023
P6	Mä	Männyn kasvatus	50 x 50	P6.csv	Ei käsittelyjä	ok	1997, 2992, 2006, 2009, 2010, 2013, 2023
B1	Ko	Koivun kasvatus	40 x 40	B1.csv	Harvennettu 2017?	ok (harvennus)	1997, 2002, 2010, 2014, 2023
B2	Ko	Koivun kasvatus, luonnonnormaal	40 x 40	B2.csv	Ei käs.	ok	1997, 2002, 2010, 2014, 2022
B3	Ko	Koivun kasvatus	40 x 40	B3.csv	Ei käs.	ok	1997, 2002, 2010, 2014, 2023
B4	Ko	Koivun kasvatus	40 x 40	B4.csv	Ei käs.	ok	1997, 2002, 2010, 2014, 2023
FT_2002	Ku-Mä-Ko	Sekametsä-ympyrä	r=21 m	FT_2002.csv	Ei käs.?	ok	2002, 2009, 2013, 2022
KM	MÄ-Ku-Ko	Koppimännikkö ympyrä	r=21 m	KM.csv	Harvennus 2020, osin SM	ok	2002, 2010, 2014, (jäi SMEAR sisään)
MK	Ku	Muistokuusikko	100 x 50	MK.csv	Ei käs.	ok	2002, 2007, 2009, 2010,..2024
AH1	Ku-Mä-Ku	Ala-Hyytiälä talonpoik	60 x 80	AH1.csv	Korvattu aseman koealal	**Hylätty**	2006, 2013
AH2	Ku-Mä-Ko	Ala-Hyytiälä sekam.	60 x 60	AH2.csv	Avohakattu 2021	**Hylätty**	2006, 2013
FT_2006	Ku-Mä	Ku-mä varttunut	130 x 60	FT_2006.csv	Onko käsitelty?	ok	2006, 2013
LiiSiK	Ku	Maapuita mitattu (Kiisi Koivisto)		LiiSiK.csv	Ei seurattu Liisin jälkeen	**Hylätty**	2005,
LK1	Mä	VT mä 100 v	50 x 50	LK1.csv	Ei käs.	ok	2002, 2007, 2009 (kairauksia), 2023
LK2	Mä	VT mä 100 v	50 x 50	LK2.csv	Ei käs.	ok	2002, 2007, 2009 (kairauksia), 2022
LK3	MÄ-Ku	VT mä-ku 100 v	30 x 100	LK3.csv	Ei käs.	ok	2009, 2014
MAKU	1955 ist	Mä-Ku varttunut	100 x 40	MAKU.csv	Osa hakattu 2014? Analy	**Hylätty**	2005, 2009, 2010, 2014
TELE	1960 ist	Tervaleppä, LhK	60 x 60	TELE.csv	Ei käs.	ok	2005, 2009, 2013, 2022
PTS	1955 ist	Sekametsää mäellä	100 x 50	PTS.csv	Ei käs.	ok	2006, 2010, 2014, 2023
ME185	1973 ist Mä	Laatuharvennus		ME185.csv	Mittaukset epäluotettavi	**Hylätty**	2008,
ME186	1973 ist Mä	Laatuharvennus		ME186.csv	Mittaukset epäluotettavi	**Hylätty**	2008,
ME187	1973 ist Mä	Laatuharvennus		ME187.csv	Mittaukset epäluotettavi	**Hylätty**	2008,
ME188	1973 ist Mä	Laatuharvennus		ME188.csv	Mittaukset epäluotettavi	**Hylätty**	2008,
Sahatie	Mä-Ku	T2/02 sekataimikko 1985	60 x 50	Sahatie.csv	Harvennettu 2019? Bulkk	Kannattaako?	2007, 2014
marv1_31	MÄ-Ku-Ko	135-v. lh.metsässä	40 x 40	marv1_31.csv	Ei käs	ok!	2007, 2013, 2022
marv1_37	Vatkg	uud.kypsää	40 x 40	marv1_37.csv	Kaistalehakattu 2017?	? Hyl	2008, 2012
marv1_41	MT Leku	Kaksijaksoinen	40 x 40	marv1_41.csv	Ei käs.	ok	2007, 2013
marv1_50	MT Ku	Varttunutta	30 x 30	marv1_50.csv	Ei käs. 75% TEXAS alan sisällä		2007, 2013
marv1_60	TR Mä	Pieni luonnontil.	20 x 40	marv1_60.csv	Ei käs. (metsään rajalla	ok	2007, 2013, 2022
marv1_62	MT Ku	uud.kypsä (2007)	30 x 40	marv1_62.csv	Ei käs.	ok	2007, 2012, 2023
marv1_78	MT KU-KO	varttunutta (2007)	30 x 30	marv1_78.csv	Ei käs.	ok	2007, 2013
marv1_81	MT KU-MÄ	vanhaa, Kalelan kuusikko	30 x 40	marv1_81.csv	Ei käs.	ok	2007, 2012
marv1_84	MT KU	varttunut tiheä	30 x 30	marv1_84.csv	Ei käs.	TEXASin sisällä	2007, 2012
marv1_94	Mtkg Mä-Ko	Kaksijaksoinen	30 x 50	marv1_94.csv	Ei käs. vai onko hakattu?	hakattu?	2007, 2013
marv1_96	Ptkg KU-MÄ	Kaksijaksoinen, varttunutta	30 x 40	marv1_96.csv	Ei käs.	ok	2007, 2013
marv1_103	MTs Ku-Ko	uud.kypsää	30 x 30	marv1_103.csv	Hakattu vuosi 2012-13	**Hylätty**	2007, 2013
marv1_107	MT Ku	Järeää	30 x 40	marv1_107.csv	Tuhoja (vähän puita enää	Kannattaako?	2007, 2013
marv1_108	Ptkg MÄ	uud.kypsää	25 x 40	marv1_108.csv	Ei käs.	ok	2007, 2013

marv1_114	CT/VT mä vart	varttunutta	50 x 45	marv1_114.csv	LK1 korvannut		2007,
marv1_122	MT Omorika	Kaksityvisiä, jaettu kahteen ruutu	30 x 40	marv1_122.csv	Ei käs.	ok	2007, 2012
marv1_131	MT Ku	Tiheä, kasvatus	30 x 40	marv1_131.csv	Osa koealaa menetetty l	Hylätty?	2007, 2012
marv1_132	MT Ko	Ensiharventamaton (2007)	30 x 40	marv1_132.csv	Harvennettu 2014?	ok, jos viim. dat	2007, 2012, 2014
marv1_133	MT Mä	Ensiharventamaton (2007)	30 x 40	marv1_133.csv	Viimeinen mittaus?		2007, 2010, 2024
MARV1_08_1A	Mä	Varttunut mä, lann?	30 x 30	MARV1_08_1A.csv	Ei käs. Lumituho 09/10	ok	2008, 2010
MARV1_08_1B	Mä	Varttunut mä, lann?	30 x 30	MARV1_08_1B.csv	Ei käs. Lumituho 09/10	ok	2008, 2010
MARV1_08_1C	Mä	Varttunut mä, lann?	30 x 30	MARV1_08_1C.csv	Ei käs. Lumituho 09/10	ok	2008, 2010
MARV1_08_1D	Mä	Varttunut mä, lann?	30 x 30	MARV1_08_1D.csv	Ei käs. Lumituho 09/10	ok	2008, 2010
MARV1_08_2A	Mä-Ku	Uud.kypsä ku-mä	35 x 35	MARV1_08_2A.csv	Avohakkuu 2013	Hylätty	2008, 2012
MARV1_08_2B	Mä-Ku	Uud.kypsä ku-mä	35 x 35	MARV1_08_2B.csv	Avohakkuu 2013	Hylätty	2008, 2012
MARV1_08_2C	Mä-Ku	Uud.kypsä ku-mä	35 x 35	MARV1_08_2C.csv	Avohakkuu 2013	Hylätty	2008, 2012
MARV1_08_2D	Mä-Ku	Uud.kypsä ku-mä	35 x 35	MARV1_08_2D.csv	Avohakkuu 2013	Hylätty	2008, 2012
MARV1_08_3A	Ku	Vanha kuusivalt	50 x 50	MARV1_08_3A.csv	Avohakattu 2014	Hylätty	2008, 2013
MARV1_08_3B	Ku	Vanha kuusivalt	50 x 50	MARV1_08_3B.csv	Avohakattu 2014	Hylätty	2008, 2013
MARV1_08_3C	Ku	Vanha kuusivalt	50 x 50	MARV1_08_3C.csv	Avohakattu 2014	Hylätty	2008, 2013
MARV1_08_3D	Ku	Vanha kuusivalt	50 x 50	MARV1_08_3D.csv	Avohakattu 2014	Hylätty	2008, 2013
MARV1_08_4A	Mä-Ku-Ko	varttunut sekam.	30 x 50	MARV1_08_4A.csv	Ei käs. (MTAITO)	ok	2008, 2013, 2021, 2024
MARV1_08_4B	Mä-Ku-Ko	varttunut sekam.	30 x 50	MARV1_08_4B.csv	Ei käs. (MTAITO)	ok	2008, 2013, 2021, 2023, 2024
MARV1_08_4C	Mä-Ku-Ko	varttunut sekam.	30 x 50	MARV1_08_4C.csv	Ei käs. (MTAITO)	ok	2008, 2013, 2021, 2023, 2024
MARV1_08_4D	Mä-Ku-Ko	varttunut sekam.	30 x 50	MARV1_08_4D.csv	Ei käs. (MTAITO)	ok	2008, 2013, 2021, 2024
MARV1_09_1A	Ku-Mä	Sekametsää 50 v	35 x 35	MARV1_09_1A.csv	Ei käs. 2013-	ok - 2022	2009, 2013, 2023
MARV1_09_1B	Ku-Mä	Sekametsää 50 v	35 x 35	MARV1_09_1B.csv	Ei käs. 2013-	ok - 2022	2009, 2013, 2023
MARV1_09_1C	Ku-Mä	Sekametsää 50 v	35 x 35	MARV1_09_1C.csv	Ei käs. 2013-	ok - 2022	2009, 2013, 2023
MARV1_09_1D	Ku-Mä	Sekametsää 50 v	35 x 35	MARV1_09_1D.csv	Ei käs. 2013-	ok - 2022	2009, 2013, 2023
MARV1_09_2A	Ku-Mä	SEKAMETSÄÄ 100 v	45 x 45	MARV1_09_2A.csv	Ei käs. 2013-	ok	2009, 2013, 2023
MARV1_09_2B	Ku-Mä	SEKAMETSÄÄ 100 v	45 x 45	MARV1_09_2B.csv	Ei käs. 2013-	ok	2009, 2013, 2023
MARV1_09_2C	Ku-Mä	SEKAMETSÄÄ 100 v	45 x 45	MARV1_09_2C.csv	Ei käs. 2013-	ok	2009, 2013, 2023
MARV1_09_2D	Ku-Mä	SEKAMETSÄÄ 100 v	45 x 45	MARV1_09_2D.csv	Ei käs. 2013-	ok	2009, 2013, 2023
MARV1_09_7A	Mä	Koppimä-pohj	35 x 40	MARV1_09_7A.csv	Harv 2020	ok, d13 merkit	2009, 2023
MARV1_09_7B	Mä	Koppimä-pohj	35 x 40	MARV1_09_7B.csv	Harv 2020	ok, d13 merkit	2009, 2023
MARV1_09_7C	Mä	Koppimä-pohj	35 x 40	MARV1_09_7C.csv	Harv 2020	ok, d13 merkit	2009, 2023
MARV1_09_7D	Mä	Koppimä-pohj	35 x 40	MARV1_09_7D.csv	Harv 2020	ok, d13 merkit	2009, 2023
MARV1_09_8A		60v Mä-Ku	40 x 40	MARV1_09_8A.csv	Ei käs.	ok	2009, 2010, 2014, 2022
MARV1_09_8B		60v Mä-Ku	40 x 40	MARV1_09_8B.csv	Ei käs.	ok	2009, 2010, 2014, 2022
MARV1_09_8C		60v Mä-Ku	40 x 40	MARV1_09_8C.csv	Ei käs.	ok	2009, 2010, 2014, 2022
MARV1_09_8D		60v Mä-Ku	40 x 40	MARV1_09_8D.csv	Ei käs.	ok	2009, 2010, 2014, 2022
MARV1_09_9A		ylitiheä ku	15 x 30	MARV1_09_9A.csv	Ei käs.	ok	2009, 2014, 2022
MARV1_09_9B		ylitiheä ku	16 x 30	MARV1_09_9B.csv	Ei käs.	ok	2009, 2014, 2022
MARV1_09_9C		ylitiheä ku	17 x 30	MARV1_09_9C.csv	Ei käs.	ok	2009, 2014, 2022
MARV1_09_9D		ylitiheä ku	18 x 30	MARV1_09_9D.csv	Ei käs.	ok	2009, 2014, 2022
MARV1_10_1A		Mä-Ko pellolla	50 x 50	MARV1_10_1A.csv	Ei käs	ok	2010, 2013, 2022
MARV1_10_1B		Mä-Ko pellolla	50 x 50	MARV1_10_1B.csv	Ei käs.	ok	2010, 2013, 2022
MARV1_10_2A		Koivu-kuusi vartt	40 x 40	MARV1_10_2A.csv	voim. harv 2018?	80 x 40 m alana	2010, 2013
MARV1_10_2B		Koivu-kuusi vartt	40 x 40	MARV1_10_2B.csv	voim. harv 2018?	80 x 40 m alana	2010, 2013
MARV1_10_3A		Mä-Ko	30 x 70	MARV1_10_3A.csv	Harv 2021	Harv	2010, 2013, 2024
MARV1_10_3B		Mä-Ko	30 x 70	MARV1_10_3B.csv	Harv 2021	Harv	2010, 2013, 2024
MARV1_10_3C		Mä-Ko	30 x 70	MARV1_10_3C.csv	Harv 2021	Harventamaton	2010, 2013, 2024
MARV1_10_4A		Sekametsä	45 x 45	MARV1_10_4A.csv	ei käs.	ok	2010, 2013, 2023
MARV1_10_4B		Sekametsä	45 x 45	MARV1_10_4B.csv	ei käs.	ok	2010, 2013, 2023

MARV1_10_5A		Vanha sekam.	50 x 50	MARV1_10_5A.csv	ei käs.	ok	2010, 2013
MARV1_10_5B		Vanha sekam.	50 x 50	MARV1_10_5B.csv	ei käs.	ok	2010, 2013
MARV1_10_6A		RaR mä	30 x 45	MARV1_10_6A.csv	ei käs	ok	2010, 2013, 2023
MARV1_10_6B		RaR mä	30 x 45	MARV1_10_6B.csv	ei käs	ok	2010, 2013, 2023
MARV1_11_1A		Männikkö-kumpare-kasvup	50 x 50	MARV1_11_1A.csv	Ei käs.	ok	2011, 2023
MARV1_11_1B		Männikkö-kumpare-kasvup	50 x 50	MARV1_11_1B.csv	Ei käs.	ok	2011, 2023
MARV1_11_1C		Männikkö-kumpare-kasvup	50 x 50	MARV1_11_1C.csv	Ei käs.	ok	2011, 2023
MARV1_11_1D		Männikkö-kumpare-kasvup	50 x 50	MARV1_11_1D.csv	Ei käs.	ok	2011, 2023
MARV1_11_2A		Sekametsä, ei mitatu	40 x 30	MARV1_11_2A.csv	Ei käs.	Ei ole mitattu kertaakaan (puulajit)	
MARV1_11_2B		Sekametsä, ei mitattu	40 x 30	MARV1_11_2B.csv	Ei käs.	Ei ole mitattu kertaakaan	
MARV1_11_2C		Sekametsä	40 x 30	MARV1_11_2C.csv	Ei käs.	ok	2011, 2014
MARV1_11_2D		Sekametsä	40 x 30	MARV1_11_2D.csv	Ei käs.	ok	2011, 2014
MARV1_11_3A		VT kuusikko 40 v	30 x 30	MARV1_11_3A.csv	Ei käs	ok (maalattu)	2011, 2022
MARV1_11_3B		VT kuusikko 40 v	30 x 30	MARV1_11_3B.csv	Ei käs	ok (maalattu)	2011, 2022
MARV1_11_4A		Kuusikko yläharv	50 x 50	MARV1_11_4A.csv	Ei käs.	mittaus 2019? M	2011, 2014
MARV1_11_4B		Kuusikko yläharv	50 x 50	MARV1_11_4B.csv	Ei käs.	mittaus 2019? M	2011, 2014
MARV1_11_4C		Kuusikko yläharv	50 x 50	MARV1_11_4C.csv	Ei käs.	mittaus 2019? M	2011, 2014
MARV1_11_5A		Ensiharventamaton mä	20 x 40	MARV1_11_5A.csv	Harvennettu 2019?	Jatkossa yksi ko	, 2011
MARV1_11_5B		Ensiharventamaton mä	20 x 40	MARV1_11_5B.csv	Harvennettu 2019?	Jatkossa yksi ko	, 2011
MARV1_11_7A		Vanha ku-mä	60 x 40	MARV1_11_7A.csv	ei käs.	ok	2011, 2014
MARV1_11_7B		Vanha kuusivalt	60 x 40	MARV1_11_7B.csv	ei käs.	ok	2011, 2014
MARV1_11_7C		Vanha kuusivalt	60 x 40	MARV1_11_7C.csv	ei käs.	ok	2011, 2014
MARV1_15_1A		Mä kallioinen kasvupaikka	45 x 55	MARV1_15_1A.csv	Ei käs.	ok	2015,
MARV1_15_1B		Mä ku vanhaa lh.	40 x 75	MARV1_15_1B.csv	Ei käs	ok	2015,
MARV1_15_2A		Sekametsää lh. metsä	40 x 70	MARV1_15_2A.csv	Ei käs.	ok	2015, 2024
MARV1_15_2B		Sekametsää lh. metsä	40 x 70	MARV1_15_2B.csv	Ei käs.	ok	2015, 2024
MARV1_15_2C		Sekametsää lh. metsä	40 x 70	MARV1_15_2C.csv	Ei käs.	ok	2015, 2024
MARV1_15_3		Korpi lh. metsä	30 x 80	MARV1_15_3.csv	Ei käs.	ok	2015,
MARV1_15_4		Korpi lh. metsä	35 x 80	MARV1_15_4.csv	Ei käs.	ok	2015, 2022
MARV1_15_5A		Vanha kuusivalt.	45 x 80	MARV1_15_5A.csv	Ei käs.	ok	2015, 2023
MARV1_15_5B		Vanha kuusivalt.	45 x 80	MARV1_15_5B.csv	Ei käs.	ok	2015, 2023
MARV1_15_5C		Vanha kuusivalt.	45 x 80	MARV1_15_5C.csv	Ei käs.	ok	2015, 2023
MARV1_15_6		mänty ensiharv. Vinometsä	30 x 30	MARV1_15_6.csv	Ei käs.	ok	2015, 2021, 2022, 2024
MARV1_15_7A		40 V SEKAMETSÄ	30 X 40	MARV1_15_7A.csv	Harvennettu 2019?	Jos mitataan nii	2015,
MARV1_15_7B		40 V SEKAMETSÄ	30 X 40	MARV1_15_7B.csv	Harvennettu 2019?	Jos mitataan nii	2015,
MARV1_15_8A		Varttunut ku-ko	40 x 70	MARV1_15_8A.csv	Ei käs.	ok	2015, 2021
MARV1_15_8B		Varttunut ku-ko	40 x 70	MARV1_15_8B.csv	Ei käs.	ok	2015, 2021, 2022, 2024
MARV1_15_9		Lehtikuusi 1980	55 x 55	MARV1_15_9.csv	Ei käs.	ok	2015, 2021
MARV1_15_10		Kontorta 1980	50 x 50	MARV1_15_10.csv	Ei käs.	ok	2015, 2021
MARV1_15_11		ensiharventamaton VT-kuusi	25 x 30	MARV1_15_11.csv	Ei käs.	ok	2015, 2021, 2022, 2024
MARV1_16_1A		Vanha kuusivalt.	50 x 70	MARV1_16_1A.csv	Ei käs.	ok	2016,
MARV1_16_1B		Vanha sekam.	50 x 70	MARV1_16_1B.csv	Ei käs.	ok	2016,
MARV1_16_1C		Vanha sekam.	50 x 70	MARV1_16_1C.csv	Ei käs.	ok	2016,
MARV1_16_2A		Vanha Kuusivalt.	60 x 60	MARV1_16_2A.csv	Ei käs.	ok	2016,
MARV1_16_2B		Vanha Kuusivalt.	60 x 60	MARV1_16_2B.csv	Ei käs.	ok	2016,
MARV1_16_3A		Vanha Kuusivalt.	45 x 90	MARV1_16_3A.csv	Ei käs.	ok	2016,
MARV1_16_3B		Vanha Kuusivalt.	45 x 90	MARV1_16_3B.csv	Ei käs.	ok	2016,
MARV1_16_3C		Vanha Kuusivalt.	45 x 90	MARV1_16_3C.csv	Ei käs.	ok	2016,
MARV1_16_4A		Vanha sekam.	45 x 60	MARV1_16_4A.csv	Ei käs.	ok	2016,
MARV1_16_4B		Vanha sekam.	45 x 60	MARV1_16_4B.csv	Ei käs.	ok	2016,

MARV1_16_5A		45 v sekametsä	50 x 50	MARV1_16_5A.csv	Harv. ennen mitt.	ok	2016,
MARV1_16_5B		45 v sekametsä	50 x 50	MARV1_16_5B.csv	Harv. ennen mitt.	ok	2016,
MARV1_16_5C		45 v sekametsä	50 x 50	MARV1_16_5C.csv	Harv. ennen mitt.	ok	2016,
MARV1_16_5D		45 v sekametsä	50 x 50	MARV1_16_5D.csv	Harv. ennen mitt.	ok	2016,
marv4_2		4 aarin pysyvä inv.ala	r=11.28	marv4_2.csv	Harv. 2020	ok	2007, 2013, 2019, 2024
marv4_6		4 aarin pysyvä inv.ala	r=11.28	marv4_6.csv	Osin lanssip. 2020?	ok	2007, 2013, 2019, 2024
marv4_11		4 aarin pysyvä inv.ala	r=11.28	marv4_11.csv		ok	2007, 2013, 2019, 2024
marv4_12		4 aarin pysyvä inv.ala	r=11.28	marv4_12.csv		ok	2007, 2013, 2019, 2024
marv4_15		4 aarin pysyvä inv.ala	r=11.28	marv4_15.csv	Harv. 2020	ok	2007, 2013, 2019, 2024
marv4_19		4 aarin pysyvä inv.ala	r=11.28	marv4_19.csv		ok	2007, 2013, 2019, 2024
marv4_21		4 aarin pysyvä inv.ala	r=11.28	marv4_21.csv	Harv. 2020	ok	2007, 2013, 2019, 2024
marv4_25		4 aarin pysyvä inv.ala	r=11.28	marv4_25.csv		ok	2007, 2013, 2019, 2024
marv4_29		4 aarin pysyvä inv.ala	r=11.28	marv4_29.csv	Harv. 2020	ok	2007, 2013, 2019, 2024
marv4_31		4 aarin pysyvä inv.ala	r=11.28	marv4_31.csv		ok	2007, 2013, 2019, 2024
marv4_35		4 aarin pysyvä inv.ala	r=11.28	marv4_35.csv		ok	2007, 2013, 2019, 2024
marv4_37		4 aarin pysyvä inv.ala	r=11.28	marv4_37.csv	Harv. 2020	ok	2007, 2013, 2019, 2024
marv4_41		4 aarin pysyvä inv.ala	r=11.28	marv4_41.csv		ok	2007, 2013, 2019, 2024
marv4_45		4 aarin pysyvä inv.ala	r=11.28	marv4_45.csv		ok	2007, 2013, 2019, 2024
marv4_49		4 aarin pysyvä inv.ala	r=11.28	marv4_49.csv		ok	2007, 2013, 2019, 2024
marv4_53		4 aarin pysyvä inv.ala	r=11.28	marv4_53.csv		ok	2007, 2013, 2019, 2024
marv4_57		4 aarin pysyvä inv.ala	r=11.28	marv4_57.csv	Lanssipaikka 2018 vai 20?	ok	2007, 2013, 2019, 2024
marv4_61		4 aarin pysyvä inv.ala	r=11.28	marv4_61.csv		ok	2007, 2013, 2019, 2024
marv4_65		4 aarin pysyvä inv.ala	r=11.28	marv4_65.csv		ok	2007, 2013, 2019, 2024
marv4_69		4 aarin pysyvä inv.ala	r=11.28	marv4_69.csv		ok	2007, 2013, 2019, 2024
marv4_73		4 aarin pysyvä inv.ala	r=11.28	marv4_73.csv		ok	2007, 2013, 2019, 2024
marv4_77		4 aarin pysyvä inv.ala	r=11.28	marv4_77.csv		ok	2007, 2013, 2019, 2024
marv4_81		4 aarin pysyvä inv.ala	r=11.28	marv4_81.csv		ok	2007, 2013, 2019, 2024
marv4_85		4 aarin pysyvä inv.ala	r=11.28	marv4_85.csv		ok	2007, 2013, 2019, 2024
marv4_89		4 aarin pysyvä inv.ala	r=11.28	marv4_89.csv		ok	2007, 2013, 2019, 2024
marv4_93		4 aarin pysyvä inv.ala	r=11.28	marv4_93.csv		ok	2007, 2013, 2019, 2024
marv4_97		4 aarin pysyvä inv.ala	r=11.28	marv4_97.csv	Taimikko 2014	ok	2007, 2013, 2019, 2024
marv4_101		4 aarin pysyvä inv.ala	r=11.28	marv4_101.csv	Harv. 2017?	ok	2007, 2013, 2019, 2024
marv4_105		4 aarin pysyvä inv.ala	r=11.28	marv4_105.csv		ok	2007, 2013, 2019, 2024
marv4_109		4 aarin pysyvä inv.ala	r=11.28	marv4_109.csv		ok	2007, 2013, 2019, 2024
marv4_113		4 aarin pysyvä inv.ala	r=11.28	marv4_113.csv		ok	2007, 2013, 2019, 2024
marv4_117		4 aarin pysyvä inv.ala	r=11.28	marv4_117.csv		ok	2007, 2013, 2019, 2024
marv4_121		4 aarin pysyvä inv.ala	r=11.28	marv4_121.csv	Harv 2014/15?	ok	2007, 2013, 2019, 2024
marv4_125		4 aarin pysyvä inv.ala	r=11.28	marv4_125.csv		ok	2007, 2013, 2019, 2024
marv4_129		4 aarin pysyvä inv.ala	r=11.28	marv4_129.csv		ok	2007, 2013, 2019, 2024
marv4_131		4 aarin pysyvä inv.ala	r=11.28	marv4_131.csv		ok	2007, 2013, 2019, 2024
marv4_135		4 aarin pysyvä inv.ala	r=11.28	marv4_135.csv		ok	2007, 2013, 2019, 2024
marv4_139		4 aarin pysyvä inv.ala	r=11.28	marv4_139.csv		ok	2007, 2013, 2019, 2024
marv4_143		4 aarin pysyvä inv.ala	r=11.28	marv4_143.csv		ok	2007, 2013, 2019, 2024
marv4_147		4 aarin pysyvä inv.ala	r=11.28	marv4_147.csv		ok	2007, 2013, 2019, 2024
marv4_151		4 aarin pysyvä inv.ala	r=11.28	marv4_151.csv		ok	2007, 2013, 2019, 2024
marv4_155		4 aarin pysyvä inv.ala	r=11.28	marv4_155.csv	Noin 2016 tulva?	ok	2007, 2013, 2019, 2024
marv4_159		4 aarin pysyvä inv.ala	r=11.28	marv4_159.csv		ok	2007, 2013, 2019, 2024
marv4_163		4 aarin pysyvä inv.ala	r=11.28	marv4_163.csv		ok	2007, 2013, 2019, 2024
marv4_167		4 aarin pysyvä inv.ala	r=11.28	marv4_167.csv		ok	2007, 2013, 2019, 2024
marv4_171		4 aarin pysyvä inv.ala	r=11.28	marv4_171.csv	Lanssipaikka 2010?	ok	2007, 2013, 2019, 2024
marv4_175		4 aarin pysyvä inv.ala	r=11.28	marv4_175.csv		ok	2007, 2013, 2019, 2024
marv4_179		4 aarin pysyvä inv.ala	r=11.28	marv4_179.csv		ok	2007, 2013, 2019, 2024
marv4_183		4 aarin pysyvä inv.ala	r=11.28	marv4_183.csv		ok	2007, 2013, 2019, 2024
marv4_187		4 aarin pysyvä inv.ala	r=11.28	marv4_187.csv	Harv. 2020	ok	2007, 2013, 2019, 2024
marv4_191		4 aarin pysyvä inv.ala	r=11.28	marv4_191.csv		ok	2007, 2013, 2019, 2024
marv4_195		4 aarin pysyvä inv.ala	r=11.28	marv4_195.csv	Osin 2012 aukolla	ok	2007, 2013, 2019, 2024
marv4_199		4 aarin pysyvä inv.ala	r=11.28	marv4_199.csv		ok	2007, 2013, 2019, 2024
marv4_203		4 aarin pysyvä inv.ala	r=11.28	marv4_203.csv		ok	2007, 2013, 2019, 2024
marv4_207		4 aarin pysyvä inv.ala	r=11.28	marv4_207.csv		ok	2007, 2013, 2019, 2024
marv4_211		4 aarin pysyvä inv.ala	r=11.28	marv4_211.csv	Osin 2012 aukolla	ok	2007, 2013, 2019, 2024
marv4_215		4 aarin pysyvä inv.ala	r=11.28	marv4_215.csv		ok	2007, 2013, 2019, 2024
marv4_219		4 aarin pysyvä inv.ala	r=11.28	marv4_219.csv		ok	2007, 2013, 2019, 2024
marv4_223		4 aarin pysyvä inv.ala	r=11.28	marv4_223.csv		ok	2007, 2013, 2019, 2024
TEXAS	3.8 ha	Suurkoeala, kuusikko	160 x 240 m	TEXAS.csv		ok	2017, 2020
Vjsuo	2.14 ha	Suurkoeala, suomännikkö	130 x 165	Vjsuo.csv		ok	2017, 2020
SMEAR	4.2 ha	Suurkoeala, männikkö	150 x 280 m	SMEAR.csv		ok	2018, 2021
Tapiola	2.25 ha	Suurkoeala, vanhametsä	150 x 150	Tapiola.csv		ok	2018,
Asema	1.02 ha	Asmean hehtaari talonp.metsää	85 x 120	Asema.csv		ok	2017, 2019, 2021, 2023
Mkoivu	0.24 ha	Muiskokoivikko 2009-	30 x 80	Mkoivu.csv		ok	2009, 2010,..,24
2003_leimikko88		Rasinmäen ala GPS ScandJFR			Avohak. 2003 mittaukser	Hylätty	2003, hakkuukonedata
2003_leimikko15		Rasinmäen ala GPS ScandJFR			Avohak. 2003 mittaukser	Hylätty	2003, hakkuukonedata

LISÄKSI 42 MARV4-2007 kertakoealaa, yht. 1.7 ha				p99 (2023), m	p2h (2023), osuus alle 2m		Mitattu
marv4_3	2515325	6860925	r=11.28	14.4	0.326	ok	2019, 2024
marv4_4	2515325	6860975	r=11.28	15.1	0.408	ok	2019, 2024
marv4_9	2515375	6860975	r=11.28	16.5	0.283	ok	2019, 2024
marv4_10	2515375	6861025	r=11.28	18.0	0.305	ok	2019, 2024
marv4_14	2515425	6860875	r=11.28	16.6	0.491	ok	2019, 2024
marv4_16	2515425	6860975	r=11.28	17.5	0.284	ok	2019, 2024
marv4_18	2515425	6861075	r=11.28	18.2	0.136	ok	2019, 2024
marv4_33	2515525	6861075	r=11.28	22.2	0.198	ok	2019, 2024
marv4_36	2515575	6860775	r=11.28	20.1	0.119	ok	2019, 2024
marv4_38	2515575	6860875	r=11.28	23.8	0.246	ok	2019, 2024
marv4_42	2515575	6861075	r=11.28	18.4	0.088	ok	2019, 2024
marv4_52	2515625	6861025	r=11.28	22.4	0.130	ok	2019, 2024
marv4_56	2515625	6861225	r=11.28	22.4	0.298	ok	2019, 2024
marv4_60	2515675	6860725	r=11.28	25.2	0.238	ok	2019, 2024
marv4_67	2515675	6861075	r=11.28	20.7	0.250	ok	2019, 2024
marv4_74	2515725	6860575	r=11.28	21.4	0.066	ok	2019, 2024
marv4_104	2515775	6861175	r=11.28	22.1	0.126	ok	2019, 2024
marv4_110	2515825	6860575	r=11.28	22.1	0.360	ok	2019, 2024
marv4_111	2515825	6860625	r=11.28	22.9	0.307	ok	2019, 2024
marv4_114	2515825	6860775	r=11.28	3.0	0.964	ok	2019, 2024
marv4_118	2515825	6860975	r=11.28	19.6	0.183	ok	2019, 2024
marv4_123	2515825	6861225	r=11.28	22.8	0.505	ok	2019, 2024
marv4_127	2515875	6860575	r=11.28	22.8	0.266	ok	2019, 2024
marv4_130	2515875	6860725	r=11.28	23.3	0.272	ok	2019, 2024
marv4_142	2515925	6860525	r=11.28	26.3	0.087	ok	2019, 2024
marv4_148	2515925	6860825	r=11.28	19.1	0.243	ok	2019, 2024
marv4_158	2515975	6860575	r=11.28	26.8	0.076	ok	2019, 2024
marv4_166	2515975	6860975	r=11.28	26.3	0.129	ok	2019, 2024
marv4_168	2515975	6861075	r=11.28	21.7	0.272	ok	2019, 2024
marv4_170	2515975	6861175	r=11.28	21.5	0.513	ok	2019, 2024
marv4_176	2516025	6860725	r=11.28	26.4	0.246	ok	2019, 2024
marv4_178	2516025	6860825	r=11.28	25.0	0.154	ok	2019, 2024
marv4_180	2516025	6860925	r=11.28	20.0	0.240	ok	2019, 2024
marv4_184	2516025	6861125	r=11.28	18.9	0.551	ok	2019, 2024
marv4_198	2516075	6861125	r=11.28	21.9	0.367	ok	2019, 2024
marv4_200	2516075	6861225	r=11.28	26.3	0.379	ok	2019, 2024
marv4_206	2516125	6860825	r=11.28	22.6	0.253	ok	2019, 2024
marv4_213	2516125	6861175	r=11.28	26.6	0.038	ok	2019, 2024
marv4_214	2516175	6860625	r=11.28	28.5	0.174	ok	2019, 2024
marv4_216	2516175	6860725	r=11.28	29.8	0.063	ok	2019, 2024
marv4_218	2516175	6860825	r=11.28	23.6	0.251	ok	2019, 2024
marv4_220	2516175	6860925	r=11.29	21.0	0.151	ok	2019, 2024

6.2 Geometric ground control

6.2.1 2000 GCPs, signaled

Established signaled GCPs (N = 16) for aerial triangulation. White crosses, 30x(100-150) cm.

- \HYDE_REF\Misc\Muut.html

6.2.2 2002 Levelling (vaaitus)

Plots MMM1, MMM2, S1-S6, P1-P4, P6, B1-B4. Determining Z-coordinate of the plot origin by bringing the Z from known control points.

- \HYDE_REF\Misc\Muut.html

6.2.3 2005 Levelling (vaaitus)

MML ground control points. Determining Z-coordinate of the plot origin by bringing the Z from known control points.

- \HYDE_REF\Misc\Muut.html

6.2.4 2005 GCPs, natural and man-made

Positioning of natural and man-made targets with VRS-GPS. Used for triangulating the aerial image time series in Hyytiälä.

- \HYDE_REF\Misc\Muut.html

6.2.5 2006 Z profiles

VRS-GPS Z profiles in seedling/sapling stands.

- \HYDE_REF\Misc\Muut.html

6.2.6 2006 GCPs, natural and man-made

VRS-GPS measurements. Measurement of natural and man-made GCPs to be used for 2006 aerial image triangulation. Measurement of z control points for leveling. (Ilkka tarkista että kuvaus on oikein!)

- \HYDE_REF\Misc\Muut.html

6.2.7 2006 Levelling (vaaitus)

Plots TELE, MK, KM, FT, LK1, LK2, MMM2, TEXAS. Determining Z-coordinate of the plot origin by bringing the Z from known control points.

- \HYDE_REF\Misc\Muut.html

6.2.8 2007 Z profiles

VRS-GPS measurement of road profiles for evaluating accuracy of the 2007 LiDAR data.

- \HYDE_REF\Misc\Muut.html

6.2.9 2008 GCPs, signaled

Checking, repairing and painting old signaled GCPs from 2000. Establishment of new (N = 20). Positioned with VRS-GPS.

- \HYDE_REF\Misc\Muut.html

6.2.10 2010 GCPs, signaled

Established new signaled GCPs in six 500×500 m areas for TEKES UAV campaign. In each area there were up to 5 GCPs established. GCPs are white crosses made of 15x100 cm wood (Note! they are smaller than the other signaled GCPs in Hyytiälä). Positioned with VRS-GPS.

- \HYDE_REF\Misc\Muut.html

6.2.11 2010 Z profiles

Points positioned with VRS-GPS (N = 290). Sand road, football field, asphalt road, *Trifolium* field.

- \HYDE_REF\Misc\Muut.html

6.2.12 2012 Z profiles

Points positioned with VRS-GPS (N = 204). Sand road, oat field.

- \HYDE_REF\Misc\Muut.html

6.2.13 2013 Z profiles

Points positioned with VRS-GPS (N = 896). Sand and asphalt roads. Cover quite well the entire Hyytiälä AOI.

- \HYDE_REF\Misc\Muut.html

6.2.14 2015 GCPs, signaled

Checked the status of signaled GCPs. Painted and repaired 38 and re-built 2 signals. Discarded those that had moved from their place. Also discarded majority of those that were completely broken and would have needed re-building.

- \HYDE_REF\Misc\Muut.html

6.3 Other ground reference

6.3.1 2003 Clear-felled stands #15 and #88

Growth measurements of clear-felled trees. Ilkka has to check the documentation. Data are in:

- \HYDE_REF_2015\Misc\Muut.html

6.3.2 2006 Seedling/sapling stand vegetation

Samples of vegetation and abiotic material in six stands, positioned with VRS-GPS. Small plots (N = 6) containing trees, and subjectively selected point samples (N = 947) of trees and other vegetation.

- \HYDE_REF\Plots\TaimikkoData2006\Taimikot_2006.html

6.3.3 2006 Mire surface vegetation

Mire surface vegetation sampled for For.Eco.Manag. (2009) study.

- \HYDE_REF\Misc\Muut.html

6.3.4 2007 Exotic tree species nearby Hyytiälä

Photogrammetric-geodetic mapping and field reference measurements of exotic trees (N = 577).

- \HYDE_REF_2015\Misc\Muut.html

6.3.5 2007 Seedling/sapling stand vegetation

Samples of vegetation and abiotic material in seven stands, positioned with VRS-GPS. Small plots (N = 6) containing trees, and subjectively selected point samples (N = 1085) of trees and other vegetation.

- \HYDE_REF\Plots\TaimikkoData2007\Taimikot_2007.html

6.3.6 2010 TEKES mobile phone plots

Selected 30 permanent forest plots, in which 54 image locations were established. The image locations were marked in the field, and positioned with triangulation/trilateration, using trees as control points. The markings were removed after the imaging but the coordinates of the locations are known.

- \2010_Social_Forest\
  See README.txt

6.3.7 2010 Seedling/sapling stand vegetation

Samples of vegetation and abiotic material in 14 stands, positioned with VRS-GPS.

i. Small plots in which every tree was measured for species and height. (14 new plots, 3 plots from 2006/2007 re-measured: 6908 trees in total)

ii. Subjectively selected point samples of trees and other vegetation. Species and height measured. (2357 samples)

iii. Subjectively selected samples of low vegetation. Height measured, and percentage canopy cover estimated visually. (945 samples)

- \HYDE_REF\Plots\TaimikkoData2010\Taimikot_2010.html

6.3.8 2012 Systematic search of one-species stands

Jan-Feb 2012. Circular plots (N = 479) of 10 m radius searched systematically over Hyytiälä area, by visual interpretation of 2010 aerial images. Used in reference for AISA hypespectral data in 2010 (Paras Pant, UEF). Some of the broadleaved plots checked in the field by Antti Uotila.

- \HYDE_REF\Misc\Muut.html

6.3.9 2012 Seedling/sapling stand vegetation

Vegetation and abiotic material measured and positioned with VRS-GPS.

i. Point samples of young trees, low vegetation and abiotic material, in seedling and sapling stands (N = 1550).
ii. Circular plots in seedling and sapling stands (N = 72). Height of trees measured and treatment need evaluated.

- \HYDE_REF\Plots\TaimikkoData2012\index.html

6.3.10 2012 Shoot and leaf geometry, fireweed and raspberry

Shoot geometry measured for LiDAR simulation study. Geometry of 10 sample shoots of fireweed and 10 of raspberry measured. In addition leaf shapes digitized.

- \HYDE_REF\Misc\Muut.html

Measurement data

- \2012_raspberry_fireweed_birch_leaves_scanned\

Scanned images of leaves, tiff-format

6.3.11 2012 Search of radiometrically interesting targets under forest

Field trip, searching for interesting targets, positioned with differential GNSS, 1-4 m XY accuracy.

- \HYDE_REF\Plots\Alikasvos_2012\elokuu_2012_ilkka.html
- \HYDE_REF\Plots\Alikasvos_2012\elokuu2012_aarne.html

6.3.12 2013 LAI of raspberry canopies

1-4 m^2 sample plots (N = 50) of raspberry canopies in two recently regenerated stands. To be used for developing LiDAR simulator. The LAI was determined and the plots positioned with VRS-GPS.

Following measurements were performed for determining LAI:

i. Specific leaf area was determined by scanning, drying, and weighing leaf samples (N = 50).

ii. Leaf area variation between shoots was estimated by measuring leaf area of sample shoots (N = 40). The variation was used to determine sampling ratio i.e. how large proportion of the shoots should be sampled when determining the LAI of the plots, see below.

iii. Determinging LAI of sample plots (N = 50). For 21 plots, a randomly selected subset of shoots was taken, and the leaves of shoots were dried and weighed. The LAI was estimated based on specific leaf area and the sampling ratio applied when selecting the sample shoots. For the remaining 29 plots, the LAI was predicted based on fresh biomass. The biomass models were based on the 21 plots that had more accurate measurements.

- \HYDE_REF\Plots\2013_raspberryLAI_optical_GNSS\index.html
  In the html-page, see:
  '1. Specific leaf area measurements'
  '2. Sample shoots for determining intershoot leaf area variation'
  '3. LAI measurements from sample areas'
- \2013_raspberryLAI_optical_GNSS\index.html
  Same data as in HYDE_REF but includes images

6.3.13 2013 Optical properties of fireweed and raspberry leaves

Directional-hemispherical reflectance and transmittance spectra were measured for sample leaves (N = 22) of raspberry and fireweed, using field spectroradiometer and integrating sphere. To be used for developing LiDAR simulator. The samples were taken from seven locations in one newly regenerated forest stand. The specific leaf area of the leaves was also measured.

- \HYDE_REF\Plots\2013_raspberryLAI_optical_GNSS\index.html
  In the html-page, see:
  '4. Leaf optical properties measurements'
- \2013_raspberryLAI_optical_GNSS\index.html
  Same data as in HYDE_REF but includes images

6.3.14 2013 Seedling/sapling stand vegetation

Point samples of fireweed and birch (N = 300) in seedling and sapling stands, measured and positioned with VRS-GPS. Collected in order to complement the raspberry LAI measurements, so that the LiDAR simulator could be tested against 2013 LiDAR data.

- \HYDE_REF\Plots\2013_raspberryLAI_optical_GNSS\index.html
  In the html-page, see:
  '5. Other GNSS observations from Hyytiälä'
- \2013_raspberryLAI_optical_GNSS\index.html
  Same data as in HYDE_REF but includes images

6.3.15 2013 Photogrammetric-geodetic mapping of trees around SMEAR station

Maps and files prepared for photogrammetric-geodetic mapping of trees around the SMEAR station.

- \HYDE_REF\Misc\Muut.html

6.3.16 2014 Mire surface vegetation

Samples of mire surface vegetation (N = 844) in Siikaneva. Positioned with VRS-GPS. Data in HYDE_REF, Ilkka has to check that everything is documented.

- \HYDE_REF\Misc\Muut.html

7 Notes on DPW software KUVAMITT

7.1 Technical implementation and central limitations

The data formats of LiDAR and imagery are closely linked with the digital photogrammetric software KUVAMITT, developed and maintained since 1999 by Ilkka Korpela.

Technically, KUVAMITT is a VB6 program, developed with Microsoft Visual studio 6 from 1998. It uses the win32 libraries and has thus many limits. One central is the 2GB limit. A file pointer cannot be set at value larger than 2^{31}-1, which hinders read/write of large files. Internally, VB6 sets limits for the size of individual data structures, which are restricted at below 300 Mbytes. Thus, a normal RGB aerial image cannot be read in memory completely.

The 4- and 2-byte integers in VB6 are signed (as signed int & signed short in C), and only an unsigned 1-byte integer data type is available (unsigned # in C). The floating-point double and single types are the same as in standard C.

VB supports variable length arrays as a part of Types (structs in C). Types are used as data collections with attributes. An example of a Type is Point3D.

```
Type Point3D
  x As double
  y As double
  z as double
End type

Dim MyPoint as Point3D
MyPoint.x = 2.0
```

VB6 comes with many build-in objects that have attributes (properties) and methods.
An example is a PictureBox, instances of which are used to display raster images in KUVAMITT.

There are build-in functions, and deficiencies are replaced sometimes by API functions, such as for the missing atan2() function.

Variables can have local (function, subroutine) scope, but there are also variables with global score. They are called Public variables. Some are used by KUVAMITT, for example the three variables X_sol, Y_sol, Z_sol are central as they define the current 3D point solution.

There are Forms which correspond to program windows. That can be loaded, made visible, invisible or unloaded. Form1.frm is the main program window. A form is an object with methods and attributes.

Variable, Type, Array, dll-function etc. declarations and written functions and subroutines are in code modules (*.bas). Arguments may be passed by reference (ByRef) or by value (ByVal). For example, an array is passed to an external dll-function by reference to the very first element, e.g. “Byref MyArray(0,0)”.

The menus are created in VS6 menu editor. It creates a Form-level (Private) subroutine with suffix “_Click()”.

Binary file i/o in VB starts from pointer == 1 (not file position 0 as in C).

KUVAMITT relies on many files (icons, mouse pointers, dll-files, ascii parameter files) that must be in C:\DATA\ directory.

VB6 is compiled on the fly, allowing for easy debugging but slow execution.

Because of being win32 compatible, functions in the win32-API or in external DLLs can be called from VB6 as external functions. The size of the passed arguments (data) is limited. KUVAMITT uses many API DLLs and two DLLs compiled with the VC6 compiler.

Support for VB6 is promised until 2018 in the windows operating systems.

7.2 Some main principles

There can be nine images loaded and displayed. Loading means that the interior and exterior orientation data are read. These data are in the *.HDR files (Appendices 1a and 1b).

The raw image file is read for a N x N part (pixels), which is to be displayed on the screen in a PictureBox-object. Here N is always a multiple of 4, because the displayed NxN image file (N x N pixels) is a BMP file that can easily be loaded for display in a PictureBox object. C:\DATA\ has files Pic0.bmp…Pic8.bmp.



Fig. 135. An example (Pic2.bmp) found in the C:\DATA\ folder.

The partial image displayed is always a “cut” of a larger image, and has an origin defined in the image coordinate system of the large (main) image. Thus it is possible to compute the (col, row) values, and using affine transformation, derive the metric position in the camera coordinate system.

There is always a solution (X_sol, Y_sol, Z_sol), and the images displayed can be centered on the positions to which this point maps in the images.

The photogrammetry is simpler for the frame-images (2D sensor array, one exposure), than it is for the ADS40 line sensor images (continuous integration of image lines for an image mat, continuum of line images with perspective mapping in one direction only).

Appendix 4 has a 10-page document about KUVAMITT from 2009.

8 Missing optical data

Satellite images?

In 2011, a hyperspectral campaign was carried out by a consortium led by Prof. Petri Pellikka (UH Geography).

Appendix 1a – HDR-files, frame sensor

An example of a HDR-file for a frame sensor. Scanned (frame-sensor) film image from summer 2004 (2004_440220.hdr). The part following "/" is a comment, that should not be included in a HDR-file. The structure of the HDR file has evolved since 1999, when the development of KUVAMITT-software started.

```
FRAME                              / "FRAME", "ADS L0" or "ADS L1"
 440220                            / integer image code
 15376                             / width in pixels, N columns
 15346                             / height in pixels, N rows
"d:\04402\04402_0020_cp.raw"       / reference to image file
 1                                 / color model, 1 == RGB, 8 bits per color
 7650                              / image centered at this column at start
 7650                              / " " " " row " "
 0                                 / Upper left corner column value (if sub-image)
 0                                 / Upper left corner row value (cut sub-image)
 15376                             / Size of the sub-image, width in pixels
 15346                             / size of the sub-image, height in pixels
 0.21407                           / focal length, meters
 0                                 / ppa_x coordinates on focal plane, m
 0                                 / ppa_y coordinates on focal plane, m
 0                                 / Helmert transformation, scale
 0                                 / Helmert transformation, rotation
 0                                 / Helmert transformation, x offset camera crds
 0                                 / Helmert transformation, y offset camera crds
 0                                 / Helmert transformation, x offset columns
 0                                 / Helmert transformation, y offset rows
 66651.86199                       / Affine x' = a*x + b*y + c
 77.422884                         / Affine x' = a*x + b*y + c
 7689.1583                         / Affine x' = a*x + b*y + c
-72.835259                         / Affine y' = d*x + e*y + f
 66652.35792                       / Affine y' = d*x + e*y + f
 7670.856393                       / Affine y' = d*x + e*y + f
-0.00774701                        / omega, radians
-0.00604603                        / phi, radians
-1.41541515                        / kappa, radians
 2515620.549                       / X0, meters
 6861977.347                       / Y0, meters
 3136.447821                       / Z0, meters
 2.426481061                       / solar azimuth, radians
 0.769680053                       / solar elevation, radians
AdditionalExposures                /
 0                                 / How many additional images associated
 0                                 / type of i'th (see color model)
 0                                 / filepointer (path to raw file)
 0                                 / width in pixels
 0                                 / height in pixels
 0                                 / type of (i+1)'th and so on..
 0
 0
 0
```

The AdditionaleExposures part is used with UltraCAM L2 images, which have the same EO as the Pan-sharpened L3 image that is viewed (screen i/o). This part likely changes in the future, because many parameters are missing and assumed by the KUVAMITT-code.

Appendix 1b – HDR-files, line-sensor

An example of a HDR-file for an ADS40 image. (08230656BLUN00A.hdr). August 23, 0656 GMT, BLUE band viewed by nadir (N00) image line comprising 12000 pixels. The part following "/" is a comment, that should not be included in a HDR-file.

```
ADS L0                                  / Raw image, L1 projected to plane
d:\10cm\cam\BLUN00A.cam                 / interior orientation file
d:\10cm\odf\08230656BLUN00A.odf.adj     / EO for each image line (row)
d:\10cm\sup\08230656BLUN00AL0.sup       / Info photogr. Cartesian system
d:\10cm\ads\08230656BLUN00A.ads         / Calibration parameters etc.
 8230656                                / Image code
 12000                                  / width, always 12000 in L0 data
 97424                                  / height, number of captured lines
"d:\10cm\raw\08230656BLUN00A_0_0.raw"   / image file
 2                                      / 2 == 16 bit mono
 6000                                   / center column, start value for i/o
 48712                                  / center line, "
 0                                      / if a cut sub-image, UpLeft col
 0                                      / " " " ", " row
 12000                                  / width of sub-image
 97424                                  / height of sub-image
 0.0627                                 / focal length
 0
 0
 0
 0
 0
 0
 0
 153846.1538                            / reciprocal of pixel size, 6.5 um
 0
 48712                                  / middle row
 0
 153846.1538
 6000                                   / middle col
 0                                      / EO is defined in adj/sup files
 0                                      / for each image line, here 97424
 0                                      / lines in total
 2516000                                / Nonsense
 6858500                                / Nonsense
 3000                                   / Nonsense
 0                                      / solar azimuth, not defined here
 0                                      / solar elevation
AdditionalExposures                     / Not used with ADS40
 0
 0
 0
 0
 0
 0
 0
 0
 0
```

Appendix 2a – ADS40 specific information - *.ADS files

Public integer MAXIMA = 9 ‘ there can be 9 images in the KUVAMITT screen, max

```
Type BlockData
 L0 As Long
 L1 As Long
 FileName As String
End Type

Type ADSHDR ' data in the *.ads file
 HEADER As Byte
 BANDS As Byte
 DEPTH As Byte
 BITS As Byte
 LINES As Long
 SAMPLES As Long
 TILE_X As Long
 TILE_Y As Long
 HARDWARE_COMPRESSED As Byte
 LINES_PER_BLOCK As Long
 SAMPLES_PER_BLOCK As Long
 BLOCK_DATA(0 To MAXIMA - 1, 1 To 3) As BlockData
 NUMBER_OF_SUBIMAGES As Long
End Type
```

An example of an ADS-file (Nadir BLUE, at 0656 GMT), N.B. RAW-files are untiled, and reference is in the HDR-file

```
ADS_HEADER          1
BANDS               1
DEPTH               2
BITS                16
LINES               97424
SAMPLES             12000
TILE_Y              256
TILE_X              256
HARDWARE_COMPRESSED 0
LINES_PER_BLOCK     89088
SAMPLES_PER_BLOCK   12000
BLOCK_DATA          0 0 08230656BLUN00A_0_0.tif
BLOCK_DATA          1 0 08230656BLUN00A_1_0.tif
```

Appendix 2b – ADS40 specific information - *.CAM files

I/O data and information on how to convert the pixel values into at-sensor radiance (integration time is the time difference between GPSTIME of subsequent image lines, see ODF-files). xy focal plane coordinates are given to all 12,000 pixels in this image line.

An example file, the IO of nadir blue line, BLUN00A.cam

```
ADS_CALIBRATION_FILE 1
CALIBRATION_SOURCE    "ORIMA"
CAMERA_NAME           "30120"
SENSOR_LINE           "BLUN00A"
CALIBRATION_DATE      "Tue Sep 30 12:45:55 2008"
FOCAL_LENGTH_MM       62.70000
NUM_PIXELS            12000
PIXEL_SIZE            0.00650
RADIOMETRIC_GAIN      0.00005
IRRADIANCE_GAIN       1.00000
LEFTSIDE_GAIN         1
PAV_Z_OFFSET          0.17100
START_XY
-0.01165  -39.01087
-0.01166  -39.00412
-0.01166  -38.99737
-0.01166  -38.99061
-0.01167  -38.98385
```

... all 12000 pixels...continues

Appendix 2c – ADS40 specific information - *.ODF files

It is a binary file, an example file 08230656BLUN00A.odf.adj
Notepad sees it like this

ODF 1.2 "ORIMA" 30120_20080823065636_ADS40_Demo_Finnland_V5
30120_20080823065636_ADS40_Demo_Finnland_V5_1 97424 0 1000 3 1000000 0 283651200
1.0791782857 0.4237346719 543505 10000 1 100000 -2 10000000 1099 ö–ñÿÍÎ
³˜³ÿP™ !ùÿÿÈ©¸

VB-code for reading an ODF file, * N is the number of characters or Bytes,

```
Dim cFileId As String * 16
Dim cDataSource As String * 32
Dim cProjectID As String * 64
Dim cStripNameID As String * 64
Dim cNumberOfDataSets As String * 16
Dim cNumOfODFs As Long
Dim cUnitsPosition As String * 2
Dim cPrecisionPosition As String * 14
Dim cUnitsAngles As String * 2
Dim cPrecisionAngles As String * 14
Dim cRotationSequence As String * 16
Dim cAbsoluteTime As String * 16
Dim cComments As String * 96
Dim cAnchorLatitude As String * 16
Dim cAnchorLongitude As String * 16
Dim cBaseTime As String * 12
Dim cPrecisionTime As String * 20
Dim cBaseX As String * 12
Dim cPrecisionStdDevPosition As String * 20
Dim cBaseY As String * 12
Dim cPrecisionStdDevAngles As String * 20
Dim cBaseZ As String * 32
```

The reading is in binary mode, read head (file pointer) is moved between variables.
After reading the strings, the conversion to meaningful numeric variables follows:

```
NumOfODFs = Int(Val(Trim(cNumberOfDataSets)))
BaseTime = Int(Val(Trim(cBaseTime)))
PrecisionTime = Int(Val(Trim(cPrecisionTime)))
PrecisionPosition = Int(Val(Trim(cPrecisionPosition)))
BaseX = Int(Val(Trim(cBaseX)))
BaseY = Int(Val(Trim(cBaseY)))
BaseZ = Int(Val(Trim(cBaseZ)))
PrecisionAngles = Int(Val(Trim(cPrecisionAngles)))
PrecisionStdDevPosition = Int(Val(Trim(cPrecisionStdDevPosition)))
PrecisionStdDevAngles = Int(Val(Trim(cPrecisionStdDevAngles)))
```

The number of image lines for which there is orientation data is numOfODFs
This information comes in binary (44 Byte) records, and here is the (struct) or Type definition for reading:

```
Type ODFReadstruct
  GPStime As Long
  X As Long
  Y As Long
  z As Long
  omega As Long
  phi As Long
  kappa As Long
  StdDevX As Integer
  StdDevY As Integer
  StdDevZ As Integer
  StdDevOmega As Integer
  StdDevPhi As Integer
  StdDevKappa As Integer
End Type
```

What then is stored is in a different struct with decimal representation:

```
Type ODFStruct
  GPStime As Double
  X As Double
  Y As Double
  z As Double
  omega As Double
  phi As Double
  kappa As Double
  a00 As Double
  a01 As Double
```

```
  a02 As Double
  a10 As Double
  a11 As Double
  a12 As Double
  a20 As Double
  a21 As Double
  a22 As Double
  StdDevX As Single
  StdDevY As Single
  StdDevZ As Single
  StdDevOmega As Single
  StdDevPhi As Single
  StdDevKappa As Single
End Type
```

The conversions are (with errors in the sdevs due to VB integer being signed 16)

```
ODFarray(k).GPStime = (ODF.GPStime / PrecisionTime + CDbl(BaseTime))
ODFarray(k).X = ODF.X / CDbl(PrecisionPosition) + CDbl(BaseX)
ODFarray(k).Y = ODF.Y / CDbl(PrecisionPosition) + CDbl(BaseY)
ODFarray(k).z = ODF.z / CDbl(PrecisionPosition) + CDbl(BaseZ)
ODFarray(k).omega = ODF.omega / CDbl(PrecisionAngles)
ODFarray(k).phi = ODF.phi / CDbl(PrecisionAngles)
ODFarray(k).kappa = ODF.kappa / CDbl(PrecisionAngles)
Rem the reading of unsigned short -values fails and the STDDEV-values are incorrect
ODFarray(k).StdDevX = ODF.StdDevX / CDbl(PrecisionStdDevPosition)
ODFarray(k).StdDevY = ODF.StdDevY / CDbl(PrecisionStdDevPosition)
ODFarray(k).StdDevZ = ODF.StdDevZ / CDbl(PrecisionStdDevPosition)
ODFarray(k).StdDevOmega = ODF.StdDevOmega / CDbl(PrecisionStdDevAngles)
ODFarray(k).StdDevPhi = ODF.StdDevPhi / CDbl(PrecisionStdDevAngles)
ODFarray(k).StdDevKappa = ODF.StdDevKappa / CDbl(PrecisionStdDevAngles)
```

The values a00…a22 are the elements of the 3x3 rotation matrix, calculated from omega, phi and kappa, as explained in Section “Concepts and terms”.

Appendix 2d – ADS40 specific information - *.SUP files (support)

This file tells many things and is an output of the processing software.
For example, the photogrammetric coordinate system in ADS40 is local, and Cartesian, and the SUP-file has information on how to convert the XYZ data in this local system to the WGS84-XYZ. Back and forth. From and to WGS84-XYZ, KUVAMITT has implementations of UTM and KKJ-2.

All photogrammetry is done in the LOCAL system, and results are converted to KKJ where all field data is:
1. Photogrammetry to get the XYZ-local
2. XYZ-local ⇒ WGS84_XYZ (sup-file)
3. WGS84_XYZ ⇒ UTM
4. UTM ⇒ KKJ

Or the other way around, to see where the field data maps
1. KKJ ⇒ UTM
2. UTM ⇒ WGS84_XYZ
3. WGS84_XYZ ⇒ XYZ-local (sup-file data)
4. Photogrammetry for image line, column on the line

An example, 08230656BLUN00AL0.sup

```
-------------------
support_file d
IMAGE_ID "08230656BLUN00A"
IMAGE_FILE_NAME 1 "R:\ADS40_Demo_Finnland_V5\Flight_10cm\images\08230656BLUN00A.ads"
LINES 97424
SAMPLES 12000
RECTIFICATION_TERMS
             0.00000000000000e+000 0.00000000000000e+000 1.00000000000000e+000
             0.00000000000000e+000 1.00000000000000e+000 0.00000000000000e+000
GRND_BIAS 0.00000000000000e+000 0.00000000000000e+000 0.00000000000000e+000
BIAS 0.000000 GAIN 1.000000
GROUND_ZERO 2.00182669506973e+002 3.14943395819402e+001 1.85000000000000e+002
LOAD_PT 2.00182669506973e+002 3.14943395819402e+001 1.85000000000000e+002
COORD_SYSTEM 0
UNITS 1
USE_FAST_MATH 0
MAX_AND_MIN_ELEVATION 140.0 230.0
IMAGE_MOTION 0
INITIALIZED 2
STATUS 0
PHOTO_DATE "Fri Sep 26 10:34:15 2008"
QUALITY 53
SENSOR_TYPE ADS
IMAGE_LEVEL 0
MEAN_TERRAIN_HEIGHT 185.000000
ANCHOR_LATITUDE 1.079178285671
ANCHOR_LONGITUDE 0.423734671902
LINE_STAGGERED FALSE
VIEW_OF_LINE NADIR
RADIOMETRIC_PROPERTY BLUE
IMAGE_DATE Fri Sep 26 10:34:15 2008
NUMBER_SCAN_LINES 97424
SENSOR_ROTATION FALSE
CORRECTION NO_CORRECTION
LEVEL_0_GSD 0.09475279
ORIGINAL_ORIENTATION R:\ADS40_Demo_Finnland_V5\Project_10cm\odf\08230656BLUN00A.odf
ADJUSTED_ORIENTATION R:\ADS40_Demo_Finnland_V5\Project_10cm\odf\08230656BLUN00A.odf.adj
ORIGINAL_CALIBRATION R:\ADS40_Demo_Finnland_V5\Project_10cm\cam\ADS40_30120\v001\BLUN00A.cam
ADJUSTED_CALIBRATION R:\ADS40_Demo_Finnland_V5\Project_10cm\cam\ADS40_30120\v002\BLUN00A.cam
LOCAL_ORIGIN 2.75170803241219e+006 1.24118409598441e+006 5.59972026370906e+006
BASIS  -4.11167689069547e-001 9.11559724573880e-001 0.00000000000000e+000 -8.03603899554576e-001
-3.62473186780590e-001 4.72052922335835e-001 4.30304431868749e-001 1.94092909195352e-001
8.81570211902715e-001
```

The Type declaration for the SUP-file attributes is

```
Rem Data in the support file
Type ADS40Support
  IMAGE_ID As String * 30
  IMAGE_FILE_NAME As String * 100
  LINES As Long
  SAMPLES As Long
  RECTIFICATION_TERMS(1 To 6) As Double
  GRND_BIAS(1 To 3) As Double
  BIAS As Double
  GAIN As Double
  GROUND_ZERO As Point3d
  LOAD_PT As Point3d
  COORD_SYSTEM As Byte
  UNITS As Byte
  USE_FAST_MATH As Byte
  MIN_AND_MAX_ELEVATION As Point2D
  IMAGE_MOTION As Byte
  INITIALIZED  As Byte
  Status As Byte
  PHOTO_DATE As String * 30
  QUALITY As Byte
  SENSOR_TYPE As String * 10
  IMAGE_LEVEL As Byte
  MEAN_TERRAIN_HEIGHT As Double
  ANCHOR_LATITUDE As Double
  ANCHOR_LONGITUDE As Double
  LINE_STAGGERED As Boolean
  VIEW_OF_LINE As String * 12
  RADIOMETRIC_PROPERTY As String * 20
  IMAGE_DATE As String * 30
  NUMBER_SCAN_LINES As Long
  SENSOR_ROTATION As Boolean
  CORRECTION As String * 20
  LEVEL_0_GSD As Double
  ORIGINAL_ORIENTATION As String * 160
  ADJUSTED_ORIENTATION As String * 160
  ORIGINAL_CALIBRATION As String * 160
  ADJUSTED_CALIBRATION As String * 160
  LEVEL_0_NAME As String * 80
  RECT_SCALE As Double
  RECT_ROTATION As Double
  RECT_XOFFSET As Double
  RECT_YOFFSET As Double
  RECT_HEIGHT As Double
  RECT_USE_CALIBRATION As Boolean
  LOCAL_ORIGIN As Point3d ‘ WGS84-XYZ
  BASIS(1 To 3, 1 To 3) As Double ‘ Rotation at that point between local and WGS84-XYZ
End Type
```

For example, going from KKJ to Local is

```
Public Sub KKJ_to_LSR(i As Long, kkj_x As Double, kkj_y As Double, kkj_z As Double, Xl As
Double, yl As Double, zl As Double)

Dim Lat As Double, Lon As Double, H As Double, UTM_E As Double, UTM_N As Double
Rem First KKJ to UTM
Call KKJ_to_UTM(kkj_x, kkj_y, kkj_z, UTM_E, UTM_N, H)
Rem UTM to WGS84
Dim apu As Long, Zone As Long
Zone = 35
Dim xn As Double, yn As Double, Zn As Double
apu = UTM_TO_WGS84XYZ(xn, yn, Zn, Lat, Lon, H, UTM_E, UTM_N, Zone)
Rem Perform LSR (local cartesian) to WGS84-XYZ conversion
Xl = ADSSUP(i).BASIS(1, 1) * (xn - ADSSUP(i).LOCAL_ORIGIN.X) + ADSSUP(i).BASIS(1, 2) * (yn -
ADSSUP(i).LOCAL_ORIGIN.Y) + ADSSUP(i).BASIS(1, 3) * (Zn - ADSSUP(i).LOCAL_ORIGIN.z)
yl = ADSSUP(i).BASIS(2, 1) * (xn - ADSSUP(i).LOCAL_ORIGIN.X) + ADSSUP(i).BASIS(2, 2) * (yn -
ADSSUP(i).LOCAL_ORIGIN.Y) + ADSSUP(i).BASIS(2, 3) * (Zn - ADSSUP(i).LOCAL_ORIGIN.z)
zl = ADSSUP(i).BASIS(3, 1) * (xn - ADSSUP(i).LOCAL_ORIGIN.X) + ADSSUP(i).BASIS(3, 2) * (yn -
ADSSUP(i).LOCAL_ORIGIN.Y) + ADSSUP(i).BASIS(3, 3) * (Zn - ADSSUP(i).LOCAL_ORIGIN.z)
End Sub
```

Appendix 3 – Formats of LiDAR pulse records 2004-2013

A BIN file always starts with a 4byte signed long, which tells how many pulse-records there are stored. The first record starts right after the signed long.

Optech modified ALTM1033, 2004

```
Rem ALTM2033 type of LiDAR records
Type ALS_Point
 GPS_time As Double  ' 8 bytes
 Xl As Double        ' 8 LiDAR position
 yl As Double        ' 8
 zl As Single        ' 4
 omega As Single     ' 4 LIDAR attitude, what system, UTM?
 phi As Single       ' 4
 kappa As Single     ' 4
 Scan_angle As Single ' 4
 Xf As Double        ' 8 first return
 Yf As Double        ' 8
 Zf As Single        ' 4
 Intf As Single      ' 4 intensity
 Rangef As Single    ' 4
 Xs As Double        ' 8 second return
 Ys As Double        ' 8
 Zs As Single        ' 4
 Ints As Single      ' 4 intensity
 Rangel As Single    ' 4
End Type ' 100 bytes per pulse
```

FN1_FN2.bin hectare file. FN1 is the easting, FN2 in the northing, three digit strings:
FN1 = Format$(Int((Xc - 2514000) / 100), "000")
FN2 = Format$(Int((Yc - 6855000) / 100), "000")
The origin is thus at X == 2514000, Y == 6855000.

Optech ALTM3100, 2006

Conversion programs \ALS2006\CMP_To_BIN\

```
Type Point3d
 X As Double
 Y As Double
 z As Double
End Type

Rem 2006 ALTM 3100 pulse data, 207 bytes per record
Type LidarRecord
 GPStime As Double
 PulseCount As Byte
 Returns(1 To 4) As Point3d
 intensity(1 To 4) As Integer
 range(1 To 4) As Double
 angle As Double
 Roll As Double
 pitch As Double
 heading As Double
 PosLiDAR As Point3d
 StripNum As Integer
 SyncBit As Byte
 Res1 As Byte
 Res2 As Byte
 Res3 As Byte
End Type
```

The first encountered return has (in VB6, first index is 1, not zero-based) index (4), the last is (1). The last is always a copy, unless it is a 4-echo pulse. Second return is (3) and third is (2). If (2) exists and is not same (1), then it is a 4-echo pulse.

Computing the hectare coordinates is

```
FN1 = Format$(Int((Xs - 2510000) / 100), "000")
FN2 = Format$(Int((Ys - 6850000) / 100), "000")
```

Leica ALS50-ii, 2007 and 2008

Quite similar to ALTM3100 in 2006; processed from els-files to per hectare BIN files with “LiDarRecord” 207-byte structures (see below).

ALS2007_purku_v2.cpp

```
// els-files per point records
struct ELASpoint {
  double x;
  double y;
  double z;
  unsigned short intensity;
  unsigned char return_number : 3;
  unsigned char number_of_returns_of_given_pulse : 3;
  unsigned char scan_direction_flag : 1;
  unsigned char edge_of_flight_line : 1;
  unsigned char classification;
  char scan_angle_rank;
  unsigned char user_data;
  unsigned short point_source_ID;
  double gps_time;
  double x_lidar;
  double y_lidar;
  double z_lidar;
  double roll;
  double pitch;
  double heading;
  unsigned short agc;
  int dummy;
  short dummy2;
} LiDR2007;

// Per-pulse records in the BIN-files

struct Point3d {
     double x;
     double y;
     double z; };

struct LidarRecord {
   double GPSTime;
   char PulseCount;
   struct Point3d LastPulse; // 0 last, 1 third, 2 = second, 3 = first
   struct Point3d SecondPulse; // 0 last, 1 third, 2 = second, 3 = first
   struct Point3d ThirdPulse; // 0 last, 1 third, 2 = second, 3 = first
   struct Point3d FirstPulse; // 0 last, 1 third, 2 = second, 3 = first
   short  Intensity[4];
   double Range[4];
   double Angle;
   double Roll;
   double Pitch;
   double Heading;
   struct Point3d Poslidar;
   short StripNum;
   char SyncBit;
   unsigned char Res1;
   unsigned char Res2;
   unsigned char Res3;
 } LiDR;

LiDR.Res1 = unsigned char(LiDR2007A[l].agc);
LiDR.Res2 = LiDR2007A[l].edge_of_flight_line;
LiDR.Res3 = LiDR2007A[l].classification;
LiDR.SyncBit = LiDR2007A[l].scan_direction_flag;
```

VB6

```
Rem Coordinates of the 1-ha BIN file for point Xs, Ys
FN1 = Format$(Int((Xs - 2510000) / 100), "000")
FN2 = Format$(Int((Ys - 6850000) / 100), "000")
```

Leica ALS60 2010, 2011a, 2012, and 2013b

These data include recorded waveforms. The discrete return data is in BIN files and the structure is given below. One attribute gives the read position (in VB file starts at Byte 1, in C/C++ it is position 0, VB-style used here) to the WF data file. I.e. WF data are also split to hectare files. ALS60 records one continuous 128 or 256 sample WF record. At sampling rate of 1 ns, 256 amplitude values (8-bit) are recorded.

FN1 and FN2 are three-digit coordinates of the KKJ-2 hectare.

```
FN1 = Format$(Int((Xs - 2510000) / 100), "000")
FN2 = Format$(Int((Ys - 6850000) / 100), "000")
```

FN1_FN2.bin / The discrete return file, first 4-byte Long tells the number of records
FN1_FN2_128.bin / The WF of 2 ns sampling (a part of the flight lines)
FN1_FN2_256.bin. / The WF of 1 ns sampling

```
Type LidarRecord2010
 GPStime As Double
 PulseCount As Byte
 Returns(1 To 4) As Point3d    ‘ first index (4), second (3), third (2), last/fourth (1)
 intensity(1 To 4) As Integer
 range(1 To 4) As Double
 angle As Double
 Roll As Single
 Fileoffset As Long            ' The fileoffset to WF record starting from address 1
 pitch As Double
 heading As Double
 PosLiDAR As Point3d
 StripNum As Integer
 SyncBit As Byte
 Res1 As Byte                  ‘ AGC
 Res2 As Byte
 wavetype As Byte              ‘ 0 == no WF, 127 = 128, 255 = 256 samples
End Type
```

Riegl 2011b, 2013a, 2015

The initial observations are in proprietary format (Riegl). The contractor used RiProcess software to compute DR data from the recorded waveform samples. Noteworthy, the sensor could record several from one pulse emitted. Sampling was at 1 nanosecond, and the outputted LAS format had 80, 160 or 240 sample long waveform sample sequences.

In 2011b, the attribute `RetPointWFLoc` that tells in picoseconds, the start time for the sample (from the detected echo, along the pulse path), is only at nanosecond accuracy, which is ± 500 ps. In 2013a this bug in RiProcess was fixed, and 2013a data has `RetPointWFLoc` that has at pikosecond-level accuracy.

The data are in per hectare BIN-files. FN1 and FN2 are three-digit coordinates of the KKJ-2 hectare.

```
FN1 = Format$(Int((Xs - 2510000) / 100), "000")
FN2 = Format$(Int((Ys - 6850000) / 100), "000")
```

FN1_FN2.bin / The discrete return file, first 4-byte Long tells the number of records
FN1_FN2_wf.bin / The WF at 1 ns (80, 160 or 240 sample sequences, 2-byte integers)

For 2013a Siikaneva data the coordinates are exceptionally in ETRS-TM35FIN system and the FN1 and FN2 are computed:

```
FN1 = Format$(Int((Xs - 349000) / 100), "000")
FN2 = Format$(Int((Ys - 6857000) / 100), "000")
```

The Type declarations in VB6 are

```
Type EchoRiegl                ' A discrete-return, there can be 1-10 in a pulse emitted
 pos As Point3d               ' XYZ of the echo
 intensity As Integer         ' Intensity by RiProcess
 Pointer As Long              ' File pointer to the waveform sample, starts at 0
 WaveSampleSize As Integer    ' 80, 160 or 240
 RetPointWFLoc As Single      ' picoseconds, to the start of the WF sample
End Type

Type PulseRIegl               ' A whole pulse-record
  echocount As Byte           ' Tells how many echoes RiProcess extracted (EchoRiegls)
  GPStime As Double           ' Seconds
  ByteLAS As Byte             ' Byte copied from LAS-file, contains: return number, overall
                                   number of returns, scan direction flag, and edge of flight
                                   line tag (replaced with echo error tag in 2015 data, see
                                   footnote *)
  Echoes() As EchoRiegl       ' variable-length array that holds the EchoRiegl DR echoes
  ScanAngle As Byte           ' "Scan Angle Rank" –field copied from LAS
  PosLiDAR As Point3d         ' XYZ of LiDAR
  StripNum As Byte            ' Identifier for a strip
End Type
```

VB6 Sample code for reading pulses, echoes and waveforms

```
LiDARBinPath = "g:\Riegl2011_bin\"
Open LiDARBinPath & FN1 & "_" & FN2 & ".bin" For Binary As 100
Get #100, , Nha
ReDim LiDRiegl(1 To Nha) As PulseRIegl
Pointer = 5
For k = 1 To Nha
 Get #100, Pointer, LiDRiegl(k).echocount  ' Read  record by record
 Get #100, , LiDRiegl(k).GPStime
 Get #100, , LiDRiegl(k).ByteLAS
 ReDim LiDRiegl(k).Echoes(1 To LiDRiegl(k).echocount) As EchoRiegl
 Get #100, , LiDRiegl(k).Echoes            ' Read all echoes
 Get #100, , LiDRiegl(k).ScanAngle
 Get #100, , LiDRiegl(k).PosLiDAR
 Get #100, , LiDRiegl(k).StripNum
 Pointer = Pointer + 1 + 8 + 1 + CLng(LiDRiegl(k).echocount * 36) + 1 + 24 + 1
 For j = 1 to LiDRiegl(k).echocount          ' Loop echoes for WF samples
  ReDim wave(1 To LiDRiegl(k).Echoes(j).WaveSampleSize) As Integer
  Open LiDARBinPath & FN1 & "_" & FN2 & "_wf.bin" For Binary As 101
  Get #101, LiDRiegl(k).Echoes(j).Pointer + 1, wave
  Close (101)
 Next j
Next k
```

*) In the 2015 data, "byteLAS" was replaced with an error tag that tells if there are erroneous echoes in the pulse. Errors can be caused by reflections from the sky or there can be false echoes caused by ringing, because the detection threshold was set low in WF decomposition.

Finnmap had detected erroneous echoes based on pure geometric criteria: echo height from ground and distance to nearest neighbor echoes. We calculated a probability measure (P_r) for each echo. It tells how likely an echo is false echo induced by ringing. We also calculated the echo height from ground (H) to detect the sky-echoes. H was based on 2010 DEM (2008 DEM was used on the edges of the AOI where 2010 DEM was not available).

The error tag is composed of three parts: 0-5 + 0-30 + 0-200. It can thus take values between 0-235.

Part 1. Last-of-many echo

0	No detected error in the last-of-many echo
1	Error based on FM's classification && low probability (P_r < 0.25) that the echo is a false echo
2	Error based on FM's classification && high probability (P_r >= 0.75) that the echo is a false echo
3	Error based on FM's classification && medium probability (P_r >= 0.25) that the echo is a false echo
4	No error based on FM's classification && high probability (P_r >= 0.75) that the echo is a false echo
5	No error based on FM's classification && medium probability (P_r >= 0.25) that the echo is a false echo

Part 2. First-or-only echo

+0	No detected error in the first-or-only echo
+10	Error in the first-or-only echo, because it is too high (H > 42.5 m)
+20	Error in the first-or-only echo based on FM's classification && no error based on H (-2.5 m < H < 42.5 m)
+30	First-or-only echo notably below the ground (H < -2.5 m). This indicates that there is an error in the DEM.

Part 3. Other than first-or-only or last-of-many echo

+50	Medium probability that 2nd echo is a false echo (P_r >= 0.25)
+100	No detected error in the 2nd echo, but medium probability (P_r >= 0.25) that 3rd echo is a false echo

+150 No detected error in the 2nd-3rd echo, but medium probability (P_r >= 0.25) that 4th echo is a false echo
+200 No detected error in 2nd-4th echo, but medium probability (P_r >= 0.25) that 5th or higher echo is a false echo

Example of use:

Error tag is 161 (= 1 + 10 + 150) → 1: FM has detected an error in the last-of-many echo.
10: the first echo is over 42.5 m above ground
150: the 4th echo is a false echo with a medium probability

Calculation of P_r:

$$P_r = \exp\left(\frac{-(\Delta R - b_1)^2}{2 \cdot b_2^{\,2}}\right)$$

If $I_{m+1} > b_3 I_m^{\,b_4}$, $P_r = P_r \cdot \exp\left(\frac{-\left(I_{m+1} - b_3 I_m^{\,b_4}\right)^2}{2 \cdot b_5^{\,2}}\right)$

If $I_m > b_6$, $P_r = P_r \cdot \exp\left(\frac{-(I_m - b_6)^2}{2 \cdot b_7^{\,2}}\right)$

Parameter values:

b1 = 1.63
b2 = 0.254796545
b3 = 0.3974
b4 = 0.5651
b5 = 4.246609083
b6 = 100
b7 = 16.98643633

High-probability threshold 0.75 was chosen so that 99% of ringing-induced echoes from flat surfaces were found by this criteria.

Optech Titan, 2016

The three-band data were delivered in stripwise LAS1.2 files that comprised, 30-bytes per echo, with ASCII trajectory files. Channel 1 = 1550 nm, Ch2 = 1064 nm and Ch3 = 532 nm. The GPS-times were sorted and the echoes belonging to the same transmitted pulse were combined in the 207-byte per pulse format, each band separated (files). The per-hectare BIN files again have the number of records as int32 at the file start and the 207-byte records start from there.

```
Type LidarRecord
 GPStime As Double                  // Standard GPS time, missing 1E9 seconds
 PulseCount As Byte                 // Number of echoes
 Returns(1 To 4) As point3D         // The XYZ-coords of the echoes, 4=first, 1= last or fourth
 intensity(1 To 4) As Integer       // Intensity values
 Range(1 To 4) As Double            // Not assigned (!)
 angle As Double                    // Scan zenith angle
 Roll As Double                     // From the TRJ file, unit?
 pitch As Double                    //  "
 heading As Double                  //  "
 PosLiDAR As point3D                // Transformed from UTM+N2000 to KKJ+N60
 StripNum As Integer                // 1-9
 SyncBit As Byte                    // Scanner channel bits of LAS1.2
 Res1 As Byte                       // Userdata byte in LAS 1.2
 Res2 As Byte                       // Edge of flight line flag bit og LAS1.2
 Res3 As Byte                       // Scandir bit in LAS1.2
End Type
```

PROGRAMS/ROUTINES FOR CONVERTING LAS and TRJ-files into the 207-byte per pulse format, per hectare tiling (in the KKJ2 system).

```
Private Sub Command2_Click()
' Sorting of LAS-files, by acquiring a list of integers indicating the sort order of LAS records
For N = 1 To 9
 Open "C:\TEMP\LiDAR\Kanava" & Text6.Text & "\Jonottain\0000" & CStr(N) & ".las" For Binary As 1
 Get #1, 1, Hdr
 Dim LpointLast As LasPoint
 Dim LpointFirst As LasPoint
 ReDim Times(1 To Hdr.NumOfPointRec1) As Double
 ReDim indx(1 To Hdr.NumOfPointRec1) As Long
 Get #1, 1 + Hdr.OffsetToData + (1 - 1) * 30, LpointFirst
 Get #1, 1 + Hdr.OffsetToData + (Hdr.NumOfPointRec1 - 1) * 30, LpointLast
```

```
 For j = 1 To Hdr.NumOfPointRec1
   Get #1, 1 + Hdr.OffsetToData + (j - 1) * 30, LpointFirst
   If j Mod 10000 = 0 Then Form1.Caption = Format$(j / Hdr.NumOfPointRec1 * 100, "0.0")
   Times(j) = LpointFirst.GPStime
   If j Mod 1000 = 0 Then
    Form1.Caption = N & "," & j
   End If
 Next j
 Form1.Caption = "Sorting"
 Call indexx(UBound(Times), Times, indx)
 Form1.Caption = "Printing"
 Open "C:\TEMP\LiDAR\Kanava" & Text6.Text & "\Jonottain\000" & CStr(N) & "_times_sorted_long.bin" For Binary As 5
 Put #5, , indx
 Close (5): Close (1): Close (3): Close (4)
Next N
Form1.Caption = "Done"
End Sub

Private Sub Command1_Click()
' reading the LAS file in the sort-order and writing 207-byte records in per hectare files
Open Form1.Text2.Text For Input As 1 ' name of the trj.file
Form1.Caption = "Reading TRJ"
ReDim Trj(1 To 100000) As Trajectory
i = 0
 Do Until EOF(1)
  i = i + 1
  Input #1, Trj(i).GPStime, Trj(i).X, Trj(i).Y, Trj(i).z, _
            Trj(i).Roll, Trj(i).pitch, Trj(i).heading
 Loop
ReDim Preserve Trj(1 To i) As Trajectory
Dim interval As Double
interval = 0.005 ' Seconds, 200 Hz
Close (1)
Dim iTRJ As Long
iTRJ = 1 ' index to trajectory
Dim LiDR As LidarRecord
Open Form1.Text3.Text For Binary As 1  ' LAS file name
Get #1, 1, Hdr
Open Form1.Text4.Text For Binary As 3  ' sorted list of longs, read order
ReDim indx(1 To Hdr.NumOfPointRec1) As Long
Get #3, , indx
Close (3)
Dim Retnum As Byte, NR As Byte, Lpoint As LasPoint
Form1.Caption = "Reading..."
Get #1, 1 + Hdr.OffsetToData + (indx(1) - 1) * 30, Lpoint
Form1.Caption = "Done..."
CurTime = Lpoint.GPStime
ik = 0
Do Until (ik = Hdr.NumOfPointRec1)
   Npoints = 0 'points in a pulse
   ik = ik + 1 ' case
   Dim outByte(1 To 6) As Byte
   Call ZeroLiDR(LiDR) ' just puts zeroes to the struct
ReadPoint:
   j = indx(ik)
   Get #1, 1 + Hdr.OffsetToData + (j - 1) * 30, Lpoint
   If CurTime = Lpoint.GPStime Then
      Npoints = Npoints + 1
      ik = ik + 1
      apu = MYFUNC_MASKING(Lpoint.PulseByte1, CByte(15), outByte(1)) ' return number
      apu = MYFUNC_MASKING(Lpoint.PulseByte1, CByte(240), outByte(2)) ' number of returns
      Retnum = outByte(1)
      NR = outByte(2) / 16
      apu = MYFUNC_MASKING(Lpoint.PulseByte2, CByte(15), outByte(3)) ' classification flags
      apu = MYFUNC_MASKING(Lpoint.PulseByte2, CByte(48), outByte(4)) ' scanner channel
      apu = MYFUNC_MASKING(Lpoint.PulseByte2, CByte(64), outByte(5)) ' scandir flag
      apu = MYFUNC_MASKING(Lpoint.PulseByte2, CByte(128), outByte(6)) ' edge of flight line
      LiDR.Res1 = Lpoint.UserData
      LiDR.Res2 = outByte(6) / 128    ' edge flag
      LiDR.Res3 = outByte(6)          ' scandir
      LiDR.SyncBit = outByte(4) / 48  ' scanner channel
      LiDR.GPStime = Lpoint.GPStime
      LiDR.intensity(5 - Retnum) = Lpoint.intensity
      LiDR.Returns(5 - Retnum).X = -0.04614190132 * (Lpoint.Y * Hdr.YScaleFactor + Hdr.YOffset) _
      + 0.9990901664 * (Lpoint.X * Hdr.XScaleFactor + Hdr.XOffset) + 2474938.474
      LiDR.Returns(5 - Retnum).Y = 0.9990949702 * (Lpoint.Y * Hdr.YScaleFactor + Hdr.YOffset) _
      + 0.04615302083 * (Lpoint.X * Hdr.XScaleFactor + Hdr.XOffset) - 10341.1406
      LiDR.Returns(5 - Retnum).z = (Lpoint.z * Hdr.ZScaleFactor + Hdr.ZOffset) '
      GoTo ReadPoint
   End If

   If NR <> Npoints Then MsgBox ("?")
   ik = ik - 1
   CurTime = Lpoint.GPStime
   LiDR.PulseCount = Npoints
   LiDR.intensity(1) = LiDR.intensity(5 - NR)
   LiDR.Returns(1).X = LiDR.Returns(5 - NR).X
   LiDR.Returns(1).Y = LiDR.Returns(5 - NR).Y
   LiDR.Returns(1).z = LiDR.Returns(5 - NR).z

   If Abs(LiDR.GPStime - Trj(iTRJ).GPStime) > 0.02 Then
     Call Get_iTrj(Lpoint, iTRJ, interval)
   End If

   Call UTM_to_KKJ(LiDR.PosLiDAR.X, LiDR.PosLiDAR.Y, LiDR.PosLiDAR.z, Trj(iTRJ).Y, Trj(iTRJ).X, Trj(iTRJ).z)
   LiDR.Roll = Trj(iTRJ).Roll: LiDR.pitch = Trj(iTRJ).pitch: LiDR.heading = Trj(iTRJ).heading

   Dim v1 As Vector3D, v2 As Vector3D
   v1.X = LiDR.PosLiDAR.X - 2510000: v1.Y = LiDR.PosLiDAR.Y - 6850000: v1.z = LiDR.PosLiDAR.z
   v2.X = LiDR.Returns(1).X - 2510000: v2.Y = LiDR.Returns(1).Y - 6850000: v2.z = LiDR.Returns(1).z
   v1.X = v1.X - v2.X: v1.Y = v1.Y - v2.Y: v1.z = v1.z - v2.z
   v2.X = 0: v2.Y = 0: v2.z = v1.z
   LiDR.angle = vector_angle(v1, v2) * 57.2957795130823
   LiDR.StripNum = Int(Text7.Text)
   RecordNum = RecordNum + 1
   FN1 = Format$(Int((LiDR.Returns(1).X - 2510000) / 100), "000")
   FN2 = Format$(Int((LiDR.Returns(1).Y - 6850000) / 100), "000")
   Dim Npulses As Long
    Open Form1.Text5.Text & FN1 & "_" & FN2 & ".bin" For Binary As 100
```

```
    Get #100, 1, Npulses
    If Npulses = 0 Then Put #100, CLng(3000) * 207, CLng(Npulses)
    Rem Move pointer to start
    Put #100, 1, CLng(Npulses + 1)
    Put #100, 5 + Npulses * 207, LiDR
    Close (100)
    SaveNow = False
    Np = 0

    If ik Mod 1000 = 0 Then
      DoEvents
      Form1.Caption = ik & "," & RecordNum & "," & Format$((ik / Hdr.NumOfPointRec1) * 100, "0.0") & "%"
      Open Form1.Text1.Text For Append As 5
      Print #5, ik
      Close (5)
    End If

nextpoint: Loop
Close (1)
Close (5)
End Sub

Private Sub Command3_Click()
' Sets the names of the filenames according to Ch and strip# choices
Form1.Text1.Text = "c:\temp\Lidar\Kanava" & Text6.Text & "\Jonottain\log" & Text7.Text & ".txt"
Form1.Text2.Text = "c:\temp\trajectory0000" & Text7.Text & ".txt"
Form1.Text3.Text = "c:\temp\LiDAR\Kanava" & Text6.Text & "\Jonottain\0000" & Text7.Text & ".las"
Form1.Text4.Text = "c:\temp\LiDAR\Kanava" & Text6.Text & "\Jonottain\000" & Text7.Text & "_times_sorted_long.bin"
Form1.Text5.Text = "c:\temp\LiDAR\Kanava" & Text6.Text & "\"
End Sub

Declare Function MYFUNC_ACOS Lib "c:\data\pascaldll.dll" (ByVal v1 As Double) As Double

Type HdrBlock
 FileSign As String * 4
 FileSource As Integer
 GlobalEncoding As Integer
 ID1 As Long
 ID2 As Integer
 ID3 As Integer
 ID4 As String * 8
 VersionMajor As Byte
 VersionMinor As Byte
 SystemID As String * 32
 Software As String * 32
 c_Day As Integer
 c_Year As Integer
 HdrSize As Integer
 OffsetToData As Long
 NofVarLenRec As Long
 PointDataFormatId As Byte
 PointDataRecLen As Integer
 NumOfPointRec As Long
 NumOfPointSByReturn(1 To 5) As Long
 XScaleFactor As Double
 YScaleFactor As Double
 ZScaleFactor As Double
 XOffset As Double
 YOffset As Double
 ZOffset As Double
 MaxX As Double
 MinX As Double
 MaxY As Double
 MinY As Double
 MaxZ As Double
 MinZ As Double
 StartofWaveformDataPacketRec1 As Long ' it is a long long NEED TO SPLIT
 StartofWaveformDataPacketRec2 As Long
 StartofNumOfExtVarLRec1 As Long ' it is a long long
 StartofNumOfExtVarLRec2 As Long
 NumOfExtVarLenRec As Long
 NumOfPointRec1 As Long ' it is a long long
 NumOfPointRec2 As Long
 NumofPointsByReturn1(1 To 15) As Long ' it is a long long
 NumofPointsByReturn2(1 To 15) As Long
End Type

Type VarLenRecHdr
 Reserved As Integer
 UserID As String * 16
 RecordID As Integer
 RecLenAfterHdr As Integer
 Descriptio As String * 32
End Type

Type LasPoint ' point format 6 in las1.4
 X As Long
 Y As Long
 z As Long
 intensity As Integer
 PulseByte1 As Byte
 PulseByte2 As Byte
 class As Byte
 UserData As Byte
 ScanAngle As Integer
 PointSourceID As Integer
 GPStime As Double
End Type

Type Vector3D
 X As Double
 Y As Double
 z As Double
End Type
Type point3D
 X As Double
 Y As Double
 z As Double
End Type
```

```
Rem 2006 ALTM 3100 pulse data, 207 bytes per record
Type LidarRecord
 GPStime As Double
 PulseCount As Byte
 Returns(1 To 4) As point3D
 intensity(1 To 4) As Integer
 Range(1 To 4) As Double
 angle As Double
 Roll As Double
 pitch As Double
 heading As Double
 PosLiDAR As point3D
 StripNum As Integer
 SyncBit As Byte
 Res1 As Byte
 Res2 As Byte
 Res3 As Byte
End Type

Type Trajectory
 GPStime As Double
 X As Double
 Y As Double
 z As Double
 Roll As Double
 pitch As Double
 heading As Double
End Type

Public LiDR As LidarRecord
Public Trj() As Trajectory
Public Lpoint() As LasPoint

Public Hdr As HdrBlock

Type LASFile
  LASFileName As String
  TRJFilename As String
  NofPoints As Long
End Type

Declare Function MYFUNC_MASKING Lib "c:\data\pascaldll.dll" (ByRef Inp As Byte, ByRef Mask As Byte, ByRef Out As Byte) As
Long

Public Sub Get_iTrj(ByRef Lpoint As LasPoint, ByRef iTRJ As Long, interval As Double)

  Tdiff = Lpoint.GPStime - Trj(iTRJ).GPStime
  Hop = Int(Tdiff / interval)
  Do Until Abs(Tdiff) < 0.01
    iTRJ = iTRJ + Hop
    Tdiff = Lpoint.GPStime - Trj(iTRJ).GPStime
    Hop = Int(Tdiff / interval) / 2
  Loop
End Sub

Public Sub ZeroLiDR(LiDR As LidarRecord)

 LiDR.GPStime = 0
 LiDR.PulseCount = 0
 For i = 1 To 4
  LiDR.Returns(i).X = 0
  LiDR.Returns(i).Y = 0
  LiDR.Returns(i).z = 0
  LiDR.intensity(i) = 0
  LiDR.Range(i) = 0
 Next i
 LiDR.angle = 0
 LiDR.Roll = 0
 LiDR.pitch = 0
 LiDR.heading = 0
 LiDR.PosLiDAR.X = 0
 LiDR.PosLiDAR.Y = 0
 LiDR.PosLiDAR.z = 0
 LiDR.StripNum = 0
 LiDR.SyncBit = 0
 LiDR.Res1 = 0
 LiDR.Res2 = 0
 LiDR.Res3 = 0

End Sub

Public Sub indexx(ByVal N As Long, ra() As Double, indx() As Long)

Rem Heapsort from Numerical recipes
Rem indx(1 to N) is an index table, returned
Rem ra(1 to N) is the data to be sorted, left as is.

Dim i As Long, j As Long, l As Long, IR As Long, indxt As Long
Dim q As Double
On Error GoTo virhe_sort
For j = 1 To N
 indx(j) = j
Next j

l = N / 2 + 1
IR = N

10:
 If (l > 1) Then
  l = l - 1
  indxt = indx(l)
  q = ra(indxt)
 Else
  indxt = indx(IR)
  q = ra(indxt)
  indx(IR) = indx(1)
  IR = IR - 1
   If (IR = 1) Then
```

```
    indx(1) = indxt
   Exit Sub
   End If
 End If
i = l
j = l + l
20: If j <= IR Then
     If j < IR Then
      If (ra(indx(j)) < ra(indx(j + 1))) Then j = j + 1
     End If
     If (q < ra(indx(j))) Then
      indx(i) = indx(j)
      i = j
      j = j + j
     Else
     j = IR + 1
     End If
     GoTo 20
    End If
   indx(i) = indxt
   GoTo 10
virhe_sort:
MsgBox ("Error in Heapsort, l is " & l)
End Sub

Public Sub UTM_to_KKJ(kkj_x As Double, kkj_y As Double, kkj_z As Double, UTM_E As Double, UTM_N As Double, H As Double)
Rem Local, Hyytiälä spesific set of eqns, based on a triangle of geodetic points +- 5 cm accuracy
kkj_x = -0.04614190132 * UTM_N + 0.9990901664 * UTM_E + 2474938.474
kkj_y = 0.9990949702 * UTM_N + 0.04615302083 * UTM_E - 10341.1406
kkj_z = H - 18.67 - 0.32 ' FIN2000 geoid model difference in the area needs the 32 cm for N60
End Sub

Public Function vector_length(ByRef vector As Vector3D) As Double
 vector_length = (vector.X ^ 2 + vector.Y ^ 2 + vector.z ^ 2) ^ 0.5
End Function
Public Function vector_angle(vec1 As Vector3D, vec2 As Vector3D) As Double
 vector_angle = MYFUNC_ACOS((vec1.X * vec2.X + vec1.Y * vec2.Y + vec1.z * vec2.z) / (vector_length(vec1) *
vector_length(vec2)))
End Function
```

Riegl 1560 processing, May 2018

Final (3rd) delivery consisted of 5 LAS-files with LAS1.2 Point type 1 data. The objective of Q/C and postprocessing was to merge data into per-pulse records that hold the position of the sensor and all observations (echoes) that originated from the pulse transmitted.

Because the files had file-sizes of above 2 Gbytes, the LAS data were “sliced by time”. The previous deliberables (1st and 2nd) had the Lidar records all twice (duplicates acroos the files), thus a 3rd one. ☹

The C-function MyFuncOutputTimes receives the name of the LAS-file to be sliced and outputs at max 6 files, which have 4-byte long at the start giving the number of 28-byte LAS-points that follow. (#.bin). The time-interval is given in the source code (slicing).

Next routine in VB reads the sliced LAS-files (#.bin) and stores the GPSTimes and sorts them to an index file.

This means that 0.bin is associated with 0_times_sorted_long.bin and reading 0.bin with the order depicted by the sorted-file results in reading in timewise sorted manner.

The third routine takes the “LAS-file” #.bin and the sorted list #_times_sorted_long.bin. Looks for echoes at a given time point, fills two pulse structures (receiver 1 and receiver 2) that can co-exist. There can be upto 6? echoes per pulse. The trajectory is interpolated for the position of LiDAR at the given time point with TRJ data at 1 Hz (about 70 m of lying in a second). All coordinates are transformed into KKJ-2/N60 and data were stored in per-ha bin files (tiling).

Yet another format is applied for a per-ha bin-file (In VBasic):

```
Type Point_3d
 X As Double
 Y As Double
 Z As Single
End Type

Type EchoRiegl_1560    ' A discrete-return echo
 pos As Point_3d              ' XYZ of the echo
 intensity As Integer        ' Intensity
 class As Byte                    ' classification as in
LAS 1.2
End Type

Type PulseRIegl_1560    ' A whole pulse-record
  echocount As Byte       '  extracted (EchoRiegl_1560s)
  GPStime As Double      ' Seconds
  ByteLAS As Byte            ' Byte from LAS-file
  ScanAngle As Byte        ' "Scan Angle Rank" -field
copied from LAS
  PosLidar As Point_3d   ' XYZ of LiDAR
  Receiver As Byte           ' Which of the two
  StripNum As Byte         ' Identifier for a strip
  Echoes() As EchoRiegl_1560 ‘ variable length part
End Type
```

Reading in VB

```
Get #100, , NHA
If NHA = 0 Then Exit Sub
ReDim Lidr1560(1 To NHA) As PulseRIegl_1560
Pointer = 5
Get #100, Pointer, Lidr1560(1).echocount
 For k = 1 To NHA Step 1
  If k <> 1 Then Get #100, , Lidr1560(k).echocount
  Get #100, , Lidr1560(k).GPStime
  Get #100, , Lidr1560(k).ByteLAS
  Get #100, , Lidr1560(k).ScanAngle
  Get #100, , Lidr1560(k).PosLidar
  Get #100, , Lidr1560(k).Receiver
  Get #100, , Lidr1560(k).StripNum
  ReDim Lidr1560(k).Echoes(1 To Lidr1560(k).echocount) As
EchoRiegl_1560
  Get #100, , Lidr1560(k).Echoes
```

```
int __stdcall MyFuncOutputTimes(char *infilename, int NumofRecs, char *outfilename)
{
// READ A HUGE LAS-file and output timewise sliced files with simple long header
 struct LasRecord
 {  int X;
    int Y;
    int z;
    short Intensity;
    unsigned char PulseByte1;
    unsigned char Clasification;
    unsigned char UserData;
               unsigned char ScanAngle;
    short PointSourceID;
               double GPStime;
 } LasPoint;

   FILE *fin, *fout;
   __int64 i; __int64 offset;
   char *buffer;
   buffer = (char *) malloc(200 * sizeof(char));
   int j, l, k;
   unsigned char Hdr[228];
   double timet;
   fin = fopen(infilename,"rb");
   if (fin==NULL)
   {
       l  = sprintf(buffer,"Tiedoston in avaus ei onnistunut \n");
       MessageBox ( NULL, buffer,"MyFuncMatlabCall",MB_OK);
       return 0;
   }
   fout = fopen(outfilename,"wb");
   if (fout==NULL)
   {
               l  = sprintf(buffer,"Tiedoston out avaus ei onnistunut \n");
               MessageBox ( NULL, buffer,"MyFuncMatlabCall",MB_OK);
               fclose(fin);
               return 0;
   }
   int m = 0;
   double mintime, maxtime;
   mintime = 10E90;
   maxtime = 0;
   l = _fseeki64(fin,1,SEEK_SET);
   i = _ftelli64(fin);
   k = fread(&Hdr[0],sizeof(Hdr),1,fin); // Read the public header block of 227 bytes
   for (l = 1; l <= (NumofRecs);l++) //     read the 28 -byte records, gps-time is always at Byte position, 20 within
   {
               m++;
               k = fread(&LasPoint,sizeof(LasRecord),1,fin); // Read the 8-byte information, GPS-time
               timet = LasPoint.GPStime;
               if (timet < mintime) {mintime = timet;}
               if (timet > maxtime) {maxtime = timet;}
   }
    k = fseek(fout,1,SEEK_SET);
    k = fwrite(&mintime,sizeof(double),1,fout); // Write the 28-byte information
    k = fwrite(&maxtime,sizeof(double),1,fout); // Write the 28-byte information
    fclose(fout);
   double timediff;
   timediff = maxtime-mintime;
   m = 0; // counter
   l = _fseeki64(fin,1,SEEK_SET);
   i = _ftelli64(fin);
   k = fread(&Hdr[0],sizeof(Hdr),1,fin); // Read the public header block of 227 bytes
   FILE *finput[6];
   int NEchoes[6];
   for (l = 0; l < 6; l++){NEchoes[l]=0;}
   finput[0]=fopen("c:\\temp\\1\\LiDAR\\0.bin", "wb");
   finput[1]=fopen("c:\\temp\\1\\LiDAR\\1.bin", "wb");
   finput[2]=fopen("c:\\temp\\1\\LiDAR\\2.bin", "wb");
   finput[3]=fopen("c:\\temp\\1\\LiDAR\\3.bin", "wb");
   finput[4]=fopen("c:\\temp\\1\\LiDAR\\4.bin", "wb");
   finput[5]=fopen("c:\\temp\\1\\LiDAR\\5.bin", "wb");
   double bin = 20.0;
   l = _fseeki64(fin,0,SEEK_SET);
   k = fread(&Hdr[0],sizeof(Hdr),1,fin); // Read the public header block of 227 bytes
   offset = __int64(sizeof(Hdr)) + __int64(0) * __int64(28) +1;
   k = _fseeki64(fin,offset,SEEK_SET);
   for (l = 1; l <= (NumofRecs);l++) //     read the 28 -byte records, gps-time is always at Byte position, 20 within
   {
               m++;
```

```
            int icase;
            k = fread(&LasPoint,28,1,fin); // Read t    he 28-byte information
            timet = LasPoint.GPStime;
            if (timet < mintime + bin){icase = 0;NEchoes[0]++;}
            if (timet >= mintime + bin && timet < mintime + 2.0*bin){icase = 1;NEchoes[1]++;}
            if (timet >= mintime + 2.0*bin && timet < mintime + 3.0*bin){icase = 2;NEchoes[2]++;}
            if (timet >= mintime + 3.0*bin && timet < mintime + 4.0*bin){icase = 3;NEchoes[3]++;}
            if (timet >= mintime + 4.0*bin && timet < mintime + 5.0*bin){icase = 4;NEchoes[4]++;}
            if (timet >= mintime + 5.0*bin){icase = 5;NEchoes[5]++;}
            fseek(finput[icase],0,SEEK_SET);
            fwrite(&NEchoes[icase],sizeof(int),1,finput[icase]);
            fseek(finput[icase],(NEchoes[icase]-1)*sizeof(LasRecord)+4,SEEK_SET);
            fwrite(&LasPoint,sizeof(LasRecord),1,finput[icase]);
   }
   free (buffer);
   for (l = 0; l < 6; l++) {fclose(finput[l]);}
   return 0; }
```

```
Private Sub Command2_Click()
' Sorting of LAS-files, by acquiring a list of integers indicating the sort order of LAS records
Dim Npoints As Long
For N = 0 To 4
 Open "C:\TEMP\1\LiDAR\" & CStr(N) & ".bin" For Binary As 1
 Get #1, 1, Npoints
 Dim Lpoint As LasPoint1
 ReDim Times(1 To Npoints) As Double
 ReDim indx(1 To Npoints) As Long
 For j = 1 To Npoints
   Get #1, 5 + (j - 1) * 28, Lpoint
   If j Mod 10000 = 0 Then Form1.Caption = Format$(j / Npoints * 100, "0.0")
   Times(j) = Lpoint.GPStime
 Next j
 Close (1)
 Form1.Caption = "Sorting"
 Call indexx(UBound(Times), Times, indx)
 Form1.Caption = "Printing"
 Open "C:\TEMP\1\LiDAR\" & CStr(N) & "_times_sorted_long.bin" For Binary As 5
 Put #5, , indx
 Close (5): Close (1): Close (3): Close (4)
Next N
Form1.Caption = "Done"
End Sub

Private sub command1_click()
' reading the LAS file in the sort-order and writing 207-byte records in per hectare files
Open "c:\temp\1\LiDAR\20180524_063330.txt" For Input As 1 ' name of the trj.file
Form1.Caption = "Reading TRJ"
ReDim Trj(1 To 100000) As Trajectory
i = 0
 Do Until EOF(1)
  i = i + 1
  Input #1, Trj(i).GPStime, Trj(i).Y, Trj(i).X, Trj(i).z, _
            Trj(i).Roll, Trj(i).pitch, Trj(i).heading
 Loop
ReDim Preserve Trj(1 To i) As Trajectory
Dim interval As Double
interval = 1 ' Seconds,1 Hz
Close (1)
Dim iTRJ_start As Long, iTRJ_end As Long, Nps As Long
iTRJ_start = 1 ' index to trajectory


Open "c:\temp\1\LiDAR\0.bin" For Binary As 1  ' LAS file name
Get #1, 1, Nps
Open "c:\temp\1\LiDAR\0_times_sorted_long.bin" For Binary As 3  ' sorted list of longs, read order
ReDim indx(1 To Nps) As Long
Get #3, , indx
Close (3)
strip = 1

Dim Retnum(1 To 2) As Byte, NR(1 To 2) As Byte, Lpoint As LasPoint1
Dim Sensor1 As Boolean, Sensor2 As Boolean
Dim Npts(1 To 2) As Long

Rem read the first
Get #1, 5 + (indx(1) - 1) * 28, Lpoint
Curtime = 0
Open "c:\temp\0_errors.txt" For Output As 6
ik = 1
Dim outByte(1 To 6) As Byte
' Here we read the first echo to get a time stamp
Get #1, 5 + (1 - 1) * 28, Lpoint
Curtime = Lpoint.GPStime

Dim PosLidar As point3D, Npulses As Long
case1 = False: case2 = False  ' have we declared the LiDR-pulse records of receiver 1 / 2

Do Until (ik = Nps)
  Sensor1 = False: Sensor2 = False
  PointsAdded1 = 0: PointsAdded2 = 0:
  PointsRead = 0: NR(1) = 0: NR(2) = 0
  iTRJ_start = 1
```

```
  case1 = False: case2 = False
  If ik Mod 10000 = 0 Then
   Form1.Caption = ik / Nps * 100
   DoEvents
  End If

  Do Until (NewTime = True)
   Get #1, 5 + (indx(ik) - 1) * 28, Lpoint
   If Lpoint.GPStime <> Curtime Then GoTo EchoesRead
   apu = MYFUNC_MASKING(Lpoint.PulseByte1, CByte(7), outByte(1))   ' return number 0-3 bits
   apu = MYFUNC_MASKING(Lpoint.PulseByte1, CByte(56), outByte(2))  ' number of returns 4-7 bits
   apu = MYFUNC_MASKING(Lpoint.PulseByte1, CByte(64), outByte(5))  ' scan dir
   apu = MYFUNC_MASKING(Lpoint.PulseByte1, CByte(128), outByte(6)) ' edge
   Retnum(Lpoint.UserData) = outByte(1)
   NR((Lpoint.UserData)) = outByte(2) / 8
   Npts(Lpoint.UserData) = Npts(Lpoint.UserData) + 1
   Curtime = Lpoint.GPStime       ' the Curtime is set at the value of the first echo, first sensor
   If Lpoint.UserData = 1 And Npts(Lpoint.UserData) = 1 Then ' assign the Pulserecord with NR points to hold
    Dim LiDR1 As PulseRIegl_1560
    ReDim Echoes1(1 To NR(Lpoint.UserData)) As EchoRiegl_1560
    Call Get_iTrj(Lpoint, iTRJ_start, interval, PosLidar)
    LiDR1.ByteLAS = Lpoint.PulseByte1:
    LiDR1.ScanAngle = Lpoint.ScanAngle
    LiDR1.echocount = NR(1):        LiDR1.GPStime = Lpoint.GPStime
    LiDR1.Receiver = 1:             LiDR1.PosLidar.X = PosLidar.X
    LiDR1.PosLidar.Y = PosLidar.Y:  LiDR1.PosLidar.z = PosLidar.z
    LiDR1.StripNum = strip
    Sensor1 = True
    case1 = True
   End If

   If Lpoint.UserData = 2 And Npts(Lpoint.UserData) = 1 Then
    Dim LiDR2 As PulseRIegl_1560
    ReDim Echoes2(1 To NR(Lpoint.UserData)) As EchoRiegl_1560
    LiDR2.ByteLAS = Lpoint.PulseByte1:
    LiDR2.ScanAngle = Lpoint.ScanAngle
    LiDR2.echocount = NR(2):        LiDR2.GPStime = Lpoint.GPStime
    LiDR2.Receiver = 2:             LiDR2.PosLidar.X = PosLidar.X
    LiDR2.PosLidar.Y = PosLidar.Y:  LiDR2.PosLidar.z = PosLidar.z
    LiDR2.StripNum = strip
    Sensor2 = True
    case2 = True
   End If
    ' ASSIGN VALUES
   If Lpoint.UserData = 1 Then ' we have an echo for this sensor
    If Echoes1(Retnum(Lpoint.UserData)).intensity > 0 Then Print #6, "Allready data here 1" & ","; ik
    Echoes1(Retnum(Lpoint.UserData)).intensity = Lpoint.intensity
    Echoes1(Retnum(Lpoint.UserData)).class = Lpoint.class
    Echoes1(Retnum(Lpoint.UserData)).pos.X = Lpoint.X
    Echoes1(Retnum(Lpoint.UserData)).pos.Y = Lpoint.Y
    Echoes1(Retnum(Lpoint.UserData)).pos.z = Lpoint.z
    PointsAdded1 = PointsAdded1 + 1
    case1 = True
   End If
   If Lpoint.UserData = 2 Then ' we have an echo for this sensor 2
    If Echoes2(Retnum(Lpoint.UserData)).intensity > 0 Then Print #6, "Allready data here 2" & ","; ik
    Echoes2(Retnum(Lpoint.UserData)).intensity = Lpoint.intensity
    Echoes2(Retnum(Lpoint.UserData)).class = Lpoint.class
    Echoes2(Retnum(Lpoint.UserData)).pos.X = Lpoint.X
    Echoes2(Retnum(Lpoint.UserData)).pos.Y = Lpoint.Y
    Echoes2(Retnum(Lpoint.UserData)).pos.z = Lpoint.z
    PointsAdded2 = PointsAdded2 + 1
   End If
   ik = ik + 1
   PointsRead = PointsRead + 1
  Loop

EchoesRead:

  ' We end up here, when all echoes for this timnepoint (two sensors may co-exist) are read, perform error
analyses

  If NR(1) = 0 And LiDR1.echocount <> 0 Then Call ZeroLiDR(LiDR1, Echoes1)    ' just zeroes to the struct
  If NR(2) = 0 And LiDR2.echocount <> 0 Then Call ZeroLiDR(LiDR2, Echoes2)    ' just zeroes to the struct,
if there are no data
  If NR(1) <> PointsAdded1 Then Print #6, "Error 1" & "," & ik
  If NR(2) <> PointsAdded2 Then Print #6, "Error 2" & "," & ik
  If (NR(1) + NR(2)) <> (LiDR1.echocount + LiDR2.echocount) Then Print #6, "Error 4" & "," & ik
  ' Lets outbut the data
  If NR(1) > 0 Then
    For j = 1 To NR(1) ' loop echoes
      LX = Echoes1(j).pos.X: LY = Echoes1(j).pos.Y: LZ = Echoes1(j).pos.z
    ' Apply scaling and offsets
      Echoes1(j).pos.X = -0.04614190132 * (CDbl(LY) * 0.001 + 6000000#) + 0.9990901664 * (CDbl(LX) * 0.001 +
0#) + 2474938.474
      Echoes1(j).pos.Y = 0.9990949702 * (CDbl(LY) * 0.001 + 6000000#) + 0.04615302083 * (CDbl(LX) * 0.001 +
0#) - 10341.1406
      Echoes1(j).pos.z = (CDbl(LZ) * 0.001 + 0#) - 0.32  ' We go to N60 from N2000
    Next j
    FN1 = Format$(Int((Echoes1(NR(1)).pos.X - 2510000) / 100), "000")
    FN2 = Format$(Int((Echoes1(NR(1)).pos.Y - 6850000) / 100), "000")
    Open "c:\temp\1\LiDAR\bin\" & FN1 & "_" & FN2 & ".bin" For Binary As 100
    Nbytes = FileLen("c:\temp\1\LiDAR\bin\" & FN1 & "_" & FN2 & ".bin")
    Get #100, 1, Npulses
    If Nbytes = 0 Then
```

```
      Npulses = 0
      Nbytes = 4
    End If
    Put #100, 1, CLng(Npulses + 1)
    Put #100, Nbytes + 1, LiDR1
    Put #100, , Echoes1
    Close (100)

  End If
  If NR(2) > 0 Then
    For j = 1 To NR(2) ' loop echoes
      LX = Echoes2(j).pos.X: LY = Echoes2(j).pos.Y: LZ = Echoes2(j).pos.z
    ' Apply scaling and offsets
      Echoes2(j).pos.X = -0.04614190132 * (CDbl(LY) * 0.001 + 6000000#) + 0.9990901664 * (CDbl(LX) * 0.001 +
0#) + 2474938.474
      Echoes2(j).pos.Y = 0.9990949702 * (CDbl(LY) * 0.001 + 6000000#) + 0.04615302083 * (CDbl(LX) * 0.001 +
0#) - 10341.1406
      Echoes2(j).pos.z = (CDbl(LZ) * 0.001 + 0#) - 0.32  ' We go to N60 from N2000
    Next j
    FN1 = Format$(Int((Echoes2(NR(2)).pos.X - 2510000) / 100), "000")
    FN2 = Format$(Int((Echoes2(NR(2)).pos.Y - 6850000) / 100), "000")
    Open "c:\temp\1\LiDAR\bin\" & FN1 & "_" & FN2 & ".bin" For Binary As 100
    Nbytes = FileLen("c:\temp\1\LiDAR\bin\" & FN1 & "_" & FN2 & ".bin")
    Get #100, 1, Npulses
    If Nbytes = 0 Then
      Npulses = 0
      Nbytes = 4
    End If
    Put #100, 1, CLng(Npulses + 1)
    Put #100, Nbytes + 1, LiDR2
    Put #100, , Echoes2
    Close (100)

  End If


  Curtime = Lpoint.GPStime
  Sensor1 = False
  Sensor2 = False
  Call ZeroLiDR(LiDR1, Echoes1)    ' just puts zeroes to the struct
  Call ZeroLiDR(LiDR2, Echoes2)   ' just puts zeroes to the struct

Loop
Exit Sub
```

Appendix 4. LABS in photogrammetry and LiDAR-based STRS with KUVAMITT

NOVA-Mekrijärvi
Fri June 12, 2009
Ilkka Korpela, Finland
Ilkka.korpela@helsinki.fi

Contents

1 Purpose of the exercises

The lectures and labs will expose you to **IMAGES**

Simple FRAME camera model (~pin-hole, ~perspective) and exterior orientation
- scanned film images, digital cameras, multi-lens systems

PUSHBROOM camera/sensor model, exterior orientation
- ADS40-(SH52) camera

Getting 3D data using images
- single image
- solving the correspondence problem
- a pair of images
- multiple images
- trying the impossible, mixing XYZ-systems in adjustment
- Automatic 2-image and 3-image matching (area-based correlation)
- Monoplotting helped by LiDAR

Superimposing 3D data in images
- frame images vs. ads40
- Measuring tree top position / 3D data capture in images
- visibility/discernibility of trees of different relative height
- manual ray intersection
- manual template matching
- manual LiDAR monoplotting
- semi-automatic, template matching

Measuring tree crown diameter / dimensions in images
- manual, xy-vector in images
- manual, template matching
- semi-automatic crown silhouette modeling

Classification of the species (RADIOMETRY)
- Effects of the scale and BRF
- Visual interpretation
- Numerical – getting the pixel samples

Model chain in STRS – computing the single tree DBH
- Role of sampling, measurement and model errors
- Regression estimation OR
- Non-parametric estimation
- How to avoid excess costs?

Image chain & imaging issues
- The image chain is a good concept!
- Weather and medium, the light sources
- Phenology, time-of-day
- Post-processing, to interpolate or not?
- PAN-sharpening, what goes on behind the scenes?
- What does it cost to fly? Implications on method / camera / vendor selection?

Labs will expose you to LiDAR, which is compared to images and examples of co-use are given in (some of the themes):

- Evaluating the XY-matches, relative and absolute
- Evaluating the Z-accuracy of LiDAR
- Effective resolution of images and LiDAR?
- FW, discrete-return or mixed systems?
- Different systems: als50 and altm3100
- Different altitudes: 1, 2, 3 and 4-km data
- LiDAR intensity; comparable between sensors?
- Backscatter amplitude, factors affecting it?

2 Description of the demo data in C:\DATA\

21 About the data and examples

The LiDAR, Image and reference tree data is from Hyytiälä, (62°N, 24°E) in southern Finland (see http://www.helsinki.fi/~korpela/HYDE_REF/). Use of the data and KUVAMITT source code is hereby limited to this NOVA-course. If you are interested in doing research with the Hyytiälä remote sensing experiment, please contact Ilkka.korpela@helsinki.fi. Joint research efforts utilizing the experiment have been launched recently involving forest, remote sensing and photogrammetry researchers in Finland, Norway, Austria and the UK.

22 Frame images 1946–2009

KUVAMITT supports 8/16-bit, non-tiled, 1- 3-, or 4-channel raw/BIP-images (C/C++ arrays of unsigned char or unsigned short data).

UltraCAM/DMC images can have the 16-bit 1-channel PAN and the 4-channel R, G, B, NIR image versions in non-tiled, raw BIP format.

Image files are always named *.raw. Each image has an ASCII *.hdr -file, which contains the interior and exterior orientation parameters in [m] and radians. KUVAMITT assumes that the images are free from lens errors or that the medium does not affect the path of the image rays. The simple collinear equations are used. Extensions are easily made, when needed, e.g. when working with consumer grade cameras.

The XYZ system is always assumed to be Cartesian; thus no Earth curvature corrections are made.

For film images with fiducial marks, a Helmert or an Affine transformation is used to convert between the *row,col* -system of the image and the metric *xy*-system of the film/focal plane in the camera. Oldest images are from 1946 and newest from 2007 (Z/I DMC images from May 31, 2009 are not processed yet).

23 ADS40-pushbroom images from 2008

The set includes some pushbroom images taken in August 2008. In-situ radiometric measurements were carried out simultaneously that allow the testing of atmospheric correction models.

The sensor model is basically the same as in Frame images, however, the orientation parameters (camera position and attitude) are given for each scan line with 2–8-ms integration time and a direct solution of the *XYZ_in_object_spa-*

ce_to_pixel_pos routine cannot be found, but it is solved iteratively.

In a strip, alternatively 6 or 11 CCD-lines were "exposured" using integrations times between 2.3 to 8 milliseconds. Each strip yielded 6 or 11 images, or image mats, consisting of several 2GB TIFF-files. Handling of ADS40 data requires thus some additional bookkeeping because of the huge image sizes.

The *.hdr-file points to four ads40-spesific files with the needed metadata: *.ads, *.odf, *.cam, *.sup. The ads-file has metadata on the number of scan lines and image files. An *.odf file has the orientation data for each scan line. *.cam file contains the calibrated focal-plane xy-position of each pixel in the 12000-pixel line-CCDs. *.sup has the needed data for conversions between coordinate systems - there is a local Cartesian XYZ system where all photogrammetric computations are made. This is anchored to a local UTM35/WGS84 point, which is the system where the GPS/IMU observations were made during flight. Finally, these coordinates can be converted into any national system.

The images are coded per sensor line (11). "REDN00A", for example, stand for the nadir view in the red band. There are RED, GRN, BLU, NIR and PAN images looking in **B**ack, **N**adir or **F**orward direction at -16 to +27 degree angles.

Flying heights in August 23, 2008 were 1, 2, 3, or 4 km corresponding to GSDs of 10, 20, 30 and 40 cm. ADS40 has 6.5 micron pixels, with an effective resolution of ~6.4 um. The DN-values convert to at-sensor irradiances using calibration coefficients provided by the sensor manufacturer.

/ ADS40 radiometry; look for papers by Ulrich Biesl
/ ADS40 geometry: Udo Templemann

24 LiDAR data 2004, 2006-2008

Folders ***c:\data\als2004\, c:\data\als2006\, c:\data\als2007***, and ***c:\data\als2008*** have LiDAR pulse records in binary 100- and 207-byte records in files **##1_##2.bin**.

Altm1233-Blom, altm3100-Blom, als50-FinnMap and als50-Maa-Amet were the used sensors. Each pulse record has the following variables

- GPStime, secs from the beginning of the GPS-week
- Position and attitude of the LiDAR, in XYZ and 3 angles
- Scan angle
- 1-4 echoes with XYZ, intensity, range
- AGC & other miscellaneous parameters, depending on the sensor

The LiDAR data is processed into 1-ha binary files.

25 DEMs (DTMs) and CHMs

KUVAMITT supports raster and TIN DEMs/CHMs. In our sample files, the heights are meters above sea level in the Finnish orthometric N60 system. The data consists of 4-byte decimal number (float, single) arrays.

26 KUVAMITT- digital photogrammetric software

C:\data\kuvamitt_nova\project2.vbp starts the old Visual Basic 6.0 programming environment and opens the KUVAMITT source code project.

KUVAMITT consists of several Windows, in *Form#.frm* files plus supporting Visual Basic code modules in *Module#.bas* files. CTRL-R opens a project window, where these files (components) are listed. In addition, KUVAMITT uses two C/C++ DLLs of its own and several other 3rd-party DLL's, e.g. by Mathworks.

In each demo, there are instructions on how to change the source code to learn about the algorithms that are included.

3 LAB-1 Geometric properties of LiDAR and images

Demo – 1 Learning about KUVAMITT and our data

a. Start C:\data\kuvamitt_nova\project2.vbp

b. Press "F5" to Run the VB code, the program starts. Be sure that the regional settings in the PC have comma as list separator and point for the decimal symbol.

c. Press "F2" to read aerial images, go to the folder c:\data\imafiles\demo1\ and select the images, one at a time by repeating the F2 read process. Read order of images: 3913, 3914, 3915, 440304! These FRAME images are centered to some buildings at the Hyytiälä forest station, University of Helsinki.

In KUVAMITT, there can be 1-9 images displayed in the main window, Form1. The F2-routine opens the images and centeres then to an XYZ-solution (using the CTRL-M command).


d. Read a raster DEM of the area: "File | Add tin or raster height models | Add raster elevation (DEM) model (*.hdr)", select the file c:\data\HydeLiDARDEM.hdr and introduce a 0.20-m offset to the Z-data, when prompted.

All data are in KKJ-2/N60 XYZ-system, which is a Gauss-Kruger map projection for XY and orthometric heights for Z, i.e. meters a.s.l.

Now, there should be 4 images displaying a roof corner. Some image codes are imposed in white text, as well as the scale in 1:####. There is one film images (CIR, 21/23 RC20, 1.9 km) an three pan-sharpened digital CIR images (Ultracam D, 1 km).

e. Try clicking the corner of the roof in all images. You are making image observations of the corner. The text boxes above the images show the xy and (col,row) – images coordinates for the observations that you made.

Use **CTRL-C to clear any graphics** that hinders you from seeing the corner.



"**9.64 m**" is the height of some LiDAR echoes above the DTM, but let us first concentrate in the basic photogrammetric / geometric issues.

f. Pay attention to the row: "Space intersection results": when clicking the corner in images. It shows the current XYZ-solution that KUVAMITT uses.

g. Try zooming, panning and centering images.

Keep CTRL pressed down when clicking – ZOOM OUT
Keep SHIFT pressed down when clicking – ZOOM IN
Keep ALT pressed down when clicking – PAN MODE
Try CTRL-M, it centers everything to XYZ-solution

Zooming out becomes slow after 25%; this is because KUVAMITT does not support tiled images or does not use static image (resolution) pyramids, which are used by many DPW-software.

h. Clearing images and observations. Try CTRL-A, it clears graphics and empties the text boxes.

Demo – 2 Getting XYZ-coordinates manually

1. Monoplotting or monoscopic analysis

Click the corner of the flat roof in image 3913. The select from the menu: (3D | Intersection of rays… | Point intersection, ONE image…)

When prompted for the Z of the target, give 158 m, which is our current best guess.

The solution now is

X:

Y:

Z: 158.00 m

This is what one image (two observations) can give.

2. Least square ray intersection.

Now continue by clicking the same corner in all four images. Then perform least square ray intersection (4 images = 8 observations – 3 unknowns; redundancy of 5), Press CTRL-I.

The space intersection results are:

X:

Y:

Z:

And the reliability measures are

RMSE: micrometers

SD(X): m

SD(Y): m

SD(Z): m

3. LS-ray intersection in image pairs

Let's look at the Z solution by selecting different image pairs for the LS-ray intersection. Activate / disable images by selecting the check-box above the image. Make notes of the Z-values.

440304 – 3913, Z:

3913 – 3914, Z:

3914 – 3915, Z:

3913 – 3915, Z:

The Z-accuracy is mainly affected by the geometry of the meeting rays. Base-height ratio is a key indicator.

4. Pushbroom images ADS40, NIR-band

Using CTRL-D command (add image), open the image header file c:\data\ads40\hdr\08230703NIRN00A.hdr.

It is a NADIR-looking NIR-band view with a 10-cm nominal resolution.

The image is so-called L0 raw data where all camera movements (leftovers from the gyro stabilized movements) are seen. ADS40 images are normally rectified to plane, where corresponding entities sit on the same row (epipolar resampling of images).

5. Epipolar geometry, search lines.

Open the options window, CTRLO. Increase the Z-depth of the epipolar search from 5 to 50 m, and press "apply changes".

Now, when you click on any target in any image, that image ray is displayed in the other images in XYZ points that are ± 50 m from the Z-value of the current solution. The Z-parameter is looped at 0.25 m steps and the XY-points along the image ray are computed and the points are displayed in the images.

If the geometry, i.e. the exterior and (camera) interior orientations are well established, the corresponding point in the other images are found along the epipolar search lines, unless their Z deviates more than 50 m.

Demo – 3 Getting XYZ-coordinates semi-automatically


1. Using the confined search line; area-based image matching in an image pair.

Next we will do automatic search of the corresponding image point, in two images.

The image in the upper left corner s.b. 3913, and next to it, 3914 in the middle and 3915 as rightmost. 3913 is our master image (index 0). 3914 is the slave (index 1).

From the menu, select (State | Measure surface points (pair)).

Click something in the master image, on the roof.



The area –based matching looks, along the epipolar line, the corresponding features in the images, and based on cross-correlation (other measures exist too), decides the solution.

2. Epipolar geometry, area-based image matching in an image triplet.

Next we will do automatic search of the corresponding image point, supported by three images.

The image in the upper left corner s.b. 3913, and next to it, 3914 in the middle and 3915 as rightmost. Now 3914 is our master image (index 1). 3913 and 3915 are the slaves (indeces 0, 2).

From the menu, select (State | Measure surface points (triplet)).

Click something in the master image, in the middle of the upper row, on the roof. Use CTRL-M to center the images to the solution.

Compare pair matching and triplet matching by using the left and the middle images as master image. You should notice that the coordinates for the “same objects” differ.


Demo – 4 Getting XYZ-coordinates almost automatically

3. Automatic matching inside an image polygon


When you are done with item 15, pan (ALT-click) the image 3913 “to the left”, until you reach a football field, where you can click the image to get the solution there and centre all images (CTRL-M).

Then using menu commands (State | Draw Polygon) and (State | Draw XY-polyline given Z), delineate a polyline in the middle image (3914), by starting with the right-mouse-click, then digitize with the left-button, and finish by clicking SHIFT-right-click.

Deactivate “draw mode” using menu commands (State | Draw Polygon) and (State | Draw XY-polyline given Z). Then click a point in the field and start image matching (Surface matching | Triple image matching).



The matching is carried out in an image grid of image 3914, grid density is parameter as well as the size of the correlation window (see CTRL-O, options).



Here, the triplet matching was done in a +-3 m deep search space, and 0.5-m grid on the roof delineated by a polyline.

4. Anaglyph stereo – epipolar rectification (Optional)

If you have 3913 in the up left image position, and 3914 to the right of it; these two make a stereo pair.

(File | Create an anaglyph Stereo pair)

Set pixel size to 28 um, the rest you can just “OK”

Computing the stereo pair takes a while.

(File | Open the anaglyph Stereo Window)

(File | Open stereo pair file) – c:\data\pair.txt

Double-click the image to PAN.

“U”, “D” brings the solution up/down 1 meter.

In epipolar-resampled images the corresponding entities are on the same rows which greatly simplifies the implementation of search algorithms.



Image matching fails easily if the correspondence problem is difficult to resolve (occlusion, repeated texture). Image contains a small greenhouse.

Demo – 5 LiDAR data

Remove all images by pressing F3. Then open using F2 command c:\data\imafiles\demo1\2006_6214**3914**.txt and c:\data\imafiles\demo1\2006_6214**3915**.txt files. Try CTRL-Z (read DTM value) command. The ground should be at 151.09 m a.s.l. Use (File | Add TIN or Raster… | Add raster elevation model), if the ground was at -99 m.

1. Plot altm2033 data in images

First we break the control of the program (pause), by pressing CTRL-break.

CTRL-R opens the Project window. Select Form1.frm, in the code window, select the plot_als_bin_file routine. There, find the following code sequence:

```
Rem ********** Parameters *************
MaxDTM = 50
MinDTM = 0
DistA = 25
PlotIntensity = True
UseZNotH = False
```

MaxDTM and MinDTM set the range of values that is visualized in the HSV-colors. DistA is the XY radius of a plot in which the the data is superimposed. If PlotIntenity is set to False, height above ground is the theme, and if UseZNotH is true, absolute z-values are used for the theme (set range 155–162 m a.s.l.).

"F5" runs the code, then select (3D | Plot… | Plot 2004 LiDAR).

Try setting the values.

What can you say about the altm2033 intensity?

How about the XY-accuracy?
(Zoom in near the straight border of the roof)

2. Plot altm3100 data in images

Form1.frm routine **Print_ALS_near_solution_Click()** reads the altm3100 LiDAR data in 207 byte records and superimposes in the images. (3D | Plot | Plot 2006 LiDAR).

List 1. Struct / Type declaration of Optech's comprehensive format (altm3100).

```
Rem 2006 ALTM 3100 pulse data, 207 bytes per record
Type LidarRecord
 GPStime As Double
 PulseCount As Byte
 Returns(1 To 4) As point3D
 Intensity(1 To 4) As Integer
 Range(1 To 4) As Double
 angle As Double
 Roll As Double
 Pitch As Double
 Heading As Double
 Poslidar As point3D
 StripNum As Integer
 SyncBit As Byte
 Res1 As Byte
 Res2 As Byte
 Res3 As Byte
End Type
```

3. LiDAR; pulses or points?

Having the pulse geometry stored allows for using LiDAR for the measurement of scatterer-free volume. It also allows for checking the XY-accuracy of the data, if suitable linear features exist.

Click one corner of the roof, to get the XYZ-solution there.

(3D | Plot | Plot 2006-2007 LiDAR) plots the LiDAR pulses at 160.4 m a.s.l. Those that produced an echo above the elevation are drawn in red. "altm3100 points" are in dark yellow, and als50 "echoes" in light blue.



There are data from 4 overlapping strips and two sensors. The pulses are projected to the plane, Z = 160.4 and colored according to sensor and penetration of plane Z = 160.4 m.

Demo – 6 Tree measurements

1. Treetop positioning and tree height estimation with LiDAR monoplotting

You can start by removing all images (F3) and reading the image pair 3913 and 3914 with the F2-command.

PAN (Alt-click) in the images to the right to see a spruce tree (see below).




Click the top of the tree in the image, until you get ~22.50 m as the tree height.

This is the height estimate using "LiDAR-monoplotting"; where you sent a "1-m thick ray/tube" down to the scene by clicking in the image, and the first LiDAR point (2006-2008 data sets, plot by using Shift-Ins command) encountered inside the tube, was forced to intersect the ray keeping the camera-echo distance the same.

The RED dot is this solution. If you see a white dot, that is the first LiDAR echo in the “camera-ray-tube”.

If you press F12, the DTM is displayed in the screen. Tree height is simply the difference in Z.



2. Treetop position using LS ray intersection

Click the treetop (CTRL-C clears the graphics) in both images. Then CTRL-I to get the LS ray intersection solution. CTRL-Z gives the ground elevation, is the height still 22.50 m (or similar to the LiDAR-monoplotting value)?

3. Tree crown shape using non-linear regression

With the XYZ-position of the treetop, press “2” in the keyboard. That starts an iterative process where the point cloud is used for modeling the radius of the tree crown. Initial approximation is given by tree height and sp, which we assume to be P. abies, thus “2”.

The estimated crown diameter is given (Dcr: #.# m) as well as height estimates and a DBH estimate at the top of the Form1.frm window, in green text.

If you press “1”, you assume it is a pine.

Similarly, “3” is for birch / broad-leaved trees.

The DBH is estimated using species-spesific regression equations (Kallivirta and Tokola 2005),:

SQRT(DBH) = a*SQRT(H)+b*SQRT(CW)+epsilon

4. Tree crown width in image; semi-automatic template matching.

Remove all images, using the F3-command.

Read images 3913, 3914, 440303, 440304 using F2-command from c:\data\imafiles\MK\

Click in the treetop near the solution, in all images.

Press CTRL-I to solve the ray intersection.


Capture templates in images, using the CTRL-X command.

Make a series of templates over 7 scales, menu command (Image matching | Resize templates).

Activate check-Box “Multi-scale TM” on the main form.

Deactivate the epipolar lines in images (Options window, CTRL-O, Draw epipolar line…).

Click tree tops in any image to measure the Treetop position and Crown width using Template matching.



Template matching is used for 3D treetop positioning and the “best scale” gives an estimate of crown width, relative to the model tree.

/ISPRS Hannover Workshop 2007 /


5. Treetop positioning – almost automatic

Click the model tree used at the start to get the solution to get the “photo-plot” centered at that tree.

Set the plot-radius to 10 m (box with 23 as default)

Image matching | Read data for plotcenter
| Capture templates (not needed, done)
| Compute correlation images (CTRL-Y)
| Create XYZ point set (CTRL-N)
| Find Clusters (CTRL-W)

Adjust parameters XY (1.5) and RI (0.3), and re-run the clustering step (CTRL-W).



Proper selection of correlation value (RI) and minimum distance between treetops (XY) resulted in a reasonable treetop detection results.

/Silva Fennica monographs 3, 2004/

4 Lab 2 – RADIOMETRIC ISSUES

Demo 1 – the image data for XYZ point

The 3D point could be for example e.g. a LiDAR return or a point on the surface of a crown model.

We need a mapping from the XYZ object space to the xyz-space of the camera. In camera, z = ± c, i.e. the focal length, and xy-plane corresponds to the film/focal/ccd plane. The

origin is in the center, and KUVAMITT assumes that the xy-system is right-handed.

In a film-image the extent of the xy-plane is typically 23x23 cm.

UltraCAM D has a virtual “3.3 x 5.2-cm film-plane”, actually there are 8 CCDs. Some are 24 mm x 36 mm, in size.

ADS40 has CCD-lines with 12000, 6.5-um pixels, which constitutes a 7.8-cm line of pixels; all 11 lines are on the same focal plane.

First we solve the xy-coordinates of the point.

Look for MODULE1.BAS and routine
Public Sub r_transform_ground_to_pixel

Inside it, find the routine Call a_transform_affine
Click the marginal to the left, to activate this line, it turns red.
The debugger will now stop on this line.

Then start Visual Basic, F5, and read an image using the F2 (Take c:\data\imafiles\demo1\2006_62143914.txt)

When the debugger stops at the line, place the cursor on top of variables camera_x and camera_y. The values are meters, in the xy-system.

Then, click on the marginal to activate debugger on the next line that has the End Sub –statement.

Continue the execution with F5-command (Continue).

Then look at the values of variables p_x and p_y by placing the cursor on top of them. These values correspond to column, row position in the image. They are decimal values, that need to be converted into a pixel, or the pixels in the vicinity are interpolated.

NOTE: In KUVAMITT, the origin (0,0) of the image coordinate system is in the low left corner of the image, and in the center of the pixel, the value is always (#.5, #.5). There exists no standards on the definition of the origin.

Demo 2 – the 16-bit R, G, B, NIR -values

The monoplotting procedure has some code for the retrieval of the pixel data for the XYZ-point that has been solved (Demo 6/1).

Pause the program (CTRL-break) and look at Module1.bas, and routine Cast_Image_ray_and_Find_Closest_LiDAR;

Find the code segment (use CTRL-F)
```
Rem RGBNIR-VALUES
GoTo PassBy
```

Write “Rem” or “’” in front of the GOTO statement.

Then run the code F5 and click targets in the image 3914.



The R G B NIR Pan_Mean and PAN_SD values are printed in the image.

Try different targets.


Demo 3 – PAN-sharpened vs. original

Remove all images (F3).

Open using F2 command:
c:\data\imafiles\demo1\2006_62143914.txt

Open using CTRL-D command:
c:\data\hdr\62143914_uint8.hdr

This image has the 28.125 um (actually 9 um) pixels in NIR R and G bands; transformed from 16 to 8 bits.



The PAN-sharpening ratio of UCD is 1:3.2.

Try getiing the 16-bit pixel values, at times they are not the same, because of minor orientation differences and interpolation errors.


Demo 4 – Collecting LiDAR intensities

Pause the project using CTRL-Break. Look for procedure Match_Local_Crown() in Form1.frm.

Look for the code below:
```
GoTo PassBy
Form1.Picture1(0).CurrentX = 10
Form1.Picture1(0).CurrentY = 10
```

Make the GOTO statement into a remark by adding Rem at the start.

Run the code (F5), find a tree top and measure it using the LiDAR monoplotting technique. Then model the crown envelope by pressing either “1”, “2”, or “3” (Pine, Spruce, Other).



Mean intensity and SD of intensity are given in the upper left corner. Only first-return data is used.

C:\data\intensities.txt has all the observations. Given are distance down the top (m) and intensity (DN). Two sensors, als50 and altm3100 are used together.

5 Some KUVAMITT commands:

EDITING OBSERVATIONS

CTRL-A
Deletes all image observations and clears images
CTRL-C
Clears the images

MOVING AROUND

CTRL-M
Centers images to XYZ solution (variables X_sol, Y_sol, Z_sol)
Alt-Click
PAN an image
Ctrl-Click
Zoom out an image
Shift-Click
Zoom in an image
Click
Sets the image, xy-observation for an image (displayed in text boxes)

3D POSITIONING

CTRL-I
Computes least square ray intersection based on the image observations
CTRL-Z
Check the raster DEM elevation (Z) for the current XYZ-solution
F12
Plots the DEM in the images over certain area, in HSV-colors.

READING IMAGES

F2
Inserts an image to a specified XYZ-position.
F3
Removes one or all images from the display
F8
Compute images in which the XYZ-solution is visible.
CTRL-D
Reading an image (HDR-file)

PLOTTING LIDAR

Shift-ins
Plots 3 sets of LiDAR points (altm3100, 2006, 1km) (als50, 2007, 1km) (als50, 2008, 1, 2, 3 4km) in the images

Appendix 5. EO of the frame images

#		f	omega	phi	kappa	x0	y0	z0	id	path	year
1	0	0.20453	-0.071348	0.020872	-2.998308	2516042.847	6854295.962	4095.455	54439	c:\data\hdr\1946_54439.hdr	1946
2	0	0.20453	-0.023050	0.014195	-3.018826	2517401.434	6854493.971	4094.275	54440	c:\data\hdr\1946_54440.hdr	1946
3	0	0.20453	0.019864	0.031785	-3.049979	2518784.087	6854640.144	4089.347	54441	c:\data\hdr\1946_54441.hdr	1946
4	0	0.20453	-0.027764	0.050020	0.019042	2516832.415	6856917.878	4081.684	54452	c:\data\hdr\1946_54452.hdr	1946
5	0	0.20453	0.006187	0.039931	0.017454	2517830.342	6856897.374	4081.373	54453	c:\data\hdr\1946_54453.hdr	1946
6	0	0.20453	-0.033651	0.003238	0.035773	2519280.408	6856872.482	4081.258	54454	c:\data\hdr\1946_54454.hdr	1946
7	0	0.20453	-0.008020	-0.019865	1.637701	2517268.157	6856327.703	4277.923	55012	c:\data\hdr\1946_55012.hdr	1946
8	0	0.20453	-0.004778	-0.013577	1.631486	2517537.896	6856358.081	4280.518	55013	c:\data\hdr\1946_55013.hdr	1946
9	0	0.20453	-0.006573	0.018829	1.629559	2516084.936	6856239.735	4282.015	55014	c:\data\hdr\1946_55014.hdr	1946
10	0	0.20453	0.008069	0.013886	1.626831	2515816.831	6856226.041	4286.746	55015	c:\data\hdr\1946_55015.hdr	1946
11	0	0.20453	-0.019642	0.006252	1.506057	2514538.801	6856156.049	4260.925	55016	c:\data\hdr\1946_55016.hdr	1946
12	0	0.20453	0.001869	-0.017833	-1.714644	2512689.164	6859833.362	4278.198	55045	c:\data\hdr\1946_55045.hdr	1946
13	0	0.20453	0.016102	-0.006795	-1.717275	2514223.847	6859746.516	4285.951	55046	c:\data\hdr\1946_55046.hdr	1946
14	0	0.20453	0.002584	-0.007551	-1.714569	2514517.285	6859723.958	4285.222	55047	c:\data\hdr\1946_55047.hdr	1946
15	0	0.20453	-0.019702	-0.002170	-1.621963	2516072.663	6859664.583	4276.453	55048	c:\data\hdr\1946_55048.hdr	1946
16	0	0.20453	0.000161	0.001703	-1.616746	2517694.467	6859703.878	4284.627	55049	c:\data\hdr\1946_55049.hdr	1946
17	0	0.20453	-0.012120	-0.006253	-1.622418	2519523.924	6859740.558	4284.384	55050	c:\data\hdr\1946_55050.hdr	1946
18	0	0.20453	0.013339	-0.044108	-0.001784	2519522.848	6854837.338	4146.399	533106	c:\data\hdr\1946_533106.hdr	1946
19	0	0.20453	-0.014293	-0.048238	0.031720	2518250.440	6854818.225	4144.984	533107	c:\data\hdr\1946_533107.hdr	1946
20	0	0.20453	-0.023906	-0.028955	0.036591	2517010.755	6854767.622	4151.832	533108	c:\data\hdr\1946_533108.hdr	1946
21	0	0.20453	-0.006268	-0.032229	0.046651	2515762.445	6854709.814	4150.375	533109	c:\data\hdr\1946_533109.hdr	1946
22	0	0.20453	-0.020037	-0.031467	0.051377	2514517.302	6854634.511	4149.620	533110	c:\data\hdr\1946_533110.hdr	1946
23	0	0.20453	-0.031524	-0.047104	0.033411	2513280.609	6854567.539	4149.090	533111	c:\data\hdr\1946_533111.hdr	1946
24	0	0.20453	0.042690	0.023089	-3.113004	2512099.225	6857523.226	4157.570	533118	c:\data\hdr\1946_533118.hdr	1946
25	0	0.20453	0.041733	0.032718	-3.140783	2513386.013	6857587.587	4151.915	533119	c:\data\hdr\1946_533119.hdr	1946
26	0	0.20453	0.040000	0.039196	-3.153059	2514693.426	6857615.313	4144.877	533120	c:\data\hdr\1946_533120.hdr	1946
27	0	0.20453	0.003865	0.063544	-3.194823	2515999.747	6857612.708	4139.747	533121	c:\data\hdr\1946_533121.hdr	1946
28	0	0.20453	0.070051	0.034898	-3.198681	2517336.515	6857595.021	4137.378	533122	c:\data\hdr\1946_533122.hdr	1946
29	0	0.20453	0.048086	0.026643	-3.216271	2518649.964	6857537.291	4150.112	533123	c:\data\hdr\1946_533123.hdr	1946
30	0	0.20453	0.050068	-0.000829	-3.231845	2519969.391	6857456.052	4140.099	533124	c:\data\hdr\1946_533124.hdr	1946
31	0	0.20453	0.027924	-0.017809	0.299474	2518811.661	6860750.357	4155.755	533200	c:\data\hdr\1946_533200.hdr	1946
32	0	0.20453	-0.011650	-0.012078	0.290750	2517568.938	6860548.923	4174.198	533201	c:\data\hdr\1946_533201.hdr	1946
33	0	0.20453	0.041297	-0.076041	0.326394	2516342.812	6860323.079	4143.259	533202	c:\data\hdr\1946_533202.hdr	1946
34	0	0.20453	-0.069015	-0.001703	0.354372	2515106.566	6860046.705	4170.023	533203	c:\data\hdr\1946_533203.hdr	1946
35	0	0.20453	-0.018984	-0.046328	0.371448	2513902.256	6859767.774	4153.260	533204	c:\data\hdr\1946_533204.hdr	1946
36	0	0.20453	-0.023316	-0.039313	0.357888	2512675.977	6859476.697	4144.373	533205	c:\data\hdr\1946_533205.hdr	1946
37	0	0.20453	0.009370	-0.050655	0.361450	2511448.850	6859183.627	4140.427	533206	c:\data\hdr\1946_533206.hdr	1946
38	0	0.20453	-0.006168	-0.029166	0.395392	2510224.535	6858873.250	4139.185	533207	c:\data\hdr\1946_533207.hdr	1946
39	0	0.20453	0.005504	-0.031909	0.006980	2519407.773	6862166.933	4136.814	537024	c:\data\hdr\1946_537024.hdr	1946
40	0	0.20453	0.007960	-0.031131	-0.022880	2518084.682	6862111.439	4141.388	537025	c:\data\hdr\1946_537025.hdr	1946
41	0	0.20453	0.022532	-0.033818	-0.008714	2516749.154	6862073.498	4136.549	537026	c:\data\hdr\1946_537026.hdr	1946
42	0	0.20453	-0.009716	-0.041643	-0.033264	2515413.208	6862034.197	4135.411	537027	c:\data\hdr\1946_537027.hdr	1946
43	0	0.20453	0.018722	-0.057577	-0.017448	2514069.476	6862018.927	4137.740	537028	c:\data\hdr\1946_537028.hdr	1946
44	0	0.20453	-0.011232	-0.031868	-0.040004	2512730.852	6861995.210	4138.596	537029	c:\data\hdr\1946_537029.hdr	1946
45	0	0.20453	0.032613	-0.037513	-0.025865	2511389.197	6862011.853	4134.176	537030	c:\data\hdr\1946_537030.hdr	1946
46	0	0.20453	0.003865	-0.044686	0.005180	2510052.701	6861997.220	4134.048	537031	c:\data\hdr\1946_537031.hdr	1946
47	0	0.20453	0.015023	0.042818	-3.218507	2511683.741	6863591.289	4137.380	537050	c:\data\hdr\1946_537050.hdr	1946
48	0	0.20453	0.012099	0.049036	-3.191770	2513125.741	6863437.699	4130.199	537051	c:\data\hdr\1946_537051.hdr	1946
49	0	0.20453	-0.010525	0.039982	-3.193848	2514568.358	6863292.337	4144.038	537052	c:\data\hdr\1946_537052.hdr	1946
50	0	0.20453	-0.056108	0.037954	-3.127557	2516005.378	6863186.495	4142.638	537053	c:\data\hdr\1946_537053.hdr	1946
51	0	0.20453	-0.036138	0.055444	-3.058191	2517457.141	6863181.427	4134.660	537054	c:\data\hdr\1946_537054.hdr	1946
52	0	0.20453	-0.039435	0.026944	-2.976594	2518916.311	6863304.236	4133.242	537055	c:\data\hdr\1946_537055.hdr	1946
53	0	0.15236	-0.006291	0.021381	-2.381357	2513204.785	6860056.672	2662.571	62121313	c:\data\hdr\1962_62121313.hdr	1962
54	0	0.15236	-0.009528	0.016664	-2.376385	2514241.738	6860984.158	2654.511	62121314	c:\data\hdr\1962_62121314.hdr	1962
55	0	0.15236	-0.023630	0.009414	-2.373706	2515270.306	6861920.178	2649.688	62121315	c:\data\hdr\1962_62121315.hdr	1962
56	0	0.15236	-0.029160	0.023100	-2.347033	2516240.641	6862851.912	2636.442	62121316	c:\data\hdr\1962_62121316.hdr	1962
57	0	0.15245	0.008789	0.004172	-3.106597	2514646.039	6854722.534	9403.538	6306239	c:\data\hdr\1963_6306239.hdr	1963
58	0	0.15245	0.001941	0.031685	-3.108668	2517730.297	6854698.325	9384.372	6306240	c:\data\hdr\1963_6306240.hdr	1963
59	0	0.15245	0.008471	0.013090	-3.107656	2520871.709	6854682.509	9347.328	6306241	c:\data\hdr\1963_6306241.hdr	1963
60	0	0.15245	-0.008775	-0.005229	-0.010683	2514777.826	6864434.645	9379.987	6306259	c:\data\hdr\1963_6306259.hdr	1963
61	0	0.15245	-0.009983	-0.020318	-0.010636	2511970.556	6864473.054	9367.432	6306260	c:\data\hdr\1963_6306260.hdr	1963
62	0	0.15245	-0.013638	-0.016283	-0.011509	2509147.499	6864513.731	9360.856	6306261	c:\data\hdr\1963_6306261.hdr	1963
63	0	0.15292	0.015658	0.001512	-0.080048	2516643.654	6854922.075	3178.600	6616304	c:\data\hdr\1966_6616304.hdr	1966
64	0	0.15292	0.052821	0.009726	-0.064262	2514853.630	6855064.059	3178.768	6616305	c:\data\hdr\1966_6616305.hdr	1966
65	0	0.15292	-0.009709	-0.016016	-3.138171	2514260.564	6857989.269	3173.325	6616315	c:\data\hdr\1966_6616315.hdr	1966
66	0	0.15292	-0.002051	0.001399	-3.109191	2515902.656	6857958.260	3172.754	6616316	c:\data\hdr\1966_6616316.hdr	1966
67	0	0.15292	-0.006932	-0.014767	-3.085554	2517540.360	6857958.690	3178.971	6616317	c:\data\hdr\1966_6616317.hdr	1966
68	0	0.15292	0.002449	0.011143	0.031763	2517021.818	6860976.225	3175.445	6616326	c:\data\hdr\1966_6616326.hdr	1966
69	0	0.15292	0.002244	0.000737	0.039013	2515363.607	6860956.414	3180.293	6616327	c:\data\hdr\1966_6616327.hdr	1966
70	0	0.15292	0.014839	0.019770	0.023966	2513694.032	6860934.375	3181.018	6616328	c:\data\hdr\1966_6616328.hdr	1966
71	0	0.15292	0.001085	-0.013761	-3.108659	2519271.229	6857970.552	3185.176	6616318	c:\data\hdr\1966_6616318.hdr	1966
72	0	0.15292	0.008512	0.001930	0.020785	2512016.259	6860911.369	3181.309	6616329	c:\data\hdr\1966_6616329.hdr	1966
73	0	0.15292	-0.014963	-0.002926	0.010256	2510308.456	6860919.586	3176.354	6616330	c:\data\hdr\1966_6616330.hdr	1966
74	0	0.15292	0.002809	-0.002219	-3.142703	2513615.522	6864040.649	3180.601	6616339	c:\data\hdr\1966_6616339.hdr	1966
75	0	0.15292	-0.010550	0.001126	-3.102114	2515310.507	6863977.660	3180.276	6616340	c:\data\hdr\1966_6616340.hdr	1966
76	0	0.15292	-0.001905	-0.013542	-3.129021	2516949.622	6863971.414	3187.116	6616341	c:\data\hdr\1966_6616341.hdr	1966
77	0	0.15292	-0.013880	-0.012574	-3.096503	2518752.380	6863928.506	3188.788	6616342	c:\data\hdr\1966_6616342.hdr	1966
78	0	0.15298	0.038555	-0.010600	-0.513635	2517567.008	6856073.778	2148.968	6911301	c:\data\hdr\1969_6911301.hdr	1969
79	0	0.15298	0.056351	-0.008531	-0.596462	2516586.842	6856744.792	2150.782	6911302	c:\data\hdr\1969_6911302.hdr	1969
80	0	0.15298	-0.040851	0.040318	-0.732776	2515646.571	6857484.506	2169.638	6911303	c:\data\hdr\1969_6911303.hdr	1969
81	0	0.15298	0.006050	-0.022452	-0.643619	2514735.283	6858342.104	2162.966	6911304	c:\data\hdr\1969_6911304.hdr	1969
82	0	0.15298	0.012759	-0.024891	-0.662284	2513795.171	6859139.509	2143.300	6911305	c:\data\hdr\1969_6911305.hdr	1969
83	0	0.15298	0.031451	0.021931	-0.671141	2512958.552	6859844.910	2142.497	6911306	c:\data\hdr\1969_6911306.hdr	1969
84	0	0.15298	-0.002907	0.023891	-0.779711	2512081.757	6860632.326	2163.244	6911307	c:\data\hdr\1969_6911307.hdr	1969
85	0	0.15298	0.026133	-0.025415	-0.646039	2511252.966	6861468.006	2154.042	6911308	c:\data\hdr\1969_6911308.hdr	1969
86	0	0.15298	0.017131	0.003913	-0.599250	2510333.158	6862221.811	2139.601	6911309	c:\data\hdr\1969_6911309.hdr	1969
87	0	0.15286	-0.021110	-0.016740	1.521965	2514935.768	6861931.572	3469.934	7316622	c:\data\hdr\1973_7316622.hdr	1973
88	0	0.15286	-0.021607	-0.004991	1.569122	2514845.197	6860413.642	3467.162	7316623	c:\data\hdr\1973_7316623.hdr	1973
89	0	0.15286	-0.019766	-0.020951	1.552021	2514809.875	6858873.288	3475.756	7316624	c:\data\hdr\1973_7316624.hdr	1973
90	0	0.15286	-0.019321	-0.009952	1.599774	2514764.803	6857334.182	3476.460	7316625	c:\data\hdr\1973_7316625.hdr	1973
91	0	0.15286	-0.009780	-0.021743	1.603580	2514801.837	6855795.663	3474.236	7316626	c:\data\hdr\1973_7316626.hdr	1973
92	0	0.15286	-0.021408	-0.020621	1.563281	2514815.788	6854235.007	3473.507	7316627	c:\data\hdr\1973_7316627.hdr	1973
93	0	0.15286	0.020620	0.001308	-1.574788	2518213.936	6856889.448	3469.295	7316660	c:\data\hdr\1973_7316660.hdr	1973
94	0	0.15286	0.019222	-0.002840	-1.561942	2518205.717	6858663.611	3470.874	7316661	c:\data\hdr\1973_7316661.hdr	1973
95	0	0.15286	0.018370	0.015495	-1.595741	2518188.551	6860421.736	3470.083	7316662	c:\data\hdr\1973_7316662.hdr	1973
96	0	0.15286	0.014632	0.008718	-1.627201	2518247.715	6862211.763	3458.132	7316663	c:\data\hdr\1973_7316663.hdr	1973
97	0	0.15286	-0.019532	0.022218	1.593351	2518146.073	6862694.663	3478.725	7320456	c:\data\hdr\1973_7320456.hdr	1973
98	0	0.15286	-0.006233	-0.000920	1.576599	2518181.878	6860870.643	3476.341	7320457	c:\data\hdr\1973_7320457.hdr	1973
99	0	0.15286	0.000014	0.014455	1.588954	2518190.159	6858976.163	3470.611	7320458	c:\data\hdr\1973_7320458.hdr	1973
100	0	0.15286	-0.022895	0.003971	1.555947	2518217.019	6856986.173	3481.275	7320459	c:\data\hdr\1973_7320459.hdr	1973

```
101 0 0.15286 0.000077 0.003430 1.563600 2518206.758 6854934.201 3475.629 7320460 c:\data\hdr\1973_7320460.hdr 1973
102 0 0.15286 0.010012 -0.012930 -1.514122 2515089.743 6856925.702 3480.763 7320491 c:\data\hdr\1973_7320491.hdr 1973
103 0 0.15286 0.002208 0.005959 -1.570402 2515084.019 6858925.616 3475.151 7320492 c:\data\hdr\1973_7320492.hdr 1973
104 0 0.15286 0.000297 -0.025472 -1.553039 2515137.404 6860937.094 3477.338 7320493 c:\data\hdr\1973_7320493.hdr 1973
105 0 0.15286 0.004527 -0.009369 -1.554916 2515163.491 6862787.989 3484.787 7320494 c:\data\hdr\1973_7320494.hdr 1973
106 0 0.15286 0.021322 -0.003954 -1.638366 2511757.764 6860175.620 3468.909 7316619 c:\data\hdr\1973_7316619.hdr 1973
107 0 0.15286 0.018965 0.004219 -1.632502 2511816.100 6861995.515 3472.487 7316620 c:\data\hdr\1973_7316620.hdr 1973
108 0 0.15286 -0.018292 -0.012682 1.538911 2514773.024 6852603.049 3469.040 7316628 c:\data\hdr\1973_7316628.hdr 1973
109 0 0.15286 -0.025317 -0.010072 1.558624 2514733.473 6850937.146 3480.145 7316629 c:\data\hdr\1973_7316629.hdr 1973
110 0 0.15286 0.019830 -0.000117 -1.595281 2518189.169 6851556.969 3465.878 7316657 c:\data\hdr\1973_7316657.hdr 1973
111 0 0.15286 0.018915 -0.002506 -1.585205 2518212.133 6853347.162 3463.563 7316658 c:\data\hdr\1973_7316658.hdr 1973
112 0 0.15286 0.024633 0.000792 -1.577625 2518216.324 6855113.946 3466.510 7316659 c:\data\hdr\1973_7316659.hdr 1973
113 0 0.15286 0.008043 -0.011617 -1.521196 2515186.111 6853294.505 3478.277 7320489 c:\data\hdr\1973_7320489.hdr 1973
114 0 0.15286 0.015822 0.002030 -1.518114 2515130.363 6854976.370 3478.808 7320490 c:\data\hdr\1973_7320490.hdr 1973
115 0 0.15286 -0.022584 0.007471 1.587221 2511691.713 6863176.788 3481.713 7320495 c:\data\hdr\1973_7320495.hdr 1973
116 0 0.15286 -0.010049 -0.004562 1.540214 2511702.203 6861126.631 3478.481 7320496 c:\data\hdr\1973_7320496.hdr 1973
117 0 0.15286 -0.008735 0.017541 1.545131 2511661.065 6859150.540 3477.201 7320497 c:\data\hdr\1973_7320497.hdr 1973
118 0 0.15286 -0.003200 0.030462 1.592192 2511641.547 6857217.662 3477.916 7320498 c:\data\hdr\1973_7320498.hdr 1973
119 0 0.15214 0.014705 -0.000685 3.155723 2516365.481 6862734.613 2714.930 773802 c:\data\hdr\1977_773802.hdr 1977
120 0 0.15214 -0.006250 0.010918 3.166382 2516344.160 6861436.349 2724.261 773803 c:\data\hdr\1977_773803.hdr 1977
121 0 0.15214 0.017444 0.004506 3.164734 2516333.441 6860165.177 2728.557 773804 c:\data\hdr\1977_773804.hdr 1977
122 0 0.15214 0.015832 -0.008841 3.169192 2516330.974 6858887.206 2723.878 773805 c:\data\hdr\1977_773805.hdr 1977
123 0 0.15214 0.018121 -0.010071 3.172564 2516328.451 6857605.095 2720.896 773806 c:\data\hdr\1977_773806.hdr 1977
124 0 0.15214 0.019275 0.005666 3.159709 2516311.691 6856223.508 2723.487 773807 c:\data\hdr\1977_773807.hdr 1977
125 0 0.15214 0.015662 0.000687 3.162664 2516303.625 6854781.780 2725.541 773808 c:\data\hdr\1977_773808.hdr 1977
126 0 0.15214 -0.014358 -0.000583 -0.015975 2513677.434 6858920.767 2718.704 773813 c:\data\hdr\1977_773813.hdr 1977
127 0 0.15214 -0.008891 0.003255 -0.021149 2513721.250 6860302.237 2718.735 773814 c:\data\hdr\1977_773814.hdr 1977
128 0 0.15214 -0.020052 0.006091 -0.015308 2513773.480 6861659.926 2727.208 773815 c:\data\hdr\1977_773815.hdr 1977
129 0 0.15214 -0.011954 -0.013801 -0.018631 2513838.110 6863039.514 2725.647 773816 c:\data\hdr\1977_773816.hdr 1977
130 0 0.15313 -0.006114 0.008853 1.914855 2517022.327 6862736.229 2069.807 8319310 c:\data\hdr\1983_8319310.hdr 1983
131 0 0.15313 0.002151 -0.014189 1.920018 2517435.394 6861679.700 2070.753 8319311 c:\data\hdr\1983_8319311.hdr 1983
132 0 0.15313 -0.003608 0.004802 1.921779 2517838.798 6860622.805 2072.184 8319312 c:\data\hdr\1983_8319312.hdr 1983
133 0 0.15313 -0.002226 0.008511 1.924842 2518252.809 6859550.779 2071.948 8319313 c:\data\hdr\1983_8319313.hdr 1983
134 0 0.15313 0.002284 0.009658 -1.654116 2517592.141 6854835.122 2064.998 8319314 c:\data\hdr\1983_8319314.hdr 1983
135 0 0.15313 0.001204 -0.009807 -1.657559 2517699.112 6856016.972 2067.419 8319315 c:\data\hdr\1983_8319315.hdr 1983
136 0 0.15313 0.003958 0.002396 -1.658718 2517798.343 6857161.404 2067.630 8319316 c:\data\hdr\1983_8319316.hdr 1983
137 0 0.15313 0.000263 0.003797 -1.608303 2517871.188 6858325.028 2069.475 8319317 c:\data\hdr\1983_8319317.hdr 1983
138 0 0.15313 0.001322 -0.014792 -1.605858 2517924.668 6859451.536 2068.962 8319318 c:\data\hdr\1983_8319318.hdr 1983
139 0 0.15313 0.001337 0.005526 -1.599315 2517968.627 6860599.135 2068.849 8319319 c:\data\hdr\1983_8319319.hdr 1983
140 0 0.15313 0.003372 -0.017047 -1.598330 2518013.359 6861745.141 2069.576 8319320 c:\data\hdr\1983_8319320.hdr 1983
141 0 0.21408 -0.009701 0.008856 -3.139200 2516210.341 6856268.807 3501.793 84128129 c:\data\hdr\1984_84128129.hdr 1984
142 0 0.21408 -0.005138 0.009250 -3.137590 2517450.346 6856265.948 3502.009 84128130 c:\data\hdr\1984_84128130.hdr 1984
143 0 0.21408 -0.008708 0.011220 -3.138351 2518681.953 6856263.493 3500.064 84128131 c:\data\hdr\1984_84128131.hdr 1984
144 0 0.21408 0.007554 -0.008519 0.024600 2516409.256 6858697.007 3500.278 84128134 c:\data\hdr\1984_84128134.hdr 1984
145 0 0.21408 -0.007471 -0.009083 0.010510 2515150.660 6858667.889 3501.005 84128135 c:\data\hdr\1984_84128135.hdr 1984
146 0 0.21408 0.003586 -0.007255 -0.011151 2513820.381 6858665.697 3499.516 84128136 c:\data\hdr\1984_84128136.hdr 1984
147 0 0.21408 0.008199 -0.009411 -0.014298 2512472.746 6858679.045 3500.741 84128137 c:\data\hdr\1984_84128137.hdr 1984
148 0 0.21408 0.009955 -0.010176 -0.000500 2517441.215 6853980.187 3499.811 84128101 c:\data\hdr\1984_84128101.hdr 1984
149 0 0.21408 0.009403 -0.009193 0.010834 2516137.572 6853974.897 3499.805 84128102 c:\data\hdr\1984_84128102.hdr 1984
150 0 0.21408 0.014691 -0.006422 0.033692 2514876.851 6853942.625 3499.760 84128103 c:\data\hdr\1984_84128103.hdr 1984
151 0 0.15297 0.008466 0.006245 -2.284396 2512707.154 6859584.583 2336.137 851515 c:\data\hdr\1985_851515.hdr 1985
152 0 0.15297 0.008150 0.017590 -2.303580 2513488.225 6860504.534 2332.147 851516 c:\data\hdr\1985_851516.hdr 1985
153 0 0.15297 -0.000578 -0.014748 -2.300040 2514260.634 6861389.475 2335.600 851517 c:\data\hdr\1985_851517.hdr 1985
154 0 0.15349 0.037345 -0.001847 -1.535927 2516235.775 6855140.913 1782.288 8523001 c:\data\hdr\1985_8523001.hdr 1985
155 0 0.15349 0.012115 0.013199 -1.466158 2516127.390 6856250.142 1783.979 8523002 c:\data\hdr\1985_8523002.hdr 1985
156 0 0.15349 0.028282 0.008654 -1.554379 2516018.827 6857281.547 1781.657 8523003 c:\data\hdr\1985_8523003.hdr 1985
157 0 0.15349 0.020281 -0.045295 -1.548736 2515985.402 6858096.252 1780.709 8523004 c:\data\hdr\1985_8523004.hdr 1985
158 0 0.15349 0.034056 0.018109 -1.509409 2515945.540 6858911.183 1786.096 8523005 c:\data\hdr\1985_8523005.hdr 1985
159 0 0.15349 -0.026106 0.021598 -1.538431 2515906.500 6859671.784 1794.842 8523006 c:\data\hdr\1985_8523006.hdr 1985
160 0 0.15349 -0.033369 -0.047860 -1.566593 2515893.319 6860557.020 1767.921 8523007 c:\data\hdr\1985_8523007.hdr 1985
161 0 0.15349 -0.002991 0.005273 -1.555176 2515859.449 6861474.381 1741.026 8523008 c:\data\hdr\1985_8523008.hdr 1985
162 0 0.15349 0.004925 -0.005837 -1.566547 2516180.568 6854713.324 1708.025 8523101 c:\data\hdr\1985_8523101.hdr 1985
163 0 0.15349 -0.005729 0.005311 -1.569070 2516183.356 6855393.101 1699.610 8523102 c:\data\hdr\1985_8523102.hdr 1985
164 0 0.15349 -0.004271 0.069293 -1.558687 2516187.528 6856190.251 1702.466 8523103 c:\data\hdr\1985_8523103.hdr 1985
165 0 0.15349 -0.023189 -0.010753 -1.521110 2516208.171 6857023.538 1683.510 8523104 c:\data\hdr\1985_8523104.hdr 1985
166 0 0.15349 0.007870 0.005205 -1.499096 2516202.989 6857875.438 1671.683 8523105 c:\data\hdr\1985_8523105.hdr 1985
167 0 0.15349 0.023860 -0.012750 -1.512762 2516176.961 6858642.548 1685.486 8523106 c:\data\hdr\1985_8523106.hdr 1985
168 0 0.15349 0.037028 0.023176 -1.485401 2516137.738 6859390.314 1705.515 8523107 c:\data\hdr\1985_8523107.hdr 1985
169 0 0.15349 0.050525 -0.010173 -1.496360 2516092.796 6860116.662 1726.940 8523108 c:\data\hdr\1985_8523108.hdr 1985
170 0 0.15349 -0.016463 0.035313 -1.449096 2516046.225 6860804.730 1732.012 8523109 c:\data\hdr\1985_8523109.hdr 1985
171 0 0.15349 0.007339 0.025617 -1.494821 2516002.737 6861644.463 1733.896 8523110 c:\data\hdr\1985_8523110.hdr 1985
172 0 0.15349 -0.010421 -0.022839 -1.509771 2515972.452 6862313.405 1722.707 8523111 c:\data\hdr\1985_8523111.hdr 1985
173 0 0.15349 -0.010061 0.005535 -1.509368 2516346.171 6853958.207 3217.888 8523201 c:\data\hdr\1985_8523201.hdr 1985
174 0 0.15349 -0.001873 -0.002924 -1.503966 2516285.811 6855409.738 3214.548 8523202 c:\data\hdr\1985_8523202.hdr 1985
175 0 0.15349 0.003301 -0.005613 -1.485425 2516190.157 6857046.898 3213.140 8523203 c:\data\hdr\1985_8523203.hdr 1985
176 0 0.15349 -0.014199 -0.000940 -1.524725 2516108.259 6858680.937 3205.695 8523204 c:\data\hdr\1985_8523204.hdr 1985
177 0 0.15349 0.005750 -0.000970 -1.490663 2516062.960 6860382.510 3207.660 8523205 c:\data\hdr\1985_8523205.hdr 1985
178 0 0.15349 0.007002 0.001160 -1.482432 2515979.889 6861963.330 3215.093 8523206 c:\data\hdr\1985_8523206.hdr 1985
179 0 0.15349 0.014395 -0.009169 -1.485089 2515869.764 6863581.819 3214.876 8523207 c:\data\hdr\1985_8523207.hdr 1985
180 0 0.15349 0.002494 -0.006038 -0.121805 2517332.910 6854674.060 4789.208 8523320 c:\data\hdr\1985_8523320.hdr 1985
181 0 0.15349 -0.002055 -0.015030 0.028595 2514527.059 6854788.881 4771.121 8523321 c:\data\hdr\1985_8523321.hdr 1985
182 0 0.15349 0.001927 0.002809 3.153842 2509058.173 6858912.629 4822.378 8523329 c:\data\hdr\1985_8523329.hdr 1985
183 0 0.15349 -0.022409 0.004058 3.169623 2511738.798 6858962.795 4828.453 8523330 c:\data\hdr\1985_8523330.hdr 1985
184 0 0.15349 -0.006823 -0.008154 3.170018 2514389.031 6859075.370 4827.033 8523331 c:\data\hdr\1985_8523331.hdr 1985
185 0 0.15349 -0.013469 0.024872 3.134394 2517073.032 6859086.358 4832.230 8523332 c:\data\hdr\1985_8523332.hdr 1985
186 0 0.15349 -0.009686 0.001948 3.162459 2519679.357 6859125.662 4805.768 8523333 c:\data\hdr\1985_8523333.hdr 1985
187 0 0.15297 0.000415 -0.000060 0.050933 2519568.978 6858077.065 3135.608 8610001 c:\data\hdr\1986_8610001.hdr 1986
188 0 0.15297 0.014107 -0.000735 0.058475 2518101.298 6858046.005 3143.387 8610002 c:\data\hdr\1986_8610002.hdr 1986
189 0 0.15297 -0.008984 -0.010767 0.045018 2517526.913 6858025.331 3142.086 8610003 c:\data\hdr\1986_8610003.hdr 1986
190 0 0.15297 -0.011378 0.006294 0.032011 2516590.396 6858009.560 3145.713 8610004 c:\data\hdr\1986_8610004.hdr 1986
191 0 0.15297 0.021638 -0.008461 0.033904 2515970.633 6858010.772 3146.426 8610005 c:\data\hdr\1986_8610005.hdr 1986
192 0 0.15297 0.004937 0.001774 0.032527 2515078.255 6858008.748 3134.414 8610006 c:\data\hdr\1986_8610006.hdr 1986
193 0 0.15297 -0.008587 -0.010580 -0.013499 2513574.962 6857997.606 3145.292 8610007 c:\data\hdr\1986_8610007.hdr 1986
194 0 0.15333 -0.003416 0.005436 0.074926 2518187.532 6864183.340 4694.869 8622606 c:\data\hdr\1986_8622606.hdr 1986
195 0 0.15333 -0.005936 0.009013 0.034868 2515493.136 6864107.903 4715.607 8622607 c:\data\hdr\1986_8622607.hdr 1986
196 0 0.15333 0.001497 -0.009880 0.019527 2512838.865 6864132.827 4709.354 8622608 c:\data\hdr\1986_8622608.hdr 1986
197 0 0.15333 0.014908 0.001496 0.022825 2510034.527 6864164.148 4700.189 8622609 c:\data\hdr\1986_8622609.hdr 1986
198 0 0.15319 -0.005044 0.011698 2.299402 2511777.450 6859388.700 4642.728 8808608 c:\data\hdr\1988_8808608.hdr 1988
199 0 0.15319 -0.003295 0.002227 2.303019 2513435.245 6857557.524 4641.514 8808609 c:\data\hdr\1988_8808609.hdr 1988
200 0 0.15319 0.008135 -0.016527 2.289392 2515073.158 6855735.729 4642.123 8808610 c:\data\hdr\1988_8808610.hdr 1988
201 0 0.15319 -0.006935 0.009422 2.283781 2516661.449 6853923.136 4643.810 8808611 c:\data\hdr\1988_8808611.hdr 1988
202 0 0.15319 0.003027 -0.003350 2.286555 2518272.358 6852093.750 4641.853 8808612 c:\data\hdr\1988_8808612.hdr 1988
203 0 0.15319 -0.007767 0.008804 2.286059 2519898.535 6850247.724 4640.004 8808613 c:\data\hdr\1988_8808613.hdr 1988
204 0 0.15319 0.005692 0.004112 -1.141275 2517400.460 6856631.512 938.535 8925401 c:\data\hdr\1989_8925401.hdr 1989
205 0 0.15319 0.014160 0.035184 -1.134046 2517194.593 6857068.486 936.777 8925402 c:\data\hdr\1989_8925402.hdr 1989
```

```
206 0 0.15319 0.023554 -0.022977 -1.150200 2517020.785 6857434.114 938.064 8925403 c:\data\hdr\1989_8925403.hdr 1989
207 0 0.15319 0.007929 -0.005859 -1.135859 2516831.503 6857826.397 937.253 8925404 c:\data\hdr\1989_8925404.hdr 1989
208 0 0.15319 0.007275 -0.020058 -1.161202 2516643.230 6858223.324 932.156 8925405 c:\data\hdr\1989_8925405.hdr 1989
209 0 0.15319 -0.000149 -0.016134 -1.172389 2516481.319 6858580.669 930.812 8925406 c:\data\hdr\1989_8925406.hdr 1989
210 0 0.15319 0.015814 0.009241 -1.170287 2516311.107 6858958.791 930.414 8925407 c:\data\hdr\1989_8925407.hdr 1989
211 0 0.15319 0.004984 0.011613 -1.164030 2516149.504 6859331.941 931.001 8925408 c:\data\hdr\1989_8925408.hdr 1989
212 0 0.15319 0.019712 0.017894 -1.156008 2515997.085 6859693.138 926.917 8925409 c:\data\hdr\1989_8925409.hdr 1989
213 0 0.15319 -0.003144 0.016535 -1.098205 2515669.569 6855020.516 4612.846 8920408 c:\data\hdr\1989_8920408.hdr 1989
214 0 0.15319 0.002998 0.007305 -1.117512 2514591.735 6857226.546 4611.713 8920409 c:\data\hdr\1989_8920409.hdr 1989
215 0 0.15319 -0.003681 0.022813 -1.165353 2513584.937 6859473.618 4611.400 8920410 c:\data\hdr\1989_8920410.hdr 1989
216 0 0.15319 0.012376 -0.013010 -1.172742 2512648.231 6861759.314 4611.719 8920411 c:\data\hdr\1989_8920411.hdr 1989
217 0 0.15333 -0.012529 -0.020637 2.513936 2515998.907 6857818.781 4749.826 9114201 c:\data\hdr\1991_9114201.hdr 1991
218 0 0.15333 0.011561 0.000241 2.543362 2517967.359 6855943.628 4754.964 9114202 c:\data\hdr\1991_9114202.hdr 1991
219 0 0.15333 0.005473 0.006768 2.543107 2520057.051 6853971.136 4743.077 9114203 c:\data\hdr\1991_9114203.hdr 1991
220 0 0.15319 -0.031311 0.011486 0.003513 2516744.944 6858181.988 941.505 9219901 c:\data\hdr\1992_9219901.hdr 1992
221 0 0.15319 -0.027669 0.012083 -0.011574 2516333.058 6858204.651 939.279 9219902 c:\data\hdr\1992_9219902.hdr 1992
222 0 0.15319 -0.016356 -0.002306 -0.010919 2515780.020 6858240.042 945.232 9219903 c:\data\hdr\1992_9219903.hdr 1992
223 0 0.15319 -0.020057 0.051221 -3.070474 2516268.628 6857470.729 942.772 9219904 c:\data\hdr\1992_9219904.hdr 1992
224 0 0.15319 0.022046 -0.016886 -3.057192 2516725.115 6857520.992 940.039 9219905 c:\data\hdr\1992_9219905.hdr 1992
225 0 0.15319 0.009471 0.004114 -3.082241 2517253.411 6857573.133 946.341 9219906 c:\data\hdr\1992_9219906.hdr 1992
226 0 0.15319 -0.002184 0.002118 -3.282132 2514290.523 6863383.227 4746.222 9206403 c:\data\hdr\1992_9206403.hdr 1992
227 0 0.15319 -0.000518 0.000105 -3.279419 2516768.820 6862993.275 4743.775 9206404 c:\data\hdr\1992_9206404.hdr 1992
228 0 0.15319 -0.009640 -0.000525 -3.254609 2519277.911 6862612.438 4745.212 9206405 c:\data\hdr\1992_9206405.hdr 1992
229 0 0.15319 -0.013353 0.000953 -0.193815 2516891.745 6857893.687 4735.065 9206410 c:\data\hdr\1992_9206410.hdr 1992
230 0 0.15319 0.000423 -0.002384 -0.158166 2514375.254 6858321.066 4734.282 9206411 c:\data\hdr\1992_9206411.hdr 1992
231 0 0.15319 -0.004395 -0.002927 -0.157673 2511841.618 6858690.980 4733.322 9206412 c:\data\hdr\1992_9206412.hdr 1992
232 0 0.15319 0.009696 -0.004213 -0.138100 2509340.955 6859069.951 4731.396 9206413 c:\data\hdr\1992_9206413.hdr 1992
233 0 0.15319 -0.008816 -0.002311 -0.124177 2506846.726 6859369.170 4726.392 9206414 c:\data\hdr\1992_9206414.hdr 1992
234 1 0.15319 0.103791 0.031124 3.230342 2516097.789 6858085.940 954.523 9526707 c:\data\hdr\1995_9526707.hdr 1995
235 1 0.15319 -0.018649 0.018070 -3.062168 2516646.776 6858144.821 953.035 9526708 c:\data\hdr\1995_9526708.hdr 1995
236 1 0.15319 0.013098 0.020107 3.230636 2516886.999 6858171.481 952.281 9526709 c:\data\hdr\1995_9526709.hdr 1995
237 1 0.15319 0.012425 0.012631 -3.039381 2514889.160 6857462.671 3412.157 9526803 c:\data\hdr\1995_9526803.hdr 1995
238 1 0.15319 0.004748 0.007650 -3.073149 2516583.028 6857371.683 3418.071 9526804 c:\data\hdr\1995_9526804.hdr 1995
239 1 0.15319 -0.007163 0.008839 -3.078630 2518108.755 6857251.136 3413.829 9526805 c:\data\hdr\1995_9526805.hdr 1995
240 0 0.15319 -0.020798 -0.005286 -2.921708 2515253.578 6853209.141 4941.060 9526904 c:\data\hdr\1995_9526904.hdr 1995
241 0 0.15319 -0.007832 0.005009 -2.959879 2518096.103 6853337.129 4940.130 9526905 c:\data\hdr\1995_9526905.hdr 1995
242 0 0.15319 0.023874 -0.013983 -0.164729 2518142.137 6857572.548 4972.769 9526909 c:\data\hdr\1995_9526909.hdr 1995
243 0 0.15319 0.007623 -0.004439 -0.072428 2515356.175 6857466.133 4958.766 9526910 c:\data\hdr\1995_9526910.hdr 1995
244 0 0.15319 0.007443 0.015756 -2.996606 2515423.467 6862146.853 4944.176 9526920 c:\data\hdr\1995_9526920.hdr 1995
245 0 0.15319 -0.028342 -0.000815 -2.970326 2518217.447 6862268.669 4919.647 9526921 c:\data\hdr\1995_9526921.hdr 1995
246 0 0.15319 -0.018264 0.022554 -3.091616 2516099.973 6857302.676 982.093 9526701 c:\data\hdr\1995_9526701.hdr 1995
247 0 0.15319 0.009723 0.028812 -3.073048 2516768.501 6857274.581 985.643 9526702 c:\data\hdr\1995_9526702.hdr 1995
248 0 0.15319 0.021427 0.050834 -3.084678 2517342.630 6857248.411 984.288 9526703 c:\data\hdr\1995_9526703.hdr 1995
249 0 0.15319 -0.042406 -0.060603 -0.147316 2517085.578 6858130.254 1007.348 9526704 c:\data\hdr\1995_9526704.hdr 1995
250 0 0.15319 -0.033355 -0.044932 -0.153088 2516425.862 6858161.018 990.234 9526705 c:\data\hdr\1995_9526705.hdr 1995
251 0 0.15319 -0.030032 0.032789 -3.088980 2516093.714 6857986.932 1008.934 9526706 c:\data\hdr\1995_9526706.hdr 1995
252 0 0.15319 -0.010950 -0.005387 -0.038494 2517330.160 6857348.096 953.559 9526710 c:\data\hdr\1995_9526710.hdr 1995
253 0 0.15319 0.015865 -0.006717 -0.048084 2516779.570 6857364.604 953.040 9526711 c:\data\hdr\1995_9526711.hdr 1995
254 0 0.15319 -0.014622 -0.005335 -0.035596 2516310.482 6857375.244 952.963 9526712 c:\data\hdr\1995_9526712.hdr 1995
255 0 0.15319 0.012395 0.006094 -2.916927 2511632.696 6855597.969 8099.022 9527003 c:\data\hdr\1995_9527003.hdr 1995
256 0 0.15319 0.043083 0.004348 -2.881137 2516184.776 6855774.415 8169.885 9527004 c:\data\hdr\1995_9527004.hdr 1995
257 0 0.15319 -0.024488 0.015532 -2.918722 2520720.645 6855776.474 8171.554 9527005 c:\data\hdr\1995_9527005.hdr 1995
258 0 0.15319 -0.027217 -0.062561 -0.194611 2520673.333 6863749.561 8009.762 9527006 c:\data\hdr\1995_9527006.hdr 1995
259 0 0.15319 -0.011725 -0.058354 -0.154445 2516105.736 6863592.918 8001.025 9527007 c:\data\hdr\1995_9527007.hdr 1995
260 0 0.15319 0.015365 -0.038384 -0.199044 2511544.816 6863668.844 7980.119 9527008 c:\data\hdr\1995_9527008.hdr 1995
261 0 0.15319 0.005602 -0.033130 -0.128443 2506979.116 6863545.244 7996.885 9527009 c:\data\hdr\1995_9527009.hdr 1995
262 0 0.15319 -0.007622 0.005940 -2.942422 2520321.739 6853430.928 4936.591 9526906 c:\data\hdr\1995_9526906.hdr 1995
263 0 0.15319 -0.002417 -0.003425 -0.130824 2512556.566 6857388.275 4960.904 9526911 c:\data\hdr\1995_9526911.hdr 1995
264 0 0.15319 0.031469 -0.017306 -0.089342 2509833.909 6857352.697 4957.768 9526912 c:\data\hdr\1995_9526912.hdr 1995
265 0 0.15319 0.008758 -0.007318 -0.157344 2506592.591 6857293.617 4950.550 9526913 c:\data\hdr\1995_9526913.hdr 1995
266 0 0.15319 0.007932 -0.005223 -0.145969 2505952.140 6857310.597 4949.702 9526914 c:\data\hdr\1995_9526914.hdr 1995
267 0 0.15319 0.018789 0.005073 -3.038630 2509833.572 6862275.776 4942.209 9526918 c:\data\hdr\1995_9526918.hdr 1995
268 0 0.15319 0.013144 0.008340 -3.090751 2512643.570 6862161.405 4935.502 9526919 c:\data\hdr\1995_9526919.hdr 1995
269 0 0.15319 0.023840 0.001635 -3.016279 2521033.133 6862356.362 4889.707 9526922 c:\data\hdr\1995_9526922.hdr 1995
270 1 0.15318 0.004786 0.000956 -1.057666 2517372.037 6857160.896 923.311 9724801 c:\data\hdr\1997_9724801.hdr 1997
271 1 0.15318 -0.002155 0.014041 -1.046720 2517158.924 6857535.383 917.562 9724802 c:\data\hdr\1997_9724802.hdr 1997
272 1 0.15318 0.001751 0.010645 -1.084650 2516937.939 6857929.497 908.655 9724803 c:\data\hdr\1997_9724803.hdr 1997
273 1 0.15318 0.009911 0.010943 -1.057350 2516739.299 6858299.266 914.278 9724804 c:\data\hdr\1997_9724804.hdr 1997
274 1 0.15318 -0.002720 0.008777 -1.068987 2516140.404 6859387.418 917.166 9724805 c:\data\hdr\1997_9724805.hdr 1997
275 1 0.15318 -0.022557 0.012233 -1.048288 2515936.790 6859751.871 925.541 9724806 c:\data\hdr\1997_9724806.hdr 1997
276 1 0.15318 -0.047909 -0.021011 -1.053081 2515705.157 6860153.396 927.675 9724807 c:\data\hdr\1997_9724807.hdr 1997
277 1 0.15318 -0.033838 -0.018092 -1.065060 2515487.500 6860527.089 918.197 9724808 c:\data\hdr\1997_9724808.hdr 1997
278 0 0.15318 0.053862 -0.032022 0.504818 2517959.915 6861384.453 2542.884 9724905 c:\data\hdr\1997_9724905.hdr 1997
279 0 0.15318 0.034371 -0.028813 0.445358 2516670.523 6860709.130 2527.083 9724906 c:\data\hdr\1997_9724906.hdr 1997
280 0 0.15318 0.031215 -0.008715 0.459176 2515395.068 6860055.704 2539.446 9724907 c:\data\hdr\1997_9724907.hdr 1997
281 0 0.15318 0.024554 -0.008807 0.437497 2514116.615 6859369.226 2546.396 9724908 c:\data\hdr\1997_9724908.hdr 1997
282 0 0.15318 0.015743 0.038035 -1.157439 2516821.079 6858960.804 919.213 9725002 c:\data\hdr\1997_9725002.hdr 1997
283 0 0.15318 -0.005321 -0.001785 -1.174245 2516698.329 6859276.694 922.924 9725003 c:\data\hdr\1997_9725003.hdr 1997
284 0 0.15318 -0.036623 -0.011927 -1.168394 2516579.032 6859589.605 927.352 9725004 c:\data\hdr\1997_9725004.hdr 1997
285 0 0.15318 -0.038203 -0.026236 -1.200225 2516234.564 6860418.168 925.632 9725005 c:\data\hdr\1997_9725005.hdr 1997
286 0 0.15318 -0.020346 -0.017932 -1.255377 2515870.030 6861368.538 920.415 9725006 c:\data\hdr\1997_9725006.hdr 1997
287 0 0.15318 0.007014 0.007302 1.908562 2515282.303 6862824.003 1623.679 9725101 c:\data\hdr\1997_9725101.hdr 1997
288 0 0.15318 -0.000617 -0.006419 1.903616 2515554.335 6862115.651 1619.947 9725102 c:\data\hdr\1997_9725102.hdr 1997
289 0 0.15318 0.008020 -0.007965 1.905217 2515831.699 6861398.875 1628.152 9725103 c:\data\hdr\1997_9725103.hdr 1997
290 0 0.15318 0.007745 -0.004222 1.903283 2516106.980 6860690.876 1631.591 9725104 c:\data\hdr\1997_9725104.hdr 1997
291 0 0.15318 0.011380 -0.005677 1.894219 2516374.759 6859980.878 1634.593 9725105 c:\data\hdr\1997_9725105.hdr 1997
292 0 0.15318 0.018351 0.006167 1.929846 2516645.085 6859269.573 1624.048 9725106 c:\data\hdr\1997_9725106.hdr 1997
293 0 0.15318 0.011977 -0.006274 1.900082 2516928.290 6858554.609 1624.186 9725107 c:\data\hdr\1997_9725107.hdr 1997
294 0 0.15318 0.023505 -0.001556 1.888662 2517157.685 6857934.493 1620.765 9725108 c:\data\hdr\1997_9725108.hdr 1997
295 0 0.15318 0.027178 -0.005099 1.897445 2517462.420 6857128.815 1619.909 9725109 c:\data\hdr\1997_9725109.hdr 1997
296 0 0.15318 0.029317 0.030814 2.111610 2516701.317 6861090.356 914.605 9724809 c:\data\hdr\1997_9724809.hdr 1997
297 0 0.15318 0.003029 0.033827 2.107740 2516912.147 6860727.399 912.978 9724810 c:\data\hdr\1997_9724810.hdr 1997
298 0 0.15318 -0.001932 0.005952 2.059454 2517133.123 6860336.035 905.098 9724811 c:\data\hdr\1997_9724811.hdr 1997
299 0 0.15318 0.004252 0.014940 2.040837 2517339.990 6859942.317 911.345 9724812 c:\data\hdr\1997_9724812.hdr 1997
300 0 0.15318 -0.032914 -0.049320 -1.522161 2512705.172 6860522.573 931.446 9724813 c:\data\hdr\1997_9724813.hdr 1997
301 0 0.15318 -0.026846 -0.028109 -1.557883 2512672.136 6860972.718 920.042 9724814 c:\data\hdr\1997_9724814.hdr 1997
302 0 0.15318 -0.031660 -0.019606 -1.654027 2512653.932 6861429.146 918.200 9724815 c:\data\hdr\1997_9724815.hdr 1997
303 0 0.15318 -0.026344 -0.022008 -1.545022 2512657.114 6861883.733 915.912 9724816 c:\data\hdr\1997_9724816.hdr 1997
304 0 0.15318 0.002681 0.005656 -1.171108 2516946.595 6858637.144 921.996 9725001 c:\data\hdr\1997_9725001.hdr 1997
305 0 0.21407 -0.015135 0.000159 -0.002745 2517564.042 6858738.310 3558.407 9811022 c:\data\hdr\1998_9811022.hdr 1998
306 0 0.21407 0.014278 -0.006210 -0.013911 2516270.644 6858757.128 3559.226 9811023 c:\data\hdr\1998_9811023.hdr 1998
307 0 0.21407 0.016471 -0.007050 -0.007946 2514995.701 6858766.614 3556.540 9811024 c:\data\hdr\1998_9811024.hdr 1998
308 0 0.21407 0.011013 -0.002845 0.001178 2513826.283 6858763.084 3555.872 9811025 c:\data\hdr\1998_9811025.hdr 1998
309 0 0.21407 0.003759 -0.004142 0.005911 2512547.092 6858749.547 3557.224 9811026 c:\data\hdr\1998_9811026.hdr 1998
310 0 0.21407 -0.010190 0.004099 -3.152452 2516228.309 6856227.048 3546.152 9811050 c:\data\hdr\1998_9811050.hdr 1998
```

```
311 0 0.21407 0.004304 0.005611 -3.150841 2517446.064 6856242.179 3540.013 9811051 c:\data\hdr\1998_9811051.hdr 1998
312 0 0.21407 0.018157 0.000567 -3.162354 2518648.110 6856246.940 3539.799 9811052 c:\data\hdr\1998_9811052.hdr 1998
313 0 0.21407 0.000139 0.001854 -0.015994 2517576.162 6853742.253 3559.387 9811091 c:\data\hdr\1998_9811091.hdr 1998
314 0 0.21407 0.000845 0.000014 -0.017634 2516314.250 6853756.269 3560.980 9811092 c:\data\hdr\1998_9811092.hdr 1998
315 0 0.21407 0.019335 -0.001352 -0.017735 2515040.626 6853767.368 3559.201 9811093 c:\data\hdr\1998_9811093.hdr 1998
316 0 0.153282 -0.022946 -0.003285 0.018388 2518479.837 6857915.250 4835.813 99264213 c:\data\hdr\1999_99264213.hdr 1999
317 0 0.153282 -0.004467 -0.003223 0.004934 2515743.397 6857882.509 4835.960 99264214 c:\data\hdr\1999_99264214.hdr 1999
318 0 0.153282 -0.004284 -0.003030 0.020945 2512988.565 6857874.336 4835.417 99264215 c:\data\hdr\1999_99264215.hdr 1999
319 0 0.153282 -0.006368 0.000493 -3.122449 2512933.406 6862578.846 4840.537 99264223 c:\data\hdr\1999_99264223.hdr 1999
320 0 0.153282 -0.000766 -0.000878 -3.116211 2515680.599 6862617.375 4840.108 99264224 c:\data\hdr\1999_99264224.hdr 1999
321 0 0.153282 0.001215 -0.002009 -3.123918 2518427.879 6862662.346 4840.040 99264225 c:\data\hdr\1999_99264225.hdr 1999
322 0 0.21407 -0.004081 -0.001649 1.575894 2516229.501 6861258.477 3555.145 99108185 c:\data\hdr\1999_99108185.hdr 1999
323 0 0.21407 0.000719 -0.006480 1.562748 2516235.670 6860041.201 3555.408 99108186 c:\data\hdr\1999_99108186.hdr 1999
324 0 0.21407 0.012380 0.011262 1.562849 2516229.670 6858745.932 3557.223 99108187 c:\data\hdr\1999_99108187.hdr 1999
325 0 0.21407 0.008067 0.009627 1.580078 2516240.001 6857524.256 3551.391 99108188 c:\data\hdr\1999_99108188.hdr 1999
326 0 0.21407 0.012140 -0.016463 1.572150 2516262.362 6856207.306 3551.181 99108189 c:\data\hdr\1999_99108189.hdr 1999
327 0 0.21407 0.013543 0.000448 1.563163 2516263.592 6854988.242 3542.730 99108190 c:\data\hdr\1999_99108190.hdr 1999
328 0 0.21407 0.003900 -0.005766 1.557326 2516255.091 6853750.610 3540.010 99108191 c:\data\hdr\1999_99108191.hdr 1999
329 0 0.21407 0.006678 0.003845 1.569856 2516246.481 6852518.901 3545.339 99108192 c:\data\hdr\1999_99108192.hdr 1999
330 0 0.214066 -0.010295 0.005028 -1.571327 2516283.147 6859954.686 3578.074 106052 c:\data\hdr\2000_106052.hdr 2000
331 0 0.214066 -0.008835 0.004432 -1.594520 2516282.805 6861188.176 3568.949 106053 c:\data\hdr\2000_106053.hdr 2000
332 0 0.214066 -0.003979 0.010305 -1.582017 2516263.338 6862471.588 3569.878 106054 c:\data\hdr\2000_106054.hdr 2000
333 0 0.214066 0.016444 -0.013841 1.524184 2513714.621 6861256.879 3548.698 106100 c:\data\hdr\2000_106100.hdr 2000
334 0 0.214066 -0.025122 -0.004266 1.564649 2513712.219 6859967.065 3563.614 106101 c:\data\hdr\2000_106101.hdr 2000
335 0 0.214066 0.007304 0.002554 1.554267 2513722.693 6858693.349 3573.272 106102 c:\data\hdr\2000_106102.hdr 2000
336 0 0.214066 0.017178 -0.002744 1.551732 2513728.194 6857507.718 3565.195 106103 c:\data\hdr\2000_106103.hdr 2000
337 0 0.153277 -0.000905 0.051915 1.927056 2515414.252 6861697.038 1137.897 22041228 c:\data\hdr\2002_22041228.hdr 2002
338 0 0.153277 0.023150 0.013135 1.826865 2515574.554 6861173.152 1127.049 22041229 c:\data\hdr\2002_22041229.hdr 2002
339 0 0.153277 -0.007120 0.006300 1.842136 2515731.443 6860644.097 1132.931 22041230 c:\data\hdr\2002_22041230.hdr 2002
340 0 0.153277 -0.010024 0.003398 1.867238 2515890.623 6860120.968 1139.212 22041231 c:\data\hdr\2002_22041231.hdr 2002
341 0 0.153277 -0.001308 0.009865 1.881550 2516052.554 6859601.805 1142.591 22041232 c:\data\hdr\2002_22041232.hdr 2002
342 0 0.153277 0.024455 0.006570 1.896413 2516226.955 6859050.307 1128.550 22041233 c:\data\hdr\2002_22041233.hdr 2002
343 0 0.153277 0.003893 -0.005860 1.895929 2516385.211 6858536.859 1128.850 22041234 c:\data\hdr\2002_22041234.hdr 2002
344 0 0.153277 -0.000501 -0.001115 1.892132 2516549.941 6858001.760 1128.169 22041235 c:\data\hdr\2002_22041235.hdr 2002
345 0 0.153277 -0.004907 -0.000036 1.884881 2516708.255 6857490.778 1132.387 22041236 c:\data\hdr\2002_22041236.hdr 2002
346 0 0.153277 0.008612 -0.003058 1.889277 2516872.439 6856954.432 1126.084 22041237 c:\data\hdr\2002_22041237.hdr 2002
347 0 0.153277 0.010590 0.001605 1.884765 2517036.843 6856410.720 1120.080 22041238 c:\data\hdr\2002_22041238.hdr 2002
348 0 0.153277 0.007573 -0.022968 -1.289259 2517546.206 6856615.426 1125.939 22041239 c:\data\hdr\2002_22041239.hdr 2002
349 0 0.153277 0.013187 -0.006316 -1.291616 2517376.331 6857147.723 1126.268 22041240 c:\data\hdr\2002_22041240.hdr 2002
350 0 0.153277 0.013157 -0.002617 -1.267056 2517207.478 6857678.360 1125.602 22041241 c:\data\hdr\2002_22041241.hdr 2002
351 0 0.153277 -0.003948 0.018905 -1.288687 2517042.253 6858209.280 1121.436 22041242 c:\data\hdr\2002_22041242.hdr 2002
352 0 0.153277 0.022924 0.002386 -1.291826 2516880.704 6858740.062 1128.709 22041243 c:\data\hdr\2002_22041243.hdr 2002
353 0 0.153277 0.009801 0.018867 -1.273346 2516719.124 6859261.097 1133.025 22041244 c:\data\hdr\2002_22041244.hdr 2002
354 0 0.153277 0.003932 0.002529 -1.292718 2516565.653 6859784.041 1135.881 22041245 c:\data\hdr\2002_22041245.hdr 2002
355 0 0.153277 0.002572 -0.007567 -1.281337 2516408.376 6860306.210 1136.115 22041246 c:\data\hdr\2002_22041246.hdr 2002
356 0 0.153277 0.002481 -0.005129 -1.270012 2516241.136 6860854.217 1136.899 22041247 c:\data\hdr\2002_22041247.hdr 2002
357 0 0.153277 -0.000170 -0.006428 -1.268282 2516080.562 6861375.086 1134.861 22041248 c:\data\hdr\2002_22041248.hdr 2002
358 0 0.153277 -0.008294 -0.000362 -1.268697 2515920.348 6861897.477 1131.090 22041249 c:\data\hdr\2002_22041249.hdr 2002
359 0 0.152858 -0.007135 -0.008617 -1.295743 2517521.072 6856699.923 1111.597 22044574 c:\data\hdr\2002_22044574.hdr 2002
360 0 0.152858 -0.034809 0.005282 -1.295951 2517360.612 6857225.514 1115.241 22044575 c:\data\hdr\2002_22044575.hdr 2002
361 1 0.152858 -0.035646 -0.017045 -1.278582 2517196.939 6857755.770 1098.009 22044576 c:\data\hdr\2002_22044576.hdr 2002
362 1 0.152858 -0.002887 0.003118 -1.258158 2517047.114 6858238.635 1096.184 22044577 c:\data\hdr\2002_22044577.hdr 2002
363 1 0.152858 -0.000726 0.000374 -1.264134 2516878.012 6858772.918 1110.431 22044578 c:\data\hdr\2002_22044578.hdr 2002
364 1 0.152858 -0.001063 -0.012747 -1.300783 2516706.430 6859304.547 1110.345 22044579 c:\data\hdr\2002_22044579.hdr 2002
365 1 0.152858 -0.009838 0.003261 -1.320328 2516537.385 6859837.745 1107.778 22044580 c:\data\hdr\2002_22044580.hdr 2002
366 1 0.152858 -0.009830 0.007606 -1.308131 2516372.943 6860374.062 1102.410 22044581 c:\data\hdr\2002_22044581.hdr 2002
367 1 0.152858 0.012791 -0.015227 -1.307793 2516208.038 6860912.390 1097.326 22044582 c:\data\hdr\2002_22044582.hdr 2002
368 1 0.152858 0.023776 0.005796 -1.312743 2516058.793 6861394.646 1099.577 22044583 c:\data\hdr\2002_22044583.hdr 2002
369 1 0.152858 0.014496 -0.003504 -1.274225 2515898.074 6861925.400 1109.967 22044584 c:\data\hdr\2002_22044584.hdr 2002
370 1 0.152858 -0.017017 0.016861 1.877244 2515409.828 6861662.722 1091.278 22044585 c:\data\hdr\2002_22044585.hdr 2002
371 1 0.152858 -0.006839 -0.027330 1.854585 2515586.610 6861110.279 1093.506 22044586 c:\data\hdr\2002_22044586.hdr 2002
372 1 0.152858 -0.026156 0.020609 1.863016 2515738.974 6860607.703 1097.277 22044587 c:\data\hdr\2002_22044587.hdr 2002
373 1 0.152858 0.004081 -0.025101 1.878947 2515910.410 6860062.038 1101.284 22044588 c:\data\hdr\2002_22044588.hdr 2002
374 1 0.152858 -0.015542 0.006206 1.883334 2516077.760 6859515.812 1100.031 22044589 c:\data\hdr\2002_22044589.hdr 2002
375 1 0.152858 -0.014969 0.001589 1.875399 2516230.762 6859019.487 1103.160 22044590 c:\data\hdr\2002_22044590.hdr 2002
376 1 0.152858 -0.027587 0.004188 1.906412 2516398.336 6858476.793 1117.229 22044591 c:\data\hdr\2002_22044591.hdr 2002
377 1 0.152858 0.025089 0.018224 1.880062 2516565.199 6857934.499 1117.068 22044592 c:\data\hdr\2002_22044592.hdr 2002
378 1 0.152858 -0.001334 -0.017787 1.868311 2516720.906 6857433.792 1107.772 22044593 c:\data\hdr\2002_22044593.hdr 2002
379 1 0.152858 0.001777 0.000447 1.887331 2516892.743 6856882.426 1109.066 22044594 c:\data\hdr\2002_22044594.hdr 2002
380 1 0.152858 0.022030 -0.009802 1.864609 2517050.885 6856378.626 1101.254 22044595 c:\data\hdr\2002_22044595.hdr 2002
381 0 0.152858 0.008905 0.000234 -1.404631 2517341.370 6856479.341 2032.004 22054596 c:\data\hdr\2002_22054596.hdr 2002
382 0 0.152858 -0.010142 0.008957 -1.408145 2517187.070 6857312.719 2026.375 22054597 c:\data\hdr\2002_22054597.hdr 2002
383 0 0.152858 0.005704 -0.030802 -1.396163 2517038.627 6858154.022 2024.989 22054598 c:\data\hdr\2002_22054598.hdr 2002
384 0 0.152858 -0.004757 -0.003759 -1.410991 2516896.837 6858936.319 2021.972 22054599 c:\data\hdr\2002_22054599.hdr 2002
385 0 0.152858 -0.005021 -0.021379 -1.395345 2516751.229 6859774.647 2016.903 22054600 c:\data\hdr\2002_22054600.hdr 2002
386 0 0.152858 0.014670 -0.007512 -1.388521 2516606.717 6860554.712 2019.257 22054601 c:\data\hdr\2002_22054601.hdr 2002
387 0 0.152858 -0.012096 -0.004474 -1.391871 2516452.737 6861381.505 2022.798 22054602 c:\data\hdr\2002_22054602.hdr 2002
388 0 0.152858 -0.005980 -0.005803 -1.388115 2516305.867 6862212.668 2011.050 22054603 c:\data\hdr\2002_22054603.hdr 2002
389 0 0.152858 0.008028 0.010774 -1.383122 2516165.275 6862992.002 2008.983 22054604 c:\data\hdr\2002_22054604.hdr 2002
390 0 0.152858 -0.014005 -0.002442 1.750189 2515111.887 6862663.787 2016.000 22054605 c:\data\hdr\2002_22054605.hdr 2002
391 0 0.152858 -0.001255 0.002395 1.758610 2515259.343 6861844.895 2019.817 22054606 c:\data\hdr\2002_22054606.hdr 2002
392 0 0.152858 0.006219 0.019977 1.742475 2515404.335 6861026.214 2014.844 22054607 c:\data\hdr\2002_22054607.hdr 2002
393 0 0.152858 -0.007268 -0.012260 1.754578 2515558.031 6860204.031 2019.556 22054608 c:\data\hdr\2002_22054608.hdr 2002
394 0 0.152858 0.013571 0.016132 1.750138 2515707.270 6859384.619 2022.975 22054609 c:\data\hdr\2002_22054609.hdr 2002
395 0 0.152858 0.012151 -0.004945 1.752251 2515844.877 6858613.177 2012.436 22054610 c:\data\hdr\2002_22054610.hdr 2002
396 0 0.152858 -0.005547 0.007822 1.750707 2515991.763 6857783.402 2015.759 22054611 c:\data\hdr\2002_22054611.hdr 2002
397 1 0.152858 0.008693 -0.019890 1.757019 2516143.098 6856957.957 2017.920 22054612 c:\data\hdr\2002_22054612.hdr 2002
398 1 0.152858 -0.001891 0.035048 1.759126 2516288.575 6856129.385 2020.296 22054613 c:\data\hdr\2002_22054613.hdr 2002
399 1 0.152858 -0.020976 0.007213 -1.569423 2517083.428 6856991.773 2635.854 22064614 c:\data\hdr\2002_22064614.hdr 2002
400 1 0.152858 0.013637 -0.029223 -1.476934 2516982.240 6858465.000 2628.911 22064615 c:\data\hdr\2002_22064615.hdr 2002
401 1 0.152858 -0.011437 0.016184 -1.481183 2516867.524 6859918.151 2640.465 22064616 c:\data\hdr\2002_22064616.hdr 2002
402 1 0.152858 -0.006872 -0.012435 -1.468186 2516749.192 6861373.584 2644.834 22064617 c:\data\hdr\2002_22064617.hdr 2002
403 1 0.152858 -0.018426 0.007479 -1.490414 2516612.638 6862895.163 2625.184 22064618 c:\data\hdr\2002_22064618.hdr 2002
404 1 0.152858 0.002614 0.007529 1.659320 2515170.406 6862599.764 2622.421 22064619 c:\data\hdr\2002_22064619.hdr 2002
405 1 0.152858 -0.001698 -0.001238 1.649065 2515298.442 6861120.995 2635.276 22064620 c:\data\hdr\2002_22064620.hdr 2002
406 1 0.152858 0.015981 0.005575 1.660019 2515407.542 6859645.987 2630.202 22064621 c:\data\hdr\2002_22064621.hdr 2002
407 1 0.152858 0.003116 0.005437 1.662381 2515513.864 6858213.378 2624.167 22064622 c:\data\hdr\2002_22064622.hdr 2002
408 1 0.152858 0.013113 -0.001608 1.663665 2515633.328 6856722.541 2632.368 22064623 c:\data\hdr\2002_22064623.hdr 2002
409 1 0.152858 -0.016128 0.020592 -1.563243 2516738.604 6853184.895 4709.980 22074636 c:\data\hdr\2002_22074636.hdr 2002
410 1 0.152858 -0.022839 -0.005567 -1.541214 2516764.186 6855971.316 4694.232 22074637 c:\data\hdr\2002_22074637.hdr 2002
411 1 0.152858 0.000033 -0.003524 -1.556579 2516727.662 6858733.173 4727.828 22074638 c:\data\hdr\2002_22074638.hdr 2002
412 1 0.152858 0.001068 0.016028 -1.531737 2516768.961 6861466.937 4715.857 22074639 c:\data\hdr\2002_22074639.hdr 2002
413 0 0.21407 0.016292 0.002569 1.702218 2516344.011 6862110.459 3153.793 440201 c:\data\hdr\2004_440201.hdr 2004
414 0 0.21407 0.015786 -0.019460 1.694598 2516477.199 6861369.119 3153.135 440202 c:\data\hdr\2004_440202.hdr 2004
415 0 0.21407 0.007899 0.017330 1.687552 2516596.200 6860663.569 3150.915 440203 c:\data\hdr\2004_440203.hdr 2004
```

```
416 0 0.21407 0.006695 0.012652 1.684451 2516716.854 6859954.903 3149.148 440204 c:\data\hdr\2004_440204.hdr 2004
417 0 0.21407 0.005349 0.001142 1.699698 2516848.956 6859206.552 3150.255 440205 c:\data\hdr\2004_440205.hdr 2004
418 0 0.21407 0.004677 0.010402 1.700211 2516975.755 6858500.774 3153.613 440206 c:\data\hdr\2004_440206.hdr 2004
419 0 0.21407 0.014401 0.011506 1.706986 2517104.133 6857795.967 3150.972 440207 c:\data\hdr\2004_440207.hdr 2004
420 0 0.21407 0.002570 0.010597 1.707748 2517246.421 6857048.272 3147.850 440208 c:\data\hdr\2004_440208.hdr 2004
421 0 0.21407 0.007125 -0.008989 1.707850 2517381.577 6856341.737 3149.346 440209 c:\data\hdr\2004_440209.hdr 2004
422 0 0.21407 0.009241 0.006555 1.697573 2517520.660 6855597.417 3149.181 440210 c:\data\hdr\2004_440210.hdr 2004
423 0 0.21407 -0.001850 -0.003203 -1.409572 2516790.310 6855468.175 3159.379 440211 c:\data\hdr\2004_440211.hdr 2004
424 0 0.21407 -0.013628 -0.017448 -1.424507 2516656.806 6856200.177 3156.550 440212 c:\data\hdr\2004_440212.hdr 2004
425 0 0.21407 -0.019755 0.005993 -1.423982 2516524.014 6856939.092 3152.323 440213 c:\data\hdr\2004_440213.hdr 2004
426 0 0.21407 -0.017236 -0.016781 -1.420979 2516400.780 6857652.680 3142.039 440214 c:\data\hdr\2004_440214.hdr 2004
427 0 0.21407 -0.012375 0.003652 -1.419651 2516269.837 6858372.920 3140.592 440215 c:\data\hdr\2004_440215.hdr 2004
428 0 0.21407 -0.003306 -0.016615 -1.424364 2516143.664 6859093.977 3142.657 440216 c:\data\hdr\2004_440216.hdr 2004
429 0 0.21407 -0.004822 -0.015672 -1.436227 2516018.558 6859814.098 3144.654 440217 c:\data\hdr\2004_440217.hdr 2004
430 0 0.21407 -0.011420 -0.014752 -1.409757 2515890.566 6860532.340 3144.496 440218 c:\data\hdr\2004_440218.hdr 2004
431 0 0.21407 -0.025727 -0.002591 -1.411082 2515754.414 6861252.036 3138.606 440219 c:\data\hdr\2004_440219.hdr 2004
432 0 0.21407 -0.007747 -0.006046 -1.415415 2515620.549 6861977.347 3136.448 440220 c:\data\hdr\2004_440220.hdr 2004
433 0 0.21407 0.004934 -0.012301 1.665480 2514895.697 6861842.718 1877.932 440301 c:\data\hdr\2004_440301.hdr 2004
434 0 0.21407 0.008323 -0.010764 1.658376 2515017.587 6861137.293 1875.423 440302 c:\data\hdr\2004_440302.hdr 2004
435 0 0.21407 -0.006239 0.008262 1.687833 2515146.386 6860398.329 1872.148 440303 c:\data\hdr\2004_440303.hdr 2004
436 0 0.21407 -0.005497 0.003211 1.678561 2515275.177 6859695.422 1872.039 440304 c:\data\hdr\2004_440304.hdr 2004
437 0 0.21407 -0.004986 0.015799 1.676245 2515403.031 6858966.087 1873.088 440305 c:\data\hdr\2004_440305.hdr 2004
438 0 0.21407 -0.001269 0.016182 1.701760 2515536.403 6858240.699 1873.877 440306 c:\data\hdr\2004_440306.hdr 2004
439 0 0.21407 0.022987 -0.040125 1.702446 2515684.052 6857516.135 1867.313 440307 c:\data\hdr\2004_440307.hdr 2004
440 0 0.21407 -0.031766 0.021489 1.679914 2515813.184 6856783.534 1868.387 440308 c:\data\hdr\2004_440308.hdr 2004
441 0 0.21407 -0.018287 -0.000101 1.679282 2515941.295 6856065.417 1878.362 440309 c:\data\hdr\2004_440309.hdr 2004
442 0 0.21407 -0.011984 0.000885 1.689029 2516073.629 6855326.692 1885.286 440310 c:\data\hdr\2004_440310.hdr 2004
443 0 0.21407 0.004856 -0.002556 -1.339071 2516804.358 6855462.295 1880.708 440311 c:\data\hdr\2004_440311.hdr 2004
444 0 0.21407 -0.000580 0.022681 -1.351401 2516664.627 6856203.860 1885.278 440312 c:\data\hdr\2004_440312.hdr 2004
445 0 0.21407 0.004141 0.004765 -1.368557 2516535.741 6856909.768 1887.400 440313 c:\data\hdr\2004_440313.hdr 2004
446 0 0.21407 0.012726 -0.000619 -1.388618 2516403.621 6857643.355 1892.876 440314 c:\data\hdr\2004_440314.hdr 2004
447 0 0.21407 0.021640 0.006283 -1.402300 2516270.497 6858371.260 1900.177 440315 c:\data\hdr\2004_440315.hdr 2004
448 0 0.21407 0.004062 -0.003994 -1.416340 2516147.046 6859091.197 1908.337 440316 c:\data\hdr\2004_440316.hdr 2004
449 0 0.21407 -0.005814 -0.008106 -1.402120 2516025.182 6859813.329 1906.241 440317 c:\data\hdr\2004_440317.hdr 2004
450 0 0.21407 0.002104 -0.024614 -1.401074 2515894.415 6860545.425 1900.706 440318 c:\data\hdr\2004_440318.hdr 2004
451 0 0.21407 -0.012578 -0.000643 -1.391158 2515749.197 6861279.527 1901.161 440319 c:\data\hdr\2004_440319.hdr 2004
452 0 0.21407 0.003416 -0.005091 -1.388479 2515609.719 6861986.953 1897.329 440320 c:\data\hdr\2004_440320.hdr 2004
453 0 0.21407 0.002896 0.003985 1.747868 2516334.009 6862114.528 1893.308 440321 c:\data\hdr\2004_440321.hdr 2004
454 0 0.21407 0.002334 0.015315 1.761658 2516459.028 6861404.041 1894.324 440322 c:\data\hdr\2004_440322.hdr 2004
455 0 0.21407 -0.004429 -0.005980 1.754680 2516594.955 6860661.905 1896.807 440323 c:\data\hdr\2004_440323.hdr 2004
456 0 0.21407 0.003339 0.018486 1.702011 2516721.634 6859957.709 1901.375 440324 c:\data\hdr\2004_440324.hdr 2004
457 0 0.21407 0.005949 0.017104 1.701041 2516864.069 6859220.538 1893.352 440325 c:\data\hdr\2004_440325.hdr 2004
458 0 0.21407 0.002044 -0.021003 1.708618 2517005.534 6858513.869 1894.186 440326 c:\data\hdr\2004_440326.hdr 2004
459 0 0.21407 0.005013 0.002760 1.684749 2517140.773 6857776.895 1891.212 440327 c:\data\hdr\2004_440327.hdr 2004
460 0 0.21407 0.010078 0.014349 1.689916 2517257.400 6857066.895 1882.724 440328 c:\data\hdr\2004_440328.hdr 2004
461 0 0.21407 -0.004047 0.004871 1.689757 2517385.737 6856320.954 1884.023 440329 c:\data\hdr\2004_440329.hdr 2004
462 0 0.21407 -0.009157 0.018520 1.699866 2517510.850 6855616.280 1890.916 440330 c:\data\hdr\2004_440330.hdr 2004
463 0 0.1052 -0.007238 -0.011876 -3.120314 2515161.830 6854775.290 6016.163 620510037 c:\data\hdr\2006_620510037.hdr 2006
464 0 0.1052 -0.006243 -0.010315 -3.103935 2515143.347 6856010.625 6016.423 620510038 c:\data\hdr\2006_620510038.hdr 2006
465 0 0.1052 -0.007633 -0.000981 -3.094592 2515104.932 6857251.269 6017.275 620510039 c:\data\hdr\2006_620510039.hdr 2006
466 0 0.1052 -0.008671 0.007199 -3.094039 2515062.995 6858491.435 6017.722 620510040 c:\data\hdr\2006_620510040.hdr 2006
467 0 0.1052 -0.008883 0.004403 -3.115546 2515039.055 6859731.788 6017.370 620510041 c:\data\hdr\2006_620510041.hdr 2006
468 0 0.1052 -0.008941 0.010388 -3.114402 2515024.039 6860968.790 6016.617 620510042 c:\data\hdr\2006_620510042.hdr 2006
469 0 0.1052 -0.008349 0.010167 -3.119141 2515015.907 6862208.068 6016.503 620510043 c:\data\hdr\2006_620510043.hdr 2006
470 0 0.1052 -0.007773 0.000676 -3.120884 2515016.336 6863449.056 6015.149 620510044 c:\data\hdr\2006_620510044.hdr 2006
471 0 0.1052 0.007483 -0.004330 0.012316 2519010.183 6863602.793 6039.683 620510060 c:\data\hdr\2006_620510060.hdr 2006
472 0 0.1052 0.004188 -0.003827 0.010740 2519006.430 6862368.469 6039.227 620510061 c:\data\hdr\2006_620510061.hdr 2006
473 0 0.1052 0.003758 0.006380 0.020790 2519002.149 6861141.504 6041.356 620510062 c:\data\hdr\2006_620510062.hdr 2006
474 0 0.1052 0.006573 0.001482 0.021233 2519011.369 6859902.472 6043.896 620510063 c:\data\hdr\2006_620510063.hdr 2006
475 0 0.1052 0.008138 -0.006251 0.023478 2519023.911 6858664.930 6045.105 620510064 c:\data\hdr\2006_620510064.hdr 2006
476 0 0.1052 0.009273 -0.007279 0.023238 2519039.643 6857426.453 6044.915 620510065 c:\data\hdr\2006_620510065.hdr 2006
477 0 0.1052 0.009897 -0.007336 0.023961 2519053.941 6856188.270 6042.625 620510066 c:\data\hdr\2006_620510066.hdr 2006
478 0 0.1052 0.007665 -0.007951 0.023137 2519063.480 6854949.495 6041.398 620510067 c:\data\hdr\2006_620510067.hdr 2006
479 0 0.1052 -0.003197 -0.004699 -3.133940 2510865.620 6854878.582 6014.091 62059865 c:\data\hdr\2006_62059865.hdr 2006
480 0 0.1052 -0.006054 -0.000853 -3.124581 2510888.215 6856130.429 6016.848 62059866 c:\data\hdr\2006_62059866.hdr 2006
481 0 0.1052 -0.006796 0.004828 -3.122534 2510877.183 6857362.896 6012.494 62059867 c:\data\hdr\2006_62059867.hdr 2006
482 0 0.1052 -0.003418 0.005965 -3.119087 2510853.658 6858574.115 6015.551 62059868 c:\data\hdr\2006_62059868.hdr 2006
483 0 0.1052 -0.004227 0.006873 -3.119425 2510842.559 6859822.366 6014.913 62059869 c:\data\hdr\2006_62059869.hdr 2006
484 0 0.1052 -0.001265 0.017559 -3.124978 2510853.485 6861052.705 6016.811 62059870 c:\data\hdr\2006_62059870.hdr 2006
485 0 0.1052 -0.004613 0.012363 -3.136775 2510854.013 6862304.208 6016.165 62059871 c:\data\hdr\2006_62059871.hdr 2006
486 0 0.1052 -0.005150 0.010378 -3.141084 2510869.342 6863522.657 6016.132 62059872 c:\data\hdr\2006_62059872.hdr 2006
487 0 0.1052 -0.000663 0.004503 0.231618 2516114.564 6862249.137 1187.582 62143852 c:\data\hdr\2006_62143852.hdr 2006
488 0 0.1052 -0.000824 0.002005 0.230280 2516176.925 6861986.088 1187.690 62143853 c:\data\hdr\2006_62143853.hdr 2006
489 0 0.1052 -0.000434 0.002725 0.227856 2516236.072 6861731.094 1187.782 62143854 c:\data\hdr\2006_62143854.hdr 2006
490 0 0.1052 0.002002 -0.011162 0.228881 2516298.587 6861461.176 1188.192 62143855 c:\data\hdr\2006_62143855.hdr 2006
491 0 0.1052 -0.002610 0.012585 0.229378 2516359.429 6861205.290 1188.337 62143856 c:\data\hdr\2006_62143856.hdr 2006
492 0 0.1052 0.000145 0.001157 0.232175 2516421.496 6860944.675 1188.477 62143857 c:\data\hdr\2006_62143857.hdr 2006
493 0 0.1052 0.002591 -0.004987 0.230126 2516483.650 6860681.573 1188.689 62143858 c:\data\hdr\2006_62143858.hdr 2006
494 0 0.1052 0.001463 -0.001605 0.231819 2516547.019 6860420.253 1188.999 62143859 c:\data\hdr\2006_62143859.hdr 2006
495 0 0.1052 0.010742 -0.027834 0.229733 2516609.728 6860154.703 1188.992 62143860 c:\data\hdr\2006_62143860.hdr 2006
496 0 0.1052 0.005855 -0.004653 0.222057 2516669.549 6859893.978 1188.845 62143861 c:\data\hdr\2006_62143861.hdr 2006
497 0 0.1052 0.010120 -0.026070 0.214511 2516729.157 6859630.729 1188.275 62143862 c:\data\hdr\2006_62143862.hdr 2006
498 0 0.1052 0.006687 -0.014735 0.204860 2516786.348 6859367.257 1188.057 62143863 c:\data\hdr\2006_62143863.hdr 2006
499 0 0.1052 -0.000029 0.009682 0.203358 2516841.876 6859101.467 1187.797 62143864 c:\data\hdr\2006_62143864.hdr 2006
500 0 0.1052 -0.005906 0.032319 0.208797 2516898.483 6858838.020 1187.643 62143865 c:\data\hdr\2006_62143865.hdr 2006
501 0 0.1052 -0.004316 0.016236 0.216251 2516956.496 6858577.711 1187.789 62143866 c:\data\hdr\2006_62143866.hdr 2006
502 0 0.1052 -0.001075 0.006979 0.219297 2517016.777 6858312.901 1188.427 62143867 c:\data\hdr\2006_62143867.hdr 2006
503 0 0.1052 0.002135 0.006118 0.219746 2517076.710 6858049.170 1188.134 62143868 c:\data\hdr\2006_62143868.hdr 2006
504 0 0.1052 0.001676 -0.000252 0.218680 2517137.025 6857786.841 1187.810 62143869 c:\data\hdr\2006_62143869.hdr 2006
505 0 0.1052 0.001011 -0.000989 0.217079 2517196.802 6857524.491 1188.050 62143870 c:\data\hdr\2006_62143870.hdr 2006
506 0 0.1052 0.000321 0.000250 0.216091 2517256.777 6857261.109 1188.466 62143871 c:\data\hdr\2006_62143871.hdr 2006
507 0 0.1052 0.000730 0.005617 0.216513 2517317.304 6856996.867 1188.602 62143872 c:\data\hdr\2006_62143872.hdr 2006
508 0 0.1052 0.000247 0.003901 0.219042 2517376.423 6856734.301 1188.544 62143873 c:\data\hdr\2006_62143873.hdr 2006
509 0 0.1052 0.000472 0.005015 0.219036 2517438.196 6856463.028 1188.769 62143874 c:\data\hdr\2006_62143874.hdr 2006
510 0 0.1052 0.000804 -0.000421 0.220117 2517496.782 6856209.420 1188.946 62143875 c:\data\hdr\2006_62143875.hdr 2006
511 0 0.1052 0.000716 0.002160 0.219862 2517559.583 6855936.511 1189.249 62143876 c:\data\hdr\2006_62143876.hdr 2006
512 0 0.1052 0.002073 0.001858 0.218623 2517617.299 6855682.552 1189.703 62143877 c:\data\hdr\2006_62143877.hdr 2006
513 0 0.1052 0.002368 0.002288 0.217550 2517677.386 6855419.513 1189.889 62143878 c:\data\hdr\2006_62143878.hdr 2006
514 0 0.1052 0.036976 0.043258 -2.898389 2516902.606 6855573.718 1175.955 62143879 c:\data\hdr\2006_62143879.hdr 2006
515 0 0.1052 0.016225 0.022805 -2.908144 2516844.857 6855827.595 1185.152 62143880 c:\data\hdr\2006_62143880.hdr 2006
516 0 0.1052 -0.001169 -0.003316 -2.912543 2516784.689 6856100.285 1188.391 62143881 c:\data\hdr\2006_62143881.hdr 2006
517 0 0.1052 -0.001958 -0.017655 -2.908878 2516727.554 6856362.552 1188.195 62143882 c:\data\hdr\2006_62143882.hdr 2006
518 0 0.1052 0.000527 -0.031551 -2.903867 2516668.819 6856625.226 1187.565 62143883 c:\data\hdr\2006_62143883.hdr 2006
519 0 0.1052 -0.003637 -0.013341 -2.897402 2516606.916 6856890.148 1186.652 62143884 c:\data\hdr\2006_62143884.hdr 2006
520 0 0.1052 -0.003854 -0.006570 -2.897870 2516546.043 6857151.437 1185.813 62143885 c:\data\hdr\2006_62143885.hdr 2006
```

```
521 0 0.1052 -0.004383 0.003544 -2.893989 2516484.328 6857416.064 1185.223 62143886 c:\data\hdr\2006_62143886.hdr 2006
522 0 0.1052 -0.003115 0.005209 -2.894189 2516423.077 6857678.431 1185.024 62143887 c:\data\hdr\2006_62143887.hdr 2006
523 0 0.1052 -0.001983 0.005380 -2.897559 2516362.542 6857938.521 1185.386 62143888 c:\data\hdr\2006_62143888.hdr 2006
524 0 0.1052 -0.000999 -0.002181 -2.897974 2516303.537 6858193.512 1185.719 62143889 c:\data\hdr\2006_62143889.hdr 2006
525 0 0.1052 0.000134 -0.004521 -2.898386 2516242.376 6858456.788 1186.037 62143890 c:\data\hdr\2006_62143890.hdr 2006
526 0 0.1052 -0.000212 -0.009458 -2.897554 2516177.039 6858737.843 1186.442 62143891 c:\data\hdr\2006_62143891.hdr 2006
527 0 0.1052 -0.000276 -0.010178 -2.896717 2516117.578 6858991.130 1186.525 62143892 c:\data\hdr\2006_62143892.hdr 2006
528 0 0.1052 -0.000548 -0.015406 -2.893659 2516055.563 6859253.932 1186.397 62143893 c:\data\hdr\2006_62143893.hdr 2006
529 0 0.1052 0.000389 -0.014538 -2.892880 2515990.490 6859526.175 1186.301 62143894 c:\data\hdr\2006_62143894.hdr 2006
530 0 0.1052 0.001379 -0.014452 -2.890529 2515929.032 6859778.884 1186.492 62143895 c:\data\hdr\2006_62143895.hdr 2006
531 0 0.1052 -0.005157 0.016502 -2.888034 2515865.889 6860033.765 1186.741 62143896 c:\data\hdr\2006_62143896.hdr 2006
532 0 0.1052 -0.007397 0.025902 -2.892910 2515800.195 6860302.526 1186.937 62143897 c:\data\hdr\2006_62143897.hdr 2006
533 0 0.1052 -0.005195 0.007248 -2.897453 2515740.185 6860556.455 1187.110 62143898 c:\data\hdr\2006_62143898.hdr 2006
534 0 0.1052 -0.012956 0.050038 -2.903232 2515678.809 6860819.594 1187.016 62143899 c:\data\hdr\2006_62143899.hdr 2006
535 0 0.1052 -0.009117 0.022601 -2.918703 2515620.722 6861083.563 1186.567 62143900 c:\data\hdr\2006_62143900.hdr 2006
536 0 0.1052 -0.003249 -0.014497 -2.923945 2515565.154 6861346.062 1186.251 62143901 c:\data\hdr\2006_62143901.hdr 2006
537 0 0.1052 -0.006964 0.009744 -2.926062 2515509.364 6861612.567 1185.865 62143902 c:\data\hdr\2006_62143902.hdr 2006
538 0 0.1052 -0.007076 0.012075 -2.932648 2515455.217 6861877.175 1185.376 62143903 c:\data\hdr\2006_62143903.hdr 2006
539 0 0.1052 -0.006498 0.007489 -2.936703 2515400.780 6862144.040 1185.106 62143904 c:\data\hdr\2006_62143904.hdr 2006
540 0 0.1052 -0.005461 0.004867 -2.940067 2515346.611 6862408.712 1185.105 62143905 c:\data\hdr\2006_62143905.hdr 2006
541 0 0.1052 0.006328 0.003180 0.195421 2514713.330 6861906.529 1187.859 62143906 c:\data\hdr\2006_62143906.hdr 2006
542 0 0.1052 0.007349 0.003812 0.215965 2514772.201 6861642.504 1186.423 62143907 c:\data\hdr\2006_62143907.hdr 2006
543 0 0.1052 -0.000459 0.025056 0.213744 2514831.546 6861382.009 1185.228 62143908 c:\data\hdr\2006_62143908.hdr 2006
544 0 0.1052 -0.000009 0.019603 0.221517 2514892.680 6861117.885 1184.094 62143909 c:\data\hdr\2006_62143909.hdr 2006
545 0 0.1052 -0.001176 0.013188 0.226434 2514954.105 6860855.352 1183.517 62143910 c:\data\hdr\2006_62143910.hdr 2006
546 0 0.1052 0.003786 -0.004967 0.225260 2515016.378 6860592.192 1183.495 62143911 c:\data\hdr\2006_62143911.hdr 2006
547 0 0.1052 0.003392 0.000519 0.226532 2515079.588 6860330.747 1183.531 62143912 c:\data\hdr\2006_62143912.hdr 2006
548 0 0.1052 0.004322 -0.003865 0.227856 2515142.058 6860066.105 1183.690 62143913 c:\data\hdr\2006_62143913.hdr 2006
549 0 0.1052 0.006689 -0.013517 0.224555 2515202.854 6859805.931 1183.696 62143914 c:\data\hdr\2006_62143914.hdr 2006
550 0 0.1052 0.003379 -0.006366 0.217997 2515262.128 6859543.115 1183.641 62143915 c:\data\hdr\2006_62143915.hdr 2006
551 0 0.1052 0.006567 -0.011337 0.217664 2515323.072 6859278.773 1183.394 62143916 c:\data\hdr\2006_62143916.hdr 2006
552 0 0.1052 0.004039 -0.010427 0.214026 2515381.254 6859015.251 1183.053 62143917 c:\data\hdr\2006_62143917.hdr 2006
553 0 0.1052 0.002259 -0.007150 0.209106 2515439.179 6858752.896 1183.352 62143918 c:\data\hdr\2006_62143918.hdr 2006
554 0 0.1052 0.000185 0.002078 0.202253 2515495.913 6858488.508 1183.785 62143919 c:\data\hdr\2006_62143919.hdr 2006
555 0 0.1052 0.001100 0.003363 0.205605 2515553.600 6858216.231 1183.836 62143920 c:\data\hdr\2006_62143920.hdr 2006
556 0 0.1052 -0.001489 0.016087 0.203456 2515607.846 6857959.296 1183.696 62143921 c:\data\hdr\2006_62143921.hdr 2006
557 0 0.1052 -0.003597 0.020918 0.204812 2515664.361 6857695.101 1183.446 62143922 c:\data\hdr\2006_62143922.hdr 2006
558 0 0.1052 -0.006548 0.027718 0.214671 2515722.680 6857431.438 1183.373 62143923 c:\data\hdr\2006_62143923.hdr 2006
559 0 0.1052 -0.004500 0.015622 0.220800 2515783.312 6857170.135 1183.710 62143924 c:\data\hdr\2006_62143924.hdr 2006
560 0 0.1052 -0.003369 0.011359 0.222682 2515845.439 6856908.090 1184.394 62143925 c:\data\hdr\2006_62143925.hdr 2006
561 0 0.1052 0.000778 -0.000289 0.221842 2515909.072 6856645.725 1184.578 62143926 c:\data\hdr\2006_62143926.hdr 2006
562 0 0.1052 0.006497 -0.022658 0.216358 2515970.373 6856384.471 1184.775 62143927 c:\data\hdr\2006_62143927.hdr 2006
563 0 0.1052 -0.000091 0.009829 0.214246 2516029.762 6856128.789 1184.785 62143928 c:\data\hdr\2006_62143928.hdr 2006
564 0 0.1052 0.000452 0.008945 0.216458 2516089.623 6855865.638 1184.592 62143929 c:\data\hdr\2006_62143929.hdr 2006
565 0 0.1052 0.000527 0.007240 0.217834 2516149.788 6855602.322 1184.437 62143930 c:\data\hdr\2006_62143930.hdr 2006
566 0 0.1052 0.003508 0.000651 0.218514 2516212.940 6855330.371 1184.201 62143931 c:\data\hdr\2006_62143931.hdr 2006
567 0 0.1052 0.005054 -0.002604 0.218382 2516273.855 6855067.589 1184.035 62143932 c:\data\hdr\2006_62143932.hdr 2006
568 0 0.1052 0.004632 -0.002767 0.224192 2516334.513 6854804.553 1183.917 62143933 c:\data\hdr\2006_62143933.hdr 2006
569 0 0.1052 0.002574 0.001239 0.220460 2516388.560 6862521.254 2515.639 70151200 c:\data\hdr\2007_70151200.hdr 2007
570 0 0.1052 0.003901 -0.009186 0.219247 2516450.443 6862232.142 2516.879 70151201 c:\data\hdr\2007_70151201.hdr 2007
571 0 0.1052 0.005779 -0.029081 0.199835 2516507.924 6861942.539 2517.396 70151202 c:\data\hdr\2007_70151202.hdr 2007
572 0 0.1052 0.002967 -0.021698 0.177917 2516558.967 6861652.499 2517.670 70151203 c:\data\hdr\2007_70151203.hdr 2007
573 0 0.1052 0.000857 -0.002861 0.158589 2516603.811 6861360.872 2517.267 70151204 c:\data\hdr\2007_70151204.hdr 2007
574 0 0.1052 0.002054 -0.002293 0.157043 2516647.268 6861067.189 2516.607 70151205 c:\data\hdr\2007_70151205.hdr 2007
575 0 0.1052 0.002510 -0.001848 0.166304 2516692.067 6860775.982 2516.274 70151206 c:\data\hdr\2007_70151206.hdr 2007
576 0 0.1052 0.002953 -0.002704 0.178189 2516739.430 6860485.765 2516.246 70151207 c:\data\hdr\2007_70151207.hdr 2007
577 0 0.1052 0.002482 -0.001934 0.186794 2516790.640 6860193.620 2515.724 70151208 c:\data\hdr\2007_70151208.hdr 2007
578 0 0.1052 0.002393 -0.002049 0.192810 2516843.814 6859902.845 2515.030 70151209 c:\data\hdr\2007_70151209.hdr 2007
579 0 0.1052 0.001813 -0.001414 0.198639 2516898.343 6859613.733 2514.449 70151210 c:\data\hdr\2007_70151210.hdr 2007
580 0 0.1052 0.001723 -0.000983 0.201875 2516954.108 6859323.678 2514.188 70151211 c:\data\hdr\2007_70151211.hdr 2007
581 0 0.1052 0.001939 -0.001326 0.203050 2517010.780 6859034.261 2514.017 70151212 c:\data\hdr\2007_70151212.hdr 2007
582 0 0.1052 0.001740 -0.001705 0.204769 2517068.233 6858744.554 2513.898 70151213 c:\data\hdr\2007_70151213.hdr 2007
583 0 0.1052 0.001237 -0.000354 0.194889 2517123.739 6858454.524 2513.766 70151214 c:\data\hdr\2007_70151214.hdr 2007
584 0 0.1052 0.001169 0.000195 0.186136 2517176.622 6858165.346 2513.579 70151215 c:\data\hdr\2007_70151215.hdr 2007
585 0 0.1052 0.001616 -0.001906 0.179121 2517227.311 6857873.315 2513.536 70151216 c:\data\hdr\2007_70151216.hdr 2007
586 0 0.1052 0.000920 0.000182 0.172149 2517276.496 6857582.419 2513.510 70151217 c:\data\hdr\2007_70151217.hdr 2007
587 0 0.1052 0.001306 -0.001122 0.167503 2517323.139 6857290.050 2513.613 70151218 c:\data\hdr\2007_70151218.hdr 2007
588 0 0.1052 0.001885 -0.001538 0.170004 2517369.498 6857000.736 2513.756 70151219 c:\data\hdr\2007_70151219.hdr 2007
589 0 0.1052 0.002072 -0.000922 0.170958 2517417.377 6856707.854 2513.700 70151220 c:\data\hdr\2007_70151220.hdr 2007
590 0 0.1052 0.001667 -0.001456 0.170684 2517465.215 6856416.153 2513.654 70151221 c:\data\hdr\2007_70151221.hdr 2007
591 0 0.1052 0.001915 -0.001548 0.171807 2517513.470 6856124.444 2513.532 70151222 c:\data\hdr\2007_70151222.hdr 2007
592 0 0.1052 0.001709 -0.002114 0.172344 2517561.956 6855833.462 2513.477 70151223 c:\data\hdr\2007_70151223.hdr 2007
593 0 0.1052 0.001492 -0.001588 0.173700 2517610.659 6855542.223 2513.223 70151224 c:\data\hdr\2007_70151224.hdr 2007
594 0 0.1052 0.001363 -0.001876 0.175627 2517659.752 6855249.996 2512.943 70151225 c:\data\hdr\2007_70151225.hdr 2007
595 0 0.1052 0.001888 -0.001864 0.175020 2517708.839 6854959.390 2512.617 70151226 c:\data\hdr\2007_70151226.hdr 2007
596 0 0.1052 0.001901 -0.001862 0.175329 2517758.000 6854668.838 2512.581 70151227 c:\data\hdr\2007_70151227.hdr 2007
597 0 0.1052 0.001349 -0.002175 0.176287 2517807.734 6854377.016 2512.843 70151228 c:\data\hdr\2007_70151228.hdr 2007
598 0 0.1052 0.001662 -0.001881 0.178715 2517857.461 6854086.008 2513.241 70151229 c:\data\hdr\2007_70151229.hdr 2007
599 0 0.1052 0.001672 -0.001285 0.178331 2517907.426 6853794.991 2513.662 70151230 c:\data\hdr\2007_70151230.hdr 2007
600 0 0.1052 0.001911 -0.001614 0.177338 2517957.534 6853503.999 2513.945 70151231 c:\data\hdr\2007_70151231.hdr 2007
601 0 0.1052 0.001997 -0.001323 0.178078 2518007.689 6853213.200 2513.967 70151232 c:\data\hdr\2007_70151232.hdr 2007
602 0 0.1052 -0.002424 -0.003965 3.336796 2517031.936 6853041.520 2544.040 70151234 c:\data\hdr\2007_70151234.hdr 2007
603 0 0.1052 -0.002044 -0.001529 3.342838 2516975.638 6853331.832 2535.805 70151235 c:\data\hdr\2007_70151235.hdr 2007
604 0 0.1052 -0.001684 -0.000267 3.349788 2516918.368 6853620.739 2530.138 70151236 c:\data\hdr\2007_70151236.hdr 2007
605 0 0.1052 -0.000890 0.001168 3.359001 2516857.940 6853909.276 2527.416 70151237 c:\data\hdr\2007_70151237.hdr 2007
606 0 0.1052 -0.001401 0.001787 3.360811 2516796.224 6854196.661 2526.861 70151238 c:\data\hdr\2007_70151238.hdr 2007
607 0 0.1052 -0.000145 -0.006863 3.342447 2516736.596 6854487.350 2527.523 70151239 c:\data\hdr\2007_70151239.hdr 2007
608 0 0.1052 -0.001613 0.000915 3.327507 2516683.646 6854775.477 2528.366 70151240 c:\data\hdr\2007_70151240.hdr 2007
609 0 0.1052 -0.001696 0.002175 3.318361 2516632.854 6855067.928 2529.395 70151241 c:\data\hdr\2007_70151241.hdr 2007
610 0 0.1052 -0.001881 0.002049 3.321253 2516583.240 6855358.117 2530.786 70151242 c:\data\hdr\2007_70151242.hdr 2007
611 0 0.1052 -0.001859 0.002517 3.318880 2516533.315 6855649.232 2532.005 70151243 c:\data\hdr\2007_70151243.hdr 2007
612 0 0.1052 -0.002039 0.001730 3.324109 2516482.719 6855939.020 2532.955 70151244 c:\data\hdr\2007_70151244.hdr 2007
613 0 0.1052 -0.001974 0.002206 3.319768 2516432.070 6856230.320 2533.863 70151245 c:\data\hdr\2007_70151245.hdr 2007
614 0 0.1052 -0.001285 0.000909 3.303269 2516384.687 6856522.910 2534.607 70151246 c:\data\hdr\2007_70151246.hdr 2007
615 0 0.1052 -0.001642 0.001981 3.297416 2516341.373 6856815.940 2534.974 70151247 c:\data\hdr\2007_70151247.hdr 2007
616 0 0.1052 -0.001815 0.002695 3.298049 2516298.175 6857107.754 2535.141 70151248 c:\data\hdr\2007_70151248.hdr 2007
617 0 0.1052 -0.002012 0.001243 3.302289 2516253.730 6857399.378 2535.442 70151249 c:\data\hdr\2007_70151249.hdr 2007
618 0 0.1052 -0.001435 0.001180 3.310717 2516206.908 6857692.026 2535.676 70151250 c:\data\hdr\2007_70151250.hdr 2007
619 0 0.1052 -0.001670 0.002255 3.326739 2516156.056 6857982.867 2535.606 70151251 c:\data\hdr\2007_70151251.hdr 2007
620 0 0.1052 -0.001108 0.002641 3.340965 2516101.534 6858273.427 2535.454 70151252 c:\data\hdr\2007_70151252.hdr 2007
621 0 0.1052 -0.001758 0.001155 3.351011 2516044.032 6858561.643 2535.637 70151253 c:\data\hdr\2007_70151253.hdr 2007
622 0 0.1052 -0.001874 0.002604 3.354488 2515983.883 6858851.350 2535.707 70151254 c:\data\hdr\2007_70151254.hdr 2007
623 0 0.1052 -0.001286 0.001862 3.362466 2515921.791 6859139.605 2535.676 70151255 c:\data\hdr\2007_70151255.hdr 2007
624 0 0.1052 -0.001045 0.002117 3.356422 2515860.127 6859427.745 2535.713 70151256 c:\data\hdr\2007_70151256.hdr 2007
625 0 0.1052 -0.004562 0.030051 3.332673 2515802.583 6859717.394 2535.675 70151257 c:\data\hdr\2007_70151257.hdr 2007
```

```
626 0 0.1052 -0.002482 0.004986 3.320768 2515752.225 6860008.508 2535.745 70151258 c:\data\hdr\2007_70151258.hdr 2007
627 0 0.1052 -0.002388 0.001943 3.315839 2515702.424 6860299.666 2535.966 70151259 c:\data\hdr\2007_70151259.hdr 2007
628 0 0.1052 -0.002615 0.000686 3.314239 2515653.721 6860590.987 2535.753 70151260 c:\data\hdr\2007_70151260.hdr 2007
629 0 0.1052 -0.002244 0.002368 3.326817 2515602.490 6860881.461 2534.940 70151261 c:\data\hdr\2007_70151261.hdr 2007
630 0 0.1052 -0.002115 0.002791 3.331584 2515550.127 6861172.648 2534.657 70151262 c:\data\hdr\2007_70151262.hdr 2007
631 0 0.1052 -0.001663 0.002286 3.330500 2515496.265 6861462.885 2534.659 70151263 c:\data\hdr\2007_70151263.hdr 2007
632 0 0.1052 -0.002061 0.001501 3.327544 2515443.360 6861752.104 2535.012 70151264 c:\data\hdr\2007_70151264.hdr 2007
633 0 0.1052 -0.000588 0.001386 3.316180 2515392.526 6862043.649 2535.338 70151265 c:\data\hdr\2007_70151265.hdr 2007
634 0 0.1052 -0.001192 0.001676 3.308663 2515344.944 6862335.464 2536.038 70151266 c:\data\hdr\2007_70151266.hdr 2007
635 0 0.1052 0.001653 -0.001988 0.176254 2514380.797 6862165.415 2540.119 70151268 c:\data\hdr\2007_70151268.hdr 2007
636 0 0.1052 0.001337 -0.002218 0.181314 2514431.817 6861874.851 2540.241 70151269 c:\data\hdr\2007_70151269.hdr 2007
637 0 0.1052 0.001639 -0.002082 0.182832 2514483.234 6861584.571 2540.474 70151270 c:\data\hdr\2007_70151270.hdr 2007
638 0 0.1052 0.001475 -0.001653 0.180479 2514534.751 6861294.169 2540.640 70151271 c:\data\hdr\2007_70151271.hdr 2007
639 0 0.1052 0.001939 -0.000688 0.174961 2514585.081 6861002.408 2540.486 70151272 c:\data\hdr\2007_70151272.hdr 2007
640 0 0.1052 0.001545 -0.001660 0.175622 2514634.610 6860710.506 2540.248 70151273 c:\data\hdr\2007_70151273.hdr 2007
641 0 0.1052 0.001491 -0.000897 0.176941 2514684.141 6860420.752 2539.868 70151274 c:\data\hdr\2007_70151274.hdr 2007
642 0 0.1052 0.001272 -0.001272 0.175100 2514733.815 6860129.483 2539.685 70151275 c:\data\hdr\2007_70151275.hdr 2007
643 0 0.1052 0.001508 -0.001843 0.173437 2514783.588 6859837.620 2539.801 70151276 c:\data\hdr\2007_70151276.hdr 2007
644 0 0.1052 0.001873 -0.001410 0.175273 2514833.065 6859546.807 2539.876 70151277 c:\data\hdr\2007_70151277.hdr 2007
645 0 0.1052 0.001105 -0.000988 0.173048 2514882.353 6859255.871 2540.085 70151278 c:\data\hdr\2007_70151278.hdr 2007
646 0 0.1052 0.001892 -0.001169 0.172835 2514931.632 6858964.368 2540.112 70151279 c:\data\hdr\2007_70151279.hdr 2007
647 0 0.1052 0.001566 -0.001883 0.170196 2514980.474 6858673.450 2540.082 70151280 c:\data\hdr\2007_70151280.hdr 2007
648 0 0.1052 0.000963 -0.001129 0.173618 2515029.478 6858381.215 2540.076 70151281 c:\data\hdr\2007_70151281.hdr 2007
649 0 0.1052 0.001841 -0.002466 0.177334 2515079.133 6858091.589 2539.924 70151282 c:\data\hdr\2007_70151282.hdr 2007
650 0 0.1052 0.001267 -0.002147 0.185759 2515131.092 6857800.355 2539.612 70151283 c:\data\hdr\2007_70151283.hdr 2007
651 0 0.1052 0.001429 -0.001169 0.189618 2515184.408 6857510.824 2539.579 70151284 c:\data\hdr\2007_70151284.hdr 2007
652 0 0.1052 0.001435 -0.001216 0.192135 2515238.727 6857220.443 2539.722 70151285 c:\data\hdr\2007_70151285.hdr 2007
653 0 0.1052 0.001293 -0.000901 0.195562 2515293.893 6856928.666 2540.028 70151286 c:\data\hdr\2007_70151286.hdr 2007
654 0 0.1052 0.001365 -0.000724 0.194934 2515349.354 6856639.641 2540.260 70151287 c:\data\hdr\2007_70151287.hdr 2007
655 0 0.1052 0.001414 -0.001754 0.196875 2515405.523 6856350.887 2540.218 70151288 c:\data\hdr\2007_70151288.hdr 2007
656 0 0.1052 0.001452 -0.001225 0.191115 2515459.936 6856060.768 2540.658 70151289 c:\data\hdr\2007_70151289.hdr 2007
657 0 0.1052 0.001234 -0.000351 0.186461 2515512.775 6855770.616 2541.105 70151290 c:\data\hdr\2007_70151290.hdr 2007
658 0 0.1052 0.000972 -0.000702 0.183390 2515564.822 6855479.650 2541.089 70151291 c:\data\hdr\2007_70151291.hdr 2007
659 0 0.1052 0.001806 -0.000316 0.181467 2515616.259 6855188.319 2540.869 70151292 c:\data\hdr\2007_70151292.hdr 2007
660 0 0.1052 0.001719 -0.001295 0.182546 2515667.675 6854898.258 2540.760 70151293 c:\data\hdr\2007_70151293.hdr 2007
661 0 0.1052 0.002250 -0.001131 0.177961 2515719.080 6854606.846 2540.956 70151294 c:\data\hdr\2007_70151294.hdr 2007
662 0 0.1052 0.001613 -0.001178 0.171835 2515769.195 6854315.620 2540.989 70151295 c:\data\hdr\2007_70151295.hdr 2007
663 0 0.1052 0.001721 -0.001688 0.160490 2515815.947 6854024.902 2540.864 70151296 c:\data\hdr\2007_70151296.hdr 2007
664 0 0.1052 0.001143 -0.001325 0.153015 2515859.944 6853732.034 2540.641 70151297 c:\data\hdr\2007_70151297.hdr 2007
665 0 0.1052 0.001248 -0.000597 0.150695 2515902.119 6853438.992 2540.939 70151298 c:\data\hdr\2007_70151298.hdr 2007
666 0 0.1052 0.001168 -0.000497 0.158940 2515946.418 6853147.335 2541.177 70151299 c:\data\hdr\2007_70151299.hdr 2007
667 0 0.1052 0.001728 -0.001293 0.168077 2515993.385 6852855.728 2541.793 70151300 c:\data\hdr\2007_70151300.hdr 2007
668 0 0.1005 -0.009408 0.005084 -1.215165 2514134.980 6862332.210 2661.965 40802 c:\data\hdr\2010_40802.hdr 2010
669 0 0.1005 -0.005874 -0.000212 1.924643 2515816.096 6861499.509 2668.702 40843 c:\data\hdr\2010_40843.hdr 2010
670 0 0.1005 -0.000549 0.006670 1.924911 2515585.128 6862137.663 2668.861 40845 c:\data\hdr\2010_40845.hdr 2010
671 0 0.1005 -0.001903 0.011345 1.906596 2515359.133 6862776.874 2668.209 40847 c:\data\hdr\2010_40847.hdr 2010
672 0 0.1005 -0.017239 0.004975 -1.211768 2514367.839 6861694.856 2666.608 40804 c:\data\hdr\2010_40804.hdr 2010
673 0 0.1005 -0.003637 0.005774 1.927393 2515700.172 6861817.706 2668.607 40844 c:\data\hdr\2010_40844.hdr 2010
674 0 0.1005 -0.012912 0.001013 -1.213220 2514484.944 6861376.240 2668.728 40805 c:\data\hdr\2010_40805.hdr 2010
675 0 0.1005 -0.001443 0.007047 1.916321 2515470.842 6862458.314 2668.679 40846 c:\data\hdr\2010_40846.hdr 2010
676 0 0.1005 -0.009829 -0.003441 -1.213100 2514601.543 6861057.600 2670.211 40806 c:\data\hdr\2010_40806.hdr 2010
677 0 0.1005 -0.014078 0.006822 -1.214168 2514250.986 6862013.827 2663.911 40803 c:\data\hdr\2010_40803.hdr 2010
678 0 0.1005 -0.001361 -0.003788 -1.218839 2514717.315 6860738.383 2670.729 40807 c:\data\hdr\2010_40807.hdr 2010
679 0 0.1005 0.002078 -0.000232 -1.223829 2514832.646 6860419.569 2670.669 40808 c:\data\hdr\2010_40808.hdr 2010
680 0 0.1005 -0.002829 -0.006985 1.934713 2516050.821 6860862.425 2672.496 40841 c:\data\hdr\2010_40841.hdr 2010
681 0 0.1005 0.007018 0.003758 -1.216693 2514947.857 6860100.532 2668.708 40809 c:\data\hdr\2010_40809.hdr 2010
682 0 0.1005 -0.004027 -0.004934 1.927224 2515933.543 6861180.594 2670.750 40842 c:\data\hdr\2010_40842.hdr 2010
683 0 0.1005 0.004059 -0.019276 1.938330 2516289.237 6860227.765 2670.236 40839 c:\data\hdr\2010_40839.hdr 2010
684 0 0.1005 0.001032 -0.013429 1.933739 2516169.293 6860545.114 2671.990 40840 c:\data\hdr\2010_40840.hdr 2010
685 0 0.1005 0.007416 0.010371 -1.216344 2515063.020 6859781.861 2666.176 40810 c:\data\hdr\2010_40810.hdr 2010
686 0 0.1005 0.006122 0.010672 -1.219206 2515179.156 6859462.143 2664.113 40811 c:\data\hdr\2010_40811.hdr 2010
687 0 0.1005 0.004818 -0.019676 1.933468 2516408.136 6859909.953 2669.628 40838 c:\data\hdr\2010_40838.hdr 2010
688 0 0.1005 0.007332 -0.019296 1.924554 2516525.348 6859590.681 2669.592 40837 c:\data\hdr\2010_40837.hdr 2010
689 0 0.1005 0.000464 0.007877 -1.213518 2515294.750 6859143.877 2662.890 40812 c:\data\hdr\2010_40812.hdr 2010
690 0 0.1005 0.003364 -0.017079 1.920901 2516640.690 6859271.657 2669.344 40836 c:\data\hdr\2010_40836.hdr 2010
691 0 0.1005 0.000915 0.006162 -1.213529 2515410.943 6858824.449 2662.388 40813 c:\data\hdr\2010_40813.hdr 2010
692 0 0.1005 -0.001845 0.001498 -1.214552 2515526.102 6858506.819 2662.603 40814 c:\data\hdr\2010_40814.hdr 2010
693 0 0.1005 -0.000193 -0.011204 1.912365 2516753.916 6858952.718 2668.936 40835 c:\data\hdr\2010_40835.hdr 2010
694 0 0.1005 -0.002163 -0.005900 1.914728 2516866.584 6858632.675 2669.740 40834 c:\data\hdr\2010_40834.hdr 2010
695 0 0.1005 -0.003440 0.002238 -1.215545 2515641.966 6858187.269 2662.862 40815 c:\data\hdr\2010_40815.hdr 2010
696 0 0.1005 -0.004955 0.004325 -1.214349 2515757.771 6857868.180 2662.884 40816 c:\data\hdr\2010_40816.hdr 2010
697 0 0.1005 -0.003387 -0.000554 1.914126 2516979.396 6858310.726 2671.886 40833 c:\data\hdr\2010_40833.hdr 2010
698 0 0.1005 -0.002244 0.005933 1.917227 2517091.840 6857990.657 2673.667 40832 c:\data\hdr\2010_40832.hdr 2010
699 0 0.1005 -0.004568 0.001973 -1.216212 2515873.898 6857548.439 2663.288 40817 c:\data\hdr\2010_40817.hdr 2010
700 0 0.1005 -0.007114 0.004332 -1.214149 2515989.777 6857229.983 2663.524 40818 c:\data\hdr\2010_40818.hdr 2010
701 0 0.1005 -0.005937 0.012158 1.915185 2517204.271 6857671.332 2674.674 40831 c:\data\hdr\2010_40831.hdr 2010
702 0 0.1005 0.004080 0.015634 1.923980 2517318.356 6857351.631 2674.617 40830 c:\data\hdr\2010_40830.hdr 2010
703 0 0.1005 -0.008121 0.010167 -1.212023 2516106.380 6856911.236 2663.796 40819 c:\data\hdr\2010_40819.hdr 2010
704 0 0.1005 -0.006290 0.006725 -1.211976 2516223.208 6856593.199 2664.428 40820 c:\data\hdr\2010_40820.hdr 2010
705 0 0.1005 0.008823 0.005702 1.933954 2517434.252 6857032.936 2672.197 40829 c:\data\hdr\2010_40829.hdr 2010
706 0 0.1005 0.010047 -0.005546 1.939247 2517552.533 6856714.757 2668.377 40828 c:\data\hdr\2010_40828.hdr 2010
707 0 0.1005 -0.004546 0.000793 -1.209396 2516340.568 6856274.591 2665.097 40821 c:\data\hdr\2010_40821.hdr 2010
708 0 0.1005 0.012045 -0.012712 1.942741 2517672.431 6856396.749 2664.701 40827 c:\data\hdr\2010_40827.hdr 2010
709 0 0.1005 -0.004874 -0.001810 -1.210698 2516458.142 6855954.655 2665.853 40822 c:\data\hdr\2010_40822.hdr 2010
710 0 0.1005 0.011123 -0.019717 1.933791 2517792.723 6856079.614 2663.284 40826 c:\data\hdr\2010_40826.hdr 2010
711 0 0.1005 -0.005432 -0.001542 -1.214060 2516574.759 6855636.599 2667.320 40823 c:\data\hdr\2010_40823.hdr 2010
712 0 0.1005 -0.003553 -0.002616 -1.214443 2516691.247 6855317.948 2669.100 40824 c:\data\hdr\2010_40824.hdr 2010
713 0 0.1005 0.002684 -0.020547 1.932299 2517911.392 6855762.922 2665.534 40825 c:\data\hdr\2010_40825.hdr 2010
714 0 0.1014 0.010749 -0.008440 1.925752 2516379.563 6855505.217 1663.222 110080 c:\data\hdr\2012_001_10080.hdr 2012
715 0 0.1014 0.010647 -0.007597 1.918208 2516310.380 6855693.876 1662.288 110081 c:\data\hdr\2012_001_10081.hdr 2012
716 0 0.1014 0.012294 -0.010510 1.909713 2516244.106 6855883.080 1660.536 110082 c:\data\hdr\2012_001_10082.hdr 2012
717 0 0.1014 0.011279 -0.008624 1.912434 2516179.005 6856065.720 1659.190 110083 c:\data\hdr\2012_001_10083.hdr 2012
718 0 0.1014 0.011466 -0.009433 1.920746 2516107.824 6856259.105 1659.509 110084 c:\data\hdr\2012_001_10084.hdr 2012
719 0 0.1014 0.011536 -0.009090 1.917030 2516040.298 6856444.919 1660.215 110085 c:\data\hdr\2012_001_10085.hdr 2012
720 0 0.1014 0.011663 -0.008899 1.920418 2515970.979 6856635.028 1661.149 110086 c:\data\hdr\2012_001_10086.hdr 2012
721 0 0.1014 0.011358 -0.008650 1.923685 2515903.977 6856816.704 1662.406 110087 c:\data\hdr\2012_001_10087.hdr 2012
722 0 0.1014 0.010508 -0.007352 1.926050 2515833.960 6857004.918 1663.791 110088 c:\data\hdr\2012_001_10088.hdr 2012
723 0 0.1014 0.010896 -0.008367 1.920907 2515764.423 6857194.397 1664.905 110089 c:\data\hdr\2012_001_10089.hdr 2012
724 0 0.1014 0.012091 -0.010013 1.914818 2515697.954 6857382.382 1665.181 110090 c:\data\hdr\2012_001_10090.hdr 2012
725 0 0.1014 0.011968 -0.010046 1.909635 2515631.077 6857572.627 1665.091 110091 c:\data\hdr\2012_001_10091.hdr 2012
726 0 0.1014 0.011432 -0.008219 1.919621 2515565.153 6857754.408 1664.617 110092 c:\data\hdr\2012_001_10092.hdr 2012
727 0 0.1014 0.011273 -0.007459 1.929468 2515494.208 6857942.279 1664.380 110093 c:\data\hdr\2012_001_10093.hdr 2012
728 0 0.1014 0.011427 -0.007866 1.929509 2515425.954 6858123.739 1664.376 110094 c:\data\hdr\2012_001_10094.hdr 2012
729 0 0.1014 0.011905 -0.009342 1.923450 2515356.310 6858314.905 1664.044 110095 c:\data\hdr\2012_001_10095.hdr 2012
730 0 0.1014 0.011036 -0.008356 1.917669 2515290.963 6858498.179 1663.605 110096 c:\data\hdr\2012_001_10096.hdr 2012
```

731 0 0.1014 0.011515 -0.008642 1.911520 2515223.177 6858689.989 1663.434 110097 c:\data\hdr\2012_001_10097.hdr 2012
732 0 0.1014 0.012346 -0.010032 1.906793 2515158.987 6858874.580 1663.817 110098 c:\data\hdr\2012_001_10098.hdr 2012
733 0 0.1014 0.011557 -0.008659 1.910380 2515094.111 6859058.560 1664.671 110099 c:\data\hdr\2012_001_10099.hdr 2012
734 0 0.1014 0.011668 -0.008764 1.922095 2515023.664 6859251.206 1666.184 110100 c:\data\hdr\2012_001_10100.hdr 2012
735 0 0.1014 0.011339 -0.007764 1.932650 2514956.427 6859429.245 1667.961 110101 c:\data\hdr\2012_001_10101.hdr 2012
736 0 0.1014 0.011232 -0.007737 1.934500 2514884.432 6859618.281 1670.326 110102 c:\data\hdr\2012_001_10102.hdr 2012
737 0 0.1014 0.011956 -0.009041 1.932557 2514815.628 6859798.690 1672.415 110103 c:\data\hdr\2012_001_10103.hdr 2012
738 0 0.1014 0.011063 -0.007368 1.926172 2514745.447 6859987.022 1674.287 110104 c:\data\hdr\2012_001_10104.hdr 2012
739 0 0.1014 0.012587 -0.010781 1.920763 2514680.791 6860168.337 1676.072 110105 c:\data\hdr\2012_001_10105.hdr 2012
740 0 0.1014 0.011207 -0.008066 1.917059 2514613.123 6860358.324 1677.257 110106 c:\data\hdr\2012_001_10106.hdr 2012
741 0 0.1014 0.010942 -0.006401 1.926382 2514543.710 6860545.657 1677.620 110107 c:\data\hdr\2012_001_10107.hdr 2012
742 0 0.1014 0.011561 -0.008784 1.921096 2514476.843 6860727.121 1678.047 110108 c:\data\hdr\2012_001_10108.hdr 2012
743 0 0.1014 0.012221 -0.010175 1.915292 2514411.999 6860911.209 1678.169 110109 c:\data\hdr\2012_001_10109.hdr 2012
744 0 0.1014 0.012156 -0.009564 1.909486 2514346.731 6861100.738 1677.749 110110 c:\data\hdr\2012_001_10110.hdr 2012
745 0 0.1014 0.012568 -0.010053 1.907523 2514281.834 6861287.718 1677.500 110111 c:\data\hdr\2012_001_10111.hdr 2012
746 0 0.1014 -0.030025 -0.032235 1.893364 2516364.501 6855499.570 1666.255 110288 c:\data\hdr\2012_001_10288.hdr 2012
747 0 0.1014 0.011900 -0.010057 1.896353 2516300.385 6855687.887 1666.198 110289 c:\data\hdr\2012_001_10289.hdr 2012
748 0 0.1014 0.010951 -0.007990 1.907426 2516232.750 6855875.034 1665.367 110290 c:\data\hdr\2012_001_10290.hdr 2012
749 0 0.1014 0.012179 -0.009189 1.911430 2516165.948 6856061.685 1664.510 110291 c:\data\hdr\2012_001_10291.hdr 2012
750 0 0.1014 0.011249 -0.008482 1.903553 2516100.109 6856250.122 1664.500 110292 c:\data\hdr\2012_001_10292.hdr 2012
751 0 0.1014 0.011248 -0.008437 1.902985 2516032.172 6856444.567 1665.057 110293 c:\data\hdr\2012_001_10293.hdr 2012
752 0 0.1014 0.012701 -0.011130 1.901069 2515966.030 6856636.096 1666.030 110294 c:\data\hdr\2012_001_10294.hdr 2012
753 0 0.1014 0.010149 -0.007307 1.912928 2515900.281 6856819.525 1667.120 110295 c:\data\hdr\2012_001_10295.hdr 2012
754 0 0.1014 0.010568 -0.008127 1.917428 2515831.550 6857006.985 1666.692 110296 c:\data\hdr\2012_001_10296.hdr 2012
755 0 0.1014 0.011121 -0.007998 1.914557 2515763.816 6857194.379 1665.636 110297 c:\data\hdr\2012_001_10297.hdr 2012
756 0 0.1014 0.011185 -0.008913 1.907093 2515697.347 6857382.044 1664.773 110298 c:\data\hdr\2012_001_10298.hdr 2012
757 0 0.1014 0.012691 -0.010658 1.904902 2515633.689 6857565.546 1663.920 110299 c:\data\hdr\2012_001_10299.hdr 2012
758 0 0.1014 0.011076 -0.007604 1.917190 2515565.133 6857753.337 1663.490 110300 c:\data\hdr\2012_001_10300.hdr 2012
759 0 0.1014 0.011720 -0.007957 1.924722 2515494.540 6857941.470 1663.561 110301 c:\data\hdr\2012_001_10301.hdr 2012
760 0 0.1014 0.011783 -0.008182 1.918091 2515426.106 6858130.510 1664.372 110302 c:\data\hdr\2012_001_10302.hdr 2012
761 0 0.1014 0.012147 -0.010461 1.910754 2515361.673 6858313.301 1665.152 110303 c:\data\hdr\2012_001_10303.hdr 2012
762 0 0.1014 0.011888 -0.009976 1.913118 2515294.655 6858502.531 1664.515 110304 c:\data\hdr\2012_001_10304.hdr 2012
763 0 0.1014 0.010976 -0.007479 1.926600 2515224.184 6858690.860 1663.031 110305 c:\data\hdr\2012_001_10305.hdr 2012
764 0 0.1014 0.012274 -0.008932 1.930341 2515154.934 6858871.888 1661.607 110306 c:\data\hdr\2012_001_10306.hdr 2012
765 0 0.1014 0.012499 -0.009520 1.923974 2515086.596 6859061.224 1661.178 110307 c:\data\hdr\2012_001_10307.hdr 2012
766 0 0.1014 0.012316 -0.010021 1.917750 2515021.189 6859245.302 1662.569 110308 c:\data\hdr\2012_001_10308.hdr 2012
767 0 0.1014 0.011223 -0.008337 1.925550 2514951.583 6859433.169 1663.990 110309 c:\data\hdr\2012_001_10309.hdr 2012
768 0 0.1014 0.010687 -0.006717 1.938368 2514881.090 6859613.483 1665.528 110310 c:\data\hdr\2012_001_10310.hdr 2012
769 0 0.1014 0.018891 0.004134 1.931785 2514811.000 6859799.710 1667.492 110311 c:\data\hdr\2012_001_10311.hdr 2012
770 0 0.1014 0.001985 -0.029537 1.925928 2514744.606 6859988.108 1669.882 110312 c:\data\hdr\2012_001_10312.hdr 2012
771 0 0.1014 0.004130 -0.023794 1.919958 2514680.614 6860168.583 1672.018 110313 c:\data\hdr\2012_001_10313.hdr 2012
772 0 0.1014 0.007798 -0.016803 1.924246 2514612.285 6860355.155 1673.600 110314 c:\data\hdr\2012_001_10314.hdr 2012
773 0 0.1014 0.011410 -0.008876 1.933028 2514542.126 6860540.671 1674.329 110315 c:\data\hdr\2012_001_10315.hdr 2012
774 0 0.1014 0.012142 -0.008310 1.929482 2514471.909 6860726.147 1675.820 110316 c:\data\hdr\2012_001_10316.hdr 2012
775 0 0.1014 0.012456 -0.009728 1.922796 2514404.826 6860911.809 1678.093 110317 c:\data\hdr\2012_001_10317.hdr 2012
776 0 0.1014 0.012652 -0.010096 1.916181 2514337.319 6861102.249 1679.368 110318 c:\data\hdr\2012_001_10318.hdr 2012
777 0 0.1014 0.012100 -0.009237 1.913495 2514272.134 6861285.016 1680.026 110319 c:\data\hdr\2012_001_10319.hdr 2012
778 0 0.1014 -0.011932 0.010696 -1.239015 2514740.474 6861466.351 1674.547 210112 c:\data\hdr\2012_002_10112.hdr 2012
779 0 0.1014 -0.011570 0.008877 -1.235182 2514806.624 6861277.291 1674.930 210113 c:\data\hdr\2012_002_10113.hdr 2012
780 0 0.1014 -0.011499 0.008784 -1.227708 2514871.777 6861095.386 1674.754 210114 c:\data\hdr\2012_002_10114.hdr 2012
781 0 0.1014 -0.011451 0.008123 -1.223758 2514940.972 6860905.731 1674.398 210115 c:\data\hdr\2012_002_10115.hdr 2012
782 0 0.1014 -0.011710 0.009074 -1.220828 2515010.027 6860716.802 1674.083 210116 c:\data\hdr\2012_002_10116.hdr 2012
783 0 0.1014 -0.012191 0.009157 -1.216264 2515074.541 6860542.963 1673.927 210117 c:\data\hdr\2012_002_10117.hdr 2012
784 0 0.1014 -0.011288 0.007423 -1.213492 2515145.840 6860353.347 1674.190 210118 c:\data\hdr\2012_002_10118.hdr 2012
785 0 0.1014 -0.011538 0.008176 -1.214606 2515213.972 6860171.534 1674.615 210119 c:\data\hdr\2012_002_10119.hdr 2012
786 0 0.1014 -0.012025 0.009580 -1.217387 2515280.653 6859989.583 1675.183 210120 c:\data\hdr\2012_002_10120.hdr 2012
787 0 0.1014 -0.012048 0.010136 -1.222426 2515347.639 6859801.179 1676.185 210121 c:\data\hdr\2012_002_10121.hdr 2012
788 0 0.1014 -0.011622 0.009063 -1.227870 2515414.811 6859612.070 1677.085 210122 c:\data\hdr\2012_002_10122.hdr 2012
789 0 0.1014 -0.011843 0.008988 -1.227134 2515482.045 6859424.012 1677.742 210123 c:\data\hdr\2012_002_10123.hdr 2012
790 0 0.1014 -0.011756 0.009025 -1.214551 2515550.608 6859238.256 1678.504 210124 c:\data\hdr\2012_002_10124.hdr 2012
791 0 0.1014 -0.011106 0.006328 -1.210093 2515621.101 6859052.770 1679.471 210125 c:\data\hdr\2012_002_10125.hdr 2012
792 0 0.1014 -0.011999 0.009622 -1.212371 2515689.464 6858868.568 1680.189 210126 c:\data\hdr\2012_002_10126.hdr 2012
793 0 0.1014 -0.012313 0.010612 -1.216627 2515757.797 6858677.336 1680.595 210127 c:\data\hdr\2012_002_10127.hdr 2012
794 0 0.1014 -0.011812 0.009904 -1.221720 2515823.342 6858495.226 1680.411 210128 c:\data\hdr\2012_002_10128.hdr 2012
795 0 0.1014 -0.010664 0.007183 -1.211312 2515894.565 6858306.227 1678.876 210129 c:\data\hdr\2012_002_10129.hdr 2012
796 0 0.1014 -0.011676 0.007616 -1.202597 2515964.652 6858124.842 1675.569 210130 c:\data\hdr\2012_002_10130.hdr 2012
797 0 0.1014 -0.015762 0.004993 -1.207429 2516036.134 6857936.595 1673.205 210131 c:\data\hdr\2012_002_10131.hdr 2012
798 0 0.1014 -0.006404 0.016746 -1.212772 2516104.234 6857747.760 1673.641 210132 c:\data\hdr\2012_002_10132.hdr 2012
799 0 0.1014 -0.011473 0.012154 -1.218290 2516171.012 6857559.451 1673.796 210133 c:\data\hdr\2012_002_10133.hdr 2012
800 0 0.1014 -0.012141 0.009341 -1.223529 2516237.478 6857372.317 1673.934 210134 c:\data\hdr\2012_002_10134.hdr 2012
801 0 0.1014 -0.012234 0.008963 -1.220783 2516305.230 6857185.399 1674.331 210135 c:\data\hdr\2012_002_10135.hdr 2012
802 0 0.1014 -0.012102 0.008931 -1.210694 2516375.087 6856999.587 1674.349 210136 c:\data\hdr\2012_002_10136.hdr 2012
803 0 0.1014 -0.012274 0.006980 -1.205851 2516448.632 6856808.592 1673.932 210137 c:\data\hdr\2012_002_10137.hdr 2012
804 0 0.1014 -0.011861 0.008783 -1.209603 2516517.738 6856624.012 1673.245 210138 c:\data\hdr\2012_002_10138.hdr 2012
805 0 0.1014 -0.012420 0.010136 -1.215386 2516587.108 6856430.965 1672.019 210139 c:\data\hdr\2012_002_10139.hdr 2012
806 0 0.1014 -0.012443 0.010512 -1.220459 2516652.542 6856245.861 1670.414 210140 c:\data\hdr\2012_002_10140.hdr 2012
807 0 0.1014 -0.012317 0.009330 -1.218609 2516722.358 6856053.876 1668.368 210141 c:\data\hdr\2012_002_10141.hdr 2012
808 0 0.1014 -0.012238 0.009346 -1.205834 2516792.189 6855869.622 1666.021 210142 c:\data\hdr\2012_002_10142.hdr 2012
809 0 0.1014 -0.011710 0.007035 -1.201415 2516867.532 6855677.596 1663.329 210143 c:\data\hdr\2012_002_10143.hdr 2012
810 0 0.1014 -0.013240 0.006578 -1.219442 2514748.324 6861462.887 1641.627 210320 c:\data\hdr\2012_002_10320.hdr 2012
811 0 0.1014 -0.012915 0.006950 -1.223282 2514815.649 6861278.121 1641.289 210321 c:\data\hdr\2012_002_10321.hdr 2012
812 0 0.1014 -0.012907 0.008755 -1.222508 2514883.228 6861092.733 1641.601 210322 c:\data\hdr\2012_002_10322.hdr 2012
813 0 0.1014 -0.011920 0.006976 -1.217399 2514948.901 6860914.588 1642.173 210323 c:\data\hdr\2012_002_10323.hdr 2012
814 0 0.1014 -0.012119 0.009610 -1.218844 2515016.968 6860730.667 1643.081 210324 c:\data\hdr\2012_002_10324.hdr 2012
815 0 0.1014 -0.011476 0.008468 -1.220569 2515085.235 6860545.271 1643.018 210325 c:\data\hdr\2012_002_10325.hdr 2012
816 0 0.1014 -0.012510 0.008600 -1.220769 2515152.966 6860360.659 1642.867 210326 c:\data\hdr\2012_002_10326.hdr 2012
817 0 0.1014 -0.011835 0.007908 -1.214727 2515221.950 6860175.285 1643.542 210327 c:\data\hdr\2012_002_10327.hdr 2012
818 0 0.1014 -0.011487 0.009258 -1.219483 2515290.092 6859991.250 1645.141 210328 c:\data\hdr\2012_002_10328.hdr 2012
819 0 0.1014 -0.012178 0.010758 -1.225791 2515358.092 6859799.097 1646.457 210329 c:\data\hdr\2012_002_10329.hdr 2012
820 0 0.1014 -0.011947 0.010173 -1.230793 2515423.304 6859614.799 1646.859 210330 c:\data\hdr\2012_002_10330.hdr 2012
821 0 0.1014 -0.011242 0.007395 -1.223128 2515490.122 6859429.702 1646.510 210331 c:\data\hdr\2012_002_10331.hdr 2012
822 0 0.1014 -0.011326 0.008716 -1.222199 2515560.186 6859237.696 1645.714 210332 c:\data\hdr\2012_002_10332.hdr 2012
823 0 0.1014 -0.012121 0.008731 -1.222196 2515627.511 6859053.310 1644.585 210333 c:\data\hdr\2012_002_10333.hdr 2012
824 0 0.1014 -0.012207 0.009704 -1.225284 2515695.341 6858867.120 1643.061 210334 c:\data\hdr\2012_002_10334.hdr 2012
825 0 0.1014 -0.011958 0.008986 -1.229079 2515762.010 6858681.075 1642.090 210335 c:\data\hdr\2012_002_10335.hdr 2012
826 0 0.1014 -0.011715 0.009412 -1.228905 2515828.957 6858494.252 1642.129 210336 c:\data\hdr\2012_002_10336.hdr 2012
827 0 0.1014 -0.012215 0.010486 -1.223907 2515895.949 6858308.707 1642.916 210337 c:\data\hdr\2012_002_10337.hdr 2012
828 0 0.1014 -0.011641 0.008465 -1.212632 2515964.991 6858122.964 1644.263 210338 c:\data\hdr\2012_002_10338.hdr 2012
829 0 0.1014 -0.011761 0.009054 -1.212579 2516034.241 6857939.140 1646.072 210339 c:\data\hdr\2012_002_10339.hdr 2012
830 0 0.1014 -0.012026 0.008836 -1.219050 2516100.822 6857753.786 1647.499 210340 c:\data\hdr\2012_002_10340.hdr 2012
831 0 0.1014 -0.001765 0.023031 -1.225118 2516165.866 6857561.017 1648.056 210341 c:\data\hdr\2012_002_10341.hdr 2012
832 0 0.1014 -0.006600 0.018185 -1.230625 2516229.055 6857368.239 1649.083 210342 c:\data\hdr\2012_002_10342.hdr 2012
833 0 0.1014 -0.009967 0.013200 -1.235289 2516292.712 6857181.815 1649.256 210343 c:\data\hdr\2012_002_10343.hdr 2012
834 0 0.1014 -0.010988 0.007780 -1.222932 2516363.053 6856989.126 1648.479 210344 c:\data\hdr\2012_002_10344.hdr 2012
835 0 0.1014 -0.011787 0.007265 -1.210466 2516434.138 6856805.743 1648.353 210345 c:\data\hdr\2012_002_10345.hdr 2012

```
836 0 0.1014 -0.017714 0.002692 -1.208207 2516504.121 6856620.896 1649.486 210346 c:\data\hdr\2012_002_10346.hdr 2012
837 0 0.1014 -0.002343 0.024563 -1.213313 2516575.362 6856424.597 1650.703 210347 c:\data\hdr\2012_002_10347.hdr 2012
838 0 0.1014 -0.005073 0.016336 -1.208804 2516644.882 6856238.840 1651.349 210348 c:\data\hdr\2012_002_10348.hdr 2012
839 0 0.1014 -0.022360 -0.006938 -1.209046 2516715.210 6856055.553 1651.950 210349 c:\data\hdr\2012_002_10349.hdr 2012
840 0 0.1014 -0.031467 -0.014890 -1.216189 2516785.138 6855860.352 1652.470 210350 c:\data\hdr\2012_002_10350.hdr 2012
841 0 0.1014 0.002302 0.029196 -1.222535 2516846.894 6855673.070 1653.491 210351 c:\data\hdr\2012_002_10351.hdr 2012
842 0 0.1014 0.011670 -0.008329 1.941094 2517337.714 6855825.467 1636.609 310144 c:\data\hdr\2012_003_10144.hdr 2012
843 0 0.1014 0.011484 -0.008019 1.937980 2517265.154 6856015.216 1636.839 310145 c:\data\hdr\2012_003_10145.hdr 2012
844 0 0.1014 0.012624 -0.010776 1.933337 2517195.543 6856205.559 1636.567 310146 c:\data\hdr\2012_003_10146.hdr 2012
845 0 0.1014 0.011855 -0.008618 1.928123 2517125.221 6856395.178 1635.498 310147 c:\data\hdr\2012_003_10147.hdr 2012
846 0 0.1014 0.011003 -0.007048 1.930638 2517053.103 6856585.339 1634.741 310148 c:\data\hdr\2012_003_10148.hdr 2012
847 0 0.1014 0.012575 -0.010139 1.921754 2516983.606 6856777.122 1634.312 310149 c:\data\hdr\2012_003_10149.hdr 2012
848 0 0.1014 0.012243 -0.009822 1.913255 2516916.002 6856970.127 1633.377 310150 c:\data\hdr\2012_003_10150.hdr 2012
849 0 0.1014 0.011057 -0.007388 1.922119 2516848.048 6857154.142 1632.821 310151 c:\data\hdr\2012_003_10151.hdr 2012
850 0 0.1014 0.013636 -0.007509 1.919783 2516777.578 6857345.807 1633.015 310152 c:\data\hdr\2012_003_10152.hdr 2012
851 0 0.1014 0.009075 -0.015401 1.910990 2516711.315 6857538.332 1633.215 310153 c:\data\hdr\2012_003_10153.hdr 2012
852 0 0.1014 0.011874 -0.010020 1.901760 2516648.460 6857724.456 1634.045 310154 c:\data\hdr\2012_003_10154.hdr 2012
853 0 0.1014 0.016023 -0.010928 1.904200 2516583.772 6857910.873 1635.009 310155 c:\data\hdr\2012_003_10155.hdr 2012
854 0 0.1014 -0.022467 -0.001543 1.914022 2516512.414 6858100.201 1635.241 310156 c:\data\hdr\2012_003_10156.hdr 2012
855 0 0.1014 -0.016207 -0.002980 1.923338 2516443.007 6858284.996 1634.263 310157 c:\data\hdr\2012_003_10157.hdr 2012
856 0 0.1014 -0.010650 -0.006061 1.914355 2516376.831 6858471.328 1632.333 310158 c:\data\hdr\2012_003_10158.hdr 2012
857 0 0.1014 -0.004285 -0.007609 1.908196 2516311.113 6858659.093 1630.048 310159 c:\data\hdr\2012_003_10159.hdr 2012
858 0 0.1014 0.001035 -0.007638 1.914185 2516245.357 6858840.983 1626.795 310160 c:\data\hdr\2012_003_10160.hdr 2012
859 0 0.1014 0.009482 -0.006643 1.924501 2516173.576 6859028.667 1623.743 310161 c:\data\hdr\2012_003_10161.hdr 2012
860 0 0.1014 0.010157 -0.015501 1.921593 2516103.525 6859219.601 1621.863 310162 c:\data\hdr\2012_003_10162.hdr 2012
861 0 0.1014 0.009093 -0.018221 1.912732 2516039.762 6859405.256 1621.277 310163 c:\data\hdr\2012_003_10163.hdr 2012
862 0 0.1014 0.011870 -0.010781 1.905493 2515976.155 6859590.659 1623.419 310164 c:\data\hdr\2012_003_10164.hdr 2012
863 0 0.1014 0.031358 -0.012786 1.915856 2515907.334 6859779.975 1625.650 310165 c:\data\hdr\2012_003_10165.hdr 2012
864 0 0.1014 -0.018586 -0.003854 1.927590 2515832.898 6859966.479 1625.212 310166 c:\data\hdr\2012_003_10166.hdr 2012
865 0 0.1014 -0.010342 -0.005816 1.939450 2515759.291 6860146.132 1623.682 310167 c:\data\hdr\2012_003_10167.hdr 2012
866 0 0.1014 0.011324 0.018156 1.935055 2515690.201 6860329.155 1621.689 310168 c:\data\hdr\2012_003_10168.hdr 2012
867 0 0.1014 -0.008809 -0.032099 1.927341 2515625.883 6860514.965 1619.912 310169 c:\data\hdr\2012_003_10169.hdr 2012
868 0 0.1014 0.001296 -0.025148 1.918954 2515560.554 6860701.491 1617.606 310170 c:\data\hdr\2012_003_10170.hdr 2012
869 0 0.1014 0.007577 -0.017691 1.924709 2515492.211 6860886.791 1615.655 310171 c:\data\hdr\2012_003_10171.hdr 2012
870 0 0.1014 0.010863 -0.010298 1.924580 2515423.524 6861071.263 1614.603 310172 c:\data\hdr\2012_003_10172.hdr 2012
871 0 0.1014 0.012786 -0.009480 1.916462 2515352.788 6861265.076 1615.185 310173 c:\data\hdr\2012_003_10173.hdr 2012
872 0 0.1014 0.012869 -0.009459 1.914000 2515288.436 6861443.251 1618.298 310174 c:\data\hdr\2012_003_10174.hdr 2012
873 0 0.1014 0.012215 -0.009852 1.917539 2515221.934 6861627.800 1622.421 310175 c:\data\hdr\2012_003_10175.hdr 2012
874 0 0.1014 0.014226 -0.009068 1.920198 2517341.178 6855826.614 1667.648 310352 c:\data\hdr\2012_003_10352.hdr 2012
875 0 0.1014 0.013764 -0.009021 1.916835 2517273.066 6856016.695 1668.700 310353 c:\data\hdr\2012_003_10353.hdr 2012
876 0 0.1014 0.012543 -0.010276 1.913479 2517205.584 6856206.871 1668.232 310354 c:\data\hdr\2012_003_10354.hdr 2012
877 0 0.1014 0.012300 -0.010175 1.913822 2517135.246 6856403.924 1666.442 310355 c:\data\hdr\2012_003_10355.hdr 2012
878 0 0.1014 0.012056 -0.009520 1.920099 2517068.387 6856587.956 1664.507 310356 c:\data\hdr\2012_003_10356.hdr 2012
879 0 0.1014 0.012218 -0.009149 1.928694 2516997.333 6856778.514 1662.765 310357 c:\data\hdr\2012_003_10357.hdr 2012
880 0 0.1014 0.012590 -0.008594 1.927929 2516926.428 6856968.915 1661.982 310358 c:\data\hdr\2012_003_10358.hdr 2012
881 0 0.1014 0.011977 -0.009000 1.925063 2516857.582 6857160.726 1663.444 310359 c:\data\hdr\2012_003_10359.hdr 2012
882 0 0.1014 0.011843 -0.009429 1.921997 2516788.191 6857351.575 1666.246 310360 c:\data\hdr\2012_003_10360.hdr 2012
883 0 0.1014 0.011484 -0.009431 1.918491 2516718.902 6857540.821 1669.087 310361 c:\data\hdr\2012_003_10361.hdr 2012
884 0 0.1014 0.011810 -0.010019 1.912658 2516653.455 6857722.664 1671.597 310362 c:\data\hdr\2012_003_10362.hdr 2012
885 0 0.1014 0.011626 -0.009305 1.913264 2516586.576 6857910.387 1672.731 310363 c:\data\hdr\2012_003_10363.hdr 2012
886 0 0.1014 0.011423 -0.008811 1.918254 2516519.019 6858096.598 1672.646 310364 c:\data\hdr\2012_003_10364.hdr 2012
887 0 0.1014 0.012141 -0.008856 1.926989 2516449.862 6858283.366 1671.775 310365 c:\data\hdr\2012_003_10365.hdr 2012
888 0 0.1014 0.011311 -0.007791 1.930282 2516378.915 6858471.367 1670.730 310366 c:\data\hdr\2012_003_10366.hdr 2012
889 0 0.1014 0.012485 -0.009351 1.926715 2516311.871 6858652.782 1669.663 310367 c:\data\hdr\2012_003_10367.hdr 2012
890 0 0.1014 0.012733 -0.010385 1.921320 2516243.473 6858842.616 1669.162 310368 c:\data\hdr\2012_003_10368.hdr 2012
891 0 0.1014 0.012096 -0.009349 1.916393 2516176.138 6859031.997 1669.460 310369 c:\data\hdr\2012_003_10369.hdr 2012
892 0 0.1014 0.011175 -0.007727 1.930030 2516107.948 6859215.585 1670.148 310370 c:\data\hdr\2012_003_10370.hdr 2012
893 0 0.1014 0.011735 -0.008514 1.928625 2516037.508 6859402.889 1671.004 310371 c:\data\hdr\2012_003_10371.hdr 2012
894 0 0.1014 0.012211 -0.009293 1.922722 2515968.738 6859592.362 1671.803 310372 c:\data\hdr\2012_003_10372.hdr 2012
895 0 0.1014 0.011664 -0.009296 1.916765 2515903.642 6859775.663 1672.392 310373 c:\data\hdr\2012_003_10373.hdr 2012
896 0 0.1014 0.012301 -0.009049 1.918438 2515837.252 6859958.946 1672.697 310374 c:\data\hdr\2012_003_10374.hdr 2012
897 0 0.1014 0.011179 -0.007665 1.928626 2515767.476 6860146.615 1673.623 310375 c:\data\hdr\2012_003_10375.hdr 2012
898 0 0.1014 0.012203 -0.010006 1.924669 2515699.791 6860328.773 1675.124 310376 c:\data\hdr\2012_003_10376.hdr 2012
899 0 0.1014 0.012115 -0.009830 1.918388 2515631.985 6860516.660 1676.718 310377 c:\data\hdr\2012_003_10377.hdr 2012
900 0 0.1014 0.012428 -0.009927 1.916992 2515564.024 6860704.787 1678.442 310378 c:\data\hdr\2012_003_10378.hdr 2012
901 0 0.1014 0.011476 -0.007981 1.920872 2515495.494 6860892.298 1681.134 310379 c:\data\hdr\2012_003_10379.hdr 2012
902 0 0.1014 0.012457 -0.010112 1.915939 2515430.088 6861071.933 1684.270 310380 c:\data\hdr\2012_003_10380.hdr 2012
903 0 0.1014 0.011111 -0.010169 1.909678 2515364.278 6861258.602 1686.674 310381 c:\data\hdr\2012_003_10381.hdr 2012
904 0 0.1014 0.011658 -0.009443 1.903433 2515299.375 6861445.133 1685.288 310382 c:\data\hdr\2012_003_10382.hdr 2012
905 0 0.1014 0.012571 -0.010287 1.906816 2515233.670 6861633.421 1683.025 310383 c:\data\hdr\2012_003_10383.hdr 2012
906 0 0.1014 -0.002715 0.019457 -1.214473 2515699.759 6861808.927 1645.831 410176 c:\data\hdr\2012_004_10176.hdr 2012
907 0 0.1014 -0.008497 0.013889 -1.241541 2515762.715 6861624.325 1645.705 410177 c:\data\hdr\2012_004_10177.hdr 2012
908 0 0.1014 -0.011739 0.009297 -1.231676 2515827.351 6861439.409 1643.552 410178 c:\data\hdr\2012_004_10178.hdr 2012
909 0 0.1014 -0.011841 0.008853 -1.216836 2515895.110 6861254.146 1640.413 410179 c:\data\hdr\2012_004_10179.hdr 2012
910 0 0.1014 -0.012079 0.007049 -1.206425 2515965.635 6861068.925 1637.600 410180 c:\data\hdr\2012_004_10180.hdr 2012
911 0 0.1014 -0.012411 0.007406 -1.206237 2516036.542 6860882.863 1637.016 410181 c:\data\hdr\2012_004_10181.hdr 2012
912 0 0.1014 -0.021040 -0.000698 -1.208717 2516103.953 6860696.850 1639.582 410182 c:\data\hdr\2012_004_10182.hdr 2012
913 0 0.1014 -0.010524 0.012590 -1.210909 2516167.651 6860510.575 1642.190 410183 c:\data\hdr\2012_004_10183.hdr 2012
914 0 0.1014 -0.011445 0.008340 -1.213040 2516231.441 6860325.246 1643.284 410184 c:\data\hdr\2012_004_10184.hdr 2012
915 0 0.1014 -0.011898 0.008732 -1.215529 2516298.091 6860140.892 1643.136 410185 c:\data\hdr\2012_004_10185.hdr 2012
916 0 0.1014 -0.011639 0.007230 -1.217178 2516366.969 6859955.938 1641.912 410186 c:\data\hdr\2012_004_10186.hdr 2012
917 0 0.1014 -0.011974 0.009850 -1.220045 2516436.665 6859764.739 1640.379 410187 c:\data\hdr\2012_004_10187.hdr 2012
918 0 0.1014 -0.012255 0.010534 -1.224785 2516502.846 6859579.561 1638.502 410188 c:\data\hdr\2012_004_10188.hdr 2012
919 0 0.1014 -0.012291 0.009688 -1.219345 2516570.137 6859394.742 1636.759 410189 c:\data\hdr\2012_004_10189.hdr 2012
920 0 0.1014 -0.012334 0.009418 -1.204542 2516640.332 6859210.480 1635.321 410190 c:\data\hdr\2012_004_10190.hdr 2012
921 0 0.1014 -0.011152 0.006471 -1.198054 2516712.888 6859026.147 1634.421 410191 c:\data\hdr\2012_004_10191.hdr 2012
922 0 0.1014 -0.015495 0.002953 -1.201507 2516785.564 6858834.010 1633.892 410192 c:\data\hdr\2012_004_10192.hdr 2012
923 0 0.1014 -0.000520 0.023680 -1.205405 2516851.126 6858647.783 1633.177 410193 c:\data\hdr\2012_004_10193.hdr 2012
924 0 0.1014 -0.003554 0.019958 -1.210240 2516913.554 6858463.576 1632.272 410194 c:\data\hdr\2012_004_10194.hdr 2012
925 0 0.1014 -0.008580 0.014136 -1.215773 2516980.989 6858271.478 1631.095 410195 c:\data\hdr\2012_004_10195.hdr 2012
926 0 0.1014 -0.012663 0.008796 -1.217544 2517046.407 6858093.946 1630.008 410196 c:\data\hdr\2012_004_10196.hdr 2012
927 0 0.1014 -0.012754 0.009029 -1.211238 2517118.593 6857901.701 1631.161 410197 c:\data\hdr\2012_004_10197.hdr 2012
928 0 0.1014 -0.012315 0.007407 -1.208853 2517187.838 6857719.363 1635.821 410198 c:\data\hdr\2012_004_10198.hdr 2012
929 0 0.1014 -0.024532 -0.009198 -1.212294 2517258.432 6857532.113 1645.614 410199 c:\data\hdr\2012_004_10199.hdr 2012
930 0 0.1014 -0.018844 -0.000004 -1.217900 2517327.506 6857339.402 1652.996 410200 c:\data\hdr\2012_004_10200.hdr 2012
931 0 0.1014 -0.003868 0.020306 -1.223313 2517393.111 6857147.551 1655.623 410201 c:\data\hdr\2012_004_10201.hdr 2012
932 0 0.1014 -0.008507 0.013881 -1.228902 2517456.874 6856963.237 1654.156 410202 c:\data\hdr\2012_004_10202.hdr 2012
933 0 0.1014 -0.012307 0.007898 -1.223226 2517526.467 6856770.228 1650.753 410203 c:\data\hdr\2012_004_10203.hdr 2012
934 0 0.1014 -0.012150 0.007436 -1.208911 2517599.533 6856577.309 1648.013 410204 c:\data\hdr\2012_004_10204.hdr 2012
935 0 0.1014 -0.011928 0.007028 -1.210500 2517670.211 6856390.410 1646.487 410205 c:\data\hdr\2012_004_10205.hdr 2012
936 0 0.1014 -0.012653 0.009709 -1.215078 2517738.688 6856203.042 1644.586 410206 c:\data\hdr\2012_004_10206.hdr 2012
937 0 0.1014 -0.012306 0.009858 -1.220647 2517809.490 6856007.501 1642.602 410207 c:\data\hdr\2012_004_10207.hdr 2012
938 0 0.1014 -0.011421 0.008751 -1.225840 2515705.901 6861809.718 1657.298 410384 c:\data\hdr\2012_004_10384.hdr 2012
939 0 0.1014 -0.011497 0.008482 -1.226779 2515771.028 6861629.646 1656.907 410385 c:\data\hdr\2012_004_10385.hdr 2012
940 0 0.1014 -0.012090 0.009133 -1.227504 2515838.265 6861443.696 1657.070 410386 c:\data\hdr\2012_004_10386.hdr 2012
```

941 0 0.1014 -0.011093 0.008525 -1.227050 2515907.755 6861250.589 1657.642 410387 c:\data\hdr\2012_004_10387.hdr 2012
942 0 0.1014 -0.011995 0.009337 -1.226347 2515972.337 6861072.046 1657.162 410388 c:\data\hdr\2012_004_10388.hdr 2012
943 0 0.1014 -0.012147 0.009922 -1.222119 2516040.019 6860885.590 1655.339 410389 c:\data\hdr\2012_004_10389.hdr 2012
944 0 0.1014 -0.011419 0.006911 -1.215393 2516108.645 6860700.299 1653.600 410390 c:\data\hdr\2012_004_10390.hdr 2012
945 0 0.1014 -0.011783 0.008355 -1.218658 2516176.901 6860514.628 1651.988 410391 c:\data\hdr\2012_004_10391.hdr 2012
946 0 0.1014 -0.012111 0.010105 -1.223335 2516245.587 6860320.454 1651.172 410392 c:\data\hdr\2012_004_10392.hdr 2012
947 0 0.1014 -0.011975 0.010910 -1.228659 2516307.834 6860140.505 1650.854 410393 c:\data\hdr\2012_004_10393.hdr 2012
948 0 0.1014 -0.011819 0.008904 -1.228642 2516373.743 6859953.605 1650.571 410394 c:\data\hdr\2012_004_10394.hdr 2012
949 0 0.1014 -0.012138 0.008441 -1.214671 2516442.473 6859768.613 1650.093 410395 c:\data\hdr\2012_004_10395.hdr 2012
950 0 0.1014 -0.011957 0.007999 -1.208622 2516513.348 6859582.873 1650.037 410396 c:\data\hdr\2012_004_10396.hdr 2012
951 0 0.1014 -0.012546 0.010187 -1.211773 2516584.294 6859390.930 1651.170 410397 c:\data\hdr\2012_004_10397.hdr 2012
952 0 0.1014 -0.012526 0.010306 -1.217446 2516647.482 6859213.310 1652.604 410398 c:\data\hdr\2012_004_10398.hdr 2012
953 0 0.1014 -0.011741 0.009907 -1.220487 2516716.173 6859021.849 1654.021 410399 c:\data\hdr\2012_004_10399.hdr 2012
954 0 0.1014 -0.011272 0.007245 -1.206945 2516785.376 6858839.869 1654.336 410400 c:\data\hdr\2012_004_10400.hdr 2012
955 0 0.1014 -0.011182 0.007083 -1.197234 2516859.510 6858651.114 1654.236 410401 c:\data\hdr\2012_004_10401.hdr 2012
956 0 0.1014 -0.031320 -0.019165 -1.201599 2516929.232 6858468.544 1654.015 410402 c:\data\hdr\2012_004_10402.hdr 2012
957 0 0.1014 0.004677 0.031321 -1.206300 2516995.132 6858279.044 1653.949 410403 c:\data\hdr\2012_004_10403.hdr 2012
958 0 0.1014 0.000873 0.027272 -1.211533 2517056.950 6858094.879 1653.848 410404 c:\data\hdr\2012_004_10404.hdr 2012
959 0 0.1014 -0.002683 0.021838 -1.217149 2517123.435 6857903.998 1652.991 410405 c:\data\hdr\2012_004_10405.hdr 2012
960 0 0.1014 -0.006265 0.015913 -1.221690 2517190.287 6857721.894 1652.409 410406 c:\data\hdr\2012_004_10406.hdr 2012
961 0 0.1014 -0.011860 0.010956 -1.228014 2517258.574 6857531.710 1652.553 410407 c:\data\hdr\2012_004_10407.hdr 2012
962 0 0.1014 -0.012569 0.010167 -1.229071 2517326.715 6857340.014 1652.867 410408 c:\data\hdr\2012_004_10408.hdr 2012
963 0 0.1014 -0.012931 0.010313 -1.219801 2517395.834 6857149.571 1653.469 410409 c:\data\hdr\2012_004_10409.hdr 2012
964 0 0.1014 -0.011779 0.006602 -1.207843 2517467.707 6856959.898 1654.100 410410 c:\data\hdr\2012_004_10410.hdr 2012
965 0 0.1014 -0.021182 -0.002077 -1.211217 2517538.264 6856770.132 1653.910 410411 c:\data\hdr\2012_004_10411.hdr 2012
966 0 0.1014 -0.006607 0.018299 -1.216486 2517604.708 6856578.805 1653.210 410412 c:\data\hdr\2012_004_10412.hdr 2012
967 0 0.1014 -0.010353 0.011504 -1.222199 2517672.022 6856387.764 1653.043 410413 c:\data\hdr\2012_004_10413.hdr 2012
968 0 0.1014 -0.011939 0.006958 -1.223309 2517740.692 6856198.357 1653.481 410414 c:\data\hdr\2012_004_10414.hdr 2012
969 0 0.1014 -0.012749 0.009185 -1.226785 2517809.244 6856008.211 1654.641 410415 c:\data\hdr\2012_004_10415.hdr 2012
970 0 0.1014 0.012321 -0.010970 1.915453 2518281.075 6856205.525 1663.865 510208 c:\data\hdr\2012_005_10208.hdr 2012
971 0 0.1014 0.011912 -0.009693 1.913904 2518213.128 6856399.098 1663.932 510209 c:\data\hdr\2012_005_10209.hdr 2012
972 0 0.1014 0.012059 -0.009084 1.923259 2518145.386 6856584.159 1663.213 510210 c:\data\hdr\2012_005_10210.hdr 2012
973 0 0.1014 0.012214 -0.009774 1.919760 2518077.150 6856770.564 1662.772 510211 c:\data\hdr\2012_005_10211.hdr 2012
974 0 0.1014 0.012203 -0.009841 1.914985 2518009.919 6856959.254 1662.279 510212 c:\data\hdr\2012_005_10212.hdr 2012
975 0 0.1014 0.012327 -0.009401 1.916883 2517942.285 6857147.980 1662.193 510213 c:\data\hdr\2012_005_10213.hdr 2012
976 0 0.1014 0.011552 -0.008454 1.930949 2517872.965 6857334.652 1662.860 510214 c:\data\hdr\2012_005_10214.hdr 2012
977 0 0.1014 0.018458 0.007362 1.931890 2517799.809 6857527.678 1663.848 510215 c:\data\hdr\2012_005_10215.hdr 2012
978 0 0.1014 0.010750 -0.012519 1.927674 2517732.490 6857716.290 1664.859 510216 c:\data\hdr\2012_005_10216.hdr 2012
979 0 0.1014 0.012600 -0.010602 1.921208 2517667.323 6857904.999 1666.882 510217 c:\data\hdr\2012_005_10217.hdr 2012
980 0 0.1014 0.017919 -0.011330 1.920049 2517600.754 6858091.828 1668.326 510218 c:\data\hdr\2012_005_10218.hdr 2012
981 0 0.1014 0.009279 -0.006830 1.935184 2517530.098 6858276.161 1667.902 510219 c:\data\hdr\2012_005_10219.hdr 2012
982 0 0.1014 0.012622 -0.007243 1.935712 2517458.480 6858464.110 1665.864 510220 c:\data\hdr\2012_005_10220.hdr 2012
983 0 0.1014 0.010672 -0.014028 1.929879 2517394.574 6858644.229 1663.399 510221 c:\data\hdr\2012_005_10221.hdr 2012
984 0 0.1014 0.012869 -0.009556 1.923728 2517331.082 6858828.994 1661.367 510222 c:\data\hdr\2012_005_10222.hdr 2012
985 0 0.1014 0.013092 -0.009802 1.917331 2517264.560 6859019.291 1661.107 510223 c:\data\hdr\2012_005_10223.hdr 2012
986 0 0.1014 0.011224 -0.007098 1.925040 2517197.308 6859202.474 1663.136 510224 c:\data\hdr\2012_005_10224.hdr 2012
987 0 0.1014 0.012192 -0.008652 1.933597 2517126.573 6859388.852 1666.136 510225 c:\data\hdr\2012_005_10225.hdr 2012
988 0 0.1014 0.011454 -0.007781 1.932701 2517055.855 6859574.902 1669.266 510226 c:\data\hdr\2012_005_10226.hdr 2012
989 0 0.1014 0.012682 -0.009860 1.926115 2516986.459 6859761.644 1671.585 510227 c:\data\hdr\2012_005_10227.hdr 2012
990 0 0.1014 0.011631 -0.008588 1.919700 2516920.202 6859946.042 1673.012 510228 c:\data\hdr\2012_005_10228.hdr 2012
991 0 0.1014 0.012777 -0.010798 1.913432 2516854.543 6860132.973 1673.147 510229 c:\data\hdr\2012_005_10229.hdr 2012
992 0 0.1014 0.010858 -0.008139 1.916821 2516788.121 6860319.791 1672.420 510230 c:\data\hdr\2012_005_10230.hdr 2012
993 0 0.1014 0.010995 -0.007217 1.927392 2516721.488 6860498.716 1671.447 510231 c:\data\hdr\2012_005_10231.hdr 2012
994 0 0.1014 0.012228 -0.010419 1.920313 2516653.239 6860685.515 1671.160 510232 c:\data\hdr\2012_005_10232.hdr 2012
995 0 0.1014 0.009946 -0.015137 1.914201 2516587.927 6860872.479 1671.108 510233 c:\data\hdr\2012_005_10233.hdr 2012
996 0 0.1014 0.011413 -0.007902 1.919569 2516522.695 6861054.146 1671.404 510234 c:\data\hdr\2012_005_10234.hdr 2012
997 0 0.1014 0.011406 -0.007523 1.926570 2516451.491 6861245.571 1672.559 510235 c:\data\hdr\2012_005_10235.hdr 2012
998 0 0.1014 0.012038 -0.008859 1.921088 2516385.583 6861424.507 1673.222 510236 c:\data\hdr\2012_005_10236.hdr 2012
999 0 0.1014 0.012041 -0.009493 1.915480 2516318.308 6861610.982 1672.736 510237 c:\data\hdr\2012_005_10237.hdr 2012
1000 0 0.1014 0.012607 -0.009577 1.920620 2516250.771 6861796.654 1671.493 510238 c:\data\hdr\2012_005_10238.hdr 2012
1001 0 0.1014 0.011928 -0.008060 1.924801 2516184.083 6861977.264 1671.018 510239 c:\data\hdr\2012_005_10239.hdr 2012
1002 0 0.1014 0.005717 0.067487 1.956901 2518269.333 6856204.555 1644.514 510416 c:\data\hdr\2012_005_10416.hdr 2012
1003 0 0.1014 -0.023598 -0.024715 1.875759 2518210.183 6856392.045 1643.940 510417 c:\data\hdr\2012_005_10417.hdr 2012
1004 0 0.1014 0.033178 -0.016365 1.874749 2518152.225 6856579.912 1644.409 510418 c:\data\hdr\2012_005_10418.hdr 2012
1005 0 0.1014 0.027510 -0.011487 1.893841 2518086.284 6856771.540 1644.880 510419 c:\data\hdr\2012_005_10419.hdr 2012
1006 0 0.1014 0.010739 0.015743 1.915014 2518014.963 6856960.553 1644.271 510420 c:\data\hdr\2012_005_10420.hdr 2012
1007 0 0.1014 0.009589 -0.021862 1.922312 2517947.007 6857151.346 1643.163 510421 c:\data\hdr\2012_005_10421.hdr 2012
1008 0 0.1014 0.028011 -0.011084 1.926787 2517878.123 6857343.118 1642.811 510422 c:\data\hdr\2012_005_10422.hdr 2012
1009 0 0.1014 -0.020754 0.000275 1.941441 2517807.437 6857525.037 1644.445 510423 c:\data\hdr\2012_005_10423.hdr 2012
1010 0 0.1014 0.014942 -0.007754 1.942826 2517736.580 6857712.920 1647.520 510424 c:\data\hdr\2012_005_10424.hdr 2012
1011 0 0.1014 0.013864 -0.005783 1.943286 2517665.407 6857906.867 1653.458 510425 c:\data\hdr\2012_005_10425.hdr 2012
1012 0 0.1014 0.015182 -0.008097 1.943251 2517597.597 6858091.425 1658.456 510426 c:\data\hdr\2012_005_10426.hdr 2012
1013 0 0.1014 0.012555 -0.007592 1.943791 2517528.943 6858274.340 1661.637 510427 c:\data\hdr\2012_005_10427.hdr 2012
1014 0 0.1014 0.012406 -0.007798 1.943644 2517458.807 6858455.681 1662.580 510428 c:\data\hdr\2012_005_10428.hdr 2012
1015 0 0.1014 0.012110 -0.008524 1.942994 2517386.707 6858645.207 1661.743 510429 c:\data\hdr\2012_005_10429.hdr 2012
1016 0 0.1014 0.012484 -0.008102 1.943425 2517320.555 6858829.670 1659.762 510430 c:\data\hdr\2012_005_10430.hdr 2012
1017 0 0.1014 0.013034 -0.010223 1.943522 2517253.750 6859018.595 1657.791 510431 c:\data\hdr\2012_005_10431.hdr 2012
1018 0 0.1014 0.013041 -0.009706 1.939823 2517186.806 6859202.440 1656.459 510432 c:\data\hdr\2012_005_10432.hdr 2012
1019 0 0.1014 0.011785 -0.007650 1.931174 2517116.794 6859387.640 1655.812 510433 c:\data\hdr\2012_005_10433.hdr 2012
1020 0 0.1014 0.013376 -0.006967 1.930342 2517051.261 6859567.294 1656.167 510434 c:\data\hdr\2012_005_10434.hdr 2012
1021 0 0.1014 0.012900 -0.010444 1.927658 2516987.163 6859754.241 1657.390 510435 c:\data\hdr\2012_005_10435.hdr 2012
1022 0 0.1014 0.015082 -0.009150 1.924904 2516922.210 6859941.353 1658.899 510436 c:\data\hdr\2012_005_10436.hdr 2012
1023 0 0.1014 0.009880 -0.007041 1.931154 2516851.666 6860131.112 1660.043 510437 c:\data\hdr\2012_005_10437.hdr 2012
1024 0 0.1014 0.011845 -0.008445 1.927766 2516782.749 6860315.346 1660.430 510438 c:\data\hdr\2012_005_10438.hdr 2012
1025 0 0.1014 0.007368 -0.019513 1.924178 2516718.061 6860500.459 1659.820 510439 c:\data\hdr\2012_005_10439.hdr 2012
1026 0 0.1014 0.010044 -0.015269 1.922053 2516655.781 6860686.757 1658.680 510440 c:\data\hdr\2012_005_10440.hdr 2012
1027 0 0.1014 0.036820 -0.014260 1.921710 2516589.269 6860875.038 1658.819 510441 c:\data\hdr\2012_005_10441.hdr 2012
1028 0 0.1014 -0.019646 0.004107 1.936337 2516519.392 6861055.341 1659.878 510442 c:\data\hdr\2012_005_10442.hdr 2012
1029 0 0.1014 -0.017305 -0.008531 1.934153 2516451.516 6861238.963 1660.428 510443 c:\data\hdr\2012_005_10443.hdr 2012
1030 0 0.1014 -0.014673 -0.016506 1.930375 2516387.222 6861424.233 1660.898 510444 c:\data\hdr\2012_005_10444.hdr 2012
1031 0 0.1014 0.008248 -0.010365 1.924986 2516320.855 6861609.696 1661.607 510445 c:\data\hdr\2012_005_10445.hdr 2012
1032 0 0.1014 0.010770 -0.007032 1.927530 2516251.401 6861794.672 1662.363 510446 c:\data\hdr\2012_005_10446.hdr 2012
1033 0 0.1014 0.012973 -0.009903 1.921410 2516185.215 6861976.475 1663.020 510447 c:\data\hdr\2012_005_10447.hdr 2012
1034 0 0.1014 -0.011465 0.007189 -1.217585 2516637.411 6862147.776 1665.098 610240 c:\data\hdr\2012_006_10240.hdr 2012
1035 0 0.1014 -0.011821 0.009809 -1.224044 2516702.901 6861963.528 1665.285 610241 c:\data\hdr\2012_006_10241.hdr 2012
1036 0 0.1014 -0.012086 0.010562 -1.232186 2516766.085 6861779.663 1665.598 610242 c:\data\hdr\2012_006_10242.hdr 2012
1037 0 0.1014 -0.011654 0.009005 -1.226496 2516832.410 6861594.989 1665.182 610243 c:\data\hdr\2012_006_10243.hdr 2012
1038 0 0.1014 -0.011559 0.007122 -1.213432 2516902.794 6861412.461 1664.939 610244 c:\data\hdr\2012_006_10244.hdr 2012
1039 0 0.1014 -0.011852 0.008207 -1.199066 2516976.155 6861228.286 1664.973 610245 c:\data\hdr\2012_006_10245.hdr 2012
1040 0 0.1014 -0.018525 -0.001390 -1.197809 2517047.731 6861046.781 1664.590 610246 c:\data\hdr\2012_006_10246.hdr 2012
1041 0 0.1014 0.000511 0.023732 -1.201756 2517116.479 6860861.586 1663.604 610247 c:\data\hdr\2012_006_10247.hdr 2012
1042 0 0.1014 -0.003054 0.020060 -1.207519 2517183.424 6860677.044 1662.829 610248 c:\data\hdr\2012_006_10248.hdr 2012
1043 0 0.1014 -0.008127 0.014231 -1.213129 2517250.236 6860492.077 1662.298 610249 c:\data\hdr\2012_006_10249.hdr 2012
1044 0 0.1014 -0.011681 0.009970 -1.219588 2517317.528 6860305.930 1662.142 610250 c:\data\hdr\2012_006_10250.hdr 2012
1045 0 0.1014 -0.011879 0.007301 -1.223258 2517383.961 6860120.865 1662.440 610251 c:\data\hdr\2012_006_10251.hdr 2012

```
1046 0 0.1014 -0.012452 0.009625 -1.215294 2517452.672 6859935.213 1663.184 610252 c:\data\hdr\2012_006_10252.hdr 2012
1047 0 0.1014 -0.011498 0.006167 -1.206091 2517523.377 6859751.450 1663.854 610253 c:\data\hdr\2012_006_10253.hdr 2012
1048 0 0.1014 -0.017970 0.000520 -1.211448 2517591.987 6859566.036 1663.606 610254 c:\data\hdr\2012_006_10254.hdr 2012
1049 0 0.1014 0.005480 0.033238 -1.216528 2517656.471 6859379.847 1662.444 610255 c:\data\hdr\2012_006_10255.hdr 2012
1050 0 0.1014 0.002744 0.027526 -1.222429 2517722.773 6859192.552 1660.897 610256 c:\data\hdr\2012_006_10256.hdr 2012
1051 0 0.1014 -0.001613 0.019869 -1.225573 2517789.510 6859005.953 1658.872 610257 c:\data\hdr\2012_006_10257.hdr 2012
1052 0 0.1014 -0.008645 0.014283 -1.220399 2517858.011 6858818.081 1656.498 610258 c:\data\hdr\2012_006_10258.hdr 2012
1053 0 0.1014 -0.011663 0.005136 -1.207066 2517928.626 6858631.479 1655.136 610259 c:\data\hdr\2012_006_10259.hdr 2012
1054 0 0.1014 -0.013127 0.007700 -1.209716 2517999.538 6858443.601 1654.309 610260 c:\data\hdr\2012_006_10260.hdr 2012
1055 0 0.1014 -0.013319 0.008623 -1.215034 2518066.357 6858255.864 1653.867 610261 c:\data\hdr\2012_006_10261.hdr 2012
1056 0 0.1014 -0.012108 0.007877 -1.220594 2518132.471 6858066.302 1653.967 610262 c:\data\hdr\2012_006_10262.hdr 2012
1057 0 0.1014 -0.012451 0.009130 -1.221331 2518198.088 6857885.535 1654.503 610263 c:\data\hdr\2012_006_10263.hdr 2012
1058 0 0.1014 -0.012149 0.007266 -1.210087 2518269.587 6857698.958 1655.660 610264 c:\data\hdr\2012_006_10264.hdr 2012
1059 0 0.1014 -0.012474 0.008147 -1.206225 2518342.639 6857507.449 1656.635 610265 c:\data\hdr\2012_006_10265.hdr 2012
1060 0 0.1014 -0.011822 0.008397 -1.212558 2518413.345 6857318.167 1657.747 610266 c:\data\hdr\2012_006_10266.hdr 2012
1061 0 0.1014 -0.011693 0.007469 -1.217876 2518480.274 6857132.140 1658.563 610267 c:\data\hdr\2012_006_10267.hdr 2012
1062 0 0.1014 -0.012281 0.008450 -1.223872 2518547.139 6856944.752 1658.093 610268 c:\data\hdr\2012_006_10268.hdr 2012
1063 0 0.1014 -0.012218 0.009734 -1.229715 2518615.885 6856750.366 1658.466 610269 c:\data\hdr\2012_006_10269.hdr 2012
1064 0 0.1014 -0.011504 0.007916 -1.226924 2518682.441 6856564.422 1659.406 610270 c:\data\hdr\2012_006_10270.hdr 2012
1065 0 0.1014 -0.011727 0.008306 -1.228711 2518749.689 6856377.912 1660.608 610271 c:\data\hdr\2012_006_10271.hdr 2012
1066 0 0.1014 -0.012684 0.005015 -1.216816 2516650.014 6862149.499 1635.298 610448 c:\data\hdr\2012_006_10448.hdr 2012
1067 0 0.1014 -0.016537 0.000507 -1.215545 2516718.050 6861969.211 1638.505 610449 c:\data\hdr\2012_006_10449.hdr 2012
1068 0 0.1014 -0.000340 0.025464 -1.223448 2516783.047 6861787.837 1641.572 610450 c:\data\hdr\2012_006_10450.hdr 2012
1069 0 0.1014 -0.012963 0.007990 -1.223784 2516850.365 6861601.098 1645.645 610451 c:\data\hdr\2012_006_10451.hdr 2012
1070 0 0.1014 -0.012935 0.007290 -1.215068 2516918.890 6861417.228 1649.717 610452 c:\data\hdr\2012_006_10452.hdr 2012
1071 0 0.1014 -0.023028 -0.008619 -1.215959 2516988.221 6861233.257 1652.985 610453 c:\data\hdr\2012_006_10453.hdr 2012
1072 0 0.1014 -0.032254 -0.015988 -1.226507 2517053.217 6861048.801 1654.774 610454 c:\data\hdr\2012_006_10454.hdr 2012
1073 0 0.1014 0.008817 0.034066 -1.234937 2517113.989 6860855.501 1655.176 610455 c:\data\hdr\2012_006_10455.hdr 2012
1074 0 0.1014 -0.013934 0.033111 -1.242046 2517171.683 6860670.113 1655.077 610456 c:\data\hdr\2012_006_10456.hdr 2012
1075 0 0.1014 0.008937 0.012719 -1.240810 2517235.956 6860484.909 1654.734 610457 c:\data\hdr\2012_006_10457.hdr 2012
1076 0 0.1014 0.011674 0.004373 -1.231646 2517304.599 6860300.492 1653.650 610458 c:\data\hdr\2012_006_10458.hdr 2012
1077 0 0.1014 0.002288 0.003362 -1.222253 2517373.793 6860115.106 1651.837 610459 c:\data\hdr\2012_006_10459.hdr 2012
1078 0 0.1014 -0.004767 0.005108 -1.220017 2517442.720 6859928.854 1649.812 610460 c:\data\hdr\2012_006_10460.hdr 2012
1079 0 0.1014 -0.012119 0.009612 -1.228332 2517510.404 6859741.474 1648.126 610461 c:\data\hdr\2012_006_10461.hdr 2012
1080 0 0.1014 -0.011851 0.008970 -1.227685 2517577.756 6859553.462 1647.463 610462 c:\data\hdr\2012_006_10462.hdr 2012
1081 0 0.1014 -0.011724 0.008265 -1.226719 2517642.893 6859372.911 1646.966 610463 c:\data\hdr\2012_006_10463.hdr 2012
1082 0 0.1014 -0.012091 0.009298 -1.228616 2517710.379 6859184.098 1645.732 610464 c:\data\hdr\2012_006_10464.hdr 2012
1083 0 0.1014 -0.011199 0.009407 -1.223866 2517778.833 6858994.963 1643.161 610465 c:\data\hdr\2012_006_10465.hdr 2012
1084 0 0.1014 -0.011830 0.008989 -1.218442 2517846.015 6858813.241 1639.381 610466 c:\data\hdr\2012_006_10466.hdr 2012
1085 0 0.1014 -0.013733 0.008353 -1.223838 2517915.599 6858622.461 1635.466 610467 c:\data\hdr\2012_006_10467.hdr 2012
1086 0 0.1014 -0.012700 0.009293 -1.227673 2517981.937 6858437.864 1636.494 610468 c:\data\hdr\2012_006_10468.hdr 2012
1087 0 0.1014 -0.011822 0.007714 -1.218333 2518051.272 6858248.387 1640.750 610469 c:\data\hdr\2012_006_10469.hdr 2012
1088 0 0.1014 -0.012028 0.007894 -1.211044 2518122.001 6858060.560 1644.875 610470 c:\data\hdr\2012_006_10470.hdr 2012
1089 0 0.1014 -0.012062 0.008508 -1.214413 2518192.389 6857873.965 1648.569 610471 c:\data\hdr\2012_006_10471.hdr 2012
1090 0 0.1014 -0.011542 0.008184 -1.220758 2518260.437 6857688.353 1651.153 610472 c:\data\hdr\2012_006_10472.hdr 2012
1091 0 0.1014 -0.012134 0.010119 -1.226866 2518326.143 6857501.998 1652.573 610473 c:\data\hdr\2012_006_10473.hdr 2012
1092 0 0.1014 -0.011711 0.009453 -1.230483 2518394.402 6857308.450 1653.226 610474 c:\data\hdr\2012_006_10474.hdr 2012
1093 0 0.1014 -0.011162 0.006448 -1.218507 2518462.974 6857123.790 1652.811 610475 c:\data\hdr\2012_006_10475.hdr 2012
1094 0 0.1014 -0.011982 0.007806 -1.215602 2518532.787 6856938.194 1652.339 610476 c:\data\hdr\2012_006_10476.hdr 2012
1095 0 0.1014 -0.012384 0.010157 -1.221898 2518603.475 6856743.794 1652.037 610477 c:\data\hdr\2012_006_10477.hdr 2012
1096 0 0.1014 -0.012005 0.009253 -1.225686 2518669.790 6856557.871 1652.288 610478 c:\data\hdr\2012_006_10478.hdr 2012
1097 0 0.1014 -0.011765 0.008134 -1.214028 2518738.882 6856371.799 1653.225 610479 c:\data\hdr\2012_006_10479.hdr 2012
1098 0 0.1014 0.008175 0.011221 -2.778435 2518234.391 6858491.641 1651.100 710064 c:\data\hdr\2012_007_10064.hdr 2012
1099 0 0.1014 0.008359 0.011427 -2.775607 2518044.277 6858418.800 1652.673 710065 c:\data\hdr\2012_007_10065.hdr 2012
1100 0 0.1014 0.008927 0.011730 -2.776275 2517853.097 6858347.371 1653.848 710066 c:\data\hdr\2012_007_10066.hdr 2012
1101 0 0.1014 0.009385 0.012191 -2.776672 2517669.815 6858280.686 1654.726 710067 c:\data\hdr\2012_007_10067.hdr 2012
1102 0 0.1014 0.009573 0.012250 -2.776694 2517477.782 6858211.465 1655.368 710068 c:\data\hdr\2012_007_10068.hdr 2012
1103 0 0.1014 0.009331 0.012299 -2.776789 2517293.093 6858144.910 1655.699 710069 c:\data\hdr\2012_007_10069.hdr 2012
1104 0 0.1014 0.008524 0.012074 -2.777099 2517102.466 6858074.080 1656.012 710070 c:\data\hdr\2012_007_10070.hdr 2012
1105 0 0.1014 0.008423 0.011966 -2.777465 2516918.752 6858004.059 1656.655 710071 c:\data\hdr\2012_007_10071.hdr 2012
1106 0 0.1014 0.008736 0.011901 -2.777867 2516735.036 6857933.735 1657.215 710072 c:\data\hdr\2012_007_10072.hdr 2012
1107 0 0.1014 0.008824 0.011854 -2.778234 2516550.719 6857864.018 1657.166 710073 c:\data\hdr\2012_007_10073.hdr 2012
1108 0 0.1014 0.009099 0.012275 -2.783396 2516357.790 6857791.101 1656.905 710074 c:\data\hdr\2012_007_10074.hdr 2012
1109 0 0.1014 0.009373 0.012263 -2.782557 2516174.810 6857721.964 1656.570 710075 c:\data\hdr\2012_007_10075.hdr 2012
1110 0 0.1014 0.009096 0.012030 -2.778905 2515989.601 6857651.541 1656.125 710076 c:\data\hdr\2012_007_10076.hdr 2012
1111 0 0.1014 0.008608 0.012288 -2.774492 2515798.288 6857577.763 1655.676 710077 c:\data\hdr\2012_007_10077.hdr 2012
1112 0 0.1014 0.007985 0.012190 -2.773620 2515612.564 6857505.624 1654.846 710078 c:\data\hdr\2012_007_10078.hdr 2012
1113 0 0.1014 0.008536 0.012621 -2.776828 2515426.518 6857434.571 1653.853 710079 c:\data\hdr\2012_007_10079.hdr 2012
1114 0 0.1014 0.008635 0.011139 -2.787540 2518225.660 6858469.231 1648.191 710272 c:\data\hdr\2012_007_10272.hdr 2012
1115 0 0.1014 0.009591 0.011676 -2.790020 2518036.315 6858399.475 1647.639 710273 c:\data\hdr\2012_007_10273.hdr 2012
1116 0 0.1014 0.009115 0.011796 -2.785246 2517848.317 6858329.279 1647.791 710274 c:\data\hdr\2012_007_10274.hdr 2012
1117 0 0.1014 0.008378 0.011393 -2.785107 2517665.129 6858260.289 1648.334 710275 c:\data\hdr\2012_007_10275.hdr 2012
1118 0 0.1014 0.008201 0.011353 -2.792274 2517476.304 6858190.606 1648.355 710276 c:\data\hdr\2012_007_10276.hdr 2012
1119 0 0.1014 0.008387 0.011267 -2.801214 2517292.090 6858125.073 1647.668 710277 c:\data\hdr\2012_007_10277.hdr 2012
1120 0 0.1014 0.010185 0.012105 -2.802295 2517107.440 6858059.417 1646.879 710278 c:\data\hdr\2012_007_10278.hdr 2012
1121 0 0.1014 0.007087 0.010217 -2.789979 2516923.740 6857990.695 1646.500 710279 c:\data\hdr\2012_007_10279.hdr 2012
1122 0 0.1014 0.010050 0.011982 -2.794632 2516731.993 6857921.477 1645.183 710280 c:\data\hdr\2012_007_10280.hdr 2012
1123 0 0.1014 0.010281 0.012323 -2.803301 2516545.947 6857856.101 1645.236 710281 c:\data\hdr\2012_007_10281.hdr 2012
1124 0 0.1014 0.007662 0.011439 -2.792702 2516360.818 6857788.516 1646.510 710282 c:\data\hdr\2012_007_10282.hdr 2012
1125 0 0.1014 0.006718 0.012452 -2.793535 2516175.559 6857720.103 1647.957 710283 c:\data\hdr\2012_007_10283.hdr 2012
1126 0 0.1014 0.010450 0.012367 -2.802983 2515983.427 6857653.553 1649.303 710284 c:\data\hdr\2012_007_10284.hdr 2012
1127 0 0.1014 0.009504 0.012051 -2.812235 2515791.712 6857588.187 1650.433 710285 c:\data\hdr\2012_007_10285.hdr 2012
1128 0 0.1014 0.008957 0.012327 -2.801697 2515606.931 6857522.808 1651.099 710286 c:\data\hdr\2012_007_10286.hdr 2012
1129 0 0.1014 0.008624 0.013126 -2.788282 2515422.483 6857454.808 1650.542 710287 c:\data\hdr\2012_007_10287.hdr 2012
1130 0 0.1014 0.009946 0.011591 -2.795714 2518224.378 6858475.516 1640.075 710480 c:\data\hdr\2012_007_10480.hdr 2012
1131 0 0.1014 0.009729 0.011221 -2.800751 2518031.673 6858408.519 1643.151 710481 c:\data\hdr\2012_007_10481.hdr 2012
1132 0 0.1014 0.010599 0.011743 -2.807212 2517845.665 6858344.881 1645.972 710482 c:\data\hdr\2012_007_10482.hdr 2012
1133 0 0.1014 0.009300 0.011673 -2.804752 2517655.259 6858278.792 1648.257 710483 c:\data\hdr\2012_007_10483.hdr 2012
1134 0 0.1014 0.009047 0.011314 -2.802136 2517471.388 6858213.880 1649.341 710484 c:\data\hdr\2012_007_10484.hdr 2012
1135 0 0.1014 0.009459 0.011383 -2.803098 2517281.778 6858146.804 1649.138 710485 c:\data\hdr\2012_007_10485.hdr 2012
1136 0 0.1014 0.010162 0.011713 -2.801345 2517097.842 6858081.462 1647.813 710486 c:\data\hdr\2012_007_10486.hdr 2012
1137 0 0.1014 0.009214 0.011715 -2.793727 2516907.939 6858013.090 1646.175 710487 c:\data\hdr\2012_007_10487.hdr 2012
1138 0 0.1014 0.008844 0.011639 -2.790660 2516725.261 6857946.219 1644.832 710488 c:\data\hdr\2012_007_10488.hdr 2012
1139 0 0.1014 0.009126 0.012206 -2.790170 2516541.103 6857878.400 1644.051 710489 c:\data\hdr\2012_007_10489.hdr 2012
1140 0 0.1014 0.009149 0.012206 -2.787856 2516356.969 6857810.432 1644.055 710490 c:\data\hdr\2012_007_10490.hdr 2012
1141 0 0.1014 0.008822 0.012113 -2.787311 2516166.960 6857740.036 1644.407 710491 c:\data\hdr\2012_007_10491.hdr 2012
1142 0 0.1014 0.008875 0.012166 -2.787029 2515977.684 6857669.691 1644.964 710492 c:\data\hdr\2012_007_10492.hdr 2012
1143 0 0.1014 0.008386 0.012555 -2.788089 2515788.199 6857599.581 1645.460 710493 c:\data\hdr\2012_007_10493.hdr 2012
1144 0 0.1014 0.008697 0.012598 -2.790154 2515604.798 6857531.939 1646.085 710494 c:\data\hdr\2012_007_10494.hdr 2012
1145 0 0.1014 0.009065 0.012874 -2.790787 2515416.093 6857462.374 1649.276 710495 c:\data\hdr\2012_007_10495.hdr 2012
1146 0 0.03505981 0.008742 -0.025617 3.584826 2516706.827 6855799.363 922.715 10020 c:\data\hdr\2011_001_0020.hdr 2011
1147 0 0.03505981 -0.026111 -0.031064 3.644522 2516602.149 6856094.224 926.537 10021 c:\data\hdr\2011_001_0021.hdr 2011
1148 0 0.03505981 0.007488 -0.018708 3.618359 2516488.551 6856386.228 920.279 10022 c:\data\hdr\2011_001_0022.hdr 2011
1149 0 0.03505981 0.022531 -0.009795 3.584978 2516380.384 6856674.930 920.549 10023 c:\data\hdr\2011_001_0023.hdr 2011
1150 0 0.03505981 -0.004801 -0.027386 3.571420 2516276.596 6856967.285 921.649 10024 c:\data\hdr\2011_001_0024.hdr 2011
```

```
1151 0 0.03505981 -0.001884 -0.010746 3.587629 2516176.094 6857261.762 912.237 10025 c:\data\hdr\2011_001_0025.hdr 2011
1152 0 0.03505981 0.020686 -0.016625 3.581812 2516073.878 6857555.878 908.870 10026 c:\data\hdr\2011_001_0026.hdr 2011
1153 0 0.03505981 0.011180 -0.037935 3.620114 2515969.061 6857847.794 904.782 10027 c:\data\hdr\2011_001_0027.hdr 2011
1154 0 0.03505981 0.064394 0.011876 3.596810 2515857.522 6858139.787 900.866 10028 c:\data\hdr\2011_001_0028.hdr 2011
1155 0 0.03505981 0.033326 -0.027681 3.584969 2515754.200 6858430.280 915.739 10029 c:\data\hdr\2011_001_0029.hdr 2011
1156 0 0.03505981 0.006995 -0.026413 3.574466 2515649.382 6858723.579 912.377 10030 c:\data\hdr\2011_001_0030.hdr 2011
1157 0 0.03505981 0.028322 -0.014735 3.582159 2515545.372 6859016.207 912.547 10031 c:\data\hdr\2011_001_0031.hdr 2011
1158 0 0.03505981 0.016355 -0.028268 3.606288 2515439.679 6859307.055 911.180 10032 c:\data\hdr\2011_001_0032.hdr 2011
1159 0 0.03505981 0.019140 -0.002466 3.602709 2515329.235 6859595.469 911.390 10033 c:\data\hdr\2011_001_0033.hdr 2011
1160 0 0.03505981 0.000887 -0.013543 3.601213 2515221.819 6859884.410 908.861 10034 c:\data\hdr\2011_001_0034.hdr 2011
1161 0 0.03505981 0.043748 -0.006392 3.606060 2515113.734 6860176.722 911.484 10035 c:\data\hdr\2011_001_0035.hdr 2011
1162 0 0.03505981 0.021579 -0.002023 3.603771 2515004.322 6860468.880 914.215 10036 c:\data\hdr\2011_001_0036.hdr 2011
1163 0 0.03505981 0.009323 -0.021785 3.595740 2514899.197 6860758.047 917.039 10037 c:\data\hdr\2011_001_0037.hdr 2011
1164 0 0.03505981 -0.003493 -0.016022 3.588430 2514797.207 6861049.950 919.168 10038 c:\data\hdr\2011_001_0038.hdr 2011
1165 0 0.03505981 0.014415 -0.013903 3.612006 2514689.144 6861342.778 913.764 10039 c:\data\hdr\2011_001_0039.hdr 2011
1166 0 0.03505981 0.012200 -0.003343 3.608503 2514648.667 6861445.248 914.461 10040 c:\data\hdr\2011_001_0040.hdr 2011
1167 0 0.03505981 -0.121882 0.017376 0.151581 2514825.933 6861497.844 920.266 20041 c:\data\hdr\2011_002_0041.hdr 2011
1168 0 0.03505981 -0.087445 0.009450 0.158874 2514861.943 6861395.084 929.345 20042 c:\data\hdr\2011_002_0042.hdr 2011
1169 0 0.03505981 0.018902 0.017673 0.259099 2514961.946 6861100.832 936.323 20043 c:\data\hdr\2011_002_0043.hdr 2011
1170 0 0.03505981 -0.012392 0.011406 0.280172 2515063.981 6860806.771 926.152 20044 c:\data\hdr\2011_002_0044.hdr 2011
1171 0 0.03505981 -0.018699 0.018547 0.240111 2515170.667 6860514.763 917.928 20045 c:\data\hdr\2011_002_0045.hdr 2011
1172 0 0.03505981 -0.103510 0.003803 0.169199 2515280.089 6860228.293 916.560 20046 c:\data\hdr\2011_002_0046.hdr 2011
1173 0 0.03505981 -0.028815 0.021901 0.131306 2515389.349 6859935.841 914.925 20047 c:\data\hdr\2011_002_0047.hdr 2011
1174 0 0.03505981 -0.032012 0.018865 0.174529 2515491.466 6859643.589 915.745 20048 c:\data\hdr\2011_002_0048.hdr 2011
1175 0 0.03505981 -0.041423 0.026238 0.194065 2515593.940 6859350.694 915.467 20049 c:\data\hdr\2011_002_0049.hdr 2011
1176 0 0.03505981 -0.004216 0.015784 0.225070 2515697.785 6859059.162 908.031 20050 c:\data\hdr\2011_002_0050.hdr 2011
1177 0 0.03505981 -0.076983 0.013938 0.221484 2515804.174 6858768.410 904.107 20051 c:\data\hdr\2011_002_0051.hdr 2011
1178 0 0.03505981 0.011833 -0.000814 0.195994 2515912.586 6858477.395 914.320 20052 c:\data\hdr\2011_002_0052.hdr 2011
1179 0 0.03505981 -0.000948 0.030252 0.244108 2516014.646 6858183.352 906.111 20053 c:\data\hdr\2011_002_0053.hdr 2011
1180 0 0.03505981 -0.076497 0.010486 0.226712 2516124.623 6857891.688 912.775 20054 c:\data\hdr\2011_002_0054.hdr 2011
1181 0 0.03505981 0.002134 0.049592 0.177179 2516235.747 6857601.960 917.310 20055 c:\data\hdr\2011_002_0055.hdr 2011
1182 0 0.03505981 -0.042644 0.026486 0.164073 2516342.654 6857312.985 918.395 20056 c:\data\hdr\2011_002_0056.hdr 2011
1183 0 0.03505981 0.012605 0.032897 0.170826 2516450.612 6857019.995 922.125 20057 c:\data\hdr\2011_002_0057.hdr 2011
1184 0 0.03505981 -0.030014 0.029396 0.187130 2516554.145 6856728.400 917.703 20058 c:\data\hdr\2011_002_0058.hdr 2011
1185 0 0.03505981 -0.024682 0.029285 0.214895 2516657.848 6856435.584 913.695 20059 c:\data\hdr\2011_002_0059.hdr 2011
1186 0 0.03505981 -0.061636 0.012122 0.215231 2516766.505 6856145.878 914.352 20060 c:\data\hdr\2011_002_0060.hdr 2011
1187 0 0.03505981 0.006612 0.035836 0.195861 2516877.930 6855857.736 918.395 20061 c:\data\hdr\2011_002_0061.hdr 2011
1188 0 0.03505981 0.016117 -0.033884 3.589079 2517052.065 6855931.045 912.247 30062 c:\data\hdr\2011_003_0062.hdr 2011
1189 0 0.03505981 0.003203 -0.030670 3.581202 2516946.009 6856223.859 904.968 30063 c:\data\hdr\2011_003_0063.hdr 2011
1190 0 0.03505981 0.003404 -0.018954 3.593587 2516838.047 6856512.819 896.673 30064 c:\data\hdr\2011_003_0064.hdr 2011
1191 0 0.03505981 0.073029 0.007930 3.565231 2516730.303 6856805.922 893.681 30065 c:\data\hdr\2011_003_0065.hdr 2011
1192 0 0.03505981 0.045399 -0.009239 3.560626 2516630.594 6857097.604 902.819 30066 c:\data\hdr\2011_003_0066.hdr 2011
1193 0 0.03505981 0.009789 -0.027896 3.593082 2516526.874 6857391.829 910.933 30067 c:\data\hdr\2011_003_0067.hdr 2011
1194 0 0.03505981 0.028407 -0.023676 3.606382 2516420.135 6857681.359 911.999 30068 c:\data\hdr\2011_003_0068.hdr 2011
1195 0 0.03505981 0.016805 0.004268 3.586176 2516308.126 6857972.264 918.438 30069 c:\data\hdr\2011_003_0069.hdr 2011
1196 0 0.03505981 0.019918 -0.020728 3.602594 2516206.826 6858263.807 922.380 30070 c:\data\hdr\2011_003_0070.hdr 2011
1197 0 0.03505981 0.021160 -0.014889 3.598777 2516098.838 6858554.303 915.861 30071 c:\data\hdr\2011_003_0071.hdr 2011
1198 0 0.03505981 0.007065 -0.029125 3.571811 2515987.621 6858843.691 911.086 30072 c:\data\hdr\2011_003_0072.hdr 2011
1199 0 0.03505981 0.007610 -0.003023 3.556846 2515881.905 6859138.326 906.198 30073 c:\data\hdr\2011_003_0073.hdr 2011
1200 0 0.03505981 0.023542 -0.023585 3.558587 2515781.748 6859430.715 905.407 30074 c:\data\hdr\2011_003_0074.hdr 2011
1201 0 0.03505981 0.049488 0.020189 3.581698 2515682.941 6859723.850 903.908 30075 c:\data\hdr\2011_003_0075.hdr 2011
1202 0 0.03505981 0.043319 0.017760 3.597521 2515582.295 6860017.919 928.400 30076 c:\data\hdr\2011_003_0076.hdr 2011
1203 0 0.03505981 -0.018740 -0.001466 3.597679 2515477.161 6860311.227 934.551 30077 c:\data\hdr\2011_003_0077.hdr 2011
1204 0 0.03505981 -0.004979 -0.011442 3.604803 2515372.328 6860600.557 925.408 30078 c:\data\hdr\2011_003_0078.hdr 2011
1205 0 0.03505981 0.005365 -0.003456 3.588085 2515262.205 6860891.632 928.071 30079 c:\data\hdr\2011_003_0079.hdr 2011
1206 0 0.03505981 0.011277 -0.012395 3.584413 2515155.138 6861183.289 922.395 30080 c:\data\hdr\2011_003_0080.hdr 2011
1207 0 0.03505981 0.031229 -0.016734 3.607360 2515043.543 6861472.162 923.595 30081 c:\data\hdr\2011_003_0081.hdr 2011
1208 0 0.03505981 0.030253 -0.011640 3.602219 2515004.015 6861572.484 925.897 30082 c:\data\hdr\2011_003_0082.hdr 2011
1209 0 0.03505981 -0.102065 0.005506 0.180354 2515185.568 6861625.302 915.766 40083 c:\data\hdr\2011_004_0083.hdr 2011
1210 0 0.03505981 -0.080657 -0.003430 0.151718 2515220.622 6861524.087 920.301 40084 c:\data\hdr\2011_004_0084.hdr 2011
1211 0 0.03505981 -0.007029 -0.001667 0.231189 2515313.968 6861226.601 922.258 40085 c:\data\hdr\2011_004_0085.hdr 2011
1212 0 0.03505981 0.010614 -0.005978 0.296357 2515409.934 6860934.980 916.033 40086 c:\data\hdr\2011_004_0086.hdr 2011
1213 0 0.03505981 -0.038239 -0.021517 0.294577 2515518.873 6860644.127 908.611 40087 c:\data\hdr\2011_004_0087.hdr 2011
1214 0 0.03505981 -0.042686 0.014268 0.226037 2515630.656 6860354.836 913.716 40088 c:\data\hdr\2011_004_0088.hdr 2011
1215 0 0.03505981 -0.020946 -0.002034 0.210398 2515739.882 6860064.580 911.459 40089 c:\data\hdr\2011_004_0089.hdr 2011
1216 0 0.03505981 -0.038135 -0.001697 0.201389 2515844.283 6859772.263 911.102 40090 c:\data\hdr\2011_004_0090.hdr 2011
1217 0 0.03505981 -0.027761 0.012836 0.248153 2515948.125 6859477.404 908.600 40091 c:\data\hdr\2011_004_0091.hdr 2011
1218 0 0.03505981 -0.060345 -0.020497 0.266082 2516055.223 6859190.858 909.619 40092 c:\data\hdr\2011_004_0092.hdr 2011
1219 0 0.03505981 -0.022582 0.020420 0.251638 2516165.263 6858900.202 906.949 40093 c:\data\hdr\2011_004_0093.hdr 2011
1220 0 0.03505981 -0.027851 0.000439 0.229247 2516275.410 6858609.062 902.972 40094 c:\data\hdr\2011_004_0094.hdr 2011
1221 0 0.03505981 -0.027178 -0.001224 0.241785 2516381.970 6858315.517 901.839 40095 c:\data\hdr\2011_004_0095.hdr 2011
1222 0 0.03505981 -0.029091 0.009407 0.247848 2516489.415 6858026.949 907.173 40096 c:\data\hdr\2011_004_0096.hdr 2011
1223 0 0.03505981 -0.026097 0.010367 0.219308 2516601.296 6857737.185 908.329 40097 c:\data\hdr\2011_004_0097.hdr 2011
1224 0 0.03505981 -0.017597 0.016210 0.226445 2516710.047 6857447.215 905.188 40098 c:\data\hdr\2011_004_0098.hdr 2011
1225 0 0.03505981 -0.036019 -0.003463 0.192068 2516819.765 6857155.350 902.680 40099 c:\data\hdr\2011_004_0099.hdr 2011
1226 0 0.03505981 -0.038570 0.001338 0.144904 2516924.821 6856862.908 907.678 40100 c:\data\hdr\2011_004_0100.hdr 2011
1227 0 0.03505981 -0.038542 -0.009235 0.189419 2517019.741 6856569.474 912.303 40101 c:\data\hdr\2011_004_0101.hdr 2011
1228 0 0.03505981 0.036232 0.017026 0.214902 2517115.903 6856271.659 910.359 40102 c:\data\hdr\2011_004_0102.hdr 2011
1229 0 0.03505981 -0.018387 -0.004683 0.296548 2517217.256 6855978.996 902.710 40103 c:\data\hdr\2011_004_0103.hdr 2011
1230 0 0.03505981 -0.009240 -0.011290 3.592328 2517401.994 6856058.667 881.394 50104 c:\data\hdr\2011_005_0104.hdr 2011
1231 0 0.03505981 -0.002696 -0.012391 3.591890 2517363.654 6856163.049 877.126 50105 c:\data\hdr\2011_005_0105.hdr 2011
1232 0 0.03505981 0.090493 -0.001972 3.579811 2517253.384 6856450.365 881.291 50106 c:\data\hdr\2011_005_0106.hdr 2011
1233 0 0.03505981 0.016608 -0.050769 3.550963 2517147.403 6856742.853 906.155 50107 c:\data\hdr\2011_005_0107.hdr 2011
1234 0 0.03505981 0.020798 -0.023254 3.544416 2517049.930 6857035.786 909.535 50108 c:\data\hdr\2011_005_0108.hdr 2011
1235 0 0.03505981 0.005041 -0.017879 3.584015 2516952.044 6857329.121 905.663 50109 c:\data\hdr\2011_005_0109.hdr 2011
1236 0 0.03505981 0.016783 -0.018033 3.570994 2516847.766 6857622.910 909.358 50110 c:\data\hdr\2011_005_0110.hdr 2011
1237 0 0.03505981 0.018783 -0.016526 3.596592 2516743.529 6857914.253 903.505 50111 c:\data\hdr\2011_005_0111.hdr 2011
1238 0 0.03505981 0.020694 -0.042916 3.606869 2516631.205 6858204.256 902.051 50112 c:\data\hdr\2011_005_0112.hdr 2011
1239 0 0.03505981 0.017523 -0.008839 3.547389 2516514.403 6858491.947 900.400 50113 c:\data\hdr\2011_005_0113.hdr 2011
1240 0 0.03505981 0.024173 -0.007349 3.547737 2516415.677 6858786.055 912.371 50114 c:\data\hdr\2011_005_0114.hdr 2011
1241 0 0.03505981 -0.027570 -0.022593 3.580446 2516316.742 6859081.291 909.384 50115 c:\data\hdr\2011_005_0115.hdr 2011
1242 0 0.03505981 0.028328 -0.003447 3.573688 2516213.894 6859375.555 905.566 50116 c:\data\hdr\2011_005_0116.hdr 2011
1243 0 0.03505981 0.002903 0.004935 3.584640 2516112.992 6859667.466 909.560 50117 c:\data\hdr\2011_005_0117.hdr 2011
1244 0 0.03505981 0.001284 0.008646 3.610640 2516006.525 6859958.813 909.720 50118 c:\data\hdr\2011_005_0118.hdr 2011
1245 0 0.03505981 0.001300 0.025630 3.619083 2515896.123 6860247.621 907.458 50119 c:\data\hdr\2011_005_0119.hdr 2011
1246 0 0.03505981 0.002395 0.020119 3.613510 2515788.234 6860539.885 910.450 50120 c:\data\hdr\2011_005_0120.hdr 2011
1247 0 0.03505981 0.006806 0.002913 3.617503 2515680.339 6860830.606 911.758 50121 c:\data\hdr\2011_005_0121.hdr 2011
1248 0 0.03505981 -0.000968 0.001654 3.618505 2515569.059 6861119.820 911.416 50122 c:\data\hdr\2011_005_0122.hdr 2011
1249 0 0.03505981 -0.016322 0.009580 3.612835 2515459.826 6861408.895 907.264 50123 c:\data\hdr\2011_005_0123.hdr 2011
1250 0 0.03505981 0.018122 -0.014545 3.599690 2515348.239 6861698.852 907.260 50124 c:\data\hdr\2011_005_0124.hdr 2011
1251 0 0.03505981 -0.061294 -0.039421 0.358719 2515520.595 6861748.308 897.787 60125 c:\data\hdr\2011_006_0125.hdr 2011
1252 0 0.03505981 -0.013651 -0.042538 0.348129 2515630.784 6861460.832 900.887 60126 c:\data\hdr\2011_006_0126.hdr 2011
1253 0 0.03505981 -0.025286 -0.024216 0.277937 2515738.305 6861168.285 904.701 60127 c:\data\hdr\2011_006_0127.hdr 2011
1254 0 0.03505981 -0.029169 -0.017793 0.313365 2515837.843 6860874.801 906.634 60128 c:\data\hdr\2011_006_0128.hdr 2011
1255 0 0.03505981 -0.009558 -0.024982 0.342093 2515937.975 6860580.840 905.763 60129 c:\data\hdr\2011_006_0129.hdr 2011
```

```
1256 0 0.03505981 -0.005343 -0.011873 0.362396 2516043.606 6860291.849 903.662 60130 c:\data\hdr\2011_006_0130.hdr 2011
1257 0 0.03505981 -0.052043 -0.018041 0.300442 2516155.405 6860002.688 903.931 60131 c:\data\hdr\2011_006_0131.hdr 2011
1258 0 0.03505981 -0.040380 -0.026710 0.279670 2516266.628 6859710.976 909.653 60132 c:\data\hdr\2011_006_0132.hdr 2011
1259 0 0.03505981 -0.048525 -0.022545 0.292540 2516375.180 6859420.776 909.762 60133 c:\data\hdr\2011_006_0133.hdr 2011
1260 0 0.03505981 -0.012876 -0.023942 0.261704 2516481.044 6859129.712 912.450 60134 c:\data\hdr\2011_006_0134.hdr 2011
1261 0 0.03505981 -0.019038 -0.017399 0.271874 2516581.949 6858836.719 912.011 60135 c:\data\hdr\2011_006_0135.hdr 2011
1262 0 0.03505981 0.015101 -0.019549 0.356555 2516680.902 6858544.343 908.080 60136 c:\data\hdr\2011_006_0136.hdr 2011
1263 0 0.03505981 -0.002441 -0.028551 0.390203 2516790.122 6858250.756 903.827 60137 c:\data\hdr\2011_006_0137.hdr 2011
1264 0 0.03505981 -0.027770 -0.017506 0.316311 2516905.805 6857963.887 902.422 60138 c:\data\hdr\2011_006_0138.hdr 2011
1265 0 0.03505981 -0.037442 -0.036227 0.304146 2517018.595 6857676.287 899.814 60139 c:\data\hdr\2011_006_0139.hdr 2011
1266 0 0.03505981 -0.051225 -0.037138 0.257677 2517127.603 6857381.944 904.995 60140 c:\data\hdr\2011_006_0140.hdr 2011
1267 0 0.03505981 -0.047061 -0.035016 0.277662 2517225.177 6857088.597 906.986 60141 c:\data\hdr\2011_006_0141.hdr 2011
1268 0 0.03505981 -0.006763 -0.003969 0.332368 2517323.429 6856796.235 911.484 60142 c:\data\hdr\2011_006_0142.hdr 2011
1269 0 0.03505981 -0.028287 -0.031468 0.354829 2517430.560 6856502.545 909.378 60143 c:\data\hdr\2011_006_0143.hdr 2011
1270 0 0.03505981 0.003280 -0.010670 0.322354 2517539.467 6856213.407 909.333 60144 c:\data\hdr\2011_006_0144.hdr 2011
1271 0 0.03505981 -0.004962 -0.011830 0.344734 2517577.251 6856113.866 907.580 60145 c:\data\hdr\2011_006_0145.hdr 2011
1272 0 0.03505981 -0.014857 -0.016431 3.586251 2517758.984 6856190.069 901.778 70146 c:\data\hdr\2011_007_0146.hdr 2011
1273 0 0.03505981 -0.006037 -0.015879 3.601305 2517722.858 6856293.061 898.399 70147 c:\data\hdr\2011_007_0147.hdr 2011
1274 0 0.03505981 0.056915 0.000990 3.594627 2517616.657 6856582.928 894.417 70148 c:\data\hdr\2011_007_0148.hdr 2011
1275 0 0.03505981 0.031856 -0.053011 3.578344 2517507.365 6856872.304 905.150 70149 c:\data\hdr\2011_007_0149.hdr 2011
1276 0 0.03505981 0.037184 -0.041662 3.535317 2517396.330 6857163.301 911.133 70150 c:\data\hdr\2011_007_0150.hdr 2011
1277 0 0.03505981 0.000973 -0.048986 3.552230 2517300.013 6857457.436 919.163 70151 c:\data\hdr\2011_007_0151.hdr 2011
1278 0 0.03505981 0.026565 -0.048530 3.576109 2517198.157 6857751.061 919.817 70152 c:\data\hdr\2011_007_0152.hdr 2011
1279 0 0.03505981 0.005469 -0.033287 3.551354 2517086.319 6858040.811 915.858 70153 c:\data\hdr\2011_007_0153.hdr 2011
1280 0 0.03505981 0.015953 -0.050223 3.540019 2516982.529 6858333.180 908.839 70154 c:\data\hdr\2011_007_0154.hdr 2011
1281 0 0.03505981 0.007008 -0.025641 3.531914 2516880.251 6858626.173 915.081 70155 c:\data\hdr\2011_007_0155.hdr 2011
1282 0 0.03505981 0.011276 -0.026233 3.556600 2516780.528 6858919.460 906.549 70156 c:\data\hdr\2011_007_0156.hdr 2011
1283 0 0.03505981 -0.002967 -0.042376 3.607694 2516677.466 6859212.490 903.805 70157 c:\data\hdr\2011_007_0157.hdr 2011
1284 0 0.03505981 0.022121 -0.028729 3.592169 2516562.082 6859499.449 908.099 70158 c:\data\hdr\2011_007_0158.hdr 2011
1285 0 0.03505981 0.005122 -0.014056 3.521700 2516447.357 6859790.061 907.611 70159 c:\data\hdr\2011_007_0159.hdr 2011
1286 0 0.03505981 0.014263 -0.036066 3.573955 2516347.443 6860081.630 910.550 70160 c:\data\hdr\2011_007_0160.hdr 2011
1287 0 0.03505981 0.005613 -0.018056 3.566751 2516242.173 6860376.136 907.865 70161 c:\data\hdr\2011_007_0161.hdr 2011
1288 0 0.03505981 0.022234 -0.020046 3.574383 2516136.091 6860666.956 905.708 70162 c:\data\hdr\2011_007_0162.hdr 2011
1289 0 0.03505981 0.006190 -0.004117 3.568635 2516028.595 6860957.559 911.169 70163 c:\data\hdr\2011_007_0163.hdr 2011
1290 0 0.03505981 -0.007120 -0.016914 3.556201 2515923.262 6861248.563 908.850 70164 c:\data\hdr\2011_007_0164.hdr 2011
1291 0 0.03505981 0.038999 -0.036786 3.590853 2515818.583 6861541.726 900.948 70165 c:\data\hdr\2011_007_0165.hdr 2011
1292 0 0.03505981 0.022839 -0.010057 3.572307 2515705.506 6861827.212 909.839 70166 c:\data\hdr\2011_007_0166.hdr 2011
1293 0 0.03505981 -0.047356 0.004641 0.273153 2515891.118 6861883.536 909.600 80167 c:\data\hdr\2011_008_0167.hdr 2011
1294 0 0.03505981 -0.035094 0.003747 0.191486 2515997.169 6861591.622 913.971 80168 c:\data\hdr\2011_008_0168.hdr 2011
1295 0 0.03505981 -0.015382 0.003915 0.284602 2516095.584 6861299.081 913.671 80169 c:\data\hdr\2011_008_0169.hdr 2011
1296 0 0.03505981 -0.002438 0.000869 0.277538 2516200.541 6861007.005 910.328 80170 c:\data\hdr\2011_008_0170.hdr 2011
1297 0 0.03505981 -0.041330 -0.015898 0.298680 2516307.626 6860716.991 909.650 80171 c:\data\hdr\2011_008_0171.hdr 2011
1298 0 0.03505981 -0.005565 -0.011941 0.253182 2516412.017 6860427.274 913.192 80172 c:\data\hdr\2011_008_0172.hdr 2011
1299 0 0.03505981 0.006495 -0.004918 0.321379 2516512.550 6860134.165 906.299 80173 c:\data\hdr\2011_008_0173.hdr 2011
1300 0 0.03505981 -0.022194 -0.036172 0.360142 2516620.010 6859839.107 901.051 80174 c:\data\hdr\2011_008_0174.hdr 2011
1301 0 0.03505981 -0.022704 -0.041522 0.321160 2516728.040 6859549.553 903.229 80175 c:\data\hdr\2011_008_0175.hdr 2011
1302 0 0.03505981 -0.024166 -0.024814 0.319469 2516834.286 6859258.170 902.846 80176 c:\data\hdr\2011_008_0176.hdr 2011
1303 0 0.03505981 -0.045110 -0.020886 0.324322 2516939.776 6858968.209 902.489 80177 c:\data\hdr\2011_008_0177.hdr 2011
1304 0 0.03505981 -0.028257 -0.006033 0.323769 2517044.690 6858677.005 906.478 80178 c:\data\hdr\2011_008_0178.hdr 2011
1305 0 0.03505981 -0.000113 -0.007780 0.353023 2517151.442 6858384.136 903.675 80179 c:\data\hdr\2011_008_0179.hdr 2011
1306 0 0.03505981 -0.053429 -0.029976 0.344515 2517262.957 6858096.053 906.144 80180 c:\data\hdr\2011_008_0180.hdr 2011
1307 0 0.03505981 0.005760 -0.001757 0.333856 2517372.081 6857803.877 901.937 80181 c:\data\hdr\2011_008_0181.hdr 2011
1308 0 0.03505981 -0.036385 -0.011692 0.349126 2517479.168 6857512.827 895.153 80182 c:\data\hdr\2011_008_0182.hdr 2011
1309 0 0.03505981 -0.038177 -0.067639 0.278525 2517592.323 6857224.073 898.078 80183 c:\data\hdr\2011_008_0183.hdr 2011
1310 0 0.03505981 -0.021697 0.018263 0.282958 2517694.672 6856932.622 902.337 80184 c:\data\hdr\2011_008_0184.hdr 2011
1311 0 0.03505981 -0.066992 -0.008082 0.302013 2517803.737 6856642.672 906.564 80185 c:\data\hdr\2011_008_0185.hdr 2011
1312 0 0.03505981 -0.043048 -0.031712 0.199750 2517919.773 6856351.154 913.345 80186 c:\data\hdr\2011_008_0186.hdr 2011
1313 0 0.03505981 -0.047593 -0.021662 0.164261 2517956.245 6856249.057 915.873 80187 c:\data\hdr\2011_008_0187.hdr 2011
1314 0 0.03505981 0.051551 0.004330 -1.445683 2517036.941 6859213.816 897.360 90188 c:\data\hdr\2011_009_0188.hdr 2011
1315 0 0.03505981 -0.010841 0.002077 -1.442804 2516926.976 6859173.696 894.900 90189 c:\data\hdr\2011_009_0189.hdr 2011
1316 0 0.03505981 0.020495 0.064540 -1.446804 2516633.849 6859071.782 898.534 90190 c:\data\hdr\2011_009_0190.hdr 2011
1317 0 0.03505981 0.030322 -0.009548 -1.457675 2516341.944 6858964.431 912.653 90191 c:\data\hdr\2011_009_0191.hdr 2011
1318 0 0.03505981 0.037558 -0.000574 -1.440490 2516046.465 6858860.095 908.451 90192 c:\data\hdr\2011_009_0192.hdr 2011
1319 0 0.03505981 -0.014568 0.012981 -1.413168 2515759.391 6858752.091 908.967 90193 c:\data\hdr\2011_009_0193.hdr 2011
1320 0 0.03505981 0.003332 0.017150 -1.425781 2515469.895 6858640.962 916.922 90194 c:\data\hdr\2011_009_0194.hdr 2011
1321 0 0.12 0.003747 -0.001098 1.794548 2517744.955 6851825.543 2167.857 11001 c:\data\hdr\2009_20091101_01_0001.hdr 2009
1322 0 0.12 0.003826 -0.001828 1.794545 2517678.008 6852126.074 2167.996 11002 c:\data\hdr\2009_20091101_01_0002.hdr 2009
1323 0 0.12 0.003107 -0.001186 1.794558 2517611.049 6852426.000 2167.963 11003 c:\data\hdr\2009_20091101_01_0003.hdr 2009
1324 0 0.12 0.003616 -0.000057 1.795163 2517544.040 6852726.210 2168.109 11004 c:\data\hdr\2009_20091101_01_0004.hdr 2009
1325 0 0.12 0.004164 -0.000522 1.795740 2517476.955 6853026.143 2168.259 11005 c:\data\hdr\2009_20091101_01_0005.hdr 2009
1326 0 0.12 0.004859 -0.000622 1.795554 2517409.935 6853326.325 2168.284 11006 c:\data\hdr\2009_20091101_01_0006.hdr 2009
1327 0 0.12 0.004804 0.000029 1.796279 2517342.920 6853626.285 2168.473 11007 c:\data\hdr\2009_20091101_01_0007.hdr 2009
1328 0 0.12 0.004281 0.000484 1.794596 2517275.971 6853926.595 2168.638 11008 c:\data\hdr\2009_20091101_01_0008.hdr 2009
1329 0 0.12 0.003356 -0.000053 1.794770 2517209.381 6854226.696 2168.725 11009 c:\data\hdr\2009_20091101_01_0009.hdr 2009
1330 0 0.12 0.003312 0.000489 1.793607 2517142.676 6854527.019 2168.722 11010 c:\data\hdr\2009_20091101_01_0010.hdr 2009
1331 0 0.12 0.003602 0.000387 1.794239 2517075.981 6854827.589 2168.808 11011 c:\data\hdr\2009_20091101_01_0011.hdr 2009
1332 0 0.12 0.005515 -0.003300 1.795519 2517008.982 6855127.840 2169.025 11012 c:\data\hdr\2009_20091101_01_0012.hdr 2009
1333 0 0.12 0.007350 -0.012341 1.799949 2516939.742 6855426.985 2169.170 11013 c:\data\hdr\2009_20091101_01_0013.hdr 2009
1334 0 0.12 0.007064 -0.011210 1.805506 2516869.419 6855724.050 2168.781 11014 c:\data\hdr\2009_20091101_01_0014.hdr 2009
1335 0 0.12 0.005371 -0.005703 1.806297 2516798.836 6856020.325 2168.250 11015 c:\data\hdr\2009_20091101_01_0015.hdr 2009
1336 0 0.12 0.003534 0.000014 1.807836 2516728.624 6856317.000 2168.174 11016 c:\data\hdr\2009_20091101_01_0016.hdr 2009
1337 0 0.12 0.003209 0.000833 1.807000 2516658.690 6856614.391 2168.065 11017 c:\data\hdr\2009_20091101_01_0017.hdr 2009
1338 0 0.12 0.002015 0.006349 1.804340 2516589.213 6856911.623 2168.125 11018 c:\data\hdr\2009_20091101_01_0018.hdr 2009
1339 0 0.12 0.000003 0.011948 1.799003 2516521.201 6857210.312 2168.163 11019 c:\data\hdr\2009_20091101_01_0019.hdr 2009
1340 0 0.12 -0.000892 0.014183 1.797722 2516454.562 6857509.892 2167.970 11020 c:\data\hdr\2009_20091101_01_0020.hdr 2009
1341 0 0.12 -0.000978 0.014463 1.791412 2516389.161 6857810.964 2167.856 11021 c:\data\hdr\2009_20091101_01_0021.hdr 2009
1342 0 0.12 -0.000158 0.013408 1.785343 2516324.689 6858113.334 2167.905 11022 c:\data\hdr\2009_20091101_01_0022.hdr 2009
1343 0 0.12 0.000455 0.008309 1.785091 2516260.317 6858415.605 2167.923 11023 c:\data\hdr\2009_20091101_01_0023.hdr 2009
1344 0 0.12 0.000695 0.006571 1.781063 2516195.921 6858718.114 2168.078 11024 c:\data\hdr\2009_20091101_01_0024.hdr 2009
1345 0 0.12 0.001159 0.004425 1.781220 2516131.591 6859020.590 2168.269 11025 c:\data\hdr\2009_20091101_01_0025.hdr 2009
1346 0 0.12 0.002872 0.002700 1.782226 2516067.132 6859323.316 2168.466 11026 c:\data\hdr\2009_20091101_01_0026.hdr 2009
1347 0 0.12 0.002779 0.001255 1.784244 2516002.618 6859625.854 2168.273 11027 c:\data\hdr\2009_20091101_01_0027.hdr 2009
1348 0 0.12 0.003333 -0.000485 1.779730 2515937.912 6859928.388 2168.494 11028 c:\data\hdr\2009_20091101_01_0028.hdr 2009
1349 0 0.12 0.004286 -0.006976 1.782457 2515872.571 6860230.366 2168.568 11029 c:\data\hdr\2009_20091101_01_0029.hdr 2009
1350 0 0.12 0.007252 -0.021517 1.796014 2515803.953 6860530.464 2168.793 11030 c:\data\hdr\2009_20091101_01_0030.hdr 2009
1351 0 0.12 0.007821 -0.025484 1.804197 2515732.846 6860827.676 2168.712 11031 c:\data\hdr\2009_20091101_01_0031.hdr 2009
1352 0 0.12 0.007325 -0.024195 1.815389 2515659.701 6861122.432 2168.498 11032 c:\data\hdr\2009_20091101_01_0032.hdr 2009
1353 0 0.12 0.005461 -0.017510 1.818885 2515585.852 6861415.454 2168.095 11033 c:\data\hdr\2009_20091101_01_0033.hdr 2009
1354 0 0.12 0.004028 -0.012353 1.820425 2515511.594 6861708.496 2167.789 11034 c:\data\hdr\2009_20091101_01_0034.hdr 2009
1355 0 0.12 0.002057 -0.002604 1.820520 2515437.751 6862001.614 2167.637 11035 c:\data\hdr\2009_20091101_01_0035.hdr 2009
1356 0 0.12 0.001352 0.002239 1.817421 2515365.064 6862295.440 2167.772 11036 c:\data\hdr\2009_20091101_01_0036.hdr 2009
1357 0 0.12 0.006157 -0.013377 1.795322 2516917.768 6850868.250 3180.733 21001 c:\data\hdr\2009_20091102_01_0001.hdr 2009
1358 0 0.12 0.006236 -0.017860 1.800195 2516814.101 6851316.437 3180.849 21002 c:\data\hdr\2009_20091102_01_0002.hdr 2009
1359 0 0.12 0.005339 -0.015491 1.812919 2516708.047 6851761.519 3180.470 21003 c:\data\hdr\2009_20091102_01_0003.hdr 2009
1360 0 0.12 0.003950 -0.014687 1.812554 2516601.323 6852204.574 3179.837 21004 c:\data\hdr\2009_20091102_01_0004.hdr 2009
```

```
1361 0 0.12 0.002844 -0.013249 1.813827 2516493.279 6852647.612 3179.759 21005 c:\data\hdr\2009_20091102_01_0005.hdr 2009
1362 0 0.12 0.003028 -0.010876 1.817478 2516384.173 6853089.571 3179.809 21006 c:\data\hdr\2009_20091102_01_0006.hdr 2009
1363 0 0.12 0.001832 -0.004765 1.817309 2516274.205 6853530.619 3179.538 21007 c:\data\hdr\2009_20091102_01_0007.hdr 2009
1364 0 0.12 -0.001815 0.006082 1.814585 2516166.233 6853972.231 3179.427 21008 c:\data\hdr\2009_20091102_01_0008.hdr 2009
1365 0 0.12 -0.002343 0.011069 1.808288 2516061.192 6854416.945 3179.539 21009 c:\data\hdr\2009_20091102_01_0009.hdr 2009
1366 0 0.12 -0.001916 0.014342 1.802301 2515958.540 6854864.506 3179.824 21010 c:\data\hdr\2009_20091102_01_0010.hdr 2009
1367 0 0.12 -0.003164 0.021219 1.790599 2515859.444 6855314.662 3180.014 21011 c:\data\hdr\2009_20091102_01_0011.hdr 2009
1368 0 0.12 -0.002783 0.020651 1.782459 2515763.566 6855768.722 3180.517 21012 c:\data\hdr\2009_20091102_01_0012.hdr 2009
1369 0 0.12 -0.000908 0.012498 1.782442 2515668.790 6856224.466 3180.971 21013 c:\data\hdr\2009_20091102_01_0013.hdr 2009
1370 0 0.12 -0.000005 0.009150 1.780013 2515574.387 6856680.705 3181.208 21014 c:\data\hdr\2009_20091102_01_0014.hdr 2009
1371 0 0.12 0.000104 0.007987 1.778563 2515481.099 6857137.461 3181.141 21015 c:\data\hdr\2009_20091102_01_0015.hdr 2009
1372 0 0.12 0.002336 -0.000636 1.778118 2515387.303 6857594.617 3181.078 21016 c:\data\hdr\2009_20091102_01_0016.hdr 2009
1373 0 0.12 0.004488 -0.008985 1.782388 2515291.734 6858050.544 3181.103 21017 c:\data\hdr\2009_20091102_01_0017.hdr 2009
1374 0 0.12 0.007020 -0.021647 1.791587 2515191.293 6858502.390 3181.307 21018 c:\data\hdr\2009_20091102_01_0018.hdr 2009
1375 0 0.12 0.007411 -0.022986 1.800459 2515087.139 6858949.855 3181.206 21019 c:\data\hdr\2009_20091102_01_0019.hdr 2009
1376 0 0.12 0.006974 -0.017647 1.813193 2514980.488 6859394.449 3180.951 21020 c:\data\hdr\2009_20091102_01_0020.hdr 2009
1377 0 0.12 0.007023 -0.014540 1.814701 2514872.231 6859837.591 3180.489 21021 c:\data\hdr\2009_20091102_01_0021.hdr 2009
1378 0 0.12 0.004536 -0.003721 1.814908 2514763.493 6860278.672 3180.622 21022 c:\data\hdr\2009_20091102_01_0022.hdr 2009
1379 0 0.12 0.001025 0.006653 1.809643 2514657.279 6860722.781 3180.588 21023 c:\data\hdr\2009_20091102_01_0023.hdr 2009
1380 0 0.12 -0.000883 0.016197 1.799923 2514554.607 6861169.282 3180.730 21024 c:\data\hdr\2009_20091102_01_0024.hdr 2009
1381 0 0.12 -0.002155 0.017305 1.794303 2514455.096 6861619.586 3180.986 21025 c:\data\hdr\2009_20091102_01_0025.hdr 2009
1382 0 0.12 -0.002250 0.016667 1.783920 2514358.531 6862071.883 3181.150 21026 c:\data\hdr\2009_20091102_01_0026.hdr 2009
1383 0 0.12 0.005555 0.000344 1.769134 2517365.127 6853105.898 4180.184 31001 c:\data\hdr\2009_20091103_01_0001.hdr 2009
1384 0 0.12 0.005782 -0.008473 1.773344 2517158.085 6854133.145 4180.506 31002 c:\data\hdr\2009_20091103_01_0002.hdr 2009
1385 0 0.12 0.006101 -0.012543 1.785689 2516940.387 6855151.653 4180.316 31003 c:\data\hdr\2009_20091103_01_0003.hdr 2009
1386 0 0.12 0.004193 -0.007295 1.787882 2516721.146 6856166.178 4180.594 31004 c:\data\hdr\2009_20091103_01_0004.hdr 2009
1387 0 0.12 -0.000923 0.010322 1.782387 2516598.867 6856745.977 4180.376 31005 c:\data\hdr\2009_20091103_01_0005.hdr 2009
1388 0 0.12 -0.001026 0.010487 1.778237 2516509.517 6857186.686 4180.271 31006 c:\data\hdr\2009_20091103_01_0006.hdr 2009
1389 0 0.12 0.001166 -0.000216 1.774748 2516303.795 6858214.500 4180.613 31007 c:\data\hdr\2009_20091103_01_0007.hdr 2009
1390 0 0.12 0.002038 -0.002191 1.776531 2516093.863 6859239.274 4180.318 31008 c:\data\hdr\2009_20091103_01_0008.hdr 2009
1391 0 0.12 0.002477 -0.001937 1.779162 2515881.540 6860261.702 4180.246 31009 c:\data\hdr\2009_20091103_01_0009.hdr 2009
1392 0 0.12 0.000893 -0.000102 1.780612 2515668.605 6861282.983 4180.665 31010 c:\data\hdr\2009_20091103_01_0010.hdr 2009
1393 0 0.12 0.001502 0.001142 1.779269 2515455.412 6862304.512 4181.123 31011 c:\data\hdr\2009_20091103_01_0011.hdr 2009
1394 0 0.12 0.006346 -0.012692 1.813689 2516521.137 6850917.230 2167.717 41001 c:\data\hdr\2009_20091104_01_0001.hdr 2009
1395 0 0.12 0.003974 -0.002890 1.814694 2516448.560 6851211.690 2167.871 41002 c:\data\hdr\2009_20091104_01_0002.hdr 2009
1396 0 0.12 0.001885 0.009535 1.810720 2516377.925 6851506.948 2168.175 41003 c:\data\hdr\2009_20091104_01_0003.hdr 2009
1397 0 0.12 0.001775 0.013917 1.801876 2516309.059 6851804.520 2168.652 41004 c:\data\hdr\2009_20091104_01_0004.hdr 2009
1398 0 0.12 0.002702 0.011624 1.798892 2516241.099 6852103.660 2169.047 41005 c:\data\hdr\2009_20091104_01_0005.hdr 2009
1399 0 0.12 0.001696 0.011058 1.797761 2516173.609 6852403.096 2169.401 41006 c:\data\hdr\2009_20091104_01_0006.hdr 2009
1400 0 0.12 0.000895 0.015504 1.793064 2516108.017 6852703.431 2169.706 41007 c:\data\hdr\2009_20091104_01_0007.hdr 2009
1401 0 0.12 0.001634 0.015598 1.788147 2516043.778 6853005.791 2170.071 41008 c:\data\hdr\2009_20091104_01_0008.hdr 2009
1402 0 0.12 0.002498 0.013823 1.780765 2515980.469 6853309.447 2170.432 41009 c:\data\hdr\2009_20091104_01_0009.hdr 2009
1403 0 0.12 0.002482 0.011388 1.775141 2515918.010 6853613.806 2170.662 41010 c:\data\hdr\2009_20091104_01_0010.hdr 2009
1404 0 0.12 0.003220 0.004587 1.775157 2515855.445 6853918.045 2170.865 41011 c:\data\hdr\2009_20091104_01_0011.hdr 2009
1405 0 0.12 0.004917 -0.007116 1.781676 2515791.546 6854222.267 2170.918 41012 c:\data\hdr\2009_20091104_01_0012.hdr 2009
1406 0 0.12 0.005137 -0.009739 1.788619 2515725.843 6854524.087 2170.816 41013 c:\data\hdr\2009_20091104_01_0013.hdr 2009
1407 0 0.12 0.004932 -0.008294 1.789483 2515659.295 6854825.208 2170.538 41014 c:\data\hdr\2009_20091104_01_0014.hdr 2009
1408 0 0.12 0.005702 -0.007477 1.791902 2515592.406 6855125.172 2170.358 41015 c:\data\hdr\2009_20091104_01_0015.hdr 2009
1409 0 0.12 0.005089 -0.007775 1.795059 2515524.703 6855425.401 2170.401 41016 c:\data\hdr\2009_20091104_01_0016.hdr 2009
1410 0 0.12 0.004744 -0.006189 1.798012 2515456.562 6855724.084 2170.554 41017 c:\data\hdr\2009_20091104_01_0017.hdr 2009
1411 0 0.12 0.004665 -0.004807 1.799174 2515387.807 6856022.708 2170.684 41018 c:\data\hdr\2009_20091104_01_0018.hdr 2009
1412 0 0.12 0.002906 -0.004100 1.799834 2515318.863 6856321.158 2170.881 41019 c:\data\hdr\2009_20091104_01_0019.hdr 2009
1413 0 0.12 0.002136 -0.003534 1.802033 2515249.738 6856619.112 2170.914 41020 c:\data\hdr\2009_20091104_01_0020.hdr 2009
1414 0 0.12 0.001571 -0.002859 1.802457 2515180.431 6856916.768 2170.749 41021 c:\data\hdr\2009_20091104_01_0021.hdr 2009
1415 0 0.12 0.001210 -0.001445 1.801876 2515111.243 6857214.501 2170.421 41022 c:\data\hdr\2009_20091104_01_0022.hdr 2009
1416 0 0.12 0.001382 0.000298 1.801578 2515042.404 6857512.904 2170.073 41023 c:\data\hdr\2009_20091104_01_0023.hdr 2009
1417 0 0.12 0.002121 -0.000565 1.801515 2514973.654 6857811.091 2169.925 41024 c:\data\hdr\2009_20091104_01_0024.hdr 2009
1418 0 0.12 0.001571 0.004775 1.799536 2514905.320 6858109.976 2170.151 41025 c:\data\hdr\2009_20091104_01_0025.hdr 2009
1419 0 0.12 0.000613 0.013038 1.790268 2514839.198 6858409.505 2170.458 41026 c:\data\hdr\2009_20091104_01_0026.hdr 2009
1420 0 0.12 0.000298 0.014263 1.785634 2514774.568 6858710.734 2170.793 41027 c:\data\hdr\2009_20091104_01_0027.hdr 2009
1421 0 0.12 0.000534 0.013807 1.785964 2514710.812 6859014.501 2171.176 41028 c:\data\hdr\2009_20091104_01_0028.hdr 2009
1422 0 0.12 0.000738 0.012174 1.780828 2514648.269 6859317.964 2171.473 41029 c:\data\hdr\2009_20091104_01_0029.hdr 2009
1423 0 0.12 0.001524 0.012001 1.779351 2514586.581 6859622.686 2171.767 41030 c:\data\hdr\2009_20091104_01_0030.hdr 2009
1424 0 0.12 0.003079 0.002765 1.774749 2514524.905 6859928.293 2171.948 41031 c:\data\hdr\2009_20091104_01_0031.hdr 2009
1425 0 0.12 0.005027 -0.011357 1.781299 2514460.492 6860232.074 2172.091 41032 c:\data\hdr\2009_20091104_01_0032.hdr 2009
1426 0 0.12 0.004445 -0.014263 1.790881 2514393.997 6860533.662 2172.056 41033 c:\data\hdr\2009_20091104_01_0033.hdr 2009
1427 0 0.12 0.004084 -0.014514 1.796363 2514326.303 6860833.574 2171.788 41034 c:\data\hdr\2009_20091104_01_0034.hdr 2009
1428 0 0.12 0.003848 -0.014891 1.801012 2514257.293 6861132.453 2171.452 41035 c:\data\hdr\2009_20091104_01_0035.hdr 2009
1429 0 0.12 0.004241 -0.014781 1.803588 2514187.364 6861429.601 2171.273 41036 c:\data\hdr\2009_20091104_01_0036.hdr 2009
1430 0 0.12 0.003236 -0.010634 1.808631 2514116.359 6861726.072 2171.171 41037 c:\data\hdr\2009_20091104_01_0037.hdr 2009
1431 0 0.12 0.001885 -0.003283 1.810091 2514045.748 6862022.259 2170.856 41038 c:\data\hdr\2009_20091104_01_0038.hdr 2009
1432 0 0.12 -0.000440 -0.000408 -1.332224 2515393.572 6862300.430 2179.166 42039 c:\data\hdr\2009_20091104_02_0039.hdr 2009
1433 0 0.12 -0.000754 -0.000785 -1.331690 2515463.709 6862003.470 2180.045 42040 c:\data\hdr\2009_20091104_02_0040.hdr 2009
1434 0 0.12 -0.001319 -0.002183 -1.332192 2515533.887 6861706.510 2180.390 42041 c:\data\hdr\2009_20091104_02_0041.hdr 2009
1435 0 0.12 0.000016 -0.005529 -1.332978 2515603.911 6861409.457 2180.221 42042 c:\data\hdr\2009_20091104_02_0042.hdr 2009
1436 0 0.12 0.001194 -0.010556 -1.336920 2515672.565 6861111.237 2179.902 42043 c:\data\hdr\2009_20091104_02_0043.hdr 2009
1437 0 0.12 -0.000267 -0.008152 -1.339434 2515740.716 6860812.680 2179.767 42044 c:\data\hdr\2009_20091104_02_0044.hdr 2009
1438 0 0.12 0.000063 -0.010462 -1.341868 2515808.392 6860513.606 2179.767 42045 c:\data\hdr\2009_20091104_02_0045.hdr 2009
1439 0 0.12 -0.001100 -0.009126 -1.343188 2515875.777 6860214.258 2180.018 42046 c:\data\hdr\2009_20091104_02_0046.hdr 2009
1440 0 0.12 -0.001854 -0.006000 -1.343141 2515943.110 6859914.420 2180.428 42047 c:\data\hdr\2009_20091104_02_0047.hdr 2009
1441 0 0.12 -0.001759 -0.005231 -1.343172 2516010.326 6859614.260 2180.706 42048 c:\data\hdr\2009_20091104_02_0048.hdr 2009
1442 0 0.12 -0.001351 -0.004540 -1.343031 2516077.481 6859314.561 2180.812 42049 c:\data\hdr\2009_20091104_02_0049.hdr 2009
1443 0 0.12 -0.000691 -0.002403 -1.344774 2516144.810 6859014.867 2180.718 42050 c:\data\hdr\2009_20091104_02_0050.hdr 2009
1444 0 0.12 -0.000785 0.000518 -1.343753 2516212.365 6858715.246 2180.444 42051 c:\data\hdr\2009_20091104_02_0051.hdr 2009
1445 0 0.12 -0.000990 -0.000063 -1.342842 2516280.242 6858415.810 2180.347 42052 c:\data\hdr\2009_20091104_02_0052.hdr 2009
1446 0 0.12 -0.001461 -0.000927 -1.343062 2516347.970 6858116.435 2180.918 42053 c:\data\hdr\2009_20091104_02_0053.hdr 2009
1447 0 0.12 -0.002026 0.000503 -1.343078 2516415.587 6857818.015 2181.191 42054 c:\data\hdr\2009_20091104_02_0054.hdr 2009
1448 0 0.12 -0.002183 0.001414 -1.343329 2516483.563 6857518.796 2181.441 42055 c:\data\hdr\2009_20091104_02_0055.hdr 2009
1449 0 0.12 -0.002340 0.002231 -1.342261 2516551.973 6857219.090 2181.687 42056 c:\data\hdr\2009_20091104_02_0056.hdr 2009
1450 0 0.12 -0.001194 -0.000330 -1.340895 2516620.028 6856921.213 2181.878 42057 c:\data\hdr\2009_20091104_02_0057.hdr 2009
1451 0 0.12 0.001115 -0.007210 -1.346235 2516687.389 6856622.006 2182.169 42058 c:\data\hdr\2009_20091104_02_0058.hdr 2009
1452 0 0.12 0.001587 -0.009503 -1.349660 2516753.514 6856321.383 2182.353 42059 c:\data\hdr\2009_20091104_02_0059.hdr 2009
1453 0 0.12 0.000503 -0.005890 -1.350429 2516819.432 6856020.346 2182.041 42060 c:\data\hdr\2009_20091104_02_0060.hdr 2009
1454 0 0.12 0.000047 -0.002403 -1.350791 2516885.542 6855719.124 2181.408 42061 c:\data\hdr\2009_20091104_02_0061.hdr 2009
1455 0 0.12 -0.000911 -0.000440 -1.350335 2516951.801 6855418.418 2181.125 42062 c:\data\hdr\2009_20091104_02_0062.hdr 2009
1456 0 0.12 -0.002199 -0.000848 -1.350366 2517018.119 6855117.492 2181.131 42063 c:\data\hdr\2009_20091104_02_0063.hdr 2009
1457 0 0.12 -0.003896 0.000550 -1.348843 2517084.564 6854816.779 2181.245 42064 c:\data\hdr\2009_20091104_02_0064.hdr 2009
1458 0 0.12 -0.004650 0.001162 -1.349078 2517151.087 6854516.422 2181.285 42065 c:\data\hdr\2009_20091104_02_0065.hdr 2009
1459 0 0.12 -0.004477 0.001901 -1.348324 2517217.917 6854216.301 2181.442 42066 c:\data\hdr\2009_20091104_02_0066.hdr 2009
1460 0 0.12 -0.003974 0.002592 -1.346769 2517285.056 6853915.957 2181.582 42067 c:\data\hdr\2009_20091104_02_0067.hdr 2009
1461 0 0.12 -0.004288 0.002608 -1.344602 2517352.265 6853615.890 2181.619 42068 c:\data\hdr\2009_20091104_02_0068.hdr 2009
1462 0 0.12 -0.004178 0.001555 -1.343895 2517419.537 6853316.509 2181.710 42069 c:\data\hdr\2009_20091104_02_0069.hdr 2009
1463 0 0.12 -0.004398 0.001131 -1.344523 2517486.866 6853016.772 2181.654 42070 c:\data\hdr\2009_20091104_02_0070.hdr 2009
1464 0 0.12 -0.003707 0.000534 -1.344602 2517554.323 6852717.086 2181.684 42071 c:\data\hdr\2009_20091104_02_0071.hdr 2009
1465 0 0.12 -0.002922 -0.000094 -1.343376 2517621.737 6852417.188 2181.930 42072 c:\data\hdr\2009_20091104_02_0072.hdr 2009
```

```
1466 0 0.12 -0.003519 -0.000251 -1.343486 2517689.153 6852117.486 2182.409 42073 c:\data\hdr\2009_20091104_02_0073.hdr 2009
1467 0 0.12 -0.002985 0.001021 -1.343109 2517756.739 6851818.017 2182.748 42074 c:\data\hdr\2009_20091104_02_0074.hdr 2009
1468 0 0.12 0.004697 -0.003362 1.794289 2518474.621 6854814.059 2185.549 43075 c:\data\hdr\2009_20091104_03_0075.hdr 2009
1469 0 0.12 0.003786 -0.001901 1.794415 2518407.683 6855114.190 2185.658 43076 c:\data\hdr\2009_20091104_03_0076.hdr 2009
1470 0 0.12 0.002105 0.000723 1.794038 2518341.097 6855414.539 2185.330 43077 c:\data\hdr\2009_20091104_03_0077.hdr 2009
1471 0 0.12 0.001587 0.001005 1.793268 2518275.010 6855715.058 2184.969 43078 c:\data\hdr\2009_20091104_03_0078.hdr 2009
1472 0 0.12 0.002608 0.001429 1.789326 2518209.150 6856016.081 2184.738 43079 c:\data\hdr\2009_20091104_03_0079.hdr 2009
1473 0 0.12 0.002922 -0.000487 1.789074 2518143.262 6856317.467 2184.516 43080 c:\data\hdr\2009_20091104_03_0080.hdr 2009
1474 0 0.12 0.005184 -0.006189 1.793111 2518076.388 6856617.960 2184.505 43081 c:\data\hdr\2009_20091104_03_0081.hdr 2009
1475 0 0.12 0.005262 -0.004697 1.796174 2518008.965 6856917.666 2184.784 43082 c:\data\hdr\2009_20091104_03_0082.hdr 2009
1476 0 0.12 0.004555 -0.001225 1.796284 2517941.976 6857217.823 2184.918 43083 c:\data\hdr\2009_20091104_03_0083.hdr 2009
1477 0 0.12 0.004807 -0.001508 1.795263 2517874.878 6857518.053 2185.110 43084 c:\data\hdr\2009_20091104_03_0084.hdr 2009
1478 0 0.12 0.004445 -0.002969 1.795216 2517807.912 6857817.783 2185.135 43085 c:\data\hdr\2009_20091104_03_0085.hdr 2009
1479 0 0.12 0.004037 -0.000942 1.794368 2517741.232 6858118.299 2185.274 43086 c:\data\hdr\2009_20091104_03_0086.hdr 2009
1480 0 0.12 0.004068 0.002026 1.793253 2517674.944 6858418.664 2185.132 43087 c:\data\hdr\2009_20091104_03_0087.hdr 2009
1481 0 0.12 0.003126 0.004320 1.793017 2517608.866 6858719.651 2184.814 43088 c:\data\hdr\2009_20091104_03_0088.hdr 2009
1482 0 0.12 0.001948 0.007524 1.790472 2517543.393 6859021.035 2184.823 43089 c:\data\hdr\2009_20091104_03_0089.hdr 2009
1483 0 0.12 0.001241 0.008891 1.789011 2517478.553 6859322.965 2185.080 43090 c:\data\hdr\2009_20091104_03_0090.hdr 2009
1484 0 0.12 0.001178 0.008105 1.786812 2517414.115 6859625.643 2185.141 43091 c:\data\hdr\2009_20091104_03_0091.hdr 2009
1485 0 0.12 0.000550 0.007571 1.785414 2517350.336 6859928.502 2184.763 43092 c:\data\hdr\2009_20091104_03_0092.hdr 2009
1486 0 0.12 0.002608 -0.000597 1.783498 2517286.078 6860231.966 2184.316 43093 c:\data\hdr\2009_20091104_03_0093.hdr 2009
1487 0 0.12 0.003864 -0.007603 1.784645 2517220.756 6860533.825 2184.017 43094 c:\data\hdr\2009_20091104_03_0094.hdr 2009
1488 0 0.12 0.005781 -0.013477 1.789326 2517153.486 6860834.329 2183.948 43095 c:\data\hdr\2009_20091104_03_0095.hdr 2009
1489 0 0.12 0.006032 -0.015661 1.798954 2517084.812 6861133.694 2184.271 43096 c:\data\hdr\2009_20091104_03_0096.hdr 2009
1490 0 0.12 0.005796 -0.014640 1.802897 2517015.210 6861430.496 2184.436 43097 c:\data\hdr\2009_20091104_03_0097.hdr 2009
1491 0 0.12 0.005042 -0.012409 1.804515 2516944.887 6861727.622 2184.351 43098 c:\data\hdr\2009_20091104_03_0098.hdr 2009
1492 0 0.12 0.003943 -0.009362 1.806369 2516874.112 6862023.942 2184.226 43099 c:\data\hdr\2009_20091104_03_0099.hdr 2009
1493 0 0.12 0.003990 -0.006158 1.807877 2516803.189 6862320.209 2184.189 43000 c:\data\hdr\2009_20091104_03_0100.hdr 2009
1494 0 0.12 0.004492 -0.003801 1.809447 2516732.066 6862616.203 2184.019 43001 c:\data\hdr\2009_20091104_03_0101.hdr 2009
1495 0 0.12 -0.005309 0.025007 1.784299 2518711.968 6852190.563 3171.599 51001 c:\data\hdr\2009_20091105_01_0001.hdr 2009
1496 0 0.12 -0.003346 0.023405 1.774764 2518619.481 6852648.024 3171.701 51002 c:\data\hdr\2009_20091105_01_0002.hdr 2009
1497 0 0.12 -0.001948 0.020499 1.770696 2518528.755 6853106.942 3171.676 51003 c:\data\hdr\2009_20091105_01_0003.hdr 2009
1498 0 0.12 0.000738 0.017357 1.767570 2518439.740 6853567.786 3171.835 51004 c:\data\hdr\2009_20091105_01_0004.hdr 2009
1499 0 0.12 0.005372 -0.002655 1.770178 2518348.955 6854029.042 3172.540 51005 c:\data\hdr\2009_20091105_01_0005.hdr 2009
1500 0 0.12 0.007838 -0.013886 1.777340 2518253.797 6854485.750 3172.891 51006 c:\data\hdr\2009_20091105_01_0006.hdr 2009
1501 0 0.12 0.007744 -0.015849 1.789467 2518155.258 6854938.563 3173.017 51007 c:\data\hdr\2009_20091105_01_0007.hdr 2009
1502 0 0.12 0.008341 -0.019855 1.797101 2518053.446 6855388.569 3173.186 51008 c:\data\hdr\2009_20091105_01_0008.hdr 2009
1503 0 0.12 0.007430 -0.018017 1.805049 2517948.400 6855834.839 3172.812 51009 c:\data\hdr\2009_20091105_01_0009.hdr 2009
1504 0 0.12 0.004037 -0.009880 1.811489 2517842.408 6856279.600 3172.589 51010 c:\data\hdr\2009_20091105_01_0010.hdr 2009
1505 0 0.12 0.004288 -0.012032 1.812102 2517735.569 6856723.629 3172.797 51011 c:\data\hdr\2009_20091105_01_0011.hdr 2009
1506 0 0.12 0.002592 -0.006362 1.814317 2517627.721 6857166.890 3172.863 51012 c:\data\hdr\2009_20091105_01_0012.hdr 2009
1507 0 0.12 0.002026 -0.002388 1.813563 2517520.169 6857609.879 3172.964 51013 c:\data\hdr\2009_20091105_01_0013.hdr 2009
1508 0 0.12 -0.000188 0.007163 1.809510 2517414.296 6858054.275 3172.708 51014 c:\data\hdr\2009_20091105_01_0014.hdr 2009
1509 0 0.12 0.001822 0.002608 1.806353 2517309.624 6858500.217 3172.841 51015 c:\data\hdr\2009_20091105_01_0015.hdr 2009
1510 0 0.12 0.002985 -0.000157 1.807861 2517204.526 6858945.519 3173.098 51016 c:\data\hdr\2009_20091105_01_0016.hdr 2009
1511 0 0.12 0.002843 0.000110 1.807154 2517099.277 6859391.289 3173.351 51017 c:\data\hdr\2009_20091105_01_0017.hdr 2009
1512 0 0.12 0.000597 0.009016 1.805897 2516995.442 6859837.684 3173.357 51018 c:\data\hdr\2009_20091105_01_0018.hdr 2009
1513 0 0.12 0.000094 0.010948 1.799441 2516894.313 6860285.240 3172.984 51019 c:\data\hdr\2009_20091105_01_0019.hdr 2009
1514 0 0.12 0.000550 0.012331 1.794006 2516794.568 6860735.640 3172.952 51020 c:\data\hdr\2009_20091105_01_0020.hdr 2009
1515 0 0.12 0.001429 0.012425 1.789765 2516696.228 6861187.439 3173.235 51021 c:\data\hdr\2009_20091105_01_0021.hdr 2009
1516 0 0.12 0.001665 0.010729 1.786388 2516598.576 6861640.551 3173.716 51022 c:\data\hdr\2009_20091105_01_0022.hdr 2009
1517 0 0.12 0.000613 0.015802 1.780089 2516503.193 6862094.706 3174.320 51023 c:\data\hdr\2009_20091105_01_0023.hdr 2009
1518 0 0.12 -0.000785 0.014169 1.776665 2516409.676 6862551.726 3174.517 51024 c:\data\hdr\2009_20091105_01_0024.hdr 2009
1519 0 0.12 -0.000456 0.000377 -1.365855 2514379.585 6862072.063 3180.423 52025 c:\data\hdr\2009_20091105_02_0025.hdr 2009
1520 0 0.12 -0.002419 0.007556 -1.362870 2514474.671 6861616.354 3179.906 52026 c:\data\hdr\2009_20091105_02_0026.hdr 2009
1521 0 0.12 -0.004320 0.021284 -1.350649 2514574.184 6861163.714 3179.502 52027 c:\data\hdr\2009_20091105_02_0027.hdr 2009
1522 0 0.12 -0.004053 0.016101 -1.347256 2514676.056 6860715.785 3179.707 52028 c:\data\hdr\2009_20091105_02_0028.hdr 2009
1523 0 0.12 -0.003723 0.010980 -1.345623 2514779.012 6860268.001 3180.033 52029 c:\data\hdr\2009_20091105_02_0029.hdr 2009
1524 0 0.12 -0.003817 0.006487 -1.341020 2514882.395 6859820.503 3180.587 52030 c:\data\hdr\2009_20091105_02_0030.hdr 2009
1525 0 0.12 -0.003880 0.003487 -1.340455 2514986.089 6859373.177 3180.891 52031 c:\data\hdr\2009_20091105_02_0031.hdr 2009
1526 0 0.12 -0.003817 0.001696 -1.339418 2515089.821 6858926.921 3180.633 52032 c:\data\hdr\2009_20091105_02_0032.hdr 2009
1527 0 0.12 -0.004414 0.001288 -1.339151 2515193.872 6858479.982 3180.772 52033 c:\data\hdr\2009_20091105_02_0033.hdr 2009
1528 0 0.12 -0.003456 -0.003880 -1.340062 2515296.402 6858032.366 3180.822 52034 c:\data\hdr\2009_20091105_02_0034.hdr 2009
1529 0 0.12 -0.004163 0.002576 -1.339826 2515399.550 6857584.680 3181.070 52035 c:\data\hdr\2009_20091105_02_0035.hdr 2009
1530 0 0.12 -0.003581 0.002922 -1.338476 2515503.250 6857137.859 3181.110 52036 c:\data\hdr\2009_20091105_02_0036.hdr 2009
1531 0 0.12 -0.004178 0.002937 -1.338444 2515607.306 6856691.104 3180.880 52037 c:\data\hdr\2009_20091105_02_0037.hdr 2009
1532 0 0.12 -0.002985 -0.002121 -1.339120 2515711.298 6856244.692 3181.228 52038 c:\data\hdr\2009_20091105_02_0038.hdr 2009
1533 0 0.12 -0.002765 -0.012645 -1.346251 2515812.499 6855796.262 3181.807 52039 c:\data\hdr\2009_20091105_02_0039.hdr 2009
1534 0 0.12 -0.001194 -0.011969 -1.347822 2515911.913 6855345.397 3182.257 52040 c:\data\hdr\2009_20091105_02_0040.hdr 2009
1535 0 0.12 -0.000377 -0.010996 -1.354309 2516010.186 6854893.085 3182.130 52041 c:\data\hdr\2009_20091105_02_0041.hdr 2009
1536 0 0.12 -0.001100 -0.004288 -1.356273 2516108.353 6854440.738 3181.724 52042 c:\data\hdr\2009_20091105_02_0042.hdr 2009
1537 0 0.12 -0.001728 0.001539 -1.352817 2516207.455 6853989.070 3181.971 52043 c:\data\hdr\2009_20091105_02_0043.hdr 2009
1538 0 0.12 -0.002498 0.007414 -1.348183 2516308.615 6853538.731 3182.386 52044 c:\data\hdr\2009_20091105_02_0044.hdr 2009
1539 0 0.12 -0.001618 0.007728 -1.346549 2516410.758 6853089.866 3182.484 52045 c:\data\hdr\2009_20091105_02_0045.hdr 2009
1540 0 0.12 -0.000471 0.005969 -1.341114 2516513.683 6852641.985 3182.038 52046 c:\data\hdr\2009_20091105_02_0046.hdr 2009
1541 0 0.12 0.000518 0.004068 -1.342277 2516616.972 6852194.345 3181.537 52047 c:\data\hdr\2009_20091105_02_0047.hdr 2009
1542 0 0.12 0.000503 0.004540 -1.340172 2516720.660 6851747.326 3180.759 52048 c:\data\hdr\2009_20091105_02_0048.hdr 2009
1543 0 0.12 0.000958 0.003157 -1.340251 2516824.578 6851300.551 3180.236 52049 c:\data\hdr\2009_20091105_02_0049.hdr 2009
1544 0 0.12 -0.000660 0.002498 -1.338821 2516928.457 6850853.626 3180.099 52050 c:\data\hdr\2009_20091105_02_0050.hdr 2009
1545 0 0.12 0.006896 -0.013493 1.793033 2517351.246 6853096.452 4178.976 61001 c:\data\hdr\2009_20091106_01_0001.hdr 2009
1546 0 0.12 0.000785 0.010147 1.792027 2517126.046 6854106.029 4178.208 61002 c:\data\hdr\2009_20091106_01_0002.hdr 2009
1547 0 0.12 -0.000958 0.016635 1.777890 2516912.239 6855124.975 4177.982 61003 c:\data\hdr\2009_20091106_01_0003.hdr 2009
1548 0 0.12 0.002686 0.003204 1.776052 2516704.099 6856150.718 4178.395 61004 c:\data\hdr\2009_20091106_01_0004.hdr 2009
1549 0 0.12 0.001367 0.007351 1.776382 2516585.033 6856734.902 4178.862 61005 c:\data\hdr\2009_20091106_01_0005.hdr 2009
1550 0 0.12 -0.000503 0.008404 1.773822 2516497.136 6857176.798 4179.552 61006 c:\data\hdr\2009_20091106_01_0006.hdr 2009
1551 0 0.12 -0.002246 0.009550 1.765732 2516297.622 6858208.593 4179.206 61007 c:\data\hdr\2009_20091106_01_0007.hdr 2009
1552 0 0.12 -0.002231 0.009959 1.760250 2516103.739 6859246.794 4179.107 61008 c:\data\hdr\2009_20091106_01_0008.hdr 2009
1553 0 0.12 0.005938 -0.020028 1.776445 2515901.589 6860281.388 4179.430 61009 c:\data\hdr\2009_20091106_01_0009.hdr 2009
1554 0 0.12 0.005953 -0.016509 1.786529 2515686.570 6861300.835 4179.107 61010 c:\data\hdr\2009_20091106_01_0010.hdr 2009
1555 0 0.12 0.005184 -0.013933 1.795043 2515463.991 6862314.331 4179.308 61011 c:\data\hdr\2009_20091106_01_0011.hdr 2009
1556 0 0.035062 -0.017265 0.026984 0.249981 2516923.774 6855201.780 900.579 001_1900 c:\data\hdr\2013_RGB_001_1900.hdr 2013
1557 0 0.035062 0.033393 0.036628 0.225781 2516815.237 6855499.373 910.247 001_1901 c:\data\hdr\2013_RGB_001_1901.hdr 2013
1558 0 0.035062 0.002748 0.022185 0.211477 2516712.798 6855795.872 920.303 001_1902 c:\data\hdr\2013_RGB_001_1902.hdr 2013
1559 0 0.035062 0.024667 0.025123 0.280240 2516612.499 6856099.393 923.729 001_1903 c:\data\hdr\2013_RGB_001_1903.hdr 2013
1560 0 0.035062 -0.008467 0.001931 0.296211 2516503.970 6856396.292 941.429 001_1904 c:\data\hdr\2013_RGB_001_1904.hdr 2013
1561 0 0.035062 -0.026149 0.022091 0.282656 2516386.292 6856686.719 938.335 001_1905 c:\data\hdr\2013_RGB_001_1905.hdr 2013
1562 0 0.035062 -0.001255 0.059815 0.253696 2516261.964 6856979.224 914.313 001_1906 c:\data\hdr\2013_RGB_001_1906.hdr 2013
1563 0 0.035062 0.047566 0.091458 0.214021 2516148.279 6857274.390 908.318 001_1907 c:\data\hdr\2013_RGB_001_1907.hdr 2013
1564 0 0.035062 -0.003246 0.042342 0.214468 2516040.213 6857574.749 909.275 001_1908 c:\data\hdr\2013_RGB_001_1908.hdr 2013
1565 0 0.035062 0.012302 0.011613 0.164956 2515937.575 6857867.839 896.803 001_1909 c:\data\hdr\2013_RGB_001_1909.hdr 2013
1566 0 0.035062 0.050280 -0.001860 0.174617 2515834.624 6858169.234 892.927 001_1910 c:\data\hdr\2013_RGB_001_1910.hdr 2013
1567 0 0.035062 0.027519 0.000492 0.177819 2515726.339 6858465.106 885.630 001_1911 c:\data\hdr\2013_RGB_001_1911.hdr 2013
1568 0 0.035062 0.036002 0.038271 0.145065 2515621.873 6858763.197 880.843 001_1912 c:\data\hdr\2013_RGB_001_1912.hdr 2013
1569 0 0.035062 0.038871 -0.031277 0.119799 2515523.442 6859060.207 880.682 001_1913 c:\data\hdr\2013_RGB_001_1913.hdr 2013
1570 0 0.035062 -0.019928 0.000354 0.134105 2515414.881 6859358.037 879.074 001_1914 c:\data\hdr\2013_RGB_001_1914.hdr 2013
```

```
1571 0 0.035062 0.032524 -0.015506 0.201136 2515311.513 6859657.351 886.245 001_1915 c:\data\hdr\2013_RGB_001_1915.hdr 2013
1572 0 0.035062 -0.025035 0.052025 0.154628 2515204.701 6859949.902 884.056 001_1916 c:\data\hdr\2013_RGB_001_1916.hdr 2013
1573 0 0.035062 0.018200 -0.044213 0.145223 2515105.663 6860249.732 895.094 001_1917 c:\data\hdr\2013_RGB_001_1917.hdr 2013
1574 0 0.035062 0.047304 0.050172 0.186281 2514999.822 6860546.727 910.036 001_1918 c:\data\hdr\2013_RGB_001_1918.hdr 2013
1575 0 0.035062 0.024048 -0.017070 0.205382 2514894.514 6860846.546 931.999 001_1919 c:\data\hdr\2013_RGB_001_1919.hdr 2013
1576 0 0.035062 -0.006905 0.020305 0.216493 2514782.293 6861141.570 938.387 001_1920 c:\data\hdr\2013_RGB_001_1920.hdr 2013
1577 0 0.035062 0.025523 0.017876 0.245369 2514674.792 6861436.284 935.089 001_1921 c:\data\hdr\2013_RGB_001_1921.hdr 2013
1578 0 0.035062 0.024026 0.004405 0.252772 2514562.546 6861730.314 929.238 001_1922 c:\data\hdr\2013_RGB_001_1922.hdr 2013
1579 0 0.035062 0.007620 0.010058 0.190223 2514451.799 6862023.085 923.208 001_1923 c:\data\hdr\2013_RGB_001_1923.hdr 2013
1580 0 0.035062 0.025011 -0.024664 -2.699744 2514632.832 6862085.946 941.396 002_1924 c:\data\hdr\2013_RGB_002_1924.hdr 2013
1581 0 0.035062 0.016081 -0.011950 -2.702294 2514732.390 6861786.532 931.315 002_1925 c:\data\hdr\2013_RGB_002_1925.hdr 2013
1582 0 0.035062 -0.019649 0.021485 -2.640855 2514828.642 6861487.240 926.257 002_1926 c:\data\hdr\2013_RGB_002_1926.hdr 2013
1583 0 0.035062 -0.006008 -0.035220 -2.595925 2514938.857 6861190.271 920.354 002_1927 c:\data\hdr\2013_RGB_002_1927.hdr 2013
1584 0 0.035062 -0.068829 -0.022070 -2.624493 2515053.091 6860894.551 909.003 002_1928 c:\data\hdr\2013_RGB_002_1928.hdr 2013
1585 0 0.035062 -0.011133 0.025277 -2.560856 2515165.710 6860602.131 917.638 002_1929 c:\data\hdr\2013_RGB_002_1929.hdr 2013
1586 0 0.035062 -0.032777 -0.015740 -2.604433 2515282.149 6860307.678 910.813 002_1930 c:\data\hdr\2013_RGB_002_1930.hdr 2013
1587 0 0.035062 -0.034223 -0.025174 -2.599451 2515391.210 6860011.109 909.627 002_1931 c:\data\hdr\2013_RGB_002_1931.hdr 2013
1588 0 0.035062 -0.019108 -0.022661 -2.630090 2515488.888 6859714.216 901.320 002_1932 c:\data\hdr\2013_RGB_002_1932.hdr 2013
1589 0 0.035062 -0.020315 0.006928 -2.627764 2515587.926 6859414.040 909.055 002_1933 c:\data\hdr\2013_RGB_002_1933.hdr 2013
1590 0 0.035062 0.003352 0.018312 -2.599420 2515684.346 6859113.891 914.816 002_1934 c:\data\hdr\2013_RGB_002_1934.hdr 2013
1591 0 0.035062 -0.016504 0.025983 -2.511850 2515788.710 6858817.262 928.303 002_1935 c:\data\hdr\2013_RGB_002_1935.hdr 2013
1592 0 0.035062 0.029936 -0.052735 -2.497258 2515914.687 6858525.503 929.018 002_1936 c:\data\hdr\2013_RGB_002_1936.hdr 2013
1593 0 0.035062 0.008428 0.013459 -2.606348 2516031.613 6858234.728 916.345 002_1937 c:\data\hdr\2013_RGB_002_1937.hdr 2013
1594 0 0.035062 -0.018411 -0.040180 -2.634882 2516140.003 6857938.900 913.561 002_1938 c:\data\hdr\2013_RGB_002_1938.hdr 2013
1595 0 0.035062 -0.010225 -0.011435 -2.669049 2516242.406 6857640.506 928.508 002_1939 c:\data\hdr\2013_RGB_002_1939.hdr 2013
1596 0 0.035062 0.002688 -0.003677 -2.697509 2516348.093 6857341.543 923.199 002_1940 c:\data\hdr\2013_RGB_002_1940.hdr 2013
1597 0 0.035062 0.018951 -0.010329 -2.660873 2516453.202 6857044.244 921.848 002_1941 c:\data\hdr\2013_RGB_002_1941.hdr 2013
1598 0 0.035062 0.005146 0.006114 -2.631768 2516560.340 6856751.322 913.852 002_1942 c:\data\hdr\2013_RGB_002_1942.hdr 2013
1599 0 0.035062 -0.069150 -0.029772 -2.685419 2516669.333 6856455.585 889.354 002_1943 c:\data\hdr\2013_RGB_002_1943.hdr 2013
1600 0 0.035062 -0.033975 -0.039501 -2.655192 2516771.295 6856157.660 885.897 002_1944 c:\data\hdr\2013_RGB_002_1944.hdr 2013
1601 0 0.035062 -0.044159 -0.009194 -2.594880 2516872.368 6855856.852 892.882 002_1945 c:\data\hdr\2013_RGB_002_1945.hdr 2013
1602 0 0.035062 0.001190 0.012179 -2.567654 2516984.141 6855562.637 894.524 002_1946 c:\data\hdr\2013_RGB_002_1946.hdr 2013
1603 0 0.035062 0.011857 -0.069338 -2.614043 2517097.010 6855269.540 889.550 002_1947 c:\data\hdr\2013_RGB_002_1947.hdr 2013
1604 0 0.035062 0.003076 0.051920 0.217999 2517261.667 6855337.249 917.534 003_1948 c:\data\hdr\2013_RGB_003_1948.hdr 2013
1605 0 0.035062 0.027094 0.027868 0.118882 2517157.571 6855632.131 915.139 003_1949 c:\data\hdr\2013_RGB_003_1949.hdr 2013
1606 0 0.035062 0.038077 -0.032104 0.177542 2517058.478 6855929.799 906.567 003_1950 c:\data\hdr\2013_RGB_003_1950.hdr 2013
1607 0 0.035062 0.030980 0.043883 0.194864 2516949.241 6856225.235 903.464 003_1951 c:\data\hdr\2013_RGB_003_1951.hdr 2013
1608 0 0.035062 0.003892 0.258089 0.003923 2516855.295 6856526.061 911.725 003_1952 c:\data\hdr\2013_RGB_003_1952.hdr 2013
1609 0 0.035062 0.141217 0.259974 -0.487574 2516892.603 6856874.279 923.127 003_1953 c:\data\hdr\2013_RGB_003_1953.hdr 2013
1610 0 0.035062 -0.011463 0.032494 0.251355 2517280.056 6855342.217 919.656 003_1954 c:\data\hdr\2013_RGB_003_1954.hdr 2013
1611 0 0.035062 0.007265 -0.015359 0.219949 2517180.285 6855637.308 919.996 003_1955 c:\data\hdr\2013_RGB_003_1955.hdr 2013
1612 0 0.035062 0.052849 0.035136 0.184934 2517075.432 6855934.511 923.562 003_1956 c:\data\hdr\2013_RGB_003_1956.hdr 2013
1613 0 0.035062 0.052976 -0.007776 0.221843 2516964.656 6856227.459 921.636 003_1957 c:\data\hdr\2013_RGB_003_1957.hdr 2013
1614 0 0.035062 0.025315 0.018978 0.250545 2516843.129 6856522.131 908.891 003_1958 c:\data\hdr\2013_RGB_003_1958.hdr 2013
1615 0 0.035062 -0.012424 0.013715 0.244914 2516729.820 6856815.855 913.451 003_1959 c:\data\hdr\2013_RGB_003_1959.hdr 2013
1616 0 0.035062 0.010629 0.015758 0.249921 2516625.039 6857113.953 908.981 003_1960 c:\data\hdr\2013_RGB_003_1960.hdr 2013
1617 0 0.035062 0.047681 0.033248 0.170321 2516522.446 6857410.518 909.875 003_1961 c:\data\hdr\2013_RGB_003_1961.hdr 2013
1618 0 0.035062 0.021675 -0.014451 0.189351 2516422.364 6857710.514 905.289 003_1962 c:\data\hdr\2013_RGB_003_1962.hdr 2013
1619 0 0.035062 0.034984 0.046751 0.216493 2516318.174 6858007.461 888.062 003_1963 c:\data\hdr\2013_RGB_003_1963.hdr 2013
1620 0 0.035062 0.080074 -0.016099 0.317087 2516213.177 6858306.229 896.986 003_1964 c:\data\hdr\2013_RGB_003_1964.hdr 2013
1621 0 0.035062 -0.004398 0.027727 0.281930 2516089.938 6858596.644 906.162 003_1965 c:\data\hdr\2013_RGB_003_1965.hdr 2013
1622 0 0.035062 0.004436 0.022997 0.228139 2515977.175 6858889.203 894.624 003_1966 c:\data\hdr\2013_RGB_003_1966.hdr 2013
1623 0 0.035062 0.079656 0.045963 0.207705 2515866.707 6859186.039 892.582 003_1967 c:\data\hdr\2013_RGB_003_1967.hdr 2013
1624 0 0.035062 0.004667 -0.028897 0.180169 2515768.185 6859486.515 894.642 003_1968 c:\data\hdr\2013_RGB_003_1968.hdr 2013
1625 0 0.035062 0.035345 0.012582 0.175272 2515665.883 6859785.491 883.815 003_1969 c:\data\hdr\2013_RGB_003_1969.hdr 2013
1626 0 0.035062 0.044302 -0.028187 0.163865 2515568.990 6860083.206 876.565 003_1970 c:\data\hdr\2013_RGB_003_1970.hdr 2013
1627 0 0.035062 0.049097 0.060861 0.255323 2515456.299 6860375.291 893.105 003_1971 c:\data\hdr\2013_RGB_003_1971.hdr 2013
1628 0 0.035062 0.043359 0.009537 0.246060 2515348.825 6860673.637 912.887 003_1972 c:\data\hdr\2013_RGB_003_1972.hdr 2013
1629 0 0.035062 0.039961 0.023242 0.190367 2515241.061 6860969.155 924.680 003_1973 c:\data\hdr\2013_RGB_003_1973.hdr 2013
1630 0 0.035062 0.025611 0.015710 0.154725 2515137.461 6861265.437 933.912 003_1974 c:\data\hdr\2013_RGB_003_1974.hdr 2013
1631 0 0.035062 0.040996 0.004863 0.217996 2515034.308 6861564.362 939.403 003_1975 c:\data\hdr\2013_RGB_003_1975.hdr 2013
1632 0 0.035062 0.031051 0.027108 0.207924 2514924.743 6861860.333 939.280 003_1976 c:\data\hdr\2013_RGB_003_1976.hdr 2013
1633 0 0.035062 0.009380 -0.025070 0.181053 2514812.750 6862153.227 924.597 003_1977 c:\data\hdr\2013_RGB_003_1977.hdr 2013
1634 0 0.035062 -0.008337 -0.025792 -2.631684 2514961.411 6862205.104 904.563 004_1978 c:\data\hdr\2013_RGB_004_1978.hdr 2013
1635 0 0.035062 -0.046791 0.050115 -2.671924 2515071.262 6861910.049 898.070 004_1979 c:\data\hdr\2013_RGB_004_1979.hdr 2013
1636 0 0.035062 -0.096783 -0.029851 -2.651260 2515177.502 6861613.667 902.489 004_1980 c:\data\hdr\2013_RGB_004_1980.hdr 2013
1637 0 0.035062 -0.015596 -0.008128 -2.637814 2515279.997 6861318.535 914.926 004_1981 c:\data\hdr\2013_RGB_004_1981.hdr 2013
1638 0 0.035062 -0.070212 0.011648 -2.625381 2515385.718 6861019.984 921.018 004_1982 c:\data\hdr\2013_RGB_004_1982.hdr 2013
1639 0 0.035062 0.021715 -0.030701 -2.581586 2515488.006 6860720.372 939.013 004_1983 c:\data\hdr\2013_RGB_004_1983.hdr 2013
1640 0 0.035062 0.000413 -0.021722 -2.538273 2515602.237 6860427.320 952.914 004_1984 c:\data\hdr\2013_RGB_004_1984.hdr 2013
1641 0 0.035062 0.004745 -0.003857 -2.462491 2515726.367 6860138.357 968.509 004_1985 c:\data\hdr\2013_RGB_004_1985.hdr 2013
1642 0 0.035062 0.035711 -0.066947 -2.657562 2515850.164 6859849.098 941.189 004_1986 c:\data\hdr\2013_RGB_004_1986.hdr 2013
1643 0 0.035062 -0.040463 -0.022944 -2.629648 2515950.563 6859545.766 924.726 004_1987 c:\data\hdr\2013_RGB_004_1987.hdr 2013
1644 0 0.035062 0.007710 0.033179 -2.594576 2516055.018 6859249.802 916.537 004_1988 c:\data\hdr\2013_RGB_004_1988.hdr 2013
1645 0 0.035062 -0.020334 -0.080744 -2.594059 2516169.918 6858957.458 910.803 004_1989 c:\data\hdr\2013_RGB_004_1989.hdr 2013
1646 0 0.035062 -0.023662 0.008287 -2.655048 2516271.627 6858657.203 907.960 004_1990 c:\data\hdr\2013_RGB_004_1990.hdr 2013
1647 0 0.035062 -0.038576 0.007146 -2.583966 2516366.272 6858356.091 907.730 004_1991 c:\data\hdr\2013_RGB_004_1991.hdr 2013
1648 0 0.035062 -0.013139 -0.008552 -2.567792 2516470.481 6858057.986 918.789 004_1992 c:\data\hdr\2013_RGB_004_1992.hdr 2013
1649 0 0.035062 0.042234 -0.009735 -2.579689 2516577.101 6857762.929 926.007 004_1993 c:\data\hdr\2013_RGB_004_1993.hdr 2013
1650 0 0.035062 0.013389 -0.042240 -2.625572 2516693.225 6857471.646 926.733 004_1994 c:\data\hdr\2013_RGB_004_1994.hdr 2013
1651 0 0.035062 0.065645 -0.089627 -2.679961 2516816.505 6857176.408 914.708 004_1995 c:\data\hdr\2013_RGB_004_1995.hdr 2013
1652 0 0.035062 -0.038336 0.020753 -2.729943 2516908.015 6856876.035 901.649 004_1996 c:\data\hdr\2013_RGB_004_1996.hdr 2013
1653 0 0.035062 -0.042827 0.000000 -2.687835 2517005.069 6856575.713 895.942 004_1997 c:\data\hdr\2013_RGB_004_1997.hdr 2013
1654 0 0.035062 -0.023515 -0.034837 -2.640270 2517111.132 6856279.572 902.588 004_1998 c:\data\hdr\2013_RGB_004_1998.hdr 2013
1655 0 0.035062 -0.040521 -0.032994 -2.609086 2517217.557 6855985.657 899.226 004_1999 c:\data\hdr\2013_RGB_004_1999.hdr 2013
1656 0 0.035062 -0.018994 0.003059 -2.605271 2517331.805 6855691.582 902.103 004_2000 c:\data\hdr\2013_RGB_004_2000.hdr 2013
1657 0 0.035062 -0.001235 -0.000383 -2.622050 2517446.009 6855399.986 897.686 004_2001 c:\data\hdr\2013_RGB_004_2001.hdr 2013
1658 0 0.035062 0.030647 -0.025097 0.100132 2517633.017 6855471.942 918.511 005_2002 c:\data\hdr\2013_RGB_005_2002.hdr 2013
1659 0 0.035062 0.060509 -0.015670 0.187001 2517533.367 6855770.154 928.777 005_2003 c:\data\hdr\2013_RGB_005_2003.hdr 2013
1660 0 0.035062 0.008772 0.003149 0.181050 2517418.011 6856063.733 926.219 005_2004 c:\data\hdr\2013_RGB_005_2004.hdr 2013
1661 0 0.035062 0.039015 0.011201 0.184736 2517310.389 6856355.760 920.095 005_2005 c:\data\hdr\2013_RGB_005_2005.hdr 2013
1662 0 0.035062 0.035755 -0.009932 0.173389 2517204.305 6856654.902 918.004 005_2006 c:\data\hdr\2013_RGB_005_2006.hdr 2013
1663 0 0.035062 0.029923 -0.022736 0.158161 2517097.471 6856951.285 926.628 005_2007 c:\data\hdr\2013_RGB_005_2007.hdr 2013
1664 0 0.035062 0.006062 0.018690 0.187427 2516987.514 6857244.833 947.168 005_2008 c:\data\hdr\2013_RGB_005_2008.hdr 2013
1665 0 0.035062 0.000419 0.040611 0.181378 2516882.261 6857540.983 959.914 005_2009 c:\data\hdr\2013_RGB_005_2009.hdr 2013
1666 0 0.035062 -0.004118 0.032693 0.167744 2516775.722 6857838.334 951.462 005_2010 c:\data\hdr\2013_RGB_005_2010.hdr 2013
1667 0 0.035062 0.000822 0.033351 0.250978 2516666.149 6858133.617 934.077 005_2011 c:\data\hdr\2013_RGB_005_2011.hdr 2013
1668 0 0.035062 0.022025 0.019943 0.257426 2516554.165 6858431.162 932.969 005_2012 c:\data\hdr\2013_RGB_005_2012.hdr 2013
1669 0 0.035062 0.038548 0.008468 0.243008 2516442.082 6858725.298 922.912 005_2013 c:\data\hdr\2013_RGB_005_2013.hdr 2013
1670 0 0.035062 0.089038 0.044128 0.225244 2516331.414 6859020.277 911.166 005_2014 c:\data\hdr\2013_RGB_005_2014.hdr 2013
1671 0 0.035062 0.032840 0.021396 0.219518 2516224.284 6859318.074 913.730 005_2015 c:\data\hdr\2013_RGB_005_2015.hdr 2013
1672 0 0.035062 -0.000053 0.000989 0.171320 2516117.979 6859614.400 913.363 005_2016 c:\data\hdr\2013_RGB_005_2016.hdr 2013
1673 0 0.035062 0.021915 0.026767 0.225668 2516011.276 6859909.959 910.888 005_2017 c:\data\hdr\2013_RGB_005_2017.hdr 2013
1674 0 0.035062 0.095370 0.047165 0.202853 2515903.219 6860207.511 916.999 005_2018 c:\data\hdr\2013_RGB_005_2018.hdr 2013
1675 0 0.035062 0.002603 -0.026320 0.169473 2515795.401 6860500.094 919.899 005_2019 c:\data\hdr\2013_RGB_005_2019.hdr 2013
```

```
1676 0 0.035062 0.029553 -0.001121 0.205270 2515681.761 6860796.361 920.759 005_2020 c:\data\hdr\2013_RGB_005_2020.hdr 2013
1677 0 0.035062 0.035565 0.029537 0.135879 2515573.761 6861092.852 936.907 005_2021 c:\data\hdr\2013_RGB_005_2021.hdr 2013
1678 0 0.035062 0.021572 0.038799 0.194815 2515474.894 6861392.474 943.688 005_2022 c:\data\hdr\2013_RGB_005_2022.hdr 2013
1679 0 0.035062 0.046241 -0.020470 0.141194 2515376.728 6861688.008 945.182 005_2023 c:\data\hdr\2013_RGB_005_2023.hdr 2013
1680 0 0.035062 0.049419 -0.012854 0.168166 2515270.253 6861987.865 942.959 005_2024 c:\data\hdr\2013_RGB_005_2024.hdr 2013
1681 0 0.035062 0.048753 0.016906 0.197840 2515155.635 6862280.572 929.412 005_2025 c:\data\hdr\2013_RGB_005_2025.hdr 2013
1682 0 0.035062 -0.063805 0.000620 -2.691916 2515312.543 6862330.169 896.862 006_2026 c:\data\hdr\2013_RGB_006_2026.hdr 2013
1683 0 0.035062 -0.094728 -0.046825 -2.666478 2515417.620 6862034.963 914.325 006_2027 c:\data\hdr\2013_RGB_006_2027.hdr 2013
1684 0 0.035062 -0.016519 -0.022618 -2.591943 2515524.345 6861736.583 929.440 006_2028 c:\data\hdr\2013_RGB_006_2028.hdr 2013
1685 0 0.035062 -0.035455 -0.021285 -2.563105 2515641.179 6861446.785 926.095 006_2029 c:\data\hdr\2013_RGB_006_2029.hdr 2013
1686 0 0.035062 -0.041524 0.015273 -2.700064 2515751.671 6861152.156 933.899 006_2030 c:\data\hdr\2013_RGB_006_2030.hdr 2013
1687 0 0.035062 -0.048199 0.006247 -2.637580 2515848.217 6860854.305 938.850 006_2031 c:\data\hdr\2013_RGB_006_2031.hdr 2013
1688 0 0.035062 -0.026172 0.008800 -2.581301 2515960.561 6860556.016 946.465 006_2032 c:\data\hdr\2013_RGB_006_2032.hdr 2013
1689 0 0.035062 0.008936 -0.012649 -2.646511 2516072.863 6860262.852 939.614 006_2033 c:\data\hdr\2013_RGB_006_2033.hdr 2013
1690 0 0.035062 -0.013009 -0.023696 -2.580799 2516172.876 6859963.824 937.031 006_2034 c:\data\hdr\2013_RGB_006_2034.hdr 2013
1691 0 0.035062 0.028027 0.001657 -2.678633 2516276.012 6859666.059 941.181 006_2035 c:\data\hdr\2013_RGB_006_2035.hdr 2013
1692 0 0.035062 -0.093324 0.033630 -2.525274 2516377.859 6859366.556 940.213 006_2036 c:\data\hdr\2013_RGB_006_2036.hdr 2013
1693 0 0.035062 0.018398 -0.062980 -2.574933 2516502.599 6859078.450 945.270 006_2037 c:\data\hdr\2013_RGB_006_2037.hdr 2013
1694 0 0.035062 -0.010579 0.000774 -2.639336 2516605.511 6858777.670 947.387 006_2038 c:\data\hdr\2013_RGB_006_2038.hdr 2013
1695 0 0.035062 -0.009105 -0.034077 -2.653896 2516707.963 6858481.579 947.024 006_2039 c:\data\hdr\2013_RGB_006_2039.hdr 2013
1696 0 0.035062 -0.021305 -0.000193 -2.686990 2516808.432 6858183.256 955.802 006_2040 c:\data\hdr\2013_RGB_006_2040.hdr 2013
1697 0 0.035062 -0.044505 0.014940 -2.634684 2516916.156 6857883.973 944.629 006_2041 c:\data\hdr\2013_RGB_006_2041.hdr 2013
1698 0 0.035062 -0.022450 -0.005066 -2.574629 2517040.963 6857594.291 934.128 006_2042 c:\data\hdr\2013_RGB_006_2042.hdr 2013
1699 0 0.035062 -0.009709 -0.025298 -2.575353 2517160.768 6857303.871 933.882 006_2043 c:\data\hdr\2013_RGB_006_2043.hdr 2013
1700 0 0.035062 -0.012779 -0.042286 -2.586574 2517270.266 6857006.845 910.941 006_2044 c:\data\hdr\2013_RGB_006_2044.hdr 2013
1701 0 0.035062 0.014108 -0.037215 -2.544581 2517377.146 6856713.053 923.088 006_2045 c:\data\hdr\2013_RGB_006_2045.hdr 2013
1702 0 0.035062 -0.003455 -0.012679 -2.608023 2517485.337 6856417.165 922.802 006_2046 c:\data\hdr\2013_RGB_006_2046.hdr 2013
1703 0 0.035062 0.034620 -0.071424 -2.596133 2517596.631 6856123.507 917.761 006_2047 c:\data\hdr\2013_RGB_006_2047.hdr 2013
1704 0 0.035062 -0.006487 -0.002087 -2.636020 2517700.697 6855826.681 900.741 006_2048 c:\data\hdr\2013_RGB_006_2048.hdr 2013
1705 0 0.035062 0.002735 -0.011405 -2.630225 2517810.743 6855532.591 917.131 006_2049 c:\data\hdr\2013_RGB_006_2049.hdr 2013
1706 0 0.035062 0.048359 -0.031042 0.114268 2517975.781 6855592.338 917.021 007_2050 c:\data\hdr\2013_RGB_007_2050.hdr 2013
1707 0 0.035062 0.030016 0.023143 0.157816 2517855.378 6855882.999 927.910 007_2051 c:\data\hdr\2013_RGB_007_2051.hdr 2013
1708 0 0.035062 0.063512 0.001554 0.067187 2517752.549 6856182.191 917.109 007_2052 c:\data\hdr\2013_RGB_007_2052.hdr 2013
1709 0 0.035062 0.017090 -0.025880 0.106759 2517655.860 6856480.825 914.232 007_2053 c:\data\hdr\2013_RGB_007_2053.hdr 2013
1710 0 0.035062 0.039590 -0.045625 0.132406 2517551.042 6856775.223 904.390 007_2054 c:\data\hdr\2013_RGB_007_2054.hdr 2013
1711 0 0.035062 0.024276 -0.005700 0.157893 2517437.955 6857070.712 900.518 007_2055 c:\data\hdr\2013_RGB_007_2055.hdr 2013
1712 0 0.035062 0.028975 -0.039896 0.117615 2517325.772 6857364.899 906.642 007_2056 c:\data\hdr\2013_RGB_007_2056.hdr 2013
1713 0 0.035062 0.038205 0.011593 0.174392 2517213.249 6857661.447 912.516 007_2057 c:\data\hdr\2013_RGB_007_2057.hdr 2013
1714 0 0.035062 0.024922 -0.013135 0.121965 2517104.392 6857955.628 919.825 007_2058 c:\data\hdr\2013_RGB_007_2058.hdr 2013
1715 0 0.035062 0.018070 0.000794 0.159576 2516994.649 6858254.823 919.384 007_2059 c:\data\hdr\2013_RGB_007_2059.hdr 2013
1716 0 0.035062 0.029519 0.011768 0.157944 2516887.068 6858550.315 917.205 007_2060 c:\data\hdr\2013_RGB_007_2060.hdr 2013
1717 0 0.035062 0.015680 0.027340 0.192728 2516782.727 6858845.695 926.192 007_2061 c:\data\hdr\2013_RGB_007_2061.hdr 2013
1718 0 0.035062 0.042679 -0.015539 0.170212 2516682.706 6859147.431 921.306 007_2062 c:\data\hdr\2013_RGB_007_2062.hdr 2013
1719 0 0.035062 0.034706 0.021079 0.164635 2516572.118 6859439.314 916.990 007_2063 c:\data\hdr\2013_RGB_007_2063.hdr 2013
1720 0 0.035062 0.006636 0.064887 0.135431 2516455.092 6859734.818 912.887 007_2064 c:\data\hdr\2013_RGB_007_2064.hdr 2013
1721 0 0.035062 0.031150 -0.018537 0.070164 2516357.204 6860033.799 903.533 007_2065 c:\data\hdr\2013_RGB_007_2065.hdr 2013
1722 0 0.035062 0.087386 -0.012777 0.103724 2516260.761 6860334.796 923.398 007_2066 c:\data\hdr\2013_RGB_007_2066.hdr 2013
1723 0 0.035062 0.007116 -0.000885 0.123125 2516156.306 6860629.394 934.731 007_2067 c:\data\hdr\2013_RGB_007_2067.hdr 2013
1724 0 0.035062 0.038039 -0.023890 0.150288 2516057.692 6860930.064 930.274 007_2068 c:\data\hdr\2013_RGB_007_2068.hdr 2013
1725 0 0.035062 0.060845 -0.008923 0.133048 2515949.430 6861226.075 938.602 007_2069 c:\data\hdr\2013_RGB_007_2069.hdr 2013
1726 0 0.035062 0.048248 -0.011381 0.098709 2515842.868 6861523.414 945.230 007_2070 c:\data\hdr\2013_RGB_007_2070.hdr 2013
1727 0 0.035062 0.049743 -0.000508 0.187750 2515737.876 6861817.135 953.092 007_2071 c:\data\hdr\2013_RGB_007_2071.hdr 2013
1728 0 0.035062 0.036207 0.003509 0.185914 2515624.928 6862115.360 961.745 007_2072 c:\data\hdr\2013_RGB_007_2072.hdr 2013
1729 0 0.035062 0.032924 -0.020153 0.153766 2515521.137 6862410.036 951.956 007_2073 c:\data\hdr\2013_RGB_007_2073.hdr 2013
1730 0 0.035062 -0.029603 0.002440 -2.627668 2515681.419 6862464.248 925.156 008_2074 c:\data\hdr\2013_RGB_008_2074.hdr 2013
1731 0 0.035062 -0.033601 -0.011964 -2.610090 2515783.536 6862164.055 931.420 008_2075 c:\data\hdr\2013_RGB_008_2075.hdr 2013
1732 0 0.035062 -0.044469 -0.053584 -2.570025 2515890.629 6861869.445 936.490 008_2076 c:\data\hdr\2013_RGB_008_2076.hdr 2013
1733 0 0.035062 -0.003487 -0.018644 -2.556593 2516008.916 6861576.292 940.775 008_2077 c:\data\hdr\2013_RGB_008_2077.hdr 2013
1734 0 0.035062 -0.024406 -0.019071 -2.612961 2516116.070 6861282.178 931.734 008_2078 c:\data\hdr\2013_RGB_008_2078.hdr 2013
1735 0 0.035062 -0.044650 -0.034598 -2.635042 2516221.120 6860983.316 931.887 008_2079 c:\data\hdr\2013_RGB_008_2079.hdr 2013
1736 0 0.035062 -0.017553 0.009414 -2.640824 2516322.673 6860684.093 929.794 008_2080 c:\data\hdr\2013_RGB_008_2080.hdr 2013
1737 0 0.035062 -0.029366 -0.049952 -2.643495 2516430.015 6860386.887 929.934 008_2081 c:\data\hdr\2013_RGB_008_2081.hdr 2013
1738 0 0.035062 -0.002386 -0.011780 -2.677810 2516532.415 6860092.885 929.354 008_2082 c:\data\hdr\2013_RGB_008_2082.hdr 2013
1739 0 0.035062 -0.058200 -0.085073 -2.643711 2516635.237 6859790.819 912.905 008_2083 c:\data\hdr\2013_RGB_008_2083.hdr 2013
1740 0 0.035062 -0.034786 -0.002319 -2.569696 2516739.443 6859493.691 916.707 008_2084 c:\data\hdr\2013_RGB_008_2084.hdr 2013
1741 0 0.035062 0.014388 -0.026791 -2.563150 2516854.730 6859201.064 923.568 008_2085 c:\data\hdr\2013_RGB_008_2085.hdr 2013
1742 0 0.035062 0.000231 -0.017695 -2.576464 2516968.751 6858906.833 936.314 008_2086 c:\data\hdr\2013_RGB_008_2086.hdr 2013
1743 0 0.035062 0.040101 -0.135405 -2.683014 2517093.156 6858615.631 951.364 008_2087 c:\data\hdr\2013_RGB_008_2087.hdr 2013
1744 0 0.035062 -0.036364 -0.024016 -2.711626 2517189.021 6858318.277 933.604 008_2088 c:\data\hdr\2013_RGB_008_2088.hdr 2013
1745 0 0.035062 -0.064037 0.012023 -2.617478 2517286.479 6858016.043 925.395 008_2089 c:\data\hdr\2013_RGB_008_2089.hdr 2013
1746 0 0.035062 0.041746 -0.079030 -2.563407 2517409.431 6857725.984 937.974 008_2090 c:\data\hdr\2013_RGB_008_2090.hdr 2013
1747 0 0.035062 0.041457 -0.091170 -2.723509 2517528.496 6857433.394 911.811 008_2091 c:\data\hdr\2013_RGB_008_2091.hdr 2013
1748 0 0.035062 -0.093303 0.044138 -2.665730 2517615.376 6857130.601 898.410 008_2092 c:\data\hdr\2013_RGB_008_2092.hdr 2013
1749 0 0.035062 0.003230 -0.016823 -2.580226 2517716.820 6856831.163 891.746 008_2093 c:\data\hdr\2013_RGB_008_2093.hdr 2013
1750 0 0.035062 -0.066188 -0.026109 -2.641307 2517822.430 6856535.051 892.858 008_2094 c:\data\hdr\2013_RGB_008_2094.hdr 2013
1751 0 0.035062 0.002145 0.014727 -2.544756 2517928.723 6856240.295 911.083 008_2095 c:\data\hdr\2013_RGB_008_2095.hdr 2013
1752 0 0.035062 -0.007595 -0.020964 -2.573406 2518048.289 6855948.428 901.898 008_2096 c:\data\hdr\2013_RGB_008_2096.hdr 2013
1753 0 0.035062 -0.067303 -0.046747 -2.630064 2518159.498 6855654.722 901.027 008_2097 c:\data\hdr\2013_RGB_008_2097.hdr 2013
1754 0 0.035062 -0.017270 0.034164 1.986496 2517478.563 6859677.490 951.462 009_2098 c:\data\hdr\2013_RGB_009_2098.hdr 2013
1755 0 0.035062 -0.034376 0.018887 2.020457 2517179.883 6859578.332 956.766 009_2099 c:\data\hdr\2013_RGB_009_2099.hdr 2013
1756 0 0.035062 -0.022906 0.000817 2.033443 2516881.229 6859473.809 959.281 009_2100 c:\data\hdr\2013_RGB_009_2100.hdr 2013
1757 0 0.035062 -0.026477 0.004405 1.983861 2516586.454 6859362.142 951.607 009_2101 c:\data\hdr\2013_RGB_009_2101.hdr 2013
1758 0 0.035062 -0.052263 -0.010755 1.992312 2516293.727 6859249.005 935.868 009_2102 c:\data\hdr\2013_RGB_009_2102.hdr 2013
1759 0 0.035062 -0.064230 0.034795 2.001151 2515997.523 6859137.109 933.843 009_2103 c:\data\hdr\2013_RGB_009_2103.hdr 2013
1760 0 0.035062 -0.041424 0.003339 2.071617 2515702.459 6859034.727 950.056 009_2104 c:\data\hdr\2013_RGB_009_2104.hdr 2013
1761 0 0.035062 -0.037932 0.001153 1.920643 2515406.608 6858925.955 949.474 009_2105 c:\data\hdr\2013_RGB_009_2105.hdr 2013
1762 0 0.035062 -0.064132 0.010446 1.973811 2515113.806 6858816.979 933.126 009_2106 c:\data\hdr\2013_RGB_009_2106.hdr 2013
1763 0 0.035062 -0.033363 0.018106 2.032439 2514813.603 6858709.942 922.352 009_2107 c:\data\hdr\2013_RGB_009_2107.hdr 2013
```

Appendix 6. IO of the frame images (2015 are missing)

path	id	width	height	a	b	c	d	e	f (affine)
c:\data\hdr\2002_22041228.hdr	22041228	16432	16432	71432.932	-232.555	8187.151	233.050	71432.845	8246.995
c:\data\hdr\2002_22041229.hdr	22041229	16432	16432	71432.804	-193.814	8202.276	195.436	71434.042	8240.972
c:\data\hdr\2002_22041230.hdr	22041230	16432	16432	71432.125	-107.608	8189.464	108.550	71432.134	8251.887
c:\data\hdr\2002_22041231.hdr	22041231	16432	16432	71431.750	-166.527	8160.472	165.843	71432.687	8267.089
c:\data\hdr\2002_22041232.hdr	22041232	16432	16432	71432.041	-180.516	8011.237	182.503	71432.897	8262.441
c:\data\hdr\2002_22041233.hdr	22041233	16432	16432	71433.702	-247.424	8030.917	248.387	71433.267	8270.690
c:\data\hdr\2002_22041234.hdr	22041234	16432	16432	71435.865	-247.053	8037.590	248.219	71433.693	8263.430
c:\data\hdr\2002_22041235.hdr	22041235	16432	16432	71436.575	-174.813	8212.518	175.207	71436.689	8239.652
c:\data\hdr\2002_22041236.hdr	22041236	16432	16432	71437.153	-119.141	8268.932	119.912	71436.199	8226.785
c:\data\hdr\2002_22041237.hdr	22041237	16432	16432	71436.680	-47.020	8166.893	49.227	71436.859	8222.614
c:\data\hdr\2002_22041238.hdr	22041238	16432	16432	71438.763	-66.746	8219.040	67.155	71437.654	8227.202
c:\data\hdr\2002_22041239.hdr	22041239	16432	16432	71443.087	-113.477	8191.375	116.695	71439.703	8233.016
c:\data\hdr\2002_22041240.hdr	22041240	16432	16432	71441.873	-224.067	8173.144	226.908	71440.530	8253.122
c:\data\hdr\2002_22041241.hdr	22041241	16432	16432	71440.246	-283.470	8204.079	284.575	71437.942	8244.883
c:\data\hdr\2002_22041242.hdr	22041242	16432	16432	71437.350	-311.515	8175.787	312.839	71435.914	8246.648
c:\data\hdr\2002_22041243.hdr	22041243	16432	16432	71441.218	-207.200	8258.695	208.586	71440.812	8228.588
c:\data\hdr\2002_22041244.hdr	22041244	16432	16432	71437.011	-150.044	8154.255	150.955	71436.876	8214.541
c:\data\hdr\2002_22041245.hdr	22041245	16432	16432	71439.531	-130.165	8093.877	132.179	71436.927	8214.219
c:\data\hdr\2002_22041246.hdr	22041246	16432	16432	71437.621	-144.434	8021.671	146.831	71437.702	8216.651
c:\data\hdr\2002_22041247.hdr	22041247	16432	16432	71437.918	-167.624	8189.970	169.766	71436.925	8222.221
c:\data\hdr\2002_22041248.hdr	22041248	16432	16432	71437.223	-201.350	8177.205	201.379	71436.761	8229.074
c:\data\hdr\2002_22041249.hdr	22041249	16432	16432	71439.026	-211.314	8200.020	212.914	71436.691	8229.510
c:\data\hdr\2002_22044574.hdr	22044574	16432	16432	71425.884	-146.845	8161.559	150.187	71427.332	8272.997
c:\data\hdr\2002_22044575.hdr	22044575	16432	16432	71424.013	-136.059	8194.103	140.266	71426.478	8267.141
c:\data\hdr\2002_22044576.hdr	22044576	16432	16432	71423.495	-103.589	8146.090	108.117	71425.511	8276.377
c:\data\hdr\2002_22044577.hdr	22044577	16432	16432	71422.598	-74.245	8188.124	77.424	71424.405	8248.746
c:\data\hdr\2002_22044578.hdr	22044578	16432	16432	71420.857	-126.711	8122.863	130.147	71423.564	8266.733
c:\data\hdr\2002_22044579.hdr	22044579	16432	16432	71422.689	-99.844	8207.776	102.512	71424.614	8254.433
c:\data\hdr\2002_22044580.hdr	22044580	16432	16432	71421.711	-99.296	8176.558	101.207	71425.355	8262.986
c:\data\hdr\2002_22044581.hdr	22044581	16432	16432	71424.146	-70.239	8220.046	73.966	71424.681	8263.321
c:\data\hdr\2002_22044582.hdr	22044582	16432	16432	71423.472	-90.458	8156.751	93.000	71424.272	8260.825
c:\data\hdr\2002_22044583.hdr	22044583	16432	16432	71423.224	-80.395	8149.367	83.159	71426.081	8266.380
c:\data\hdr\2002_22044584.hdr	22044584	16432	16432	71430.737	-95.324	8113.624	98.270	71430.638	8258.027
c:\data\hdr\2002_22044585.hdr	22044585	16432	16432	71427.192	-79.236	8165.496	81.819	71430.064	8249.014
c:\data\hdr\2002_22044586.hdr	22044586	16432	16432	71421.768	-114.636	8164.612	120.818	71424.532	8267.306
c:\data\hdr\2002_22044587.hdr	22044587	16432	16432	71425.125	-114.501	8215.693	118.168	71425.604	8276.387
c:\data\hdr\2002_22044588.hdr	22044588	16432	16432	71424.280	-99.253	8156.573	103.816	71425.599	8263.419
c:\data\hdr\2002_22044589.hdr	22044589	16432	16432	71424.400	-165.849	8174.733	168.920	71425.547	8270.981
c:\data\hdr\2002_22044590.hdr	22044590	16432	16432	71419.277	-146.052	8177.475	151.660	71421.275	8281.653
c:\data\hdr\2002_22044591.hdr	22044591	16432	16432	71406.843	-185.559	8018.316	191.623	71410.904	8272.387
c:\data\hdr\2002_22044592.hdr	22044592	16432	16432	71408.491	-178.101	8073.097	182.896	71412.562	8279.466
c:\data\hdr\2002_22044593.hdr	22044593	16432	16432	71412.532	-178.062	8039.653	183.082	71415.440	8277.481
c:\data\hdr\2002_22044594.hdr	22044594	16432	16432	71415.251	-155.365	8057.492	161.267	71417.278	8261.207
c:\data\hdr\2002_22044595.hdr	22044595	16432	16432	71429.279	-107.786	8069.071	113.388	71426.676	8250.926
c:\data\hdr\2002_22054596.hdr	22054596	16400	16431	71431.877	-111.430	8182.340	116.810	71430.497	8257.012
c:\data\hdr\2002_22054597.hdr	22054597	16400	16431	71422.976	-61.794	8182.453	66.875	71421.576	8260.768
c:\data\hdr\2002_22054598.hdr	22054598	16400	16431	71420.250	-126.255	8140.367	132.796	71419.914	8262.343
c:\data\hdr\2002_22054599.hdr	22054599	16400	16431	71421.092	-130.539	8179.256	136.637	71421.100	8274.965
c:\data\hdr\2002_22054600.hdr	22054600	16400	16431	71421.578	-129.276	8181.563	135.706	71421.369	8274.696
c:\data\hdr\2002_22054601.hdr	22054601	16400	16431	71416.976	-106.233	8144.492	109.816	71419.804	8254.663
c:\data\hdr\2002_22054602.hdr	22054602	16400	16431	71418.666	-137.656	8164.963	141.949	71419.326	8263.244
c:\data\hdr\2002_22054603.hdr	22054603	16400	16431	71419.247	-121.325	8096.034	126.325	71419.638	8268.121
c:\data\hdr\2002_22054604.hdr	22054604	16400	16431	71420.170	-109.842	8101.981	114.987	71418.408	8272.893
c:\data\hdr\2002_22054605.hdr	22054605	16400	16431	71434.072	-153.154	8150.021	157.067	71431.418	8279.666
c:\data\hdr\2002_22054606.hdr	22054606	16400	16431	71416.030	-120.632	8094.754	120.486	71421.506	8244.799
c:\data\hdr\2002_22054607.hdr	22054607	16400	16431	71422.210	-131.734	8149.610	136.751	71420.696	8284.932
c:\data\hdr\2002_22054608.hdr	22054608	16400	16431	71423.705	-144.627	8174.486	149.508	71422.329	8279.897
c:\data\hdr\2002_22054609.hdr	22054609	16400	16431	71423.216	-107.261	8148.567	112.034	71421.985	8278.776
c:\data\hdr\2002_22054610.hdr	22054610	16400	16431	71422.926	-93.209	8132.040	96.895	71421.180	8285.131
c:\data\hdr\2002_22054611.hdr	22054611	16400	16431	71432.169	-86.756	8175.849	89.582	71423.337	8280.162
c:\data\hdr\2002_22054612.hdr	22054612	16400	16431	71425.304	-120.256	8118.613	122.847	71423.793	8278.866
c:\data\hdr\2002_22054613.hdr	22054613	16400	16431	71425.962	-90.375	8144.512	94.843	71422.607	8292.251
c:\data\hdr\2002_22064614.hdr	22064614	16504	16503	71433.862	-119.142	8268.260	121.716	71432.080	8265.862
c:\data\hdr\2002_22064615.hdr	22064615	16504	16503	71427.326	-61.444	8226.857	63.636	71427.242	8256.915
c:\data\hdr\2002_22064616.hdr	22064616	16504	16503	71426.495	-103.865	8214.945	106.619	71427.902	8271.854
c:\data\hdr\2002_22064617.hdr	22064617	16504	16503	71427.105	-61.308	8214.474	63.769	71426.495	8271.037
c:\data\hdr\2002_22064618.hdr	22064618	16504	16503	71427.074	-103.253	8249.249	106.120	71426.764	8285.340
c:\data\hdr\2002_22064619.hdr	22064619	16504	16503	71442.222	-70.146	8151.482	73.037	71438.253	8310.453
c:\data\hdr\2002_22064620.hdr	22064620	16504	16503	71430.383	-43.615	8250.297	43.340	71430.747	8290.940
c:\data\hdr\2002_22064621.hdr	22064621	16504	16503	71428.171	-100.741	8200.792	103.995	71426.622	8292.388
c:\data\hdr\2002_22064622.hdr	22064622	16504	16503	71425.239	-160.027	8169.016	163.012	71426.222	8278.018
c:\data\hdr\2002_22064623.hdr	22064623	16504	16503	71426.365	-118.672	8197.978	121.863	71427.007	8268.620
c:\data\hdr\2002_22074636.hdr	22074636	16504	16503	71436.849	-109.590	8238.090	114.179	71435.926	8343.887
c:\data\hdr\2002_22074637.hdr	22074637	16504	16503	71436.231	-94.577	8295.287	96.662	71433.775	8281.968
c:\data\hdr\2002_22074638.hdr	22074638	16504	16503	71436.209	-109.881	8233.125	111.741	71434.505	8302.237
c:\data\hdr\2002_22074639.hdr	22074639	16504	16503	71436.114	-103.864	8241.099	106.776	71434.317	8285.041
c:\data\hdr\1995_9526707.hdr	9526707	11136	11136	47602.864	103.542	5547.182	-50.887	47614.959	5609.435
c:\data\hdr\1995_9526708.hdr	9526708	11136	11136	47600.447	467.174	5580.054	-416.151	47611.962	5614.832
c:\data\hdr\1995_9526709.hdr	9526709	11136	11136	47599.192	171.755	5537.605	-120.087	47611.825	5604.764
c:\data\hdr\1995_9526803.hdr	9526803	16384	16384	71408.720	85.800	8241.929	-78.856	71427.402	7987.638
c:\data\hdr\1995_9526804.hdr	9526804	16384	16384	71410.252	21.253	8268.583	-14.031	71425.375	7982.131
c:\data\hdr\1995_9526805.hdr	9526805	16384	16384	71412.759	-124.223	8278.730	129.798	71430.013	7975.281
c:\data\hdr\1997_9724801.hdr	9724801	11108	11108	47605.924	-17.221	5485.522	17.449	47612.595	5593.831
c:\data\hdr\1997_9724802.hdr	9724802	11108	11108	47601.154	19.851	5468.625	-19.170	47610.440	5572.229
c:\data\hdr\1997_9724803.hdr	9724803	11108	11108	47604.387	38.783	5505.735	-35.874	47612.291	5575.198
c:\data\hdr\1997_9724804.hdr	9724804	11108	11108	47603.591	42.175	5509.875	-42.629	47611.906	5573.932
c:\data\hdr\1997_9724805.hdr	9724805	10956	10955	47599.943	6.305	5355.090	-3.588	47608.395	5548.883
c:\data\hdr\1997_9724806.hdr	9724806	11064	11102	47610.336	33.423	5498.076	-31.955	47618.100	5501.431
c:\data\hdr\1997_9724807.hdr	9724807	11064	11102	47609.346	75.747	5453.109	-74.387	47616.056	5487.176
c:\data\hdr\1997_9724808.hdr	9724808	11064	11102	47609.824	81.852	5458.117	-80.310	47616.549	5494.183
c:\data\hdr\1997_9724905.hdr	9724905	16384	16384	71419.892	38.400	8272.483	-35.631	71430.434	8011.939
c:\data\hdr\1997_9724906.hdr	9724906	16384	16384	71420.571	37.460	8320.514	-38.541	71430.208	8006.704
c:\data\hdr\1997_9724907.hdr	9724907	16384	16384	71416.254	23.918	8212.854	-22.757	71426.960	7999.309
c:\data\hdr\1997_9724908.hdr	9724908	16384	16384	71414.223	56.322	8248.433	-54.486	71423.571	7990.544
c:\data\hdr\1997_9725002.hdr	9725002	11062	11148	47617.111	-196.855	5521.904	199.706	47622.210	5547.535
c:\data\hdr\1997_9725003.hdr	9725003	11062	11147	47614.593	-135.824	5517.156	138.842	47619.578	5550.417
c:\data\hdr\1997_9725004.hdr	9725004	11062	11147	47614.734	-302.265	5514.801	303.126	47619.089	5574.629
c:\data\hdr\1997_9725005.hdr	9725005	11062	11147	47611.202	-192.014	5480.770	193.579	47617.824	5572.964
c:\data\hdr\1997_9725006.hdr	9725006	11062	11147	47610.890	-139.033	5489.107	141.560	47617.272	5561.042
c:\data\hdr\1997_9725101.hdr	9725101	11062	11103	47617.904	-202.975	5520.591	204.267	47625.779	5553.105
c:\data\hdr\1997_9725102.hdr	9725102	11062	11147	47609.749	-258.965	5500.708	260.650	47617.074	5570.996
c:\data\hdr\1997_9725103.hdr	9725103	11062	11147	47609.943	-113.106	5517.249	114.480	47615.217	5573.612

c:\data\hdr\1997_9725104.hdr 9725104 11062 11147 47607.520 -200.069 5449.599 199.882 47615.296 5570.284
c:\data\hdr\1997_9725105.hdr 9725105 11062 11147 47609.445 -59.834 5506.961 62.353 47614.923 5589.354
c:\data\hdr\1997_9725106.hdr 9725106 11062 11147 47611.014 -156.875 5488.976 157.578 47615.978 5604.441
c:\data\hdr\1997_9725107.hdr 9725107 11062 11147 47608.738 -320.004 5499.916 321.691 47613.734 5559.168
c:\data\hdr\1997_9725108.hdr 9725108 11062 11147 47608.598 -233.282 5488.623 237.073 47615.491 5557.902
c:\data\hdr\1997_9725109.hdr 9725109 11062 11103 47621.196 -44.769 5500.579 47.809 47627.720 5565.823
c:\data\hdr\1999_99264213.hdr 99264213 16384 16384 71421.447 -135.454 8265.056 140.160 71430.063 8161.374
c:\data\hdr\1999_99264214.hdr 99264214 16384 16384 71417.038 -46.085 8178.118 50.850 71426.861 8162.461
c:\data\hdr\1999_99264215.hdr 99264215 16384 16384 71418.681 -155.455 8328.759 160.649 71427.938 8154.514
c:\data\hdr\1999_99264223.hdr 99264223 16384 16384 71421.283 -565.836 8261.399 566.855 71428.518 8065.581
c:\data\hdr\1999_99264224.hdr 99264224 16384 16384 71412.044 -199.903 8463.228 200.447 71427.169 8133.147
c:\data\hdr\1999_99264225.hdr 99264225 16384 16384 71413.084 -177.314 8213.672 178.438 71425.886 8148.585
c:\data\hdr\1995_9526904.hdr 9526904 16586 16528 71394.874 63.702 8246.103 -53.763 71413.010 8231.181
c:\data\hdr\1995_9526905.hdr 9526905 16586 16528 71396.038 58.913 8178.349 -49.355 71411.843 8223.286
c:\data\hdr\1995_9526909.hdr 9526909 16384 16384 71410.148 116.637 8245.641 -109.981 71426.083 7963.907
c:\data\hdr\1995_9526910.hdr 9526910 16384 16384 71413.203 38.480 8296.642 -29.039 71426.818 7946.439
c:\data\hdr\1995_9526920.hdr 9526920 16384 16384 71408.906 67.262 8305.471 -58.301 71423.832 7959.738
c:\data\hdr\1995_9526921.hdr 9526921 16384 16384 71411.461 70.458 8290.114 -65.523 71430.664 7960.095
c:\data\hdr\1962_62121313.hdr 62121313 15616 15616 66422.013 -42.035 7741.375 38.164 66400.717 7838.109
c:\data\hdr\1962_62121314.hdr 62121314 15616 15616 66422.292 -48.673 7775.329 48.119 66400.721 7815.234
c:\data\hdr\1962_62121315.hdr 62121315 15616 15616 66420.354 175.332 7792.156 -174.226 66402.102 7796.438
c:\data\hdr\1962_62121316.hdr 62121316 15616 15616 66422.566 68.584 7770.063 -67.478 66400.442 7834.063
c:\data\hdr\1966_6616304.hdr 6616304 15616 15616 66429.204 -122.235 7791.781 136.062 66407.080 7908.188
c:\data\hdr\1966_6616305.hdr 6616305 15616 15616 66421.137 -133.894 7775.242 146.420 66393.642 7866.893
c:\data\hdr\1966_6616315.hdr 6616315 15872 15616 66450.221 -170.075 7871.578 182.522 66437.500 7818.281
c:\data\hdr\1966_6616316.hdr 6616316 15616 15616 66435.841 -151.549 7795.438 163.717 66414.823 7855.688
c:\data\hdr\1966_6616317.hdr 6616317 15616 15616 66435.150 -187.752 7746.764 198.208 66414.881 7832.350
c:\data\hdr\1966_6616326.hdr 6616326 15616 15616 66422.296 -47.301 7782.134 59.491 66407.305 7794.585
c:\data\hdr\1966_6616327.hdr 6616327 15616 15616 66429.102 -102.779 7795.108 119.858 66413.876 7913.657
c:\data\hdr\1966_6616328.hdr 6616328 15616 15616 66419.509 -158.991 7851.982 170.106 66405.633 7856.639
c:\data\hdr\1973_7316622.hdr 7316622 15360 15360 66579.093 -176.156 7676.579 173.398 66573.103 7676.937
c:\data\hdr\1973_7316623.hdr 7316623 15360 15360 66575.221 -175.324 7687.156 171.186 66568.678 7677.812
c:\data\hdr\1973_7316624.hdr 7316624 15360 15360 66576.602 -152.927 7678.250 150.717 66566.745 7683.172
c:\data\hdr\1973_7316625.hdr 7316625 15616 15360 66578.265 -183.067 7675.422 177.819 66567.572 7670.156
c:\data\hdr\1973_7316626.hdr 7316626 15360 15360 66577.987 -169.240 7666.750 167.035 66568.678 7659.453
c:\data\hdr\1973_7316627.hdr 7316627 15360 15360 66577.434 -167.307 7629.735 166.757 66570.063 7663.703
c:\data\hdr\1973_7316660.hdr 7316660 15360 15360 66575.500 -110.062 7670.579 108.128 66568.130 7695.781
c:\data\hdr\1973_7316661.hdr 7316661 15360 15360 66577.708 -157.073 7698.485 155.973 66568.957 7708.625
c:\data\hdr\1973_7316662.hdr 7316662 15360 15360 66576.881 -175.324 7671.032 171.181 66569.510 7740.578
c:\data\hdr\1973_7316663.hdr 7316663 15360 15360 66575.221 55.307 7648.719 -57.243 66568.957 7694.453
c:\data\hdr\1973_7320456.hdr 7320456 15360 15616 66580.752 254.967 7700.781 -258.296 66569.231 7838.078
c:\data\hdr\1973_7320457.hdr 7320457 15616 15616 66587.168 -176.598 7730.353 171.004 66577.806 7832.255
c:\data\hdr\1973_7320458.hdr 7320458 15872 15360 66576.049 -1200.721 7874.110 1194.412 66563.426 7779.515
c:\data\hdr\1973_7320459.hdr 7320459 15360 15360 66586.283 29.866 7695.125 -35.951 66575.594 7672.625
c:\data\hdr\1973_7320460.hdr 7320460 15616 15360 66583.243 -522.101 7770.141 518.805 66570.338 7686.172
c:\data\hdr\1973_7320491.hdr 7320491 15616 15616 66584.345 278.196 7737.172 -287.058 66573.107 7900.765
c:\data\hdr\1973_7320492.hdr 7320492 15616 15360 66588.496 -227.587 7723.641 223.451 66575.594 7694.406
c:\data\hdr\1973_7320493.hdr 7320493 15616 15616 66587.111 172.006 7763.610 -176.438 66574.209 7858.359
c:\data\hdr\1973_7320494.hdr 7320494 15360 15616 66583.628 518.561 7656.875 -520.354 66570.063 7841.375
c:\data\hdr\1977_773802.hdr 773802 16612 16611 71442.386 187.667 8277.304 -115.525 71431.221 8302.755
c:\data\hdr\1977_773803.hdr 773803 16612 16611 71440.870 196.259 8300.268 -121.466 71437.162 8300.375
c:\data\hdr\1977_773804.hdr 773804 16612 16611 71439.615 196.335 8270.010 -117.242 71432.938 8307.073
c:\data\hdr\1977_773805.hdr 773805 16612 16611 71439.440 159.953 8283.741 -83.165 71433.061 8321.435
c:\data\hdr\1977_773806.hdr 773806 16612 16611 71438.190 161.203 8271.984 -88.323 71437.040 8325.263
c:\data\hdr\1977_773807.hdr 773807 16612 16611 71442.030 137.316 8278.391 -64.589 71430.995 8334.654
c:\data\hdr\1977_773808.hdr 773808 16612 16611 71425.702 157.182 8264.410 -70.493 71428.644 8350.528
c:\data\hdr\1977_773813.hdr 773813 16612 16611 71452.544 164.538 8280.630 -84.047 71444.556 8348.341
c:\data\hdr\1977_773814.hdr 773814 16612 16611 71444.997 212.179 8277.205 -131.490 71440.110 8355.437
c:\data\hdr\1977_773815.hdr 773815 16612 16611 71451.028 226.196 8253.095 -153.337 71440.730 8338.247
c:\data\hdr\1977_773816.hdr 773816 16612 16611 71429.289 212.556 8277.540 -137.636 71439.181 8334.411
c:\data\hdr\1984_84128129.hdr 84128129 15616 15616 66574.889 60.055 7848.289 -51.549 66593.792 7864.088
c:\data\hdr\1984_84128130.hdr 84128130 15616 15616 66574.597 29.395 7756.632 -19.711 66594.379 7856.182
c:\data\hdr\1984_84128131.hdr 84128131 15616 15616 66575.188 -0.675 7854.757 9.621 66594.234 7921.136
c:\data\hdr\1984_84128134.hdr 84128134 15616 15616 66574.740 77.005 7757.398 -65.702 66593.498 7945.994
c:\data\hdr\1984_84128135.hdr 84128135 15616 15616 66576.955 75.087 7828.289 -63.933 66597.035 7949.182
c:\data\hdr\1984_84128136.hdr 84128136 15616 15616 66570.618 39.860 7759.898 -30.176 66590.698 7845.573
c:\data\hdr\1984_84128137.hdr 84128137 15616 15616 66572.240 -2.151 7844.569 11.539 66591.727 7825.932
c:\data\hdr\1985_851515.hdr 851515 16612 16611 71407.193 -39.372 8248.933 130.543 71417.588 8347.378
c:\data\hdr\1985_851516.hdr 851516 16612 16611 71409.602 -42.556 8311.800 133.887 71417.978 8342.628
c:\data\hdr\1985_851517.hdr 851517 16612 16611 71400.031 -71.975 8291.980 161.143 71410.483 8340.824
c:\data\hdr\1985_8523001.hdr 8523001 16612 16611 71395.833 104.167 8285.792 -13.167 71415.290 8333.021
c:\data\hdr\1985_8523002.hdr 8523002 16612 16611 71406.448 -18.868 8278.500 103.380 71414.700 8346.708
c:\data\hdr\1985_8523003.hdr 8523003 16612 16611 71395.835 -114.387 8306.625 203.224 71417.847 8344.042
c:\data\hdr\1985_8523004.hdr 8523004 16612 16611 71404.481 21.618 8284.042 66.038 71419.811 8339.500
c:\data\hdr\1985_8523005.hdr 8523005 16612 16611 71405.267 31.054 8273.542 54.637 71416.274 8334.875
c:\data\hdr\1985_8523006.hdr 8523006 16612 16611 71408.019 44.024 8296.667 39.309 71419.026 8333.917
c:\data\hdr\1985_8523007.hdr 8523007 16612 16611 71409.590 -7.075 8296.584 95.913 71415.880 8347.333
c:\data\hdr\1985_8523008.hdr 8523008 16612 16611 71408.019 -47.958 8270.750 132.469 71419.417 8352.208
c:\data\hdr\1985_8523101.hdr 8523101 16612 16611 71412.146 4.717 8264.625 81.958 71430.425 8347.000
c:\data\hdr\1985_8523102.hdr 8523102 16612 16611 71422.403 -94.130 8314.533 177.587 71437.380 8382.211
c:\data\hdr\1985_8523103.hdr 8523103 16612 16611 71420.292 -132.278 8317.863 216.745 71436.316 8359.307
c:\data\hdr\1985_8523104.hdr 8523104 16612 16611 71420.993 -97.380 8297.488 182.392 71436.170 8330.403
c:\data\hdr\1985_8523105.hdr 8523105 16612 16611 71418.830 -47.764 8256.711 133.453 71435.722 8335.907
c:\data\hdr\1985_8523106.hdr 8523106 16612 16611 71418.276 -40.748 8258.573 126.007 71436.521 8331.132
c:\data\hdr\1985_8523107.hdr 8523107 16612 16611 71418.061 -67.953 8292.223 153.017 71434.880 8337.897
c:\data\hdr\1985_8523108.hdr 8523108 16612 16611 71420.743 -72.800 8287.785 158.304 71437.040 8356.171
c:\data\hdr\1985_8523109.hdr 8523109 16612 16611 71426.467 -103.509 8319.626 186.580 71435.307 8368.509
c:\data\hdr\1985_8523110.hdr 8523110 16612 16611 71420.243 -182.837 8252.447 263.193 71434.934 8348.496
c:\data\hdr\1985_8523111.hdr 8523111 16612 16611 71421.717 -226.368 8320.426 308.344 71435.061 8327.064
c:\data\hdr\1989_8925401.hdr 8925401 16466 16512 71405.749 -59.396 8292.752 62.589 71415.211 8248.063
c:\data\hdr\1989_8925402.hdr 8925402 16466 16512 71418.235 -59.583 8172.518 62.593 71427.468 8253.321
c:\data\hdr\1989_8925403.hdr 8925403 16466 16512 71402.475 -168.240 8323.043 170.801 71417.518 8201.693
c:\data\hdr\1989_8925404.hdr 8925404 16466 16512 71410.270 -172.565 8288.542 177.537 71419.082 8190.080
c:\data\hdr\1989_8925405.hdr 8925405 16466 16512 71406.038 -149.399 8271.703 152.848 71418.241 8180.056
c:\data\hdr\1989_8925406.hdr 8925406 16466 16512 71405.477 -34.202 8255.055 38.840 71417.998 8179.955
c:\data\hdr\1989_8925407.hdr 8925407 16612 16611 71400.772 -65.619 8226.438 149.553 71412.190 8365.126
c:\data\hdr\1989_8925408.hdr 8925408 16612 16611 71410.759 -45.135 8238.192 129.657 71420.246 8367.190
c:\data\hdr\1989_8925409.hdr 8925409 16612 16611 71411.656 -44.699 8200.788 129.181 71421.807 8363.498
c:\data\hdr\1992_9219901.hdr 9219901 16610 16595 71423.189 -57.141 8291.404 139.881 71425.990 8300.382
c:\data\hdr\1992_9219902.hdr 9219902 16610 16595 71423.304 -94.051 8282.828 177.081 71424.841 8329.804
c:\data\hdr\1992_9219903.hdr 9219903 16610 16595 71417.317 -217.278 8282.986 299.742 71421.235 8313.107
c:\data\hdr\1992_9219904.hdr 9219904 16610 16595 71422.779 31.770 8270.647 51.217 71425.059 8317.978
c:\data\hdr\1992_9219905.hdr 9219905 16610 16595 71428.802 -52.461 8273.688 134.735 71430.211 8339.383
c:\data\hdr\1992_9219906.hdr 9219906 16610 16595 71421.662 -20.647 8276.309 103.249 71423.824 8326.684
c:\data\hdr\1995_9526701.hdr 9526701 16466 16512 71385.340 136.116 8133.471 -127.704 71405.718 8261.446

c:\data\hdr\1995_9526702.hdr 9526702 16466 16512 71392.694 97.911 8116.624 -89.480 71411.229 8283.133
c:\data\hdr\1995_9526703.hdr 9526703 16466 16512 71392.232 75.849 8014.775 -64.955 71408.295 8289.564
c:\data\hdr\1995_9526704.hdr 9526704 16466 16512 71394.763 170.155 8014.105 -158.132 71412.911 8308.125
c:\data\hdr\1995_9526705.hdr 9526705 16466 16512 71397.978 262.405 8038.082 -253.086 71410.824 8320.757
c:\data\hdr\1995_9526706.hdr 9526706 16612 16611 71396.432 -75.565 8219.574 161.747 71413.905 8309.690
c:\data\hdr\1995_9526710.hdr 9526710 16466 16512 71383.214 178.293 8074.158 -177.747 71406.925 8291.237
c:\data\hdr\1995_9526711.hdr 9526711 16466 16512 71391.372 175.656 8034.225 -169.273 71412.946 8302.548
c:\data\hdr\1995_9526712.hdr 9526712 16466 16512 71391.513 142.129 8126.672 -139.851 71412.817 8303.374
c:\data\hdr\1997_9724809.hdr 9724809 16612 16611 71394.555 266.897 8206.556 -184.629 71409.863 8289.172
c:\data\hdr\1997_9724810.hdr 9724810 16612 16611 71412.805 175.054 8239.510 -90.354 71421.098 8278.114
c:\data\hdr\1997_9724811.hdr 9724811 16612 16611 71411.937 108.944 8235.266 -26.336 71420.546 8320.591
c:\data\hdr\1997_9724812.hdr 9724812 16612 16611 71408.984 134.349 8227.212 -51.480 71419.273 8305.220
c:\data\hdr\1997_9724813.hdr 9724813 16612 16611 71409.922 86.174 8226.998 -6.189 71420.451 8315.095
c:\data\hdr\1997_9724814.hdr 9724814 16612 16611 71406.183 162.555 8259.418 -77.549 71420.633 8280.993
c:\data\hdr\1997_9724815.hdr 9724815 16612 16611 71405.225 167.854 8226.108 -84.262 71419.708 8276.233
c:\data\hdr\1997_9724816.hdr 9724816 16612 16611 71404.518 156.840 8277.036 -75.128 71420.144 8287.548
c:\data\hdr\1997_9725001.hdr 9725001 16612 16611 71402.754 -142.589 8318.787 217.501 71413.818 8340.431
c:\data\hdr\2000_106052.hdr 106052 15616 15616 66582.964 17.297 7803.446 -12.219 66585.963 7822.100
c:\data\hdr\2000_106053.hdr 106053 15616 15616 66578.879 29.717 7804.202 -21.794 66583.808 7821.099
c:\data\hdr\2000_106054.hdr 106054 15872 15616 66578.818 95.851 7811.963 -89.073 66582.152 7813.483
c:\data\hdr\2000_106100.hdr 106100 15872 15872 66580.735 192.459 7823.524 -187.435 66583.960 8057.707
c:\data\hdr\2000_106101.hdr 106101 15872 15872 66576.861 162.678 7819.551 -157.349 66581.492 8061.527
c:\data\hdr\2000_106102.hdr 106102 15872 15616 66576.469 88.006 7810.771 -82.412 66581.524 7814.203
c:\data\hdr\2000_106103.hdr 106103 15616 15616 66576.395 66.388 7808.324 -61.762 66580.658 7816.834
c:\data\hdr\1985_8523201.hdr 8523201 16570 16538 71407.724 -71.050 8244.094 157.724 71421.875 8283.469
c:\data\hdr\1985_8523202.hdr 8523202 16570 16538 71404.479 -66.432 8268.208 156.248 71420.795 8336.729
c:\data\hdr\1985_8523203.hdr 8523203 16570 16538 71408.804 85.691 8317.083 1.573 71423.743 8253.917
c:\data\hdr\1985_8523204.hdr 8523204 16570 16538 71408.019 129.717 8302.917 -34.590 71427.675 8290.167
c:\data\hdr\1985_8523205.hdr 8523205 16594 16611 71408.021 80.974 8290.917 11.792 71423.741 8311.084
c:\data\hdr\1985_8523206.hdr 8523206 16594 16611 71406.446 44.809 8271.917 48.741 71424.528 8351.167
c:\data\hdr\1985_8523207.hdr 8523207 16594 16611 71404.875 19.653 8237.583 75.472 71422.958 8338.167
c:\data\hdr\2004_440201.hdr 440201 15360 15330 66688.772 -32.399 7680.824 30.200 66686.824 7662.535
c:\data\hdr\2004_440202.hdr 440202 15363 15334 66663.488 5.952 7682.348 -4.969 66667.191 7664.793
c:\data\hdr\2004_440203.hdr 440203 15365 15335 66661.482 18.429 7683.442 -14.949 66660.751 7665.442
c:\data\hdr\2004_440204.hdr 440204 15370 15340 66657.073 44.232 7685.911 -41.195 66657.650 7667.988
c:\data\hdr\2004_440205.hdr 440205 15375 15344 66655.134 66.328 7688.288 -62.003 66655.674 7669.757
c:\data\hdr\2004_440206.hdr 440206 15370 15339 66654.699 46.356 7685.972 -41.320 66654.367 7667.214
c:\data\hdr\2004_440207.hdr 440207 15374 15344 66653.106 66.769 7688.099 -62.967 66653.690 7669.851
c:\data\hdr\2004_440208.hdr 440208 15370 15339 66652.455 48.037 7685.759 -43.069 66652.358 7667.271
c:\data\hdr\2004_440209.hdr 440209 15365 15335 66651.706 29.043 7683.579 -23.961 66651.726 7665.438
c:\data\hdr\2004_440210.hdr 440210 15356 15326 66650.858 -8.774 7679.063 14.457 66650.581 7661.069
c:\data\hdr\2004_440211.hdr 440211 15355 15325 66669.396 -32.490 7678.594 32.575 66667.187 7660.158
c:\data\hdr\2004_440212.hdr 440212 15351 15323 66653.340 -32.266 7676.655 35.059 66657.335 7659.666
c:\data\hdr\2004_440213.hdr 440213 15348 15318 66652.593 -45.183 7675.171 49.205 66653.499 7656.744
c:\data\hdr\2004_440214.hdr 440214 15356 15325 66652.137 -12.817 7678.748 17.495 66653.039 7660.113
c:\data\hdr\2004_440215.hdr 440215 15353 15323 66651.021 -23.362 7677.460 29.009 66652.601 7659.362
c:\data\hdr\2004_440216.hdr 440216 15364 15334 66651.527 27.238 7683.182 -21.319 66652.365 7664.709
c:\data\hdr\2004_440217.hdr 440217 15369 15340 66650.994 48.440 7685.708 -43.831 66651.885 7668.168
c:\data\hdr\2004_440218.hdr 440218 15376 15346 66650.601 77.919 7689.023 -73.126 66652.167 7670.920
c:\data\hdr\2004_440219.hdr 440219 15378 15348 66651.359 85.650 7690.099 -80.621 66652.207 7671.976
c:\data\hdr\2004_440220.hdr 440220 15376 15346 66651.862 77.423 7689.158 -72.835 66652.358 7670.856
c:\data\hdr\2004_440301.hdr 440301 15404 15375 66667.992 181.878 7703.541 -180.501 66668.805 7685.125
c:\data\hdr\2004_440302.hdr 440302 15374 15344 66667.356 49.844 7687.983 -47.200 66668.064 7669.636
c:\data\hdr\2004_440303.hdr 440303 15375 15345 66668.674 52.754 7688.442 -50.516 66669.680 7670.208
c:\data\hdr\2004_440304.hdr 440304 15374 15345 66668.711 51.478 7688.349 -49.420 66669.416 7670.265
c:\data\hdr\2004_440305.hdr 440305 15373 15344 66668.894 47.236 7687.820 -45.369 66669.341 7669.629
c:\data\hdr\2004_440306.hdr 440306 15373 15344 66669.248 45.104 7687.599 -44.210 66668.869 7669.892
c:\data\hdr\2004_440307.hdr 440307 15367 15337 66669.218 17.003 7684.482 -15.490 66668.658 7666.194
c:\data\hdr\2004_440308.hdr 440308 15370 15340 66669.624 33.038 7686.276 -30.781 66669.069 7667.522
c:\data\hdr\2004_440309.hdr 440309 15374 15344 66668.127 49.892 7688.030 -47.552 66669.157 7669.496
c:\data\hdr\2004_440310.hdr 440310 15376 15347 66668.016 60.432 7689.340 -58.235 66667.705 7671.379
c:\data\hdr\2004_440311.hdr 440311 15385 15356 66681.074 85.976 7693.703 -89.728 66677.442 7675.644
c:\data\hdr\2004_440312.hdr 440312 15385 15356 66669.240 96.062 7693.532 -95.807 66672.743 7675.446
c:\data\hdr\2004_440313.hdr 440313 15389 15360 66669.389 114.350 7695.579 -111.891 66670.306 7677.871
c:\data\hdr\2004_440314.hdr 440314 15390 15360 66669.117 119.292 7696.011 -116.280 66668.422 7677.682
c:\data\hdr\2004_440315.hdr 440315 15392 15362 66667.972 129.108 7697.195 -126.185 66668.508 7678.619
c:\data\hdr\2004_440316.hdr 440316 15387 15357 66668.918 106.348 7694.563 -103.886 66667.116 7676.118
c:\data\hdr\2004_440317.hdr 440317 15391 15362 66667.389 124.092 7696.602 -123.589 66667.261 7678.940
c:\data\hdr\2004_440318.hdr 440318 15389 15359 66668.009 114.371 7695.464 -112.795 66666.612 7677.197
c:\data\hdr\2004_440319.hdr 440319 15384 15354 66668.800 94.084 7693.172 -91.213 66667.002 7674.656
c:\data\hdr\2004_440320.hdr 440320 15386 15356 66667.129 101.629 7694.003 -99.900 66667.068 7675.775
c:\data\hdr\2004_440321.hdr 440321 15384 15355 66679.506 84.775 7693.339 -86.422 66675.990 7675.222
c:\data\hdr\2004_440322.hdr 440322 15386 15356 66667.504 101.449 7693.937 -98.450 66669.961 7675.564
c:\data\hdr\2004_440323.hdr 440323 15384 15355 66668.741 94.318 7693.244 -93.761 66668.214 7675.202
c:\data\hdr\2004_440324.hdr 440324 15386 15356 66667.741 101.810 7694.078 -100.800 66667.293 7675.575
c:\data\hdr\2004_440325.hdr 440325 15388 15359 66667.461 112.942 7695.259 -110.607 66666.475 7677.364
c:\data\hdr\2004_440326.hdr 440326 15387 15358 66667.260 109.644 7694.883 -107.882 66666.560 7676.812
c:\data\hdr\2004_440327.hdr 440327 15385 15355 66666.870 99.480 7693.660 -97.061 66666.292 7675.118
c:\data\hdr\2004_440328.hdr 440328 15383 15353 66666.924 90.059 7692.490 -84.646 66666.607 7674.468
c:\data\hdr\2004_440329.hdr 440329 15386 15356 66666.624 103.942 7694.133 -101.397 66665.955 7675.670
c:\data\hdr\2004_440330.hdr 440330 15377 15347 66665.993 64.697 7689.534 -61.993 66666.547 7671.170
c:\data\hdr\1966_6616318.hdr 6616318 15396 15354 66476.217 -136.615 7689.125 141.593 66461.836 7670.469
c:\data\hdr\1966_6616329.hdr 6616329 15404 15379 66468.584 -94.690 7694.775 100.000 66453.540 7687.925
c:\data\hdr\1966_6616330.hdr 6616330 15388 15379 66455.310 -125.664 7687.625 131.416 66438.053 7671.825
c:\data\hdr\1966_6616339.hdr 6616339 15396 15403 66474.336 -76.549 7703.525 83.628 66459.292 7697.725
c:\data\hdr\1966_6616340.hdr 6616340 15355 15377 66460.177 -84.513 7666.725 92.035 66439.823 7679.550
c:\data\hdr\1966_6616341.hdr 6616341 15388 15393 66468.142 -96.903 7688.475 98.230 66447.345 7675.725
c:\data\hdr\1966_6616342.hdr 6616342 15396 15369 66467.699 -116.372 7700.600 126.991 66446.903 7678.475
c:\data\hdr\1946_54439.hdr 54439 12317 12496 66567.231 608.674 6224.000 -634.861 66566.596 6173.875
c:\data\hdr\1946_54440.hdr 54440 12317 12496 66614.864 79.640 6161.344 -93.843 66620.637 6169.469
c:\data\hdr\1946_54441.hdr 54441 12317 12496 66680.269 442.995 6203.500 -456.417 66725.164 6182.313
c:\data\hdr\1946_54452.hdr 54452 12347 12407 66715.105 550.366 6209.000 -560.213 66726.586 6221.125
c:\data\hdr\1946_54453.hdr 54453 12347 12526 66695.628 563.825 6192.688 -570.224 66729.045 6329.563
c:\data\hdr\1946_54454.hdr 54454 12347 12526 66680.697 437.267 6221.656 -447.221 66693.495 6331.531
c:\data\hdr\1946_55012.hdr 55012 12317 12407 66648.211 122.404 6119.969 -134.502 66626.862 6262.813
c:\data\hdr\1946_55013.hdr 55013 12317 12407 66663.868 140.907 6126.094 -148.735 66649.635 6273.500
c:\data\hdr\1946_55014.hdr 55014 12317 12407 66662.444 70.453 6148.000 -86.110 66651.058 6296.750
c:\data\hdr\1946_55015.hdr 55015 12317 12407 66663.868 137.349 6114.750 -153.717 66648.923 6283.875
c:\data\hdr\1946_55016.hdr 55016 12317 12407 66747.131 99.631 6151.750 -113.152 66778.443 6277.406
c:\data\hdr\1946_55045.hdr 55045 12317 12287 66648.211 80.417 6110.500 -88.956 66638.960 6243.656
c:\data\hdr\1946_55046.hdr 55046 12317 12287 66648.923 95.361 6141.063 -108.171 66652.481 6216.531
c:\data\hdr\1946_55047.hdr 55047 12317 12287 66656.751 165.103 6146.219 -179.336 66635.401 6192.781
c:\data\hdr\1946_55048.hdr 55048 12317 12287 66695.892 182.183 6118.125 -201.397 66685.929 6174.344
c:\data\hdr\1946_55049.hdr 55049 12317 12287 66703.008 106.748 6079.938 -124.539 66698.738 6170.594
c:\data\hdr\1946_55050.hdr 55050 12317 12287 66752.824 66.184 6133.719 -88.245 66764.210 6191.563

```
c:\data\hdr\1969_6911301.hdr 6911301 15578 15586 66648.783 94.027 7823.969 -94.027 66647.951 7782.172
c:\data\hdr\1969_6911302.hdr 6911302 15578 15586 66642.146 -1.659 7707.750 2.212 66641.040 7804.844
c:\data\hdr\1969_6911303.hdr 6911303 15586 15594 66638.938 19.690 7764.513 -17.257 66640.044 7778.938
c:\data\hdr\1969_6911304.hdr 6911304 15578 15636 66625.664 3.540 7768.350 0.000 66625.221 7797.225
c:\data\hdr\1969_6911305.hdr 6911305 15545 15570 66621.681 5.531 7773.938 3.429 66621.681 7759.881
c:\data\hdr\1969_6911306.hdr 6911306 15545 15570 66623.894 14.159 7728.050 -8.407 66623.009 7773.275
c:\data\hdr\1969_6911307.hdr 6911307 15545 15570 66622.124 4.867 7711.325 1.327 66621.239 7773.775
c:\data\hdr\1969_6911308.hdr 6911308 15635 15629 66623.341 -4.978 7753.063 14.381 66623.341 7773.219
c:\data\hdr\1969_6911309.hdr 6911309 15578 15605 66622.566 3.097 7754.550 2.655 66621.681 7775.925
c:\data\hdr\1973_7316619.hdr 7316619 15228 15201 66630.531 -207.402 7608.656 191.925 66628.689 7595.156
c:\data\hdr\1973_7316620.hdr 7316620 15228 15201 66628.319 -189.704 7594.375 173.398 66630.348 7570.172
c:\data\hdr\1973_7316628.hdr 7316628 15262 15166 66628.982 -184.726 7623.338 166.867 66629.795 7582.728
c:\data\hdr\1973_7316629.hdr 7316629 15236 15114 66631.142 -213.207 7616.138 194.965 66631.454 7542.015
c:\data\hdr\1973_7316657.hdr 7316657 15253 15080 66632.854 -305.849 7616.025 289.823 66632.561 7544.719
c:\data\hdr\1973_7316658.hdr 7316658 15296 15183 66643.252 -246.671 7656.031 230.088 66639.197 7591.344
c:\data\hdr\1973_7316659.hdr 7316659 15228 15115 66652.655 -215.145 7602.656 198.009 66642.516 7582.594
c:\data\hdr\1998_9811022.hdr 9811022 15380 15358 66631.709 123.358 7691.947 -125.460 66650.104 7676.489
c:\data\hdr\1998_9811023.hdr 9811023 15381 15360 66624.231 135.908 7692.453 -139.687 66644.726 7677.602
c:\data\hdr\1998_9811024.hdr 9811024 15386 15365 66625.168 153.462 7694.628 -156.924 66646.594 7680.351
c:\data\hdr\1998_9811025.hdr 9811025 15381 15360 66628.269 130.802 7692.203 -134.871 66648.917 7677.802
c:\data\hdr\1998_9811026.hdr 9811026 15379 15357 66629.518 120.546 7691.228 -123.860 66649.389 7676.014
c:\data\hdr\1998_9811050.hdr 9811050 15382 15360 66631.676 131.563 7692.991 -134.105 66650.956 7677.439
c:\data\hdr\1998_9811051.hdr 9811051 15382 15361 66626.400 137.169 7692.753 -140.630 66646.123 7678.339
c:\data\hdr\1998_9811052.hdr 9811052 15378 15356 66626.860 116.354 7690.553 -119.510 66646.276 7675.764
c:\data\hdr\1998_9811091.hdr 9811091 15376 15354 66634.618 103.463 7689.891 -105.692 66653.586 7674.477
c:\data\hdr\1998_9811092.hdr 9811092 15364 15343 66626.559 60.614 7683.978 -62.673 66647.980 7668.903
c:\data\hdr\1998_9811093.hdr 9811093 15356 15334 66626.860 22.557 7679.703 -21.368 66647.214 7664.779
c:\data\hdr\1999_99108185.hdr 99108185 15377 15354 66634.453 105.331 7690.266 -108.640 66649.400 7674.415
c:\data\hdr\1999_99108186.hdr 99108186 15373 15351 66632.283 91.202 7688.328 -94.970 66648.156 7673.227
c:\data\hdr\1999_99108187.hdr 99108187 15386 15364 66631.346 148.646 7694.791 -150.711 66647.537 7679.851
c:\data\hdr\1999_99108188.hdr 99108188 15375 15352 66631.505 99.896 7689.253 -103.511 66647.225 7673.615
c:\data\hdr\1999_99108189.hdr 99108189 15383 15360 66631.505 134.369 7693.203 -136.274 66647.231 7677.364
c:\data\hdr\1999_99108190.hdr 99108190 15380 15358 66631.358 121.784 7691.603 -123.854 66647.373 7676.789
c:\data\hdr\1999_99108191.hdr 99108191 15378 15356 66632.118 114.639 7690.891 -118.101 66647.219 7675.527
c:\data\hdr\1999_99108192.hdr 99108192 15378 15355 66631.511 111.851 7690.553 -115.773 66646.754 7674.927
c:\data\hdr\1973_7320489.hdr 7320489 15677 15770 66622.235 19.911 7832.094 -30.973 66614.862 7882.094
c:\data\hdr\1973_7320490.hdr 7320490 15685 15778 66621.681 76.545 7831.400 -88.053 66614.752 7868.475
c:\data\hdr\1973_7320495.hdr 7320495 15586 15745 66624.336 125.216 7803.600 -134.513 66616.521 7888.000
c:\data\hdr\1973_7320496.hdr 7320496 15619 15429 66624.447 -500.531 7849.063 490.597 66621.499 7693.125
c:\data\hdr\1973_7320497.hdr 7320497 15644 15586 66623.341 -271.669 7804.369 261.283 66619.066 7800.819
c:\data\hdr\1973_7320498.hdr 7320498 15586 15795 66622.788 305.849 7807.531 -316.372 66617.074 7902.656
c:\data\hdr\1984_84128101.hdr 84128101 15379 15453 66617.933 76.560 7717.289 -77.642 66645.530 7754.510
c:\data\hdr\1984_84128102.hdr 84128102 15396 15436 66616.665 69.811 7739.567 -69.182 66645.442 7706.482
c:\data\hdr\1984_84128103.hdr 84128103 15462 15470 66621.854 57.547 7746.617 -57.390 66648.272 7736.733
c:\data\hdr\1983_8319310.hdr 8319310 15561 15436 66636.291 -116.130 7730.850 111.766 66659.878 7714.599
c:\data\hdr\1983_8319311.hdr 8319311 15528 15469 66635.376 -123.116 7779.934 119.814 66658.491 7745.184
c:\data\hdr\1983_8319312.hdr 8319312 15470 15461 66635.848 -127.833 7773.834 125.238 66658.727 7721.359
c:\data\hdr\1983_8319313.hdr 8319313 15553 15445 66635.848 -122.173 7737.034 119.106 66660.142 7723.759
c:\data\hdr\1983_8319314.hdr 8319314 15470 15461 66638.913 -144.107 7741.409 139.154 66660.850 7746.284
c:\data\hdr\1983_8319315.hdr 8319315 15536 15428 66647.876 -145.994 7766.059 143.163 66666.274 7714.609
c:\data\hdr\1983_8319316.hdr 8319316 15578 15437 66629.656 -154.011 7809.022 150.093 66649.854 7704.599
c:\data\hdr\1983_8319317.hdr 8319317 15511 15437 66628.300 -163.683 7766.484 158.494 66650.944 7720.534
c:\data\hdr\1983_8319318.hdr 8319318 15412 15404 66628.300 -116.512 7716.784 111.795 66650.944 7713.584
c:\data\hdr\1983_8319319.hdr 8319319 15478 15487 66629.243 -180.665 7765.234 176.655 66652.124 7730.059
c:\data\hdr\1983_8319320.hdr 8319320 15462 15437 66629.007 -176.183 7732.259 174.060 66651.888 7727.834
c:\data\hdr\1989_8920408.hdr 8920408 15661 15666 66613.765 6.219 7807.717 -5.730 66632.438 7756.948
c:\data\hdr\1989_8920409.hdr 8920409 15779 15784 66607.993 -974.055 7867.737 975.630 66626.681 7815.463
c:\data\hdr\1989_8920410.hdr 8920410 15665 15670 66615.546 -483.135 7810.550 482.132 66631.464 7758.817
c:\data\hdr\1989_8920411.hdr 8920411 15653 15658 66615.045 -430.111 7804.344 430.493 66632.429 7752.907
c:\data\hdr\1985_8523320.hdr 8523320 16305 16310 66604.363 205.778 8155.938 -193.396 66621.462 8156.625
c:\data\hdr\1985_8523321.hdr 8523321 16295 16300 66612.028 162.736 8150.500 -145.637 66625.590 8151.438
c:\data\hdr\1985_8523329.hdr 8523329 16349 16354 66609.670 425.708 8181.500 -419.811 66627.358 8178.375
c:\data\hdr\1985_8523330.hdr 8523330 16369 16374 66601.710 451.946 8186.781 -443.396 66626.769 8185.938
c:\data\hdr\1985_8523331.hdr 8523331 16330 16335 66604.953 318.396 8168.625 -316.038 66626.179 8169.500
c:\data\hdr\1985_8523332.hdr 8523332 16301 16306 66607.017 181.309 8153.719 -176.887 66628.538 8153.500
c:\data\hdr\1985_8523333.hdr 8523333 16282 16287 66609.375 115.861 8144.031 -113.208 66632.665 8144.938
c:\data\hdr\1986_8610001.hdr 8610001 15764 15769 66642.255 160.914 7884.708 -163.776 66655.662 7887.361
c:\data\hdr\1986_8610002.hdr 8610002 15777 15783 66622.800 -233.479 7891.171 231.370 66639.140 7893.946
c:\data\hdr\1986_8610003.hdr 8610003 15804 15809 66618.442 -348.202 7904.134 345.484 66638.818 7907.159
c:\data\hdr\1986_8610004.hdr 8610004 15738 15743 66616.575 -69.196 7871.233 68.200 66637.124 7873.696
c:\data\hdr\1986_8610005.hdr 8610005 15896 15901 66614.980 745.632 7950.707 -746.371 66632.649 7952.570
c:\data\hdr\1986_8610006.hdr 8610006 15867 15872 66617.253 617.350 7935.932 -614.697 66631.987 7938.589
c:\data\hdr\1986_8610007.hdr 8610007 15739 15744 66619.977 -67.510 7871.908 68.973 66635.739 7874.471
c:\data\hdr\1986_8622606.hdr 8622606 16344 16349 66617.335 494.104 8096.500 -491.156 66637.972 8404.563
c:\data\hdr\1986_8622607.hdr 8622607 16315 16320 66620.047 375.236 8082.375 -372.406 66640.802 8388.875
c:\data\hdr\1986_8622608.hdr 8622608 16285 16290 66621.698 269.811 8066.000 -267.689 66641.745 8372.075
c:\data\hdr\1986_8622609.hdr 8622609 16269 16274 66620.519 156.368 8057.675 -152.830 66641.981 8369.100
c:\data\hdr\1988_8808608.hdr 8808608 15743 15748 66600.586 93.319 7873.846 -100.361 66626.965 7875.453
c:\data\hdr\1988_8808609.hdr 8808609 15734 15739 66599.342 53.889 7868.783 -62.798 66626.181 7871.116
c:\data\hdr\1988_8808610.hdr 8808610 15723 15728 66598.115 11.966 7863.758 -20.555 66624.478 7865.304
c:\data\hdr\1988_8808611.hdr 8808611 15728 15733 66597.762 -41.145 7866.258 30.666 66621.689 7868.392
c:\data\hdr\1988_8808612.hdr 8808612 15739 15744 66596.218 -82.136 7871.182 76.845 66621.684 7873.742
c:\data\hdr\1988_8808613.hdr 8808613 15763 15768 66597.467 -186.802 7883.432 180.060 66622.149 7885.843
c:\data\hdr\1991_9114201.hdr 9114201 16311 16316 66628.302 370.283 8234.000 -372.406 66653.538 7934.525
c:\data\hdr\1991_9114202.hdr 9114202 16269 16275 66634.375 194.752 8213.606 -199.057 66655.660 7915.700
c:\data\hdr\1991_9114203.hdr 9114203 16288 16293 66626.120 281.191 8222.694 -286.675 66650.825 7923.513
c:\data\hdr\1992_9206403.hdr 9206403 15787 15792 66606.726 286.542 7897.569 -285.706 66630.860 7897.423
c:\data\hdr\1992_9206404.hdr 9206404 15799 15804 66608.269 338.859 7903.057 -336.319 66629.441 7903.610
c:\data\hdr\1992_9206405.hdr 9206405 16119 16125 66585.659 1707.553 8063.619 -1707.857 66608.347 8064.183
c:\data\hdr\1992_9206410.hdr 9206410 15786 15791 66596.723 276.349 7895.656 -274.685 66621.300 7896.498
c:\data\hdr\1992_9206411.hdr 9206411 15827 15832 66600.615 464.878 7917.445 -460.430 66622.283 7917.134
c:\data\hdr\1992_9206412.hdr 9206412 15788 15793 66604.416 -283.606 7897.964 285.263 66627.546 7897.964
c:\data\hdr\1992_9206413.hdr 9206413 15842 15847 66604.704 518.080 7924.908 -515.972 66626.793 7925.046
c:\data\hdr\1992_9206414.hdr 9206414 15919 15924 66600.334 851.624 7963.136 -846.287 66624.502 7963.357
c:\data\hdr\1995_9527003.hdr 9527003 15943 15948 66601.349 959.440 7976.059 -953.357 66623.771 7976.122
c:\data\hdr\1995_9527004.hdr 9527004 15858 15863 66604.077 597.885 7933.684 -593.296 66627.643 7933.446
c:\data\hdr\1995_9527005.hdr 9527005 15841 15846 66602.688 525.355 7925.221 -521.561 66628.714 7925.021
c:\data\hdr\1995_9527006.hdr 9527006 15801 15806 66602.249 361.224 7905.120 -357.435 66629.011 7905.147
c:\data\hdr\1995_9527007.hdr 9527007 15753 15758 66602.243 -115.159 7881.578 120.813 66629.300 7880.938
c:\data\hdr\1995_9527008.hdr 9527008 15763 15768 66603.933 198.956 7885.918 -196.097 66628.235 7885.748
c:\data\hdr\1995_9527009.hdr 9527009 15752 15757 66602.231 154.090 7881.118 -147.341 66629.159 7879.861
c:\data\hdr\1995_9526906.hdr 9526906 15762 15767 66601.776 197.252 7885.781 -192.059 66628.535 7885.161
c:\data\hdr\1995_9526911.hdr 9526911 15758 15763 66605.019 171.644 7883.368 -171.256 66627.155 7883.611
c:\data\hdr\1995_9526912.hdr 9526912 15731 15736 66605.109 -31.873 7870.128 32.788 66628.029 7869.656
c:\data\hdr\1995_9526913.hdr 9526913 15742 15747 66603.463 -79.317 7875.578 82.336 66627.001 7875.213
```

```
c:\data\hdr\1995_9526914.hdr 9526914 15818 15823 66601.191 -398.905 7913.472 401.120 66624.062 7913.752
c:\data\hdr\1995_9526918.hdr 9526918 15808 15813 66604.366 386.230 7908.220 -383.367 66625.309 7908.135
c:\data\hdr\1995_9526919.hdr 9526919 15805 15810 66602.220 373.474 7906.545 -370.156 66626.388 7906.860
c:\data\hdr\1995_9526922.hdr 9526922 15888 15894 66596.180 734.211 7949.173 -731.048 66625.130 7949.195
c:\data\hdr\1946_533106.hdr 533106 12258 12317 66625.720 256.303 6130.875 -273.325 66627.390 6125.000
c:\data\hdr\1946_533107.hdr 533107 12258 12317 66631.414 182.260 6103.375 -201.577 66633.656 6159.575
c:\data\hdr\1946_533108.hdr 533108 12258 12317 66647.927 115.052 6119.300 -142.357 66639.921 6161.200
c:\data\hdr\1946_533109.hdr 533109 12258 12317 66654.760 134.417 6126.450 -160.009 66660.425 6144.475
c:\data\hdr\1946_533110.hdr 533110 12258 12317 66654.191 154.351 6101.700 -175.953 66659.286 6151.075
c:\data\hdr\1946_533111.hdr 533111 12258 12317 66677.537 227.825 6097.600 -251.117 66703.142 6124.650
c:\data\hdr\1946_533118.hdr 533118 12258 12317 66656.469 193.651 6138.475 -219.229 66673.525 6105.400
c:\data\hdr\1946_533119.hdr 533119 12258 12317 66665.579 245.481 6098.600 -259.089 66662.703 6106.125
c:\data\hdr\1946_533120.hdr 533120 12258 12317 66659.316 273.959 6124.625 -297.241 66666.690 6115.625
c:\data\hdr\1946_533121.hdr 533121 12258 12317 66666.149 298.451 6136.200 -325.142 66671.816 6157.175
c:\data\hdr\1946_533122.hdr 533122 12258 12317 66666.149 308.133 6141.925 -331.976 66667.829 6116.800
c:\data\hdr\1946_533123.hdr 533123 12258 12317 66674.121 319.524 6162.575 -348.489 66683.777 6120.275
c:\data\hdr\1946_533124.hdr 533124 12258 12317 66678.107 284.212 6140.150 -314.323 66683.777 6152.425
c:\data\hdr\1946_533200.hdr 533200 12258 12317 66680.385 -127.012 6124.450 105.913 66668.399 6118.800
c:\data\hdr\1946_533201.hdr 533201 12258 12317 66682.662 -112.773 6120.275 85.983 66668.968 6145.650
c:\data\hdr\1946_533202.hdr 533202 12258 12317 66668.427 -47.274 6117.975 26.763 66662.703 6132.275
c:\data\hdr\1946_533203.hdr 533203 12258 12317 66689.495 17.656 6145.700 -36.443 66671.247 6127.975
c:\data\hdr\1946_533204.hdr 533204 12258 12317 66688.356 44.426 6109.325 -67.762 66677.512 6147.325
c:\data\hdr\1946_533205.hdr 533205 12258 12317 66686.648 39.300 6123.925 -66.623 66673.525 6119.050
c:\data\hdr\1946_533206.hdr 533206 12258 12317 66688.926 93.408 6134.450 -118.441 66673.525 6173.925
c:\data\hdr\1946_533207.hdr 533207 12258 12317 66798.825 112.773 6153.275 -147.481 66805.094 6128.425
c:\data\hdr\1946_537024.hdr 537024 16502 12407 66641.935 9.255 6107.313 -32.754 66640.563 6166.000
c:\data\hdr\1946_537025.hdr 537025 12258 12317 66660.448 5.695 6153.094 -20.649 66648.394 6153.813
c:\data\hdr\1946_537026.hdr 537026 12258 12317 66666.287 22.212 6118.375 -42.153 66663.060 6159.825
c:\data\hdr\1946_537027.hdr 537027 12258 12317 66669.135 93.405 6133.125 -105.382 66672.172 6105.300
c:\data\hdr\1946_537028.hdr 537028 12258 12317 66669.705 -16.517 6113.725 -4.557 66669.894 6102.425
c:\data\hdr\1946_537029.hdr 537029 12258 12317 66673.692 -34.172 6124.425 15.380 66670.464 6163.675
c:\data\hdr\1946_537030.hdr 537030 12258 12317 66681.097 34.172 6138.000 -56.963 66675.020 6154.300
c:\data\hdr\1946_537031.hdr 537031 12258 12317 66703.313 18.795 6153.650 -38.165 66704.067 6134.700
c:\data\hdr\1946_537050.hdr 537050 12258 12317 66693.629 -52.967 6126.825 38.165 66700.080 6140.475
c:\data\hdr\1946_537051.hdr 537051 12258 12317 66650.907 -29.047 6149.150 10.823 66647.112 6131.850
c:\data\hdr\1946_537052.hdr 537052 12258 12317 66650.907 88.279 6119.300 -103.673 66647.112 6119.475
c:\data\hdr\1946_537053.hdr 537053 12258 12317 66649.198 -7.404 6111.725 -8.544 66650.530 6149.000
c:\data\hdr\1946_537054.hdr 537054 12258 12317 66644.071 0.000 6087.625 -24.209 66650.530 6116.063
c:\data\hdr\1946_537055.hdr 537055 12258 12317 66679.673 -111.345 6096.200 87.723 66691.964 6114.394
c:\data\hdr\1963_6306239.hdr 6306239 15635 15605 66698.009 -277.655 7808.875 298.673 66688.053 7782.750
c:\data\hdr\1963_6306240.hdr 6306240 15635 15605 66680.973 -103.982 7825.250 123.894 66667.699 7797.725
c:\data\hdr\1963_6306241.hdr 6306241 15695 15635 66688.717 342.810 7835.531 -320.465 66680.752 7789.956
c:\data\hdr\1963_6306259.hdr 6306259 15605 15635 66703.540 -372.124 7785.725 391.593 66690.708 7822.600
c:\data\hdr\1963_6306260.hdr 6306260 15605 15635 66684.513 96.018 7809.550 -72.124 66667.699 7790.600
c:\data\hdr\1963_6306261.hdr 6306261 15605 15635 66682.743 30.088 7800.325 -6.637 66671.239 7811.100
c:\data\hdr\2006_620510037.hdr 620510037 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510038.hdr 620510038 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510039.hdr 620510039 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510040.hdr 620510040 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510041.hdr 620510041 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510042.hdr 620510042 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510043.hdr 620510043 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510044.hdr 620510044 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510060.hdr 620510060 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510061.hdr 620510061 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510062.hdr 620510062 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510063.hdr 620510063 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510064.hdr 620510064 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510065.hdr 620510065 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510066.hdr 620510066 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_620510067.hdr 620510067 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62059865.hdr 62059865 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62059866.hdr 62059866 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62059867.hdr 62059867 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62059868.hdr 62059868 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62059869.hdr 62059869 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62059870.hdr 62059870 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62059871.hdr 62059871 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62059872.hdr 62059872 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143852.hdr 62143852 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143853.hdr 62143853 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143854.hdr 62143854 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143855.hdr 62143855 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143856.hdr 62143856 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143857.hdr 62143857 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143858.hdr 62143858 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143859.hdr 62143859 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143860.hdr 62143860 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143861.hdr 62143861 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143862.hdr 62143862 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143863.hdr 62143863 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143864.hdr 62143864 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143865.hdr 62143865 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143866.hdr 62143866 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143867.hdr 62143867 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143868.hdr 62143868 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143869.hdr 62143869 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143870.hdr 62143870 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143871.hdr 62143871 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143872.hdr 62143872 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143873.hdr 62143873 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143874.hdr 62143874 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143875.hdr 62143875 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143876.hdr 62143876 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143877.hdr 62143877 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143878.hdr 62143878 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143879.hdr 62143879 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143880.hdr 62143880 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143881.hdr 62143881 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143882.hdr 62143882 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143883.hdr 62143883 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143884.hdr 62143884 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143885.hdr 62143885 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143886.hdr 62143886 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143887.hdr 62143887 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
```

```
c:\data\hdr\2006_62143888.hdr 62143888 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143889.hdr 62143889 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143890.hdr 62143890 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143891.hdr 62143891 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143892.hdr 62143892 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143893.hdr 62143893 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143894.hdr 62143894 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143895.hdr 62143895 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143896.hdr 62143896 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143897.hdr 62143897 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143898.hdr 62143898 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143899.hdr 62143899 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143900.hdr 62143900 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143901.hdr 62143901 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143902.hdr 62143902 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143903.hdr 62143903 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143904.hdr 62143904 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143905.hdr 62143905 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143906.hdr 62143906 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143907.hdr 62143907 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143908.hdr 62143908 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143909.hdr 62143909 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143910.hdr 62143910 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143911.hdr 62143911 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143912.hdr 62143912 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143913.hdr 62143913 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143914.hdr 62143914 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143915.hdr 62143915 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143916.hdr 62143916 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143917.hdr 62143917 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143918.hdr 62143918 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143919.hdr 62143919 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143920.hdr 62143920 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143921.hdr 62143921 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143922.hdr 62143922 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143923.hdr 62143923 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143924.hdr 62143924 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143925.hdr 62143925 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143926.hdr 62143926 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143927.hdr 62143927 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143928.hdr 62143928 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143929.hdr 62143929 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143930.hdr 62143930 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143931.hdr 62143931 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143932.hdr 62143932 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2006_62143933.hdr 62143933 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3779.000
c:\data\hdr\2007_70151200.hdr 70151200 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151201.hdr 70151201 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151202.hdr 70151202 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151203.hdr 70151203 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151204.hdr 70151204 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151205.hdr 70151205 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151206.hdr 70151206 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151207.hdr 70151207 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151208.hdr 70151208 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151209.hdr 70151209 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151210.hdr 70151210 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151211.hdr 70151211 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151212.hdr 70151212 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151213.hdr 70151213 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151214.hdr 70151214 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151215.hdr 70151215 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151216.hdr 70151216 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151217.hdr 70151217 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151218.hdr 70151218 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151219.hdr 70151219 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151220.hdr 70151220 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151221.hdr 70151221 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151222.hdr 70151222 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151223.hdr 70151223 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151224.hdr 70151224 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151225.hdr 70151225 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151226.hdr 70151226 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151227.hdr 70151227 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151228.hdr 70151228 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151229.hdr 70151229 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151230.hdr 70151230 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151231.hdr 70151231 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151232.hdr 70151232 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151234.hdr 70151234 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151235.hdr 70151235 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151236.hdr 70151236 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151237.hdr 70151237 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151238.hdr 70151238 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151239.hdr 70151239 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151240.hdr 70151240 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151241.hdr 70151241 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151242.hdr 70151242 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151243.hdr 70151243 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151244.hdr 70151244 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151245.hdr 70151245 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151246.hdr 70151246 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151247.hdr 70151247 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151248.hdr 70151248 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151249.hdr 70151249 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151250.hdr 70151250 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151251.hdr 70151251 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151252.hdr 70151252 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151253.hdr 70151253 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151254.hdr 70151254 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151255.hdr 70151255 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151256.hdr 70151256 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151257.hdr 70151257 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151258.hdr 70151258 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151259.hdr 70151259 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
```

```
c:\data\hdr\2007_70151260.hdr 70151260 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151261.hdr 70151261 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151262.hdr 70151262 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151263.hdr 70151263 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151264.hdr 70151264 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151265.hdr 70151265 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151266.hdr 70151266 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151268.hdr 70151268 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151269.hdr 70151269 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151270.hdr 70151270 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151271.hdr 70151271 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151272.hdr 70151272 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151273.hdr 70151273 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151274.hdr 70151274 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151275.hdr 70151275 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151276.hdr 70151276 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151277.hdr 70151277 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151278.hdr 70151278 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151279.hdr 70151279 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151280.hdr 70151280 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151281.hdr 70151281 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151282.hdr 70151282 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151283.hdr 70151283 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151284.hdr 70151284 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151285.hdr 70151285 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151286.hdr 70151286 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151287.hdr 70151287 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151288.hdr 70151288 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151289.hdr 70151289 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151290.hdr 70151290 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151291.hdr 70151291 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151292.hdr 70151292 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151293.hdr 70151293 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151294.hdr 70151294 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151295.hdr 70151295 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151296.hdr 70151296 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151297.hdr 70151297 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151298.hdr 70151298 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151299.hdr 70151299 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2007_70151300.hdr 70151300 11500 7500 111111.111 0.000 5750.000 0.000 111111.111 3790.000
c:\data\hdr\2010_40802.hdr 40802 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40843.hdr 40843 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40845.hdr 40845 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40847.hdr 40847 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40804.hdr 40804 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40844.hdr 40844 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40805.hdr 40805 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40846.hdr 40846 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40806.hdr 40806 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40803.hdr 40803 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40807.hdr 40807 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40808.hdr 40808 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40841.hdr 40841 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40809.hdr 40809 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40842.hdr 40842 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40839.hdr 40839 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40840.hdr 40840 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40810.hdr 40810 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40811.hdr 40811 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40838.hdr 40838 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40837.hdr 40837 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40812.hdr 40812 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40836.hdr 40836 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40813.hdr 40813 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40814.hdr 40814 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40835.hdr 40835 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40834.hdr 40834 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40815.hdr 40815 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40816.hdr 40816 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40833.hdr 40833 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40832.hdr 40832 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40817.hdr 40817 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40818.hdr 40818 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40831.hdr 40831 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40830.hdr 40830 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40819.hdr 40819 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40820.hdr 40820 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40829.hdr 40829 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40828.hdr 40828 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40821.hdr 40821 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40827.hdr 40827 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40822.hdr 40822 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40826.hdr 40826 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40823.hdr 40823 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40824.hdr 40824 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2010_40825.hdr 40825 17310 11310 0.000 166666.667 8655.000 -166666.667 0.000 5655.000
c:\data\hdr\2012_001_10080.hdr 110080 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10081.hdr 110081 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10082.hdr 110082 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10083.hdr 110083 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10084.hdr 110084 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10085.hdr 110085 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10086.hdr 110086 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10087.hdr 110087 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10088.hdr 110088 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10089.hdr 110089 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10090.hdr 110090 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10091.hdr 110091 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10092.hdr 110092 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10093.hdr 110093 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10094.hdr 110094 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10095.hdr 110095 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10096.hdr 110096 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10097.hdr 110097 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10098.hdr 110098 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
```

```
c:\data\hdr\2012_001_10099.hdr 110099 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10100.hdr 110100 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10101.hdr 110101 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10102.hdr 110102 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10103.hdr 110103 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10104.hdr 110104 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10105.hdr 110105 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10106.hdr 110106 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10107.hdr 110107 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10108.hdr 110108 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10109.hdr 110109 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10110.hdr 110110 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10111.hdr 110111 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10288.hdr 110288 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10289.hdr 110289 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10290.hdr 110290 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10291.hdr 110291 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10292.hdr 110292 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10293.hdr 110293 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10294.hdr 110294 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10295.hdr 110295 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10296.hdr 110296 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10297.hdr 110297 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10298.hdr 110298 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10299.hdr 110299 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10300.hdr 110300 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10301.hdr 110301 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10302.hdr 110302 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10303.hdr 110303 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10304.hdr 110304 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10305.hdr 110305 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10306.hdr 110306 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10307.hdr 110307 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10308.hdr 110308 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10309.hdr 110309 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10310.hdr 110310 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10311.hdr 110311 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10312.hdr 110312 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10313.hdr 110313 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10314.hdr 110314 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10315.hdr 110315 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10316.hdr 110316 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10317.hdr 110317 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10318.hdr 110318 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_001_10319.hdr 110319 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10112.hdr 210112 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10113.hdr 210113 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10114.hdr 210114 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10115.hdr 210115 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10116.hdr 210116 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10117.hdr 210117 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10118.hdr 210118 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10119.hdr 210119 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10120.hdr 210120 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10121.hdr 210121 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10122.hdr 210122 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10123.hdr 210123 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10124.hdr 210124 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10125.hdr 210125 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10126.hdr 210126 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10127.hdr 210127 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10128.hdr 210128 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10129.hdr 210129 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10130.hdr 210130 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10131.hdr 210131 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10132.hdr 210132 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10133.hdr 210133 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10134.hdr 210134 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10135.hdr 210135 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10136.hdr 210136 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10137.hdr 210137 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10138.hdr 210138 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10139.hdr 210139 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10140.hdr 210140 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10141.hdr 210141 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10142.hdr 210142 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10143.hdr 210143 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10320.hdr 210320 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10321.hdr 210321 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10322.hdr 210322 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10323.hdr 210323 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10324.hdr 210324 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10325.hdr 210325 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10326.hdr 210326 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10327.hdr 210327 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10328.hdr 210328 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10329.hdr 210329 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10330.hdr 210330 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10331.hdr 210331 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10332.hdr 210332 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10333.hdr 210333 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10334.hdr 210334 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10335.hdr 210335 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10336.hdr 210336 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10337.hdr 210337 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10338.hdr 210338 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10339.hdr 210339 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10340.hdr 210340 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10341.hdr 210341 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10342.hdr 210342 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10343.hdr 210343 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10344.hdr 210344 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10345.hdr 210345 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10346.hdr 210346 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10347.hdr 210347 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
```

c:\data\hdr\2012_002_10348.hdr 210348 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10349.hdr 210349 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10350.hdr 210350 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_002_10351.hdr 210351 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10144.hdr 310144 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10145.hdr 310145 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10146.hdr 310146 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10147.hdr 310147 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10148.hdr 310148 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10149.hdr 310149 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10150.hdr 310150 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10151.hdr 310151 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10152.hdr 310152 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10153.hdr 310153 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10154.hdr 310154 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10155.hdr 310155 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10156.hdr 310156 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10157.hdr 310157 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10158.hdr 310158 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10159.hdr 310159 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10160.hdr 310160 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10161.hdr 310161 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10162.hdr 310162 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10163.hdr 310163 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10164.hdr 310164 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10165.hdr 310165 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10166.hdr 310166 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10167.hdr 310167 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10168.hdr 310168 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10169.hdr 310169 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10170.hdr 310170 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10171.hdr 310171 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10172.hdr 310172 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10173.hdr 310173 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10174.hdr 310174 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10175.hdr 310175 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10352.hdr 310352 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10353.hdr 310353 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10354.hdr 310354 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10355.hdr 310355 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10356.hdr 310356 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10357.hdr 310357 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10358.hdr 310358 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10359.hdr 310359 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10360.hdr 310360 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10361.hdr 310361 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10362.hdr 310362 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10363.hdr 310363 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10364.hdr 310364 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10365.hdr 310365 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10366.hdr 310366 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10367.hdr 310367 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10368.hdr 310368 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10369.hdr 310369 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10370.hdr 310370 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10371.hdr 310371 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10372.hdr 310372 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10373.hdr 310373 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10374.hdr 310374 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10375.hdr 310375 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10376.hdr 310376 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10377.hdr 310377 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10378.hdr 310378 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10379.hdr 310379 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10380.hdr 310380 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10381.hdr 310381 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10382.hdr 310382 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_003_10383.hdr 310383 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10176.hdr 410176 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10177.hdr 410177 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10178.hdr 410178 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10179.hdr 410179 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10180.hdr 410180 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10181.hdr 410181 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10182.hdr 410182 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10183.hdr 410183 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10184.hdr 410184 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10185.hdr 410185 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10186.hdr 410186 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10187.hdr 410187 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10188.hdr 410188 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10189.hdr 410189 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10190.hdr 410190 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10191.hdr 410191 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10192.hdr 410192 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10193.hdr 410193 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10194.hdr 410194 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10195.hdr 410195 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10196.hdr 410196 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10197.hdr 410197 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10198.hdr 410198 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10199.hdr 410199 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10200.hdr 410200 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10201.hdr 410201 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10202.hdr 410202 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10203.hdr 410203 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10204.hdr 410204 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10205.hdr 410205 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10206.hdr 410206 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10207.hdr 410207 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10384.hdr 410384 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10385.hdr 410385 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10386.hdr 410386 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10387.hdr 410387 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10388.hdr 410388 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320

c:\data\hdr\2012_004_10389.hdr 410389 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10390.hdr 410390 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10391.hdr 410391 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10392.hdr 410392 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10393.hdr 410393 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10394.hdr 410394 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10395.hdr 410395 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10396.hdr 410396 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10397.hdr 410397 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10398.hdr 410398 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10399.hdr 410399 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10400.hdr 410400 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10401.hdr 410401 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10402.hdr 410402 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10403.hdr 410403 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10404.hdr 410404 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10405.hdr 410405 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10406.hdr 410406 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10407.hdr 410407 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10408.hdr 410408 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10409.hdr 410409 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10410.hdr 410410 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10411.hdr 410411 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10412.hdr 410412 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10413.hdr 410413 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10414.hdr 410414 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_004_10415.hdr 410415 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10208.hdr 510208 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10209.hdr 510209 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10210.hdr 510210 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10211.hdr 510211 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10212.hdr 510212 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10213.hdr 510213 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10214.hdr 510214 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10215.hdr 510215 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10216.hdr 510216 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10217.hdr 510217 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10218.hdr 510218 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10219.hdr 510219 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10220.hdr 510220 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10221.hdr 510221 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10222.hdr 510222 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10223.hdr 510223 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10224.hdr 510224 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10225.hdr 510225 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10226.hdr 510226 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10227.hdr 510227 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10228.hdr 510228 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10229.hdr 510229 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10230.hdr 510230 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10231.hdr 510231 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10232.hdr 510232 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10233.hdr 510233 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10234.hdr 510234 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10235.hdr 510235 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10236.hdr 510236 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10237.hdr 510237 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10238.hdr 510238 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10239.hdr 510239 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10416.hdr 510416 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10417.hdr 510417 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10418.hdr 510418 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10419.hdr 510419 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10420.hdr 510420 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10421.hdr 510421 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10422.hdr 510422 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10423.hdr 510423 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10424.hdr 510424 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10425.hdr 510425 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10426.hdr 510426 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10427.hdr 510427 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10428.hdr 510428 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10429.hdr 510429 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10430.hdr 510430 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10431.hdr 510431 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10432.hdr 510432 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10433.hdr 510433 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10434.hdr 510434 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10435.hdr 510435 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10436.hdr 510436 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10437.hdr 510437 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10438.hdr 510438 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10439.hdr 510439 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10440.hdr 510440 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10441.hdr 510441 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10442.hdr 510442 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10443.hdr 510443 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10444.hdr 510444 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10445.hdr 510445 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10446.hdr 510446 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_005_10447.hdr 510447 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10240.hdr 610240 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10241.hdr 610241 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10242.hdr 610242 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10243.hdr 610243 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10244.hdr 610244 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10245.hdr 610245 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10246.hdr 610246 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10247.hdr 610247 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10248.hdr 610248 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10249.hdr 610249 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10250.hdr 610250 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10251.hdr 610251 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10252.hdr 610252 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10253.hdr 610253 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320

```
c:\data\hdr\2012_006_10254.hdr 610254 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10255.hdr 610255 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10256.hdr 610256 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10257.hdr 610257 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10258.hdr 610258 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10259.hdr 610259 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10260.hdr 610260 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10261.hdr 610261 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10262.hdr 610262 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10263.hdr 610263 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10264.hdr 610264 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10265.hdr 610265 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10266.hdr 610266 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10267.hdr 610267 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10268.hdr 610268 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10269.hdr 610269 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10270.hdr 610270 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10271.hdr 610271 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10448.hdr 610448 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10449.hdr 610449 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10450.hdr 610450 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10451.hdr 610451 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10452.hdr 610452 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10453.hdr 610453 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10454.hdr 610454 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10455.hdr 610455 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10456.hdr 610456 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10457.hdr 610457 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10458.hdr 610458 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10459.hdr 610459 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10460.hdr 610460 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10461.hdr 610461 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10462.hdr 610462 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10463.hdr 610463 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10464.hdr 610464 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10465.hdr 610465 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10466.hdr 610466 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10467.hdr 610467 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10468.hdr 610468 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10469.hdr 610469 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10470.hdr 610470 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10471.hdr 610471 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10472.hdr 610472 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10473.hdr 610473 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10474.hdr 610474 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10475.hdr 610475 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10476.hdr 610476 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10477.hdr 610477 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10478.hdr 610478 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_006_10479.hdr 610479 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10064.hdr 710064 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10065.hdr 710065 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10066.hdr 710066 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10067.hdr 710067 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10068.hdr 710068 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10069.hdr 710069 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10070.hdr 710070 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10071.hdr 710071 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10072.hdr 710072 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10073.hdr 710073 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10074.hdr 710074 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10075.hdr 710075 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10076.hdr 710076 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10077.hdr 710077 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10078.hdr 710078 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10079.hdr 710079 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10272.hdr 710272 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10273.hdr 710273 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10274.hdr 710274 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10275.hdr 710275 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10276.hdr 710276 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10277.hdr 710277 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10278.hdr 710278 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10279.hdr 710279 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10280.hdr 710280 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10281.hdr 710281 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10282.hdr 710282 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10283.hdr 710283 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10284.hdr 710284 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10285.hdr 710285 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10286.hdr 710286 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10287.hdr 710287 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10480.hdr 710480 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10481.hdr 710481 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10482.hdr 710482 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10483.hdr 710483 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10484.hdr 710484 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10485.hdr 710485 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10486.hdr 710486 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10487.hdr 710487 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10488.hdr 710488 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10489.hdr 710489 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10490.hdr 710490 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10491.hdr 710491 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10492.hdr 710492 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10493.hdr 710493 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10494.hdr 710494 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2012_007_10495.hdr 710495 7500 11500 111111.111 0.000 3791.740 0.000 111111.111 5750.320
c:\data\hdr\2011_001_0020.hdr 10020 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0021.hdr 10021 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0022.hdr 10022 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0023.hdr 10023 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0024.hdr 10024 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0025.hdr 10025 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0026.hdr 10026 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
```

```
c:\data\hdr\2011_001_0027.hdr 10027 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0028.hdr 10028 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0029.hdr 10029 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0030.hdr 10030 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0031.hdr 10031 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0032.hdr 10032 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0033.hdr 10033 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0034.hdr 10034 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0035.hdr 10035 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0036.hdr 10036 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0037.hdr 10037 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0038.hdr 10038 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0039.hdr 10039 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_001_0040.hdr 10040 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0041.hdr 20041 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0042.hdr 20042 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0043.hdr 20043 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0044.hdr 20044 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0045.hdr 20045 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0046.hdr 20046 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0047.hdr 20047 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0048.hdr 20048 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0049.hdr 20049 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0050.hdr 20050 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0051.hdr 20051 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0052.hdr 20052 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0053.hdr 20053 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0054.hdr 20054 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0055.hdr 20055 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0056.hdr 20056 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0057.hdr 20057 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0058.hdr 20058 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0059.hdr 20059 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0060.hdr 20060 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_002_0061.hdr 20061 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0062.hdr 30062 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0063.hdr 30063 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0064.hdr 30064 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0065.hdr 30065 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0066.hdr 30066 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0067.hdr 30067 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0068.hdr 30068 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0069.hdr 30069 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0070.hdr 30070 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0071.hdr 30071 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0072.hdr 30072 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0073.hdr 30073 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0074.hdr 30074 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0075.hdr 30075 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0076.hdr 30076 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0077.hdr 30077 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0078.hdr 30078 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0079.hdr 30079 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0080.hdr 30080 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0081.hdr 30081 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_003_0082.hdr 30082 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0083.hdr 40083 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0084.hdr 40084 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0085.hdr 40085 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0086.hdr 40086 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0087.hdr 40087 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0088.hdr 40088 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0089.hdr 40089 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0090.hdr 40090 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0091.hdr 40091 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0092.hdr 40092 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0093.hdr 40093 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0094.hdr 40094 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0095.hdr 40095 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0096.hdr 40096 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0097.hdr 40097 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0098.hdr 40098 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0099.hdr 40099 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0100.hdr 40100 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0101.hdr 40101 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0102.hdr 40102 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_004_0103.hdr 40103 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0104.hdr 50104 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0105.hdr 50105 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0106.hdr 50106 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0107.hdr 50107 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0108.hdr 50108 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0109.hdr 50109 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0110.hdr 50110 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0111.hdr 50111 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0112.hdr 50112 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0113.hdr 50113 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0114.hdr 50114 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0115.hdr 50115 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0116.hdr 50116 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0117.hdr 50117 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0118.hdr 50118 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0119.hdr 50119 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0120.hdr 50120 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0121.hdr 50121 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0122.hdr 50122 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0123.hdr 50123 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_005_0124.hdr 50124 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0125.hdr 60125 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0126.hdr 60126 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0127.hdr 60127 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0128.hdr 60128 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0129.hdr 60129 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0130.hdr 60130 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0131.hdr 60131 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
```

```
c:\data\hdr\2011_006_0132.hdr 60132 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0133.hdr 60133 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0134.hdr 60134 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0135.hdr 60135 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0136.hdr 60136 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0137.hdr 60137 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0138.hdr 60138 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0139.hdr 60139 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0140.hdr 60140 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0141.hdr 60141 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0142.hdr 60142 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0143.hdr 60143 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0144.hdr 60144 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_006_0145.hdr 60145 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0146.hdr 70146 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0147.hdr 70147 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0148.hdr 70148 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0149.hdr 70149 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0150.hdr 70150 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0151.hdr 70151 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0152.hdr 70152 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0153.hdr 70153 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0154.hdr 70154 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0155.hdr 70155 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0156.hdr 70156 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0157.hdr 70157 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0158.hdr 70158 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0159.hdr 70159 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0160.hdr 70160 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0161.hdr 70161 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0162.hdr 70162 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0163.hdr 70163 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0164.hdr 70164 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0165.hdr 70165 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_007_0166.hdr 70166 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0167.hdr 80167 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0168.hdr 80168 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0169.hdr 80169 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0170.hdr 80170 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0171.hdr 80171 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0172.hdr 80172 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0173.hdr 80173 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0174.hdr 80174 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0175.hdr 80175 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0176.hdr 80176 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0177.hdr 80177 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0178.hdr 80178 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0179.hdr 80179 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0180.hdr 80180 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0181.hdr 80181 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0182.hdr 80182 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0183.hdr 80183 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0184.hdr 80184 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0185.hdr 80185 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0186.hdr 80186 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_008_0187.hdr 80187 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_009_0188.hdr 90188 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_009_0189.hdr 90189 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_009_0190.hdr 90190 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_009_0191.hdr 90191 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_009_0192.hdr 90192 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_009_0193.hdr 90193 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2011_009_0194.hdr 90194 6132 8176 0.000 166666.667 3050.500 -166666.667 0.000 4077.500
c:\data\hdr\2009_20091101_01_0001.hdr 20091101_01_0001 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0002.hdr 20091101_01_0002 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0003.hdr 20091101_01_0003 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0004.hdr 20091101_01_0004 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0005.hdr 20091101_01_0005 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0006.hdr 20091101_01_0006 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0007.hdr 20091101_01_0007 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0008.hdr 20091101_01_0008 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0009.hdr 20091101_01_0009 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0010.hdr 20091101_01_0010 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0011.hdr 20091101_01_0011 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0012.hdr 20091101_01_0012 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0013.hdr 20091101_01_0013 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0014.hdr 20091101_01_0014 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0015.hdr 20091101_01_0015 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0016.hdr 20091101_01_0016 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0017.hdr 20091101_01_0017 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0018.hdr 20091101_01_0018 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0019.hdr 20091101_01_0019 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0020.hdr 20091101_01_0020 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0021.hdr 20091101_01_0021 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0022.hdr 20091101_01_0022 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0023.hdr 20091101_01_0023 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0024.hdr 20091101_01_0024 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0025.hdr 20091101_01_0025 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0026.hdr 20091101_01_0026 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0027.hdr 20091101_01_0027 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0028.hdr 20091101_01_0028 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0029.hdr 20091101_01_0029 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0030.hdr 20091101_01_0030 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0031.hdr 20091101_01_0031 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0032.hdr 20091101_01_0032 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0033.hdr 20091101_01_0033 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0034.hdr 20091101_01_0034 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0035.hdr 20091101_01_0035 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091101_01_0036.hdr 20091101_01_0036 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0001.hdr 20091102_01_0001 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0002.hdr 20091102_01_0002 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0003.hdr 20091102_01_0003 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0004.hdr 20091102_01_0004 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0005.hdr 20091102_01_0005 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0006.hdr 20091102_01_0006 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
```

c:\data\hdr\2009_20091102_01_0007.hdr 20091102_01_0007 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0008.hdr 20091102_01_0008 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0009.hdr 20091102_01_0009 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0010.hdr 20091102_01_0010 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0011.hdr 20091102_01_0011 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0012.hdr 20091102_01_0012 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0013.hdr 20091102_01_0013 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0014.hdr 20091102_01_0014 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0015.hdr 20091102_01_0015 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0016.hdr 20091102_01_0016 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0017.hdr 20091102_01_0017 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0018.hdr 20091102_01_0018 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0019.hdr 20091102_01_0019 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0020.hdr 20091102_01_0020 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0021.hdr 20091102_01_0021 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0022.hdr 20091102_01_0022 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0023.hdr 20091102_01_0023 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0024.hdr 20091102_01_0024 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0025.hdr 20091102_01_0025 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091102_01_0026.hdr 20091102_01_0026 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0001.hdr 20091103_01_0001 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0002.hdr 20091103_01_0002 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0003.hdr 20091103_01_0003 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0004.hdr 20091103_01_0004 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0005.hdr 20091103_01_0005 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0006.hdr 20091103_01_0006 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0007.hdr 20091103_01_0007 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0008.hdr 20091103_01_0008 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0009.hdr 20091103_01_0009 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0010.hdr 20091103_01_0010 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091103_01_0011.hdr 20091103_01_0011 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0001.hdr 20091104_01_0001 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0002.hdr 20091104_01_0002 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0003.hdr 20091104_01_0003 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0004.hdr 20091104_01_0004 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0005.hdr 20091104_01_0005 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0006.hdr 20091104_01_0006 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0007.hdr 20091104_01_0007 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0008.hdr 20091104_01_0008 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0009.hdr 20091104_01_0009 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0010.hdr 20091104_01_0010 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0011.hdr 20091104_01_0011 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0012.hdr 20091104_01_0012 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0013.hdr 20091104_01_0013 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0014.hdr 20091104_01_0014 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0015.hdr 20091104_01_0015 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0016.hdr 20091104_01_0016 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0017.hdr 20091104_01_0017 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0018.hdr 20091104_01_0018 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0019.hdr 20091104_01_0019 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0020.hdr 20091104_01_0020 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0021.hdr 20091104_01_0021 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0022.hdr 20091104_01_0022 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0023.hdr 20091104_01_0023 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0024.hdr 20091104_01_0024 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0025.hdr 20091104_01_0025 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0026.hdr 20091104_01_0026 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0027.hdr 20091104_01_0027 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0028.hdr 20091104_01_0028 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0029.hdr 20091104_01_0029 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0030.hdr 20091104_01_0030 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0031.hdr 20091104_01_0031 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0032.hdr 20091104_01_0032 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0033.hdr 20091104_01_0033 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0034.hdr 20091104_01_0034 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0035.hdr 20091104_01_0035 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0036.hdr 20091104_01_0036 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0037.hdr 20091104_01_0037 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_01_0038.hdr 20091104_01_0038 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0039.hdr 20091104_02_0039 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0040.hdr 20091104_02_0040 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0041.hdr 20091104_02_0041 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0042.hdr 20091104_02_0042 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0043.hdr 20091104_02_0043 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0044.hdr 20091104_02_0044 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0045.hdr 20091104_02_0045 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0046.hdr 20091104_02_0046 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0047.hdr 20091104_02_0047 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0048.hdr 20091104_02_0048 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0049.hdr 20091104_02_0049 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0050.hdr 20091104_02_0050 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0051.hdr 20091104_02_0051 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0052.hdr 20091104_02_0052 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0053.hdr 20091104_02_0053 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0054.hdr 20091104_02_0054 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0055.hdr 20091104_02_0055 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0056.hdr 20091104_02_0056 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0057.hdr 20091104_02_0057 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0058.hdr 20091104_02_0058 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0059.hdr 20091104_02_0059 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0060.hdr 20091104_02_0060 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0061.hdr 20091104_02_0061 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0062.hdr 20091104_02_0062 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0063.hdr 20091104_02_0063 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0064.hdr 20091104_02_0064 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0065.hdr 20091104_02_0065 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0066.hdr 20091104_02_0066 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0067.hdr 20091104_02_0067 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0068.hdr 20091104_02_0068 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0069.hdr 20091104_02_0069 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0070.hdr 20091104_02_0070 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0071.hdr 20091104_02_0071 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0072.hdr 20091104_02_0072 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0073.hdr 20091104_02_0073 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_02_0074.hdr 20091104_02_0074 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000

```
c:\data\hdr\2009_20091104_03_0075.hdr 20091104_03_0075 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0076.hdr 20091104_03_0076 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0077.hdr 20091104_03_0077 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0078.hdr 20091104_03_0078 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0079.hdr 20091104_03_0079 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0080.hdr 20091104_03_0080 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0081.hdr 20091104_03_0081 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0082.hdr 20091104_03_0082 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0083.hdr 20091104_03_0083 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0084.hdr 20091104_03_0084 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0085.hdr 20091104_03_0085 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0086.hdr 20091104_03_0086 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0087.hdr 20091104_03_0087 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0088.hdr 20091104_03_0088 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0089.hdr 20091104_03_0089 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0090.hdr 20091104_03_0090 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0091.hdr 20091104_03_0091 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0092.hdr 20091104_03_0092 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0093.hdr 20091104_03_0093 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0094.hdr 20091104_03_0094 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0095.hdr 20091104_03_0095 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0096.hdr 20091104_03_0096 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0097.hdr 20091104_03_0097 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0098.hdr 20091104_03_0098 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0099.hdr 20091104_03_0099 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0100.hdr 20091104_03_0100 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091104_03_0101.hdr 20091104_03_0101 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0001.hdr 20091105_01_0001 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0002.hdr 20091105_01_0002 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0003.hdr 20091105_01_0003 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0004.hdr 20091105_01_0004 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0005.hdr 20091105_01_0005 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0006.hdr 20091105_01_0006 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0007.hdr 20091105_01_0007 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0008.hdr 20091105_01_0008 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0009.hdr 20091105_01_0009 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0010.hdr 20091105_01_0010 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0011.hdr 20091105_01_0011 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0012.hdr 20091105_01_0012 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0013.hdr 20091105_01_0013 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0014.hdr 20091105_01_0014 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0015.hdr 20091105_01_0015 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0016.hdr 20091105_01_0016 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0017.hdr 20091105_01_0017 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0018.hdr 20091105_01_0018 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0019.hdr 20091105_01_0019 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0020.hdr 20091105_01_0020 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0021.hdr 20091105_01_0021 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0022.hdr 20091105_01_0022 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0023.hdr 20091105_01_0023 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_01_0024.hdr 20091105_01_0024 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0025.hdr 20091105_02_0025 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0026.hdr 20091105_02_0026 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0027.hdr 20091105_02_0027 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0028.hdr 20091105_02_0028 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0029.hdr 20091105_02_0029 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0030.hdr 20091105_02_0030 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0031.hdr 20091105_02_0031 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0032.hdr 20091105_02_0032 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0033.hdr 20091105_02_0033 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0034.hdr 20091105_02_0034 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0035.hdr 20091105_02_0035 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0036.hdr 20091105_02_0036 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0037.hdr 20091105_02_0037 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0038.hdr 20091105_02_0038 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0039.hdr 20091105_02_0039 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0040.hdr 20091105_02_0040 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0041.hdr 20091105_02_0041 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0042.hdr 20091105_02_0042 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0043.hdr 20091105_02_0043 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0044.hdr 20091105_02_0044 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0045.hdr 20091105_02_0045 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0046.hdr 20091105_02_0046 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0047.hdr 20091105_02_0047 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0048.hdr 20091105_02_0048 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0049.hdr 20091105_02_0049 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091105_02_0050.hdr 20091105_02_0050 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0001.hdr 20091106_01_0001 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0002.hdr 20091106_01_0002 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0003.hdr 20091106_01_0003 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0004.hdr 20091106_01_0004 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0005.hdr 20091106_01_0005 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0006.hdr 20091106_01_0006 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0007.hdr 20091106_01_0007 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0008.hdr 20091106_01_0008 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0009.hdr 20091106_01_0009 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0010.hdr 20091106_01_0010 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2009_20091106_01_0011.hdr 20091106_01_0011 7680 13824 83333.333 0.000 3840.000 0.000 83333.333 6911.000
c:\data\hdr\2013_RGB_001_1900.hdr 001_1900 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1901.hdr 001_1901 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1902.hdr 001_1902 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1903.hdr 001_1903 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1904.hdr 001_1904 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1905.hdr 001_1905 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1906.hdr 001_1906 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1907.hdr 001_1907 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1908.hdr 001_1908 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1909.hdr 001_1909 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1910.hdr 001_1910 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1911.hdr 001_1911 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1912.hdr 001_1912 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1913.hdr 001_1913 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1914.hdr 001_1914 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1915.hdr 001_1915 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1916.hdr 001_1916 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
```

c:\data\hdr\2013_RGB_001_1917.hdr 001_1917 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1918.hdr 001_1918 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1919.hdr 001_1919 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1920.hdr 001_1920 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1921.hdr 001_1921 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1922.hdr 001_1922 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_001_1923.hdr 001_1923 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1924.hdr 002_1924 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1925.hdr 002_1925 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1926.hdr 002_1926 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1927.hdr 002_1927 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1928.hdr 002_1928 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1929.hdr 002_1929 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1930.hdr 002_1930 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1931.hdr 002_1931 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1932.hdr 002_1932 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1933.hdr 002_1933 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1934.hdr 002_1934 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1935.hdr 002_1935 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1936.hdr 002_1936 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1937.hdr 002_1937 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1938.hdr 002_1938 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1939.hdr 002_1939 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1940.hdr 002_1940 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1941.hdr 002_1941 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1942.hdr 002_1942 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1943.hdr 002_1943 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1944.hdr 002_1944 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1945.hdr 002_1945 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1946.hdr 002_1946 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_002_1947.hdr 002_1947 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1948.hdr 003_1948 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1949.hdr 003_1949 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1950.hdr 003_1950 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1951.hdr 003_1951 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1952.hdr 003_1952 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1953.hdr 003_1953 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1954.hdr 003_1954 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1955.hdr 003_1955 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1956.hdr 003_1956 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1957.hdr 003_1957 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1958.hdr 003_1958 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1959.hdr 003_1959 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1960.hdr 003_1960 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1961.hdr 003_1961 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1962.hdr 003_1962 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1963.hdr 003_1963 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1964.hdr 003_1964 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1965.hdr 003_1965 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1966.hdr 003_1966 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1967.hdr 003_1967 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1968.hdr 003_1968 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1969.hdr 003_1969 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1970.hdr 003_1970 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1971.hdr 003_1971 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1972.hdr 003_1972 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1973.hdr 003_1973 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1974.hdr 003_1974 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1975.hdr 003_1975 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1976.hdr 003_1976 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_003_1977.hdr 003_1977 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1978.hdr 004_1978 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1979.hdr 004_1979 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1980.hdr 004_1980 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1981.hdr 004_1981 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1982.hdr 004_1982 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1983.hdr 004_1983 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1984.hdr 004_1984 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1985.hdr 004_1985 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1986.hdr 004_1986 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1987.hdr 004_1987 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1988.hdr 004_1988 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1989.hdr 004_1989 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1990.hdr 004_1990 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1991.hdr 004_1991 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1992.hdr 004_1992 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1993.hdr 004_1993 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1994.hdr 004_1994 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1995.hdr 004_1995 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1996.hdr 004_1996 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1997.hdr 004_1997 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1998.hdr 004_1998 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_1999.hdr 004_1999 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_2000.hdr 004_2000 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_004_2001.hdr 004_2001 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2002.hdr 005_2002 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2003.hdr 005_2003 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2004.hdr 005_2004 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2005.hdr 005_2005 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2006.hdr 005_2006 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2007.hdr 005_2007 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2008.hdr 005_2008 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2009.hdr 005_2009 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2010.hdr 005_2010 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2011.hdr 005_2011 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2012.hdr 005_2012 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2013.hdr 005_2013 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2014.hdr 005_2014 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2015.hdr 005_2015 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2016.hdr 005_2016 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2017.hdr 005_2017 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2018.hdr 005_2018 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2019.hdr 005_2019 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2020.hdr 005_2020 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2021.hdr 005_2021 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700

```
c:\data\hdr\2013_RGB_005_2022.hdr 005_2022 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2023.hdr 005_2023 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2024.hdr 005_2024 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_005_2025.hdr 005_2025 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2026.hdr 006_2026 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2027.hdr 006_2027 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2028.hdr 006_2028 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2029.hdr 006_2029 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2030.hdr 006_2030 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2031.hdr 006_2031 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2032.hdr 006_2032 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2033.hdr 006_2033 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2034.hdr 006_2034 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2035.hdr 006_2035 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2036.hdr 006_2036 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2037.hdr 006_2037 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2038.hdr 006_2038 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2039.hdr 006_2039 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2040.hdr 006_2040 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2041.hdr 006_2041 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2042.hdr 006_2042 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2043.hdr 006_2043 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2044.hdr 006_2044 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2045.hdr 006_2045 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2046.hdr 006_2046 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2047.hdr 006_2047 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2048.hdr 006_2048 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_006_2049.hdr 006_2049 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2050.hdr 007_2050 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2051.hdr 007_2051 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2052.hdr 007_2052 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2053.hdr 007_2053 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2054.hdr 007_2054 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2055.hdr 007_2055 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2056.hdr 007_2056 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2057.hdr 007_2057 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2058.hdr 007_2058 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2059.hdr 007_2059 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2060.hdr 007_2060 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2061.hdr 007_2061 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2062.hdr 007_2062 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2063.hdr 007_2063 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2064.hdr 007_2064 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2065.hdr 007_2065 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2066.hdr 007_2066 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2067.hdr 007_2067 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2068.hdr 007_2068 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2069.hdr 007_2069 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2070.hdr 007_2070 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2071.hdr 007_2071 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2072.hdr 007_2072 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_007_2073.hdr 007_2073 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2074.hdr 008_2074 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2075.hdr 008_2075 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2076.hdr 008_2076 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2077.hdr 008_2077 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2078.hdr 008_2078 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2079.hdr 008_2079 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2080.hdr 008_2080 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2081.hdr 008_2081 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2082.hdr 008_2082 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2083.hdr 008_2083 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2084.hdr 008_2084 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2085.hdr 008_2085 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2086.hdr 008_2086 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2087.hdr 008_2087 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2088.hdr 008_2088 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2089.hdr 008_2089 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2090.hdr 008_2090 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2091.hdr 008_2091 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2092.hdr 008_2092 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2093.hdr 008_2093 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2094.hdr 008_2094 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2095.hdr 008_2095 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2096.hdr 008_2096 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_008_2097.hdr 008_2097 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2098.hdr 009_2098 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2099.hdr 009_2099 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2100.hdr 009_2100 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2101.hdr 009_2101 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2102.hdr 009_2102 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2103.hdr 009_2103 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2104.hdr 009_2104 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2105.hdr 009_2105 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2106.hdr 009_2106 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
c:\data\hdr\2013_RGB_009_2107.hdr 009_2107 8176 6132 0.000 -166666.667 4089.000 166666.667 0.000 3085.700
```

Appendix 7. Programs and used by Aarne Hovi 2009–2015

Programs\AarneHovi\

I have used mainly Java, Matlab, and R. Java was used for computationally intensive tasks and IO of binary files. Matlab was mainly for waveform processing and data analysis. R was for statistical analyses.

The Matlab and R codes should run on any system. The Java codes need NetBeans IDE and Java to be installed. Information on configuring your computer and running the Java programs are given in the next Section.

About Java programs

General

The Java programs are all source code, i.e. they are not compiled into .jar files. They were written in NetBeans programming environment. Each program is thus a NetBeans project stored in a project folder that can be opened and the code run through NetBeans. In addition, the user must have Java development kit (JDK) installed.

All the programs documented in the following Sections were tested in a 64-bit Windows7, with NetBeans 8.0.2, and JDK 1.7u79. Some of the programs use external Java packages in addition to JDK. The external packages are always included in the project folder and the NetBeans project is configured to include the external packages in its runtime libraries. Thus the programs should run correctly without any modifications. Programs that have high memory requirements need 64-bit Java. The LiDAR simulator needs 32-bit Java because it uses some external Java packages that are 32-bit.

32-bit Java needed:

- LiDAR simulator

64-bit Java needed:

- Processing raw LiDAR data into hectare files
- Waveform processing for noise-exceeding amplitude sequences and their attributes


NetBeans 8.0.2 and JDK 1.7u79 (32 and 64-bit) installation packages (standalone installation) are found in:

Java_NetBeans_installation_packages\


Install first JDK, then NetBeans. NetBeans installation will not succeed if you do not have appropriate version of JDK installed.

Running NetBeans projects


Opening NetBeans project: Choose “File” → “Open project”, navigate to the project folder and choose “Open project”.



The project folder structure is shown on the left hand side panel. It lists all the Java packages and classes included in the project:




Code can be run by right-clicking the Java class you want to run, and selecting “Run File”:




Configuring NetBeans projects


Setting maximum heap size: When the default settings are applied the maximum heap size is limited. For most of the programs to run, particularly those handling large amounts of data in the memory, the maximum heap size must be set higher.

Right-click the project name on the left hand side panel. Choose “Properties” → “Run”. In the “VM Options” panel, add a text “-J-Xmx16000m”, for example. This means that the maximum permitted memory allocated is 16 GB.





Selecting the JDK version to use (32- or 64-bit): Right-click the project name on the left hand side panel. Choose “Properties” → “Libraries”. Select the JDK from the list. If you cannot find the appropriate version, go to “Manage platforms” → “Add platform”.


Project Properties - LidarSimulatorSept2015
Categories:
Sources
Libraries
Build
Compiling
Packaging
Deployment
Documenting
Run
Application
Web Start
License Headers
Formatting
Hints
Java Platform:
JDK 1.7
JDK 1.7
JDK 1.7 (Default)
Manage Platforms...
Libraries Folder:
Browse...
Compile
Processor
Run
Compile Tests
Run Tests
Compile-time Libraries:
external_libraries/jogl/jar/gluegen-rt.jar
external_libraries/j3d/lib/ext/j3dcore.jar
external_libraries/j3d/lib/ext/j3dutils.jar
external_libraries/j3d/lib/ext/vecmath.jar
external_libraries/jogl/jar/jogl.all.jar
external_libraries/jogl/jar/nativewindow.all.jar
external_libraries/jogl/jar/newt.all.jar
external_libraries/colt/lib/colt.jar
external_libraries/colt/lib/concurrent.jar
Add Project...
Add Library...
Add JAR/Folder
Edit
Remove
Move Up
Move Down
Compile-time libraries are propagated to all library categories.
Build Projects on Classpath
OK
Cancel
Help

Program 1 - Processing raw LiDAR data into binary hectare files

This Java program was used to process LiDAR data delivered by FInnmap. The program reads in LiDAR echoes, waveforms, and trajectory data, and constructs LiDAR records which are then written into binary hectare files. A separate version exists for each LiDAR dataset, from 2011a to 2015, because there were small differences in structure of the data (tiled vs. one file per flight line), file format (one big LAS1.3 file vs. separate wdp files to store WF data), etc.. Program versions are found See the LiDAR folders: 2011a\, 2011b,etc.

Common to all datasets was that the data were always delivered both in LAS1.2 (strip-adjusted echoes) and in LAS1.3 (echoes without strip adjustment + waveform data). Trajectory data was also always available. The trajectories were not changed in the strip-adjustment, thus they can be some centimeters off.

TerraMatch that was used in strip adjustment was not able to output LAS1.3, but LAS1.3 is needed to output waveform data. Therefore two separate file formats. The program reads discrete echoes from LAS1.2, one at a time. It then finds the same echo from LAS1.3 file, based on the GPS time. The echo in LAS1.3 has pointer to waveform data, which is also read in. The final product (LiDAR records in the binary hectare file) has DR echoes from LAS1.2, waveform data from LAS1.3, and position of the LiDAR interpolated from trajectory data.

Program 2 - LiDAR simulator

Programs\AarneHovi\Lidar_simulator\

This is the LiDAR simulator written for *Remote Sensing of Environment 140*: 665-678. The theoretical foundations of the simulator are described in that paper.

NetBeans project folder "LidarSimulator" contains all the required code and input files. Open the project in NetBeans and navigate to file "LidarSimulator.java". LidarSimulator.demo() contains code for running a small demo.

The demo runs in sequential order and calls all the Java classes and methods needed in simulation. The code does following:


- Initializes a scene in which to place vegetation models. The size of the scene is determined, the scene is partitioned into voxels to speed up calculations, and the position and view direction of the eye (needed in visualizations) are given.
- Reads LiDAR system waveform from a csv file. The csv file can be modified to allow simulation of varying system waveforms.
- Sets the parameters of the constant fraction discriminator that is used to detect discrete echoes from the simulated waveform.
- Sets noise parameters (mean and standard deviation of noise in the waveform).
- Constructs scene objects (two 3-m-high birches and a ground surface) and places them into the scene. The birches are constructed of geometric primitives (cylinders, polygons, truncated cones) that have reflectance and transmittance.
- Performs an OpenGL visualization of the scene. This is optional and can be commented out if not needed.
- Sets the position of the LiDAR sensor and the direction of the LiDAR pulse to be fired into the scene. The pulse direction is determined by giving an approximate estimate of 3D point at which you expect the first LiDAR echo to occur.
- Simulates a LiDAR measurement. This is all done by the method scene.simulatePontLightSource() that doies following:
    - Simulates the target differential scattering cross-section by means of ray tracing. The number of rays per pulse, number of scattering orders simulated, and the beam divergence of the pulse are given in the parameters.
    - Convolves the differential scattering cross-section with the system waveform of the LiDAR.
    - Detects first DR echo from the waveform, using constant fraction discriminator.
    - Prints the position of the LiDAR, the first DR echo, and the waveform into a csv file. Optionally, the target differential scattering cross-section can be outputted into another csv, separately for 1st order scatterinng, 2nd order scattering, 3rd order scattering, etc.
- Makes an animation of the rays fired into the scene. This can be commented out if you do not want to display the animation.

Program 3 - Waveform processing for noise-exceeding amplitude sequences and their attributes

Programs\AarneHovi\WF_feature_extraction\

General workflow

The processing is done for rectangular areas that can be of any size. The data for the area are first read from per hectare BIN files and written into binary files in which the pulses are in a so called 'generic pulse format' i.e. the format is the same independent of the sensor (Leica or Riegl waveform data). Reading of per hectare binaries and writing into generic format is done with Java code. The files in generic format are then read into Matlab and processed to noise-exceeding amplitude sequences (NEAS) with XYZ and other attributes.



Step 1. Java code: Extracting LiDAR pulses for the areas

The program is in NetBeans project LidarProcessingJava/.

The following Java function contains the main calculation routine in sequential order:

- LidarProcessingJava/SourcePackages/main/Main lidarDataExtractionForRectangularAreas()

The function does the following:

- Reads .csv file that contains the extent (min/max X and Y) of the rectangles and the maximum tree height within the area. Note that in the code the areas are called "plot clusters" or "clusters"
- Reads in LiDAR pulses for the areas from the per hectare binary files. A buffer is added around each area. It accounts for the maximum tree height and maximum scan angle and ensures that all the pulses are included that had intersected the trees at the edge of the area. N.B. Every dataset has its own code for processing. It is done in a large IF-block, which is inside a loop that runs through all areas.
- Prints out binary files (one per each area and per each LiDAR dataset) that contain pulses in generic format. Alternatively, csv files containing DR echoes only can be outputted. Too high echoes (H>45 m) are filtered out in the process. N.B. output in generic pulse format is possible for 2010 and newer LiDAR data, and output in csv is possible for all LiDAR datasets starting from 2004.

Step 2. Matlab code: Processing WF data

Matlab codes are located in folder NEAS_extraction_Matlab\

There is one main routine "standwise_processing.m" that runs in sequential order and calls the necessary functions. It does the following:

- Reads in raster DEM in EstriGrid ascii format (https://en.wikipedia.org/wiki/Esri_grid). Optionally you can read also a raster containing tree segments. This is needed if you want to label NEASs with segment ID.
- Reads in filenames of the input files containing LiDAR pulses (binary generic pulse format), and of the outputfiles containing NEASs (.mat and/or .csv). The working directory is set in the beginning and all the files are assumed to be located in the working directory.
- Loops through all the input files (per area). For each file
    - Calls function “genericWfRead3.m” that reads the file
    - Calls either dunction “wfProcessEntireFile.m” or “wfProcessEntireFile2”.m” that does the waveform processing and outputs NEASs in different formats.
    - Searches height from ground for each NEAS. Optionally searches also the tree segment ID for each NEAS.
    - Outputs NEASs in .mat or .csv

Description of generic pulse format

Pulse format is designed to handle waveform LiDAR data. The format is designed so that there can be pulses with arbitrary many DR echoes and waveform sample blocks. Also the size of the waveform sample block can be variable. The idea was that the file format is the same for both Riegl and Leica waveform data.

In the beginning of the file there are four attributes:

int64	(file pointer index 0) number of pulses in the file
int8	(file pointer index 8) maximum number of echoes in a pulse
int8	(file pointer index 9) maximum number of waveform blocks in a pulse
int8	(file pointer index 10) maximum number of waveform blocks in a pulse

The rest of the file, starting from file pointer index 11, contains LiDAR pulses. Each pulse has following attributes:

GenericWFPulse

poslidar.x	float64	X of the LiDAR sensor
poslidar.y	float64	Y of the LiDAR sensor
poslidar.z	float64	Z of the LiDAR sensor
agc	uint8	AGC recording (for Leica ALS50-ii/ALS60 only)
drEchoCount	int8	Number of DR echoes in the pulse
Echoes (1 to drEchoCount)	EchoXYZI	DR echoes
wfSampletype	int8	1 = Unsigned byte, 2 = Unsigned short
wfSamplerate	int8	Waveform sample rate in nanoseconds
wfBlockCount	int8	Number of waveform blocks in the pulse
wfBlockSize (1 to wfBlockCount)	int16	Number of samples in each waveform block
wfBlockRange (1 to wfBlockCount)	float64	Range [m] where each waveform block starts
Waveform blocks (1 to wfBlockCount)	uint8[]/uint16[]	Waveform sample blocks, they are written sequentially, from first to last. The waveform samples are stored either as uint8 or uint16, depending on whether the data is from Leica or Riegl sensor.

EchoXYZI

x	float64
y	float64
z	float64
intensity	float64

Program 4 - Random forest classification

Programs\AarneHovi\RF_classifications\

This is a sample R code for running Random Forest classification. The R code is commented. Follow the instructions in the code. The folder contains a sample tree set that has LiDAR waveform features ('MD trees' used in Hovi et al. RSE 2015, LiDAR features computed from 2011 800m LiDAR data).